

Index

A

- Abacavir 396
- ab-initio modeling
 - modeling protein structure 430
 - structural genomics 430
- acceleration ratio 224
- ACE inhibitor 185
- (R)-acetoin 194
- acetolactate decarboxylase 194, 275
- acetolactate synthase 181
- acid phosphatase
 - heme-dependent chloroperoxidase 297
- acid proteases 262
- acid–base catalysis
 - basic nucleophiles 249
 - Brønsted α value 248
 - pK_a value 248
 - proton transfer 248
 - reaction parameter 248
- acrylamide 160
 - acrylonitrile 355
- acrylonitrile 355
- activation energy 113
 - deactivation 113
- active-site architecture
 - dominance of 466
 - suprafamily 466
- active-site titration
 - electrophile 250
 - ethyl *p*-nitrobenzoate 249
- activity coefficient 346
- acyl intermediate
 - cinnamoylimidazole 263
- acylase I 172, 553
 - operational stability 553
 - *see also* aminocyclase
 - thermal stability 553
- acyl-enzyme mechanism
 - acetyltryptophan *p*-nitrophenyl ester 263
 - acylation step 263
 - deacylation step 263
- adenosine deaminase 462
- ADH *see* alcohol dehydrogenase
- adiponitrile 162
- aggregation rate 498
- alcohol dehydrogenase 186, 237, 344, 394, 557, 559
 - coenzyme 273
 - deprotonation 274
 - deuterium isotope effect 270
 - (R) enantiomer 271
 - hydride transfer 269
 - NADH 271
 - proton transfer 273
 - pyrroloquinoline quinone 269
 - stopped-flow spectrophotometry 270
 - substrate inhibition 270
 - Theorell–Chance mechanism 269
- aldehydes 528
- aldolase 274
- aldose reductase 462
- Amadori rearrangement 481
- (R)-amidase 393
- amidase process 174
- amidohydrolases
 - carbamoylase 464
 - phosphotriesterase 464
 - urease 464
- amino acid composition
 - (CNBr) cleavage 258
 - Edman degradation 258
 - ninhydrin coupling 258
 - protein sequencing 258
 - reversed-phase HPLC 258
 - total acid hydrolysis 258
- amino acid metabolism
 - aldol cleavage 275
 - racemization 275
 - transamination 275
- amino acid oxidase 400, 238
- amino acid sequence 312, 461
 - formate dehydrogenase 422

- psipred 422
 - transmembrane location 422
 - aminoacylase 172
 - *see also* acylase I
 - aminoacylase process
 - L-amino acids 172
 - 7-aminodesacetylcephalosporanic acid 197
 - L-2-aminobutyric acid 181
 - aminolysis 344
 - 6-aminopenicillanic acid 197
 - aminotransferase 398
 - aspartate aminotransferase 332
 - branched-chain aminotransferase 332
 - L-tyrosine aminotransferase 332
 - amoxicillin 174, 365
 - ampicillin 174
 - amylase 49, 476, 502
 - analog 461
 - Anfinsen dogma 489
 - anhydrous organic solvent 341
 - antibiotic 197, 326, 331
 - resistance 318
 - antibody reaction
 - anti-DIG-antibody 77
 - anti-catalyst 21
 - anticholesterol drugs 393
 - antiinfectives 393
 - aqueous two-phase extraction 229
 - aromatic biosynthesis pathway 481
 - ascorbic acid 583
 - *see also* vitamin C
 - Aspartame® 180, 188, 363
 - aspartase 180
 - L-aspartate- β -decarboxylase 113, 180
 - aspartate aminotransferase (AAT) 196, 470
 - L-aspartic acid 180
 - asymmetric epoxidation 570
 - asymmetric sulfoxidation 341
 - atom economy 39
 - atom utilization 577
 - auxotroph 332, 481
- B**
- bacteriophage
 - *cos* site 79
 - lambda 79
 - lytic phase 79
 - baker's yeast 185, 402
 - α/β -barrel proteins 313
 - catalytic versatility 475
 - circular permutation 475
 - evolution 475
 - fructose-bisphosphate aldolase 474
 - gene duplication 475
 - horizontal gene transfer 475
 - stability 475
 - transaldolase 474
 - benzodiazepine
 - LY300164 404
 - binding pocket protector 354
 - bioavailability 55, 375
 - biocatalysis 14
 - biocatalyst 362
 - productivity 33
 - retention 550
 - stability 33
 - bioinformatics
 - algorithm 415
 - computational approach 416
 - computer science 415
 - information technology 415
 - statistics 415
 - biostoning 143
 - Biot law 247
 - biotransformation 7
 - biphasic equilibrium constant 342
 - biphasic solvent 346
 - BLAST
 - bit score 425
 - blastp 422
 - E-value 425
 - hit list 425
 - NADH oxidase 423
 - query sequence 425
 - tblastn 422
 - bleach boosting 149
 - blue–white screening
 - β -galactosidase 79
 - isopropyl- β -D-galactopyranoside (IPTG) 79
 - *lacZ'* repressor 79
 - borane reduction 530
 - enantioselective 528
 - Born–Haber cycle 24
 - branched-chain aminotransferase 332
 - Brevibacterium lactofermentum*
 - α -chlorocaprolactam 51
 - lysine 51
 - S-(2-aminoethyl)-L-cysteine 51
 - Brønsted analysis 522
 - γ -butyrobetaine 193
- C**
- Cahn–Ingold–Prelog rule 171
 - Candida rugosa*
 - lipase 356
 - capacity factor (k) 234
 - capillary electrophoresis
 - cation exchange column 439

- MS detector 439
- validation 440
- capillary transfer
 - capillary force 74
- carbamoylase process 174, 330
- carborigase 200
- carborigation 479
- carbon source 213
- carbonic anhydrase 462
 - inhibitor 403f
 - Trusopt 403
- carbonic anhydrase II
 - catalytic Zn^{II} 258
 - diffusion-limitation 258
 - histidine residue 260
 - proton shuttle 260
 - turnover number 259
- carbonyl reductase 185, 559, 564
- carboxylic acid hydrolase 582
- carboxypeptidase A
 - entropy increase 268
 - induced fit 268
- carboxypeptidase B
 - entropy increase 268
 - induced fit 268
- Carnitine 191, 559
- carotenoide 333
 - pathway 334
- CAT
 - isotope coded linker 441
 - phosphoramidate 441
 - reactive group 441
 - tag 441
- catalyst productivity 33, 563
- catalyst stability 33, 563
- catalytic antibody 25, 458, 512, 570
- catalytic efficiency 363
- catalytic promiscuity 466, 469
- catalytic RNA 521
 - *see also* ribozyme
- cation exchange column 439
- CCR *see* combined chain reaction
- cell density 214
- cellulase 142
- centrifugation 223
- cephalosporin C 197, 380
- cephalosporinase C 331
- chaotrope 491
- chemical mechanism dominance 465, 479
 - superfamily 466
- chemical mechanism 270
- chemically modified mutants 303
 - methanethiosulfonate 303
 - oxyanion 304
- chemzyme membrane reactor (CMR) 529, 550
 - aldehydes 530
 - borane reduction 530
 - dialkylzinc addition 530
 - Julia–Colonna epoxidation 530
 - meso-anhydrides opening 530
 - Sharpless dihydroxylation 530
 - transfer hydrogenation 530
- chimera 331
- chimeric DNA molecule 311
- chimerism 471
- chinese hamster ovary cells 82
- chiral drug 379
- chiral pool 576
- chirality 171
- chlorine bleaching process 145
- α -chlorocaprolactam 51
- chloroperoxidase 571f
 - halogenation 260
 - hemethiolate 260
- CHO *see* chinese hamster ovary cells
- cholesterol absorption inhibitor 395
- cholesterol biosynthesis 382
- chorismate mutase 329, 518
- chromatography
 - affinity 235
 - fixed-bed adsorption 233
 - frontal chromatography 233
 - hydrophobic interaction 235
 - ion exchange 235
 - elution chromatography 233
- chymotrypsin 344f, 347, 352f, 360, 364, 470, 505, 516
- cilastatin
 - β -lactamase inhibitor 393
- circular permutation 466, 469, 474
- cis-aminoindanol 397, 588
- cis-dihydrodiol 163
 - reactor configuration 164
- Claisen rearrangement 518
- cloning
 - ligation technique 77
 - restriction enzyme 77
- co-cloning 559
- cofactor
 - regeneration 178, 556
- Cohn–Edsall equation 226, 228
- cold denaturation temperature (T_c) 492
- combined chain reaction 288
 - deletion 288
 - ligase chain reaction (LCR) 288
 - melting temperature 288
 - thermostable ligase 288

- comparative modeling
 - protein structure 430
 - structural genomics 430
 - complex medium 213
 - concentration polarization (R_p) 232
 - consensus motif 174
 - consensus sequence 415
 - constant conversion policy 122, 543
 - constant flow policy 122, 543
 - continuous reactor 200
 - convergence temperature 490
 - convergent evolution
 - carbonic anhydrase 462
 - Corynebacterium glutamicum*
 - animal feed 46
 - L-glutamic acid 46
 - crossflow microfiltration 232
 - crossover 332
 - frequency 322
 - ratio 319
 - crotonase 464
 - crude extract 7
 - crystal structure
 - electrostatic interactions 54
 - salt bridges 54
 - culture collection agencies
 - ATCC 45
 - DSMZ 45
 - national collection 45
 - Curtin–Hammett principle
 - conformational-equilibrium control 246
 - energy barrier 245
 - product distribution 246
 - rapid equilibrium 245
 - cysteine proteases 261
 - imidazolium group 265
 - thiolate ion 265
 - thiolate–imidazolium ion-pair 265
 - cystine residues
 - β -elimination 502
 - cytochrome P450 300
 - cobalt(iii) sepulchrate 301
 - regioselectivity 301
- D**
- DAOC synthase 381
 - *see also* expandase
 - database
 - computer program 415
 - sequence similarity 414
 - Swiss-3D-image 429
 - data-mining 415
 - evolutionary pattern 416
 - homolog 416
 - model organism 416
 - phylogenetic relationship 416
 - deactivation kinetics 119
 - activation energy 113
 - deactivation of enzymes
 - cystine residues 502
 - deamidation 502
 - β -elimination 502
 - thiol–disulfide interchange 502
 - deactivation rate law 494
 - death phase 214
 - death rate constant 215
 - decarboxylase
 - synthetic 525
 - decarboxylation 332, 469
 - dehydration 344
 - dehydrogenases
 - alcohol dehydrogenase 298
 - cofactor 297
 - consensus sequence 300
 - glutathione 298
 - 3 α ,20 β -hydroxysteroid dehydrogenase 298
 - isocitrate dehydrogenase 298
 - *L. brevis* 298
 - leucine dehydrogenase 298
 - substrate specificity 299
 - denim 579
 - 3-deoxy-D-arabino-heptulosonate 7-phosphate (DAHP) synthase 579
 - 2-deoxyribose-5-phosphate aldolase
 - epothilone 304
 - Lipitor 305
 - retroaldol reaction 304
 - depth filter 112
 - desacetoxycephalosporin C synthase 381
 - dialkylzinc
 - addition to aldehydes 527, 530
 - dialysis 231
 - Diels–Alder reaction 518, 523, 528
 - diethylzinc
 - addition to aldehydes 528
 - differential scanning calorimetry (DSC) 494, 508
 - diffusion limitation 348, 547
 - diffusion-controlled
 - Smoluchowski equation 27
 - digoxigenin 76
 - dihydropyridine 367
 - calcium antagonists 402
 - dilution rate (F/V) 217
 - 1,5-dimethyl-2-piperidone 163
 - dioxygenase 165
 - regioselectants 167
 - directed evolution 177, 179, 310, 330

- comparison technique 331
 - protein engineering 332
 - disk-bowl centrifuge 224
 - divergent evolution
 - adenosine deaminase 462
 - aldose reductase 462
 - enolase 462
 - xylose isomerase 462
 - D-LDH *see* D-lactate dehydrogenase
 - DNA isolation
 - cell lysis 65
 - genomic DNA 65
 - isolation kit 66
 - DNA library 315
 - DNA ligase
 - dephosphorylation 80
 - ligation kinetics 80
 - DNA microarray 51, 437
 - grid 446
 - hybridization filter 446
 - pathological disease 446
 - piezo-ink-jet method 446
 - pin spotting 446
 - DNA mutagenesis methods 317
 - DNA polymerase 70
 - DNA recombination 326
 - degenerate oligonucleotide shuffling (DOGS) 316
 - DNA shuffling 315
 - family shuffling 316
 - λ -shuffling 316
 - methods 317
 - RACHITT 315f
 - recombined extension on truncated templates (RETT) 316
 - staggered extension process (StEP) 316
 - DNA replication
 - low-fidelity condition 319
 - DNA sequence 461
 - protein data bank 421
 - restriction map 421
 - DNA sequencing 416
 - Celera Pharmaceuticals 417
 - didesoxynucleotides 77
 - fluorescence marker 77
 - human genome 417
 - Moore's law 417
 - protein 3D structure 417
 - TIGR 417
 - DNA shuffling 315, 319f, 331
 - dogma of biology
 - transcription 63
 - doubling time 214
 - downstream processing 210, 223
 - drug development 377
 - pipeline 378
 - drug efficacy 377
 - dry cell weight 215
 - dye-transfer inhibition 140
 - dynamic kinetic resolution (DKR)
 - enzyme–metal combi reaction (EMCR) 532
- E**
- E. coli*
 - gene synthesis 83
 - *lacI* repressor 83
 - Shine–Dalgarno sequence 82
 - E. C.* nomenclature 418
 - effective equilibrium constant 342
 - effective molarity 26, 517, 525
 - effectiveness factor 115, 400, 542
 - elastase 359
 - β -lactam 388
 - inhibition 388
 - electrophoresis
 - charge ratio 255
 - electric field 255
 - frictional ratio 255
 - R_f value 255
 - size ratio 255
 - sodium dodecyl sulfate (SDS) 255
 - Stokes diameter 255
 - elementary chlorine-free process 145
 - β -elimination
 - cystine residues 502
 - enantiomeric excess 31, 532, 554
 - enantiomeric purity 379, 400
 - amines 182, 534
 - compounds 10
 - hydrophobic alcohols
 - isolated enzyme approach 556, 558
 - organometallic catalyst approach 561
 - organometallic catalyst processes 562
 - whole-cell approach 559
 - whole-cell processes 560
 - enantiomeric ratio 31, 126
 - *see also* E-value
 - enantioselectivity 329, 527, 529, 531, 533, 561, 563, 571, 583
 - asymmetrical reaction 301
 - enhancement 354
 - flexibility 347
 - hydrophobicity 350
 - in organic solvents 354
 - inversion of 330
 - oxidation 559
 - racemate 301

- solvent polarity 350
- enantiospecificity
 - Nifedipine 367
- solvent control of 367
- enhanced solubility 341
- enolase 462
 - mandelate racemase (MR) 464
 - muconate-lactonizing enzyme (MLE) 464
 - *N*-acetyl amino acid racemase (NAAR) 464
- enrichment culture
 - inoculum 48
 - pure culture 48
 - selection pressure 48
 - streak plate 48
- entropy trap 514, 517
- environment 46
- environmental stress factors
 - ecological niche 52
 - kosmotrope 52
 - pressure condition 52
 - stress 52
 - temperature tolerance 52
- environmentally benign manufacturing 575
- enzymatic kinetic resolution 365
- enzymatic peptide synthesis 189
 - kinetically-controlled 190
 - thermodynamically 190
- enzyme active site
 - redesign of 331
- enzyme deactivation 551
 - batch reactor 495
 - deactivation rate law 494
 - empirical deactivation model 494
 - influence of aqueous interfaces 505
 - influence of gas bubbles 504
 - influence of organic interfaces 505
 - influence of salts 505
 - influence of solvents 505
 - influence of stirring 503
 - intrinsic deactivation rate constant (k_d) 493
 - Lumry–Eyring model 493
 - observed deactivation rate constant ($k_{d,obs}$) 493
 - short-time behavior 495
 - three-state model 493
- enzyme function
 - evolution of 516
 - generation of 458
- enzyme half-life 582
- enzyme inhibition 97
 - classical inhibitor 98
 - disease 374
 - slowly binding inhibitor 98
 - tight-binding inhibitor 98
- enzyme membrane reactor (EMR) 172, 179, 529, 550
 - *Candida rugosa* lipase 554
 - chloroperoxidase 554
 - classification 111
 - design criterion 552
 - design equation 110
 - formate dehydrogenase (FDH) 554
 - β -glucuronidase 556
 - immobilized 106
 - inulin sucrose 556
 - *D*-lactate dehydrogenase 554
 - large-scale application 553
 - lipase 556
 - *N*-acetylneuraminic acid aldolase 554
 - Neu5Ac-aldolase 555
 - processes 554
 - pyruvate decarboxylase (PDC) 554
 - retention of enzyme 110
 - transaminases 556
 - transketolase 554
- enzyme memory 352
- enzyme models 523
 - *see also* synzymes
- enzyme nomenclature 14
- enzyme reaction
 - batch reactor 106
 - batch-UF reactor 106
 - diffusion-controlled 27
 - engineering
 - fixed-bed reactor 106
 - goal of 92
 - immobilized 106
 - membrane reactor 106
 - recycle reactor 106
- enzyme stability
 - operating stability 32
 - process stability 32
 - storage stability 32
 - thermal stability 32
- enzyme surface
 - stripping off 345
- enzyme–membrane reactor 200f
- enzyme–metal combi reaction (EMCR) 532
- enzymes
 - paper industry 145
 - laccase 145
 - xylanase 145
 - pulp industry 145
 - laccase 145
 - xylanase 145
 - textile industry 140
 - biofinishing 141
 - pilling 141

- singeing 141
 - textile finishing 140
 - thermal inactivation 502
 - EPC 10
 - ephedrine 200, 554
 - epoxidation 526, 528f
 - cytochrome P450 300
 - Julia–Colonna 527
 - equilibrium shift 340, 342
 - equivalent settling area 224
 - error-prone PCR 140, 315f, 319, 321, 325, 329, 331, 398
 - Escherichia coli*
 - number of genes 62
 - ESI
 - collision-induced dissociation 445
 - Coulombic explosion 444
 - polarity 445
 - quadrupole 445
 - radio-frequency 445
 - spray 444
 - ESI-MS
 - charged liquid droplet 257
 - mass-to-charge-ratio 257
 - ester hydrolysis 469
 - esterase 326, 328
 - eukaryotic expression
 - glycosylation 87
 - eukaryotic vectors
 - shuttle vectors 80
 - yeast 80
 - eutectic suspensions
 - enzymatic catalysis 361
 - E-value 31, 126, 350, 354, 396
 - choice of temperature 130
 - derivation of 126
 - assumptions 128
 - optimization 130
 - *see also* enantiomeric ratio
 - expandase 381
 - *see also* DAOC synthase
 - ExPASy server
 - ClustalW 419
 - EBI 419
 - metabolic pathway 419
 - NCBI 419
 - sequence alignment 419
 - exponential growth 47
 - exponential phase 214
 - expression system
 - alcohol oxidase gene 88
 - CHO 82
 - constitutive 82
 - dual expression vector 88
 - fusion protein 82
 - GAL1 88
 - inducible 82
 - *Pichia pastoris* 88
 - protease-deficient 82
 - *S. cerevisiae* 88
 - external mass transfer 114
 - apparent Michaelis constant 118
 - *see also* film diffusion
 - influence of stirring 117
 - mass-transfer coefficient of 114
 - non-linear Arrhenius plot 118
 - non-linear Lineweaver–Burk plot 118
 - thickness of film layer 117
 - extremophile 52
 - acidophilic 53
 - biotechnological application 55
 - enzyme application 55
 - glucose isomerase 55
 - halophilic 53
 - high space–time–yield 54
 - hydrophobic interactions 53
 - hydrophobic solvents 55
 - hyperthermophilic 53
 - mesophilic 53
 - piezophilic 53
 - psychrophilic 53
 - thermophilic 53
- F**
- family 464
 - FDH *see* formate dehydrogenase
 - fed-batch biotransformation 194
 - fed-batch culture 216
 - fed-batch fermentation 216
 - Fe-dependent oxidase/oxygenases
 - cephalosporin synthase 464
 - isopenicillin N-synthase (IPNS) 464
 - fermentation 7, 197, 214
 - ferrochelatase 518
 - film diffusion 114
 - *see also* external mass transfer
 - final purification 211
 - fixed-bed reactor 172
 - productivity 547
 - flexibility
 - conformational 347
 - fluidity 552
 - fold 464
 - fold recognition modeling
 - protein structure 430
 - structural genomics 430
 - folding
 - aggregate formation 498

- intermediate 497
 - protein synthesis 498
 - formate dehydrogenase (FDH) 178, 399, 462, 557
 - free enthalpy–reaction coordinate diagram 21
 - Friedel–Crafts acylation 577, 580
 - fructose
 - isomerization 541
 - fructose-bisphosphate aldolase 474, 476
 - fumarase 182
 - fusion PCR
 - fragment 284
 - mutation primer 284
 - point mutation 284
 - target site 284
 - fusion protein
 - glutathione-S-transferase (GST) 87
 - intein domain 87
 - maltose-binding protein (MBP) 87
- G**
- GAPDH *see* glyceraldehyde phosphate dehydrogenase
 - GenBank 419
 - features link 420
 - NCBI server 420
 - redundancy 420
 - gene duplication 466f, 470, 483
 - benzoate dihydrodiol dehydrogenase 479
 - β -ketoacid pathway 475
 - mandelate dehydrogenase 479
 - mandelate pathway 475
 - mandelate racemase 479
 - muconate lactonizing enzyme 479
 - gene expression
 - immobilized DNA 446
 - gene library
 - enriched cDNA library 67
 - representative 67
 - gene synthesis 319
 - gene truncation 319
 - general acid–base catalysis 481
 - gene-site saturation mutagenesis 325
 - genome sequencing
 - DNA microarray 51
 - promoter optimization 51
 - genome shuffling
 - combinatorial approach 452
 - genetic engineering 452
 - growth advantage 452
 - *Lactobacillus* 452
 - protoplast fusion 451
 - recombination 452
 - tylosin 452
 - genome 418
 - genomic library 57
 - genomics
 - disease 436
 - drug target 435
 - exon 436
 - expression pattern 436
 - high-throughput 435
 - intron 436
 - splicing form 436
 - Gibbs free solvation energy 348
 - gluconic acid dehydrogenase 584
 - glucose dehydrogenase 394, 584
 - glucose isomerase (GI) 187, 240, 540
 - *Actinoplanes missouriensis* 289
 - enediol intermediate 292
 - glycation 289
 - HFCS 292
 - hydride shift 292
 - hydrophobic cluster 292
 - push–pull mechanism 292
 - ring opening of pyranose 292
 - thermal inactivation 289
 - thermodynamic equilibrium 289
 - thermostability 289
 - glucose
 - isomerization 541
 - β -glucosidase 362
 - glucosylation 362
 - glucuronidation 395
 - glucuronyltransferase 395
 - glutamate dehydrogenase 400
 - glutamate oxidase 398
 - L-glutamic acid 46
 - glyceraldehyde phosphate dehydrogenase 313
 - glycerol dehydratase 587
 - glycerol dehydrogenase (GDH) 557
 - glycoamylase 292
 - Gram-negative bacteria 226
 - Grashof number 220
 - Green Chemistry 9
 - ground state 514
 - growth models 216
- H**
- habitat 47
 - half-barrel ancestor 482
 - half-life ($\tau_{1/2}$) 121, 180, 182, 547
 - apparent half-life 123
 - Hammitt equation
 - pK_a value 248
 - reaction parameter 248
 - heat treatment 214

- heat-stable polymerase
 - thermal cycling process 56
 - height equivalent of theoretical plate (HETP) 233
 - α -helix 313
 - heme peroxidase 140
 - Henry's law 220
 - herbicide 195f
 - heterologous expression 186
 - HETP *see* height equivalent of theoretical plate
 - HFCS 292
 - *see* high-fructose corn syrup
 - high blood pressure treatment
 - β -blocker 400
 - ACE vasopeptidase inhibitor 398
 - calcium antagonists 402
 - neutral endopeptidase 398
 - Omapatrilat 398
 - high-fructose corn syrup (HFCS) 55, 187f
 - process 540ff, 543, 545
 - deactivation curve 545
 - enzyme deactivation 542
 - glucose isomerase (GI) kinetics 541
 - pseudo-stationarity 543
 - high-throughput screening 56
 - colorimetric method 57
 - confocal nanospectroscopic scanning 57
 - fluorescence enzyme bead assay system 57
 - fluorescence method 57
 - nucleic acids 57
 - pharmaceutical company 56
 - related primer pair 56
 - robotic system 56
 - screening assay 323
 - His tag 235
 - HIV protease inhibition 375, 389, 588
 - amprenavir 390, 392
 - indinavir 390
 - nelfinavir 390, 392
 - ritonavir 390, 392
 - saquinavir 390
 - transition-state analog 390
 - trends in the area 393
 - HLADH 347
 - *see* horse-liver alcohol dehydrogenase
 - HLE
 - cephalosporin A 386
 - *see also* human leucocyte elastase
 - inhibition 386
 - lead structure 388
 - HMG-CoA reductase
 - atorvastatin 394
 - cerivastatin 394
 - fluvastatin 393
 - inhibitor 384ff
 - lovastatin 384
 - mevastatin 384
 - pravastatin 393
 - simvastatin 384
 - Hofmeister series 228
 - homogenization 225
 - ball mill 225
 - French press 225
 - homolog 461
 - horizontal gene transfer (HGT) 466
 - evolutionary dynamic 45
 - vertical inheritance 471
 - horse-liver alcohol dehydrogenase (HLADH) 345f, 460, 462
 - horseradish peroxidase 341, 345, 354
 - HRP *see* horseradish peroxidase
 - HTS *see* high-throughput screening
 - human immunodeficiency virus (HIV)
 - cycle of replication 389
 - human insulin 46
 - human leucocyte elastase 385
 - inhibition 385
 - hydantoinase process 174, 330
 - hydrophobicity 347
 - hydration 229, 354
 - α/β -hydrolase
 - fold 458
 - haloalkane dehalogenase 464
 - hydroxynitrile lyase (HNL) 464
 - hydrophobicity 347, 350, 366f
 - hydroxy acid dehydrogenase 296
 - hydroxy nitrile lyase (HNL) 167, 469f
 - aldehyde 167
 - bitter almond 167
 - cyanohydrin 167
 - oxynitrilase 167
 - reaction engineering 167
 - hydroxylation
 - cytochrome P450 300
 - (R)-2-(4-hydroxyphenoxypropionic acid) 195
- I**
- ibuprofen 577
 - ICAT *see also* isotope-coded affinity tag
 - ice–water mixture 359
 - ideal reactor
 - batch reactor (BR) 96
 - continuous stirred tank reactor (CSTR) 96
 - plug-flow reactor (PFR) 96
 - IEF *see* isoelectrical focusing
 - IMAC *see* immobilized metal affinity column
 - immobilization 353
 - carrier property 109

- mode 109
 - rate-determining step 109
 - reasons for use 110
 - resins 527
 - immobilized metal affinity column 236
 - immobilized-enzyme reactor 553
 - inactivation kinetics 503f
 - inactivation rate 505
 - inclusion body 496, 505f
 - aggregates 85
 - chaperones 85
 - formation
 - aggregate formation 498
 - folding 498
 - protein synthesis 499
 - protein folding 85
 - incremental truncation 325
 - indigo 143, 165, 578, 590
 - indinavir 588
 - cis-aminoindanol 397
 - indole-3-glycerol phosphate synthase 476
 - induced fit 23
 - inducible expression system
 - hybrid tac promoter 84
 - inhibition
 - product 113
 - substrate 113
 - inhibition ratio (K_M/K_I) 101
 - inoculation 214
 - inoculum 210, 215
 - in situ* racemization 174
 - instability of proteins
 - aggregation 501
 - causes of 501
 - conformational process 501
 - covalent process 501
 - deactivation 503ff
 - incorrect structure formation 501
 - influence of aqueous interfaces 505
 - influence of gas bubbles 504
 - influence of organic interfaces 505
 - influence of salts 505
 - influence of solvents 505
 - influence of stirring 503
 - thermal inactivation 502
 - interfacial activation
 - conformational change 266
 - helical lid 266
 - interfacial tension 505
 - interferon 46
 - internal mass transfer 114
 - broadening of activity-pH profile 118
 - enhanced apparent temperature stability 118
 - hindered pore diffusion 118
 - *see also* pore diffusion
 - intramolecular reaction 26
 - intrinsic activation energy 348
 - intrinsic deactivation rate constant (k_d) 493
 - inverse PCR
 - large-scale physical map 71
 - yeast artificial chromosomes (YACs) 71
 - in vitro* selection 421
 - ion trap analyzer
 - collision cell 445
 - end-cap electrode 445
 - ring electrode 445
 - ionic liquid 356, 533
 - isoelectric point
 - Henderson–Hasselbach equation 254
 - immobiline 254
 - overall charge 254
 - pH gradient 254
 - immobilized 254
 - isoelectrical focusing 438
 - ampholyte 438
 - cathodic drift 438
 - electroosmotic flow 438
 - immobilines 438
 - immobilized pH gradient 438
 - NEPHGE 438
 - isoinversion temperature
 - derivation of 130
 - isomerization
 - fructose 541
 - glucose 541
 - isotope effect 516
 - isotopic labeling 249
 - isotope-coded affinity tag 440
- J**
- Jacobsen's five criteria 570
 - Julia–Colonna epoxidation 530
- K**
- kappa number 150
 - Kemp elimination 469, 522
 - 2-keto-3-deoxy-6-phosphogluconate (KDPG)
 - aldolase 331
 - keto acids 177
 - keto compounds
 - trimegestone 402
 - whole-all reduction 402
 - β -ketoacid pathway 475
 - ketoreductase 404
 - kinetic modeling 92
 - kinetic resolution 193
 - kinetically controlled synthesis 365

- k_a measurement
 - Clark electrode 221
 - dynamic method 221
 - sulfite method 221
- kosmotrope 491
- kosmotropicity 363
- Kraft pulping process 149
- Kunkel 285
- Kunkel method
 - M13 phage system 285
 - phage 285
 - uracil glycosylase 285
- Kurz equation 25

- L**
- laccase 147, 151
- laccase–mediator system 151
- β -lactam 326
 - antibiotics 198, 331, 365, 406
 - resistance 380
- β -lactamase 382, 386
 - inhibitor 393
- γ -lactamase 396
- D-lactate dehydrogenase (D-LDH) 462
- lactate dehydrogenase (LDH) 295, 460, 557
 - *Bacillus stearothermophilus* 296
 - hydroxy acid 295
 - keto acid 295
 - rearrangement 296
 - substrate inhibition 296
 - substrate pocket 296
 - substrate specificity shift 296
- lactic acid bacteria
 - chiral building block 448
 - pathogen 448
 - stress response 448
- lactose hydrolysis 191
- lag phase 214
- lag time 215
- Lambert–Beer law
 - fluorimetry 247
- large-scale pharma intermediates 197
- laundry cycle 138
- laundry detergent enzymes 136
 - amylases 139
 - bleach enzymes 140
 - cellulases 139
 - lipases 139
 - proteases 138
 - serine endoproteases 138
- LDH *see* lactate dehydrogenase
- lead structure
 - development 376
 - optimization 376
- lens crystallin 460
- L-*tert*-leucine 177
- leucine dehydrogenase 420
- leukotriene LTD₄ receptor antagonist 407
 - Montelukas 404
- Levinthal's paradoxon 488
- Lewis acid 258
- LFER *see* linear free energy relationship
- life-style drugs 191
- linear free energy relationship 347f
- lipase 329, 504
 - *Candida antarctica* lipase B (CALB) 532ff
 - *Candida cylindracea* lipase 583
 - *Candida rugosa* lipase 356
 - charge-relay system 267
 - closed lid 460
 - conformational change 266
 - helical lid 266
 - hydrophobic trench 267
 - lipase PL 407
 - lipase PS 407
 - nifedipine 302
 - *Mucor javanicus* lipase 363
 - *Mucor miehei* lipase 346, 357
 - open lid 460
 - oxyanion 267
 - porcine pancreatic lipase (PPL) 400
 - *Pseudomonas cepacia* lipase (PCI) 346, 397, 532
 - *Pseudomonas cepacia*-catalyzed lipase 354
 - *Pseudomonas* sp. lipase 368, 402, 407
- liquid crystals 358
- Lobucavir 397
- Loracarbef® 406
- Lumry–Eyring model 493, 496
- lycopene cyclases 334
- lyophilization 236, 348, 351, 353f
 - induced inactivation 352
- lyoprotectant 352, 354, 363
- lysine 51
- L-lysine ϵ -aminotransferase 398
- lysogenic phase 80
- lysosomal cathepsins 265
- lysozyme 341, 345, 503ff

- M**
- malate dehydrogenase 295
 - hydroxy acid 295
 - keto-acid 295
 - rearrangement 296
 - substrate pocket 296
- MALDI
 - laser pulse 444
 - sublimation 444

- velocity 444
- MALDI-TOF-MS
 - laser pulse 257
 - matrix 257
 - TOF analyzer 257
- L-malic acid 182
- mandelate pathway 475
- mandelate racemase (MR) 292, 462, 476, 478
 - electrophilic catalysis 480
 - matchup of pK_E and pK_A 's 481
 - proton abstraction 480
 - push–pull mechanism 292
 - two-base mechanism 480
- mass spectrometry 257
 - non-volatile biopolymer 257
 - detector 444
 - direction focusing 441
 - electrical discharge 441
 - electron impact ion 441
 - fragmentation 444
 - ionization source 444
 - magnetic field 441
 - mass analyzer 444
- mass transfer coefficient (k_L) 220
- mass transfer limitation 107, 116, 364
- MDH *see* malate dehydrogenase
- medium effect 522
- medium engineering 366f
- medium preparation 210
- melting point 313, 459
- melting temperature 490
- membrane filter 112
- membrane reactor 357
- L-(–)-menthol 580
- meso-anhydrides
 - opening of 530
- metabolic engineering 579, 589
 - acetoin 451
 - acetolactate synthase 451
 - auxotrophic mutant 50
 - fine chemical 449
 - flux rate 50
 - gene therapy 449
 - glucose transporter gene 449
 - group control coefficient 450
 - knock-out animal 450
 - mating 50
 - metabolic flux analysis 450
 - metabolic pathway 449
 - penicillin 50
 - recombination 50
 - sensor 450
 - tracer 450
- metabolic regulation 50
- metabolite
 - microbial 49
 - secondary 49
- metalloproteases 262
- (S)-methoxyisopropylamine 196
- (S)-metolachlor 196
- Michaelis–Menten equation 216, 541
 - Bodenstein approximation 95
 - integrated 96f, 99
 - no inhibition 97
 - product inhibitor 99
 - substrate inhibitor 99
 - rate law 94
 - steady-state concept 95
- Michaelis–Menten kinetics 22, 347, 516, 522f, 525
- microbial ecology
 - nutrients 47
- microbial processes
 - amylase 49
 - penicillin acylase 49
 - protease 49
- microchip 416
- microemulsions
 - effective pH values in water pool 358
 - enzyme mechanism 358
 - enzyme structure 358
 - partitioning effects 358
- microfiltration 112, 214, 556
- microorganism
 - archaea 44
 - eubacteria 44
 - humaninsulin 46
 - interferon 46
 - microbial diversity 58
 - microbial physiology 58
- misfolding disease 496
- MLG *see* muconate-lactonizing enzyme
- mobile phase 233
- (S)-MOIPA *see* (S)-methoxyisopropylamine
- molecular biology
 - expression 62
 - post-translational modification 62
 - recombinant proteins 62
- molecular memory 344
- molecular phylogenetics 471
- molecular phylogeny 58
- monobactam 380
- Monod equation 216
- Monod model 216
- monophasic solvent 346
- moonlighting proteins 466, 469
- MR *see* mandelate racemase
- MR bacterial pathway

- mandelate pathway 475
- MS *see* mass spectrometry
- muconate-lactonizing enzyme (MLE) 462, 478
- Mucor miehei* 357
- multiple alignment
 - ClustalW 425
 - domain 425
 - pattern identification 425

N

- N-(5'-phosphoriboxyl) anthranilate isomerase 476
- NAAR *see* N-acylamino acid racemase
- NAC *see* near-attack conformers
- N-acetylamino acid racemase 460
- N-acetylneuraminic acid (NANA) 554
- N-acylamino acid racemase 174
- NANA *see* N-acetylneuraminic acid
- nanofiltration 112, 529f
- naphthalene dioxygenase 579
 - dioxygenation 302
 - naphthalene *cis*-1,2-dihydrodiol 302
 - Rieske ferredoxin 302
- natural selection 310
- NDO *see* naphthalene dioxygenase
- near-attack conformers 29
- nested PCR
 - inner pair 71
 - nested amplification 71
 - outer primer pair 71
- neutron diffraction study
 - diffraction pattern 264
 - hydrogen atom 264
 - tetrahedral intermediate 264
- nicotinamide 162, 355
- nifedipine 367
- nitrilase 163, 395
- nitrile hydratase 345, 355, 393
 - acrylamide 160
 - acrylonitrile 160
 - adiponitrile 162
 - 3-cyanopyridine 162
 - 5-cyanovaleramide 162
 - nicotinamide 162
- nitrogen source 213
- 2-nitrotoluene-2,3-dioxygenase
 - 2-nitrotoluene 302
 - naphthalene *cis*-1,2-dihydrodiol 302
- non-steroidal, anti-inflammatory drug 577
- NSAID *see* non-steroidal, anti-inflammatory drug
- nutraceuticals 191

O

- observed deactivation rate constant ($k_{d,obs}$) 493
- off-line methods
 - extinction coefficient 247
 - fluorimetry 247
 - gas chromatography 246
 - HPLC 246
 - mass balance 246
 - range of linearity 247
- on-line methods
 - extinction coefficient 247
 - fluorimetry 247
 - mass balance 246
 - polarimetry 246
 - range of linearity 247
 - UV–VIS spectrophotometry 246
- open reading frame
 - expression 58
- operational half-life 561
- operational stability 496, 547
 - determination of 121
 - bound molecule 120
- organic chemistry 14
- organometallic catalyst 186, 561
- origin of species 471
- ortholog 461
- OSBS *see* *o*-succinylbenzoate synthase
- osmolyte 508
- o*-succinylbenzoate synthase (OSBS) 460, 470
- overexpression 177
- oximolysis 344
- oxygen transfer rate 219
- oxygen uptake rate 218
 - *see also* specific respiration rate
- oxygenases
 - dioxygenases 300
 - enantioselectivity 300
 - monooxygenases 300
 - cytochrome P450 300
- oxynitrilase 167, 345
 - *see also* hydroxy nitrile lyase

P

- packed-bed reactor 540
- 2D-PAGE
 - Coomassie Blue 438
 - silver 438
 - SYPRO ruby red 438
- palindrome
 - blunt ends 78
 - cohesive ends 78
- papain 265, 505
- paralog 461

- partition coefficient (K_p) 230, 342, 349
- partitioning 557
- pathway engineering 586
- Pauling's postulate 25, 516
- PCR 320
 - *see* polymerase chain reaction
- PDB *see* protein data bank
- pectin methylesterase 504
- pen G acylase (PGA) 197, 345, 406
 - *see also* penicillin G amidase
- penicillin 50, 197
 - acylase 49
 - biosynthetic pathway 381
- penicillin G 197, 380
- penicillin G acylase 197
- penicillin G amidase 197
 - *see also* penicillin acylase
- peptide synthesis
 - equilibrium controlled enzymatic 363
 - in ice 360
 - in water 360
 - kinetically controlled 359
- performance 374
- peroxidase 144, 147
- Pfeiffer's rule 171, 379
- PGA 197
 - *see* penicillin G amidase
- phage display
 - panning 87
- pharmaceutical performance
 - bioavailability 374
 - inhibition of target enzyme 374
 - stability of 374
- phase ratio 342
- phenylacetylcarbinol 200
- phenylalanine dehydrogenase (PheDH) 399
- L-phosphinothricin 196
- phospholipase D 357
- phosphoribosylanthranilate isomerase 481
- phosphotransferase system 451
- phosphotriesterase 477
- phylogenetic tree
 - 16 S RNA 428
 - ancestor 428
 - cladogenesis 429
 - homology 428
 - molecular clock 428
 - orthologous 428
 - paralogous 428
 - similarity 428
- phytase 470
 - animal feed 152, 156
 - amino acid digestibility 156
 - calcium digestibility 156
 - reduction of P in environment 154
- phytate 152
- phytoene desaturase 334
- pig-liver esterase 505
- plasmid 78
- PLD *see* phospholipase D
- PLP *see* pyridoxal phosphate
- point mutation 316
 - beneficial mutation 314
 - deleterious mutation 314
- polyamino acid 526
- polymerase chain reaction 67
 - amplification 67
 - annealing 69
 - cycle timer 70
 - GC content 69
 - primer 67
 - primer-dimer 69
 - primer extension 69
 - template DNA 70
 - thermostable polymerase 67
- polyphenol oxidase 346
- porcine pancreatic lipase (PPL) 344f
- pore diffusion 114
 - effective diffusion coefficient 114
 - *see also* internal mass transfer
- posttranslational modification 80
- PRAI *see* phosphoribosylanthranilate isomerase
- precipitation
 - ammonium sulfate precipitation 226
 - fractionated precipitation 226
 - organic solvents 228
 - salt precipitation 226
- precursor fermentation 7
- preferential hydration 237
- Presidential Green Challenge Award 588
- Presidential Green Chemistry Challenge 577
- probe
 - chemoluminescent 76
 - hybridization temperature 76
 - Klenow enzyme 76
 - non-radioactively labeled 76
 - PCR product 76
 - radioactively labeled 76
 - X-ray film 77
- product inhibition 113, 200, 515, 524, 531, 556, 590
- productivity 362
 - fixed-bed reactor 547
- proficiency 28, 36
- 1,3-propanediol 586
- protease 49
 - aspartyl protease 293

- detergent enzyme 293
 - metalloprotease 293
 - protein 3D structure 311
 - protein aggregation 496f
 - protein assay
 - bicinchoninic acid (BCA) method 253
 - Bradford 253
 - Coomassie Brilliant Blue 253
 - fluorescer 253
 - hydrophobic interaction 253
 - Lowry assay 253
 - sensitivity limitation 253
 - protein concentration level 212
 - protein data bank 418
 - 3D image 419
 - data processing 418
 - protein characterization 418
 - structure 418
 - validation 418
 - protein engineering 310, 458, 588
 - crystallization 282
 - domain swapping 283
 - homogeneity 282
 - NMR 282
 - point mutation 283
 - specificity 283
 - stability 283
 - protein explorer
 - 3D molecular structure 419
 - RASMOL 419
 - secondary structure 419
 - sequence-to-structure mapping 419
 - protein family 464
 - fold 464
 - superfamily 464
 - suprafamily 464
 - protein folding
 - Anfinsen dogma 489
 - folding intermediate 489
 - Levinthal's paradoxon 488
 - native protein 489
 - protein isolation 210
 - protein maximum temperature
 - convergence temperature 490
 - protein microarray
 - antibody 447
 - binding peptide 447
 - protein purification 210f
 - protein quantification 253
 - protein relatedness
 - analog 462
 - homolog 462
 - ortholog 462
 - paralog 462
 - protein release constant k 226
 - protein thermostability
 - conformational entropy 507
 - hydrophobic interaction 507
 - paired charge 507
 - protein yield 211
 - proteinogenic amino acid 312
 - proteomics
 - 2D-PAGE 437
 - clinical study 436
 - diagnosis 436
 - drug discovery process 436
 - mass analysis 437
 - phenotype 436
 - protein database 437
 - protein-complex identification 437
 - proteome 437
 - target identification 435
 - Pseudomonas aeruginosa*
 - lipase 329
 - ptsG* 451
 - pulmonary emphysema 385
 - purification factor 211, 238
 - purification table 212, 237f
 - purified enzyme 7
 - pyridoxal phosphate 275
 - alanine racemase 277
 - aldol cleavage 275
 - racemization 275
 - transamination 275
 - pyruvate decarboxylase 194, 200, 470
- Q**
- quantification of DNA
 - agarose polymer gel 66
 - electrophoretic mobility 66
 - quantification of RNA
 - agarose polymer gel 66
 - electrophoretic mobility 66
 - QuikChange kit
 - DpnI 287
 - methylation 287
 - Pfu DNA polymerase 287
 - Stratagene 287
- R**
- RACE (rapid amplification of cDNA ends)
 - cDNA 71
 - expressed sequence tags (ESTs) 71
 - reverse transcriptase 71
 - racemic resolution 533
 - RACHITT *see* random chimeragenesis on transient templates

- random chimeragenesis on transient templates 322
 - random mutagenesis 315, 481
 - random nucleotide change 312
 - rate acceleration 36, 522
 - rate-determining step
 - kinetic expression 244
 - steady state principle 244
 - rational design 310
 - reaction kinetics 94
 - ideal kinetics 94
 - initial rate kinetics 92
 - non-linear regression model 92
 - reaction network
 - glucose transporter gene 449
 - group control coefficient 450
 - knock-out animal 450
 - metabolic flux analysis 450
 - sensor 450
 - tracer 450
 - reactor design
 - axial dispersion 107
 - characteristic dimensionless number 107f
 - biot number 108
 - Bodenstein number 108
 - Damköhler number 108
 - characteristic timescales 107
 - equation 108
 - fixed-bed reactor 108
 - mass transfer
 - external 107
 - internal 107
 - reactor productivity 33, 550
 - recombinant overexpression 81
 - recombination 321
 - reductionism
 - deduction 434
 - induction 434
 - reductive amination 177, 400
 - keto acids 177
 - regioselectivity
 - organic solvent medium 367
 - regulatory mechanisms 47
 - Reichstein–Grüssner synthesis 584
 - rejection coefficient (R) 232
 - K_1 – $[I]_{50}$ relationship
 - competitive inhibition case 103
 - conditions for equating I_{50} and K_1 105
 - non-competitive inhibition case 103
 - uncompetitive inhibition case 104
 - relative retention (δ) 234
 - repetitive batch 531, 556f
 - ultrafiltration 555
 - resolution (R_n) 234
 - resting stability 119, 496
 - restriction map
 - restriction site 78
 - reverse transcriptase 72, 389
 - AMV-RT 72
 - MMLV 72
 - oligo-dT primer 73
 - retrovirus 72
 - Rh-BINAP 580
 - ribonuclease A 502
 - ribozyme 521
 - *see also* catalytic RNA
 - ribulose-1,5-biphosphate carboxylase/oxygenase 476
 - RNA isolation
 - diethylpyrocarbonate (DEPC) 72
 - Trizol 72
 - Rossmann fold 270
 - RT *see* reverse transcriptase
 - Rubisco 470
- S**
- S-(2-aminoethyl)-L-cysteine 51
 - SADH *see* secondary alcohol dehydrogenase
 - salen catalyst 529, 572
 - salt suspensions 362
 - salt-induced activation 363
 - salting-out constant 226
 - saturation mutagenesis 329
 - saturation ratio (CSI/K_M) 101
 - savinase
 - detergent enzyme 293
 - scale-up
 - antibody catalyzed reaction 520
 - Schiff base 274
 - Schmidt-number 220
 - screening 45
 - assay
 - absorbance 323
 - colony imaging 324
 - flow cytometry 324
 - fluorescence 323
 - GC 323
 - HPLC 323
 - mass spectrometry 323
 - solid phase capture 324
 - exhaustive 313
 - selection 315
 - SDS page
 - dimer 254
 - hexamer 254
 - mass spectrometry 254
 - molecular weight 254

- monomer 254
- tetramer 254
- SEC *see* size exclusion chromatography
- secondary alcohol dehydrogenase 131
- selection assay 320, 324
 - antibiotic 324
 - auxotrophic complementation 324
 - CAT folding reporter 324
 - phage display 324
 - selection procedure 324
 - substrate-selected growth 324
- selection pressure 318
- selection procedure 324
- semi-synthetic β -lactams 197
 - semi-synthetic cephalosporin 198
 - semi-synthetic penicillin 198
- semi-synthetic peroxidase
 - racemic hydroperoxides 297
 - selenocysteine 297
 - Sharpless epoxidation 297
- separator 223
- sequence
 - annotation 414
 - similarity 414
- sequence identity 316, 322
 - pairwise 460
- sequence space 311
- serine proteases 261
 - acetamido group 262
 - carbonyl oxygen 262
 - catalytic triad 262
 - chymotrypsin 262
 - elastase 262
 - O-phosphoserine 263
 - subtilisins 262
 - trypsin 262
- Setschenow equation 228
- sexual recombination 314
- Sharpless dihydroxylation 530
- β -sheet 313
- Sherwood number 220
- Shine–Dalgarno sequence 82
- Shiny Cotton surfaces 140
- short-chain dehydrogenase 186
 - conformational change 271
 - *Drosophila* alcohol dehydrogenase 271
 - (*R*) enantiomer 271
- shuttle vectors 80
- simple medium 213
- single cell selection
 - confocal nanospectroscopic scanning 57
 - fluorescence enzyme bead assay system 57
- site-directed mutagenesis 138, 140, 179, 310, 325, 481, 523
- size exclusion chromatography 256
 - crosslinking of matrix 256
 - gel bead 256
 - molecular sieving effect 256
 - relative capacity factor 257
- small-subunit ribosomal RNA (ssu RNA) 471
- solid suspension
 - enzymatic kinetic resolution 365
 - kinetically-controlled beta-lactam synthesis 365
- solid-to-solid synthesis 363
- solvent polarity 348
- Southern blot
 - capillary force 74
 - crosslinking 74
 - hybridization technique 74
 - nitrocellulose 74
 - nylon membrane 74
- space–time yield 200, 330, 355, 362, 396, 530, 554, 556f, 559, 581
- speciation 467
- specific activity 238
- specific gas exchange area 219
- specific growth rate 215
- specific power input (P/V) 221
- specific production formation rate 217
- specific respiration rate 218
 - *see also* oxygen uptake rate
- staggered extension process 321
- standard model 471
- statins
 - atorvastatin 394
 - cerivastatin 394
 - fluvastatin 393
 - lovastatin 393
 - mevastatin 393
 - pravastatin 393
- stationary phase 214, 233
- StEP *see* staggered extension process
- sterilization 214
- Stokes law 223
- stone-washed denims 140, 143
- strain development
 - lactobacillus 48
- Strecker synthesis 174
- stripping off 345
- strong pore diffusion 115
- structure-based drug design
 - paradigm of 376
- substrate desolvation 348
- substrate inhibition 113, 200
- substrate partitioning 366
- substrate solubility 348
- substrate specificity 331, 366, 574

- dominance
 - suprafamily 465
- substrate/catalyst ratio (CSI/CCI) 563, 574
- subtilisin 138, 325, 344f, 348, 352f, 362f, 366, 397, 462, 470
 - alkaline stability 293
 - cassette mutagenesis 293
 - detergent enzyme 293
 - hydrogen peroxide 293
 - laundry 293
- succinyl-AAPF-*p*-nitroanilide
 - chemical modification 303
 - methanethiosulfonate 303
- supercritical solvent 356
- superfamily 464
- suprafamily 464
- SwissProt
 - cross-reference section 420
 - SRS link 420
- synthetic enzyme mimics 525
- synzymes 523
 - *see also* enzyme models
- systems approach 434
 - artificial intelligence 435
 - pathway analysis 435
 - pattern recognition 435
- T**
- tandem enzyme organometallic catalysts 532
- tangential filtration 552
- TAT *see* L-tyrosine aminotransferase
- temperature 53
 - maximum stability (T_s) 492
- tetrahydropipstatin 407
- TFMK
 - slow-binding inhibitor 386
 - *see also* trifluoromethyl ketone
- theoretical plate
 - number of (n) 233
- thermal stability 53
- thermodynamic cycle 251, 348
- thermodynamics of proteins 491
 - cold denaturation temperature (T_c) 492
 - maximum stability temperature (T_s) 492
 - melting temperature (T_m) 492
- thermolysin 188, 345, 349, 357, 363f
- thermostability 328
 - active-site mutation 289
 - metal binding constant 289
 - release constant 289
 - thermal inactivation constant 289
- thermozyme 54
- thiamine pyrophosphate
 - ketol moiety 277
 - thiazole ring 277
 - transketolase 277
- Thiele modulus 542, 547
 - generalized 115
- thiol-disulfide interchange 502
- thiotransesterification 344
- three-state model 493
- threonine deaminase 181
- thrombin 469
- TIM barrel enzyme 462
- TIM barrel protein 458
- TIM *see* triose phosphate isomerase
- time constant
 - enzymatic conversion 364
 - enzyme deactivation 364
 - substrate dissolution 364
- TOD *see* toluene dioxygenase
- toluene dioxygenase (TOD) 163, 398, 589
 - glucose 165
 - indigo 165
- toluene monooxygenase 398
- total turnover number (TTN) 179, 197, 529, 554, 557, 563f, 574, 581
- totally chlorine-free process 145
- touch-down PCR 70
- transaldolase 474
- transaminase 183, 196
- transamination 181, 332, 469
- transcriptome 436
- transesterification 344, 346ff, 350f, 356, 362, 366, 588
- transfection
 - DNA 81
 - precipitation 81
 - protoplast 81
- transfer hydrogenation 530
- transformation
 - competent 81
 - electroporation 81
- transition state 348, 525
 - analog 390, 515, 523
 - binding affinity 251
 - carboxypeptidase A 252
 - endothermic reaction 251
 - exothermic reaction 251
 - inhibition constant 252
 - inhibitor design 251
 - thermolysin 252
- complementarity 512
- stabilization 23, 348, 514
- theory 24

transketolase 579

translation

- Shine–Dalgarno sequence 82

- translational machinery
- amino acid sequence 64
 - code 64
 - codon 64
 - degeneration 64
 - open reading frame (ORF) 64
 - recombinant expression 63
 - ribosome 63
 - translation 63
- transmembrane flux 231
- transmembrane pressure (ΔP) 232, 552
- transphosphatidylation 357
- tree of life 472
- trembl 420
- trifluoromethyl ketone 385
- triose phosphate isomerase (TIM) 292, 460, 476, 502, 586
- enediol intermediate 292
- trypsin 353, 359, 505
- tryptophanase 506
- turnover frequency 31, 197
- turnover number (TON) 34, 520, 525, 561, 563, 571, 574
- two-state model 491
- tyrosine aminotransferase 181, 332
- U**
- ultrafiltration 112, 231, 530, 557
- universal phylogenetic tree 471
- taxon 44
 - variation 44
- urease 345, 477, 505
- V**
- van Deemter equation 234
- vanadium chloroperoxidases
- activated peroxide 260
 - *Curvularia inequalis* 260
 - peroxo complex of vanadium 261
 - trigonal bipyramidal coordination of V^{5+} 260
- vector
- ampicillin resistance 78
 - hybrid tac promoter 84
 - *lacZ'* gene 78
 - pBR322 78
 - pET vector 85
 - plasmid instability 84
 - multiple cloning site 65
 - origin of replication 65
 - promoter 65, 85
- vicinal-oxygen chelates (VOC)
- dioxygenase 464
 - glyoxalase 464
- vitamin C 583
- *see also* ascorbic acid
- volume-based oxygen mass transfer coefficient 219
- volumetric activity 30
- volumetric productivity 194, 404, 530, 557
- W**
- water activity 346, 353
- water-immiscible solvent 340
- Weisz–Prater modulus 117
- whole genome analysis
- divergence 427
 - gene duplication 427
 - lateral gene transfer 427
- wood
- cellulose 146
 - hemicellulose 147
 - lignin 147
- X**
- xemilofibran 406
- X-ray crystallography 521, 523
- xylose isomerase 187, 240, 460, 462, 476
- catalytic efficiency 291
 - site-directed mutagenesis 291
 - *Thermoanaerobacterium thermosulfurigenes* 291
 - *Thermotoga neapolitana* 291
- Y**
- yeast alcohol dehydrogenase (Y-ADH) 460
- yield coefficient
- biomass on O_2 218
 - cells on substrate ($Y_{X/S}$) 217
 - product on substrate ($Y_{P/S}$) 217
- yield of native protein (y_N) 499f
- Z**
- Z-aspartame synthesis 357
- zinc–hydroxyl ($ZnOH^+$) species, basicity 259









