

Index

a

- absorption 108
 - activity and activity coefficients, in chloroform 111
 - basic design data, of column for absorption of CO₂ in water 116
 - Bunsen absorption coefficient 110
 - chemical absorption of CO₂ in *N*-methyldiethanolamine 112, 113
 - CO₂ in water, and subsequent bicarbonate formation 110
 - design of columns 113–116
 - equilibria of chemical absorption 108
 - equilibria of physical absorption, comparison 109
 - gas velocity and flooding of absorption column 115
 - height equivalent of one theoretical stage (HETS) 115
 - Henry coefficients for different gases 109
 - McCabe–Thiele diagram, for absorption process 114–116
 - operation conditions of sieve tray 115
 - packed columns 115
 - principles of chemical and physical absorption 108
 - Raoult's law 110
 - solvent, and solute activity 111, 112
 - technical absorption processes 113
- acetaldehyde 464, 480, 695
 - liquid phase oxidation of 739
 - oxidation 740, 741
 - acetic acid synthesis via 741
 - radical mechanism 741
 - production 464, 480
- acetic acid 28, 472, 477, 482, 739–749
 - anhydride 28
 - commercial production technologies
 - direct ethylene oxidation 747
 - by ethane and methane oxidation 748, 749
 - consumption 740
 - dominant manufacturing process 739, 740
 - production capacities 482, 740, 741
 - synthesis 739, 740
 - via acetaldehyde oxidation 741, 742
 - via butane or naphtha oxidation 742
 - via methanol carbonylation 743–747
- acetone 481
- acetylene 189, 198, 211, 437, 441, 461, 465, 470, 476, 478, 605
 - from CaC₂ 470
 - industrial products from 471
- acetyl radical 741
- acid aerosols 567
- acid–base catalyzed reactions 11
- acid catalyst 11
- acidity 10
- acid-catalyzed reaction 652
- acid-soluble polymers 653
- acrolein 30, 476, 476, 479, 481, 483, 701
- acrylamide 28, 29, 487
- acrylic acid 140, 466, 467, 479, 481–483
- acrylonitrile 462, 466, 467, 486–487
- activation energy 24, 34, 201, 203, 215, 711
 - apparent activation energy of diffusion processes 229, 230, 232
 - for chain transfer 807
 - correlation between activation energy and reaction enthalpy for a reversible reaction 212
 - influence on reaction rate constant 203
 - negative 584, 587
- active Phillips catalyst 810
- active polymerization systems 810
- activity coefficient 111, 140, 193, 194, 788
- addition reactions 10
- adhesives 506
- adiabatic beds 564–566
- adiabatic compression 160, 161, 172
- adiabatic expansion 40, 65, 154
 - total work 46
- adiabatic fixed-bed reactors 539
- adiabatic multiple-bed reactor 693
- adiabatic operation 301, 317, 319, 329
 - of a batch reactor 317, 318
 - choice of best reactor type for adiabatic operation 335
 - of a CSTR 323, 333, 334
 - of a PFR 329, 333, 334
- adiabatic reactors with periodic flow reversal 376, 377
 - commercial applications 377
 - temperature profiles 377
- adipinic acid 10, 461, 464, 473, 482, 483, 491, 498
- adipodinitrile 461, 462, 464
- adiponitrile 461, 472, 485, 487
- adsorption 120, 458
 - adsorption bed zones 131
 - application areas, liquid and gaseous components 131
 - BET isotherm 124–126
 - BET theory, originators 127
 - breakthrough curves for H₂S adsorption on a molecular sieve 132, 133
 - calculation of $I_{ads,ideal}$, HTZ, and LUB based on breakthrough curves 135
 - capillary condensation
 - and adsorption/desorption hysteresis 126
 - competitive 128
 - design of a fixed-bed adsorption process 131
 - design of processes 130–135
 - desorption 131
 - dissociative 128
 - equilibrium of a binary system on zeolite 128
 - estimation of slope of breakthrough curve 132
 - height of mass transfer zone HTZ 132
 - hysteresis loop during
 - adsorption and desorption of N₂ in a cylindrical pore 127
 - kinetics (influence of pore diffusion) 129, 130
 - length of unused bed of an adsorber 134
 - minimal ideal length of adsorber 133
 - principles 120–124
 - total design length of an adsorber 134
- advanced solvents 36
- after co-precipitation 690
- Ag-catalysts 698
- air pollutants, global emissions 510
- air separation processes 458
- air velocity 549
- Al-catalyzed reaction 755
- AlCl₃ 11
- alcohol synthesis
 - by cycloalkane oxidation 475
 - by ethylene oligomerization and Al-complex hydrolysis 475
 - by fatty ester hydrogenation 475
 - global production 473
 - from olefin and syngas 474
 - by olefin hydratization 475
 - by sugar fermentation 475
 - from syngas 474
- alcoholates 496
- aldehydes 17
 - distillation column 724
 - hydrogenation 475, 720, 723
 - industrial production 479
 - linear 721
 - oxidation 481
 - Rh-hydroformylation, selectivity for 738
 - Rh-loss 730
 - selectivity to linear aldehyde 718
- Alfol process 475
- aliphatic isocyanates 487

- alkanes 460, 463
 - applications 461
 - chlorination 12
 - from crude oil distillation 463
 - dehydrogenation 36, 462
 - industrial processes for 463
 - oxidation of 464
 - sulfoxidation 12
- n*-alkanes
 - boiling and melting point 440
 - as feedstock 608
 - important industrial processes for conversion of 463
- alkenes 14, 17
 - 1-alkenes
 - with chain lengths between C₆ and C₁₈ 751
 - ethene polymerization 805
 - industrial applications 465, 750
 - Poisson distribution 751
 - polymerization to 464
 - production 749, 756
 - SASOL commercially extract 758
 - SHOP technology 756
 - alkenylsulfonates 504
 - alkylate quality 661
 - alkylation processes 26, 216, 444, 456, 463, 501, 503, 606, 656, 658, 661
 - of 2-butene with isobutane 654
 - commercially applied 661, 662
 - of fatty amines 501
 - of hexanes with ethane 653
 - HF alkylation 661
 - isobutane, with C₃–C₅ olefins 653
 - of olefins with isoparaffins 653
 - with sulfuric acid as catalyst 655, 661
 - using hydrofluoric acid as catalyst 657
 - alkylbenzene sulfonates 502, 503
 - alkyl cations 14
 - alkyl chlorides 501
 - alkyl cyanates 488
 - alkyl groups 8, 14, 469, 501, 608, 734, 750, 755, 761, 809, 810
 - alkyllithiums 493
 - alkylphenol 504
 - alkylphenyl polyether glycols 504
 - alkylpolyglycosides 504, 505
 - alkylsulfonates 464, 503, 504, 736
 - alkynes 17, 441, 464
 - industrially important 465
 - allyl chloride 466, 490
 - allylic alcohol (2-propen-1-ol) 476
 - aluminium-alkyl compounds 750
 - aluminum 457
 - aluminum-alkyl-based “Aufbaureaktion” 750
 - based oligomerization processes 756
 - cell for fused salt electrolysis of aluminum 802
 - electrical energy consumption for production 802
 - production by electrolysis 801–802
 - amination 485
 - amines
 - absorption 149
 - amine as solvent 632
 - industrially relevant amine compounds 484
 - industrial routes for 486
 - amino acids 462
 - ammonia 20, 457
 - catalytic oxidation 26, 573
 - concentration and temperature field 577
 - conversion and characteristic temperatures 582
 - technical reactor for 580
 - ammonia reactor
 - inert gas, influence 532
 - pressure drop 531
 - ammonia synthesis 525–536
 - annual worldwide production, evolution 527, 528
 - flow sheet
 - historical development 525–528
 - Haber–Bosch process 29, 673
 - kinetics and mechanism 529–531
 - reaction scheme 529
 - schematic energy profile 529
 - syngas composition 538
 - technical ammonia process and synthesis reactors 531–536
 - thermodynamics 527–529
 - pressure and temperature influence 528
 - 6-aminopenicillanic acid 29
 - Amoco process 484, 740
 - Andrussow process 462
 - aniline 10, 484
 - aniline-based herbicide (*S*)-metolachlor 508
 - aniline hydrogenation 485
 - anionic detergents 502
 - anionic polymerization 496
 - annual consumption, of crude oil 21
 - annual global production, of chemicals 2
 - anthropogenic global warming 425
 - anthropogenic NO_x emissions 511
 - anti-graying agents 501
 - anti-icing agents 705
 - Antoine equation 50
 - apparent activation energy
 - diffusion processes 229, 230
 - solid catalyzed reaction 255
 - influence of reaction temperature on effective rate constant 255, 256
 - aqueous electrowinning, of copper 801
 - ARGE catalyst 680
 - ARGE fixed bed process 675
 - aromatic compounds, industrially important 15, 465
 - aromatic hydrocarbons 672
 - aromatization 606
 - Arrhenius equation 61, 203, 212, 250, 286, 323, 382
 - Arrhenius law 24, 201, 215, 583
 - Arrhenius number 245, 253, 254, 285, 320, 361
 - Arrhenius plot 62, 201, 256, 403, 562
 - Arrhenius, Svante August 201
 - asphalt 443
 - Aspirin[®] 505
 - asymmetric carbon atom 18
 - priority rule for substituents 18
 - asymmetric catalysis 508
 - asymmetric synthesis 18, 508, 654
 - atomic absorption spectroscopy (AAS) 31
 - Aufbaureaktion 750
 - autoclave process 806, 808, 809, 813–815
 - automotive emissions 786
 - automotive fuels 605
 - auto-refrigeration processes 658
 - auxiliary induction 19
 - Avogadro, Amedeo Carlo 41
 - axial dispersion coefficient 648
 - influence 648
 - axial temperature profiles 681
 - azeotropic distillation 742, 744
 - heterogeneous 107
 - homogeneous 106
 - azeotroping agents 744
 - N,N*-azobisisobutyronitrile 496

b

 - back-biting process 807
 - bacteria 474
 - Barkelew diagram 320, 714
 - base chemicals 460
 - BASF company
 - annual capacity of ethylene oxide 700
 - carbonylation process for acetic acid production 743, 744
 - sales in 2007 and 2009 2, 3
 - basicity 10
 - batch reactor 213–215, 298–299, 306–307
 - Béchamp process 485
 - Beckmann rearrangement reaction 486
 - bentonite 474
 - benzene 11, 16, 463
 - with ammonia, direct amination of 485
 - chlorination 458, 490
 - Friedel–Crafts alkylation 502, 703
 - important industrial products from 470
 - nitration of 16
 - produced together with toluene and xylenes 468
 - Bergius, Friedrich 673
 - Bergius–Pier process 431, 449, 672, 673
 - Bernoulli, Daniel 152
 - Bernoulli equation 154
 - Berzelius 21
 - Bessemer process 587, 589
 - BET-equation 124/125
 - biocatalysis 19, 20, 28, 29, 474
 - in chemical industry 29
 - biodegradable detergents 750
 - biogas 460
 - biomass
 - chemis-tree, illustration 460
 - to energy supply, global contribution 432
 - gasification 558
 - to liquid (BTL) processes 672
 - particle transient heating, during pyrolysis 546
 - pyrolysis 545
 - renewable energy 421
 - Biot, Jean Baptiste 81
 - Biot number 82, 546, 593
 - biotransformation 28
 - biphasic system 290, 291, 499, 727, 730, 733, 735, 737
 - BIPHEPHOS ligand 721

- Birkeland–Eyde process 571
 bisphenol A 481, 498
 bisulfite 17
 bite angle 721
 Blasius, Paul Richard Heinrich 155
 Blasius's law 153
 blast furnace coke production 589–595
 – brick wall and coal charge, thermal resistances 594
 – coal coking, transient process 591
 blast furnaces 588, 595–603
 – configuration and air preheating 595
 – gasification of blast furnace coke 599
 – reactions and reaction zones 597
 – residence time distribution in 603
 – temperature and CO/CO₂ content 600
 bleaching activators 501
 blow molding 805
 BMA process 461
 Bodenstein, Max 209
 Bodenstein number 209, 603
 Bodenstein principle 209
 Boltzmann, Ludwig 41, 57
 bomb calorimeter 187, 188
 Borsig transfer-line exchanger 611
 Bosch, Carl 527
 Boudouard reaction 542, 596, 597, 600, 604
 – equilibrium of 197
 Boyle, Robert 41
 Bridgman equation 61
 bromination 16
 2-bromopropane 17
 Brønsted acid 11, 496
 Brunauer, Stephen 127
 bubble column 742
 bubble column reactor 474
 builders 501
 butadiene 8, 466, 477
 butanal 466
 1,4-butanediol 437, 465, 476–479, 482
 butane 461, 462
 – acetic acid synthesis via 742
 – boiling and melting point 440
 – dehydrogenation 462
 – Gibbs enthalpy of system n-butane/i-butane 199
 – major applications 461
 – oxidation 462, 463, 481, 742
 butanoic acid 742
 butanols 475, 727
 – enantiomers 18
 – global production 473
 – isomers 475
 – recycle 505
 – *tert*-butanol 475, 703
 1-butanol 472
 2-butanol 17, 475
tert-butanol 465, 475
 2-butene 462, 463, 466, 653
 – alkylation 654
 n-butenes, important industrial products 468
tert-butyl alcohol 702
tert-butylamine 484
tert-butyl cation 14, 653
 butylene hydroformylation 727
 butyllithium 496
 1,4-butyne-1,3-diol 476
 1,4-butyne-1,3-diol formation 476
 butyraldehyde 472, 481
 butyraldehyde production 481

C
 calcination of Al(OH)₃ 802
 calcium chloride 696
 capillary condensation 126/127
 capillary method (diffusion) 63
 ε-caprolactam 11, 461, 464, 486
 carbanions 7
 carbenium ions 496
 carboanions 7, 8, 12
 carbocations 7, 8, 11, 12, 14, 15, 653, 655, 656, 662
 carbohydrates 28, 451, 453–455, 472, 504
 – starch 454
 – sugar 455
 – wood and cellulose 453–454
 carbonaceous materials, reactivity 547, 548
 carbon/coke
 – gasification 546–549
 – oxidation 546, 548, 549
 carbon dioxide 42, 136, 137, 183, 421, 458, 550, 665, 686, 696, 697, 748
 – chemical absorption 112
 – design data of a column for absorption 116
 – diffusivity 63
 – formation by water gas shift reaction 537, 665
 – real gas factor and phase behaviour 43, 44
 – supercritical carbon dioxide (scCO₂) 734
 carbonization 446, 447
 carbon load 637, 639, 640, 642, 644–646, 648, 649, 650, 652
 carbon nanotubes 400–402
 – Arrhenius plot of oxidation
 – based on isothermal and TG/DTG-measurements 403
 – best fit of measurement and simulation 402
 – comparison of kinetic data 403
 – energy-dispersive X-ray image 401
 – equation for TG analysis 401
 – evaluation of kinetic parameters based on DTG data 402
 – measured and simulated TG and DTG curves 402
 carbon number 15, 469, 475, 613, 629, 634, 665–666
 carbonyl group 17
 carbonylation 739, 743, 744
 – alcohol 482
 – BASF 743, 744
 – methanol 480, 481, 739, 742, 746
 cascade autorefrigeration process, alkylation unit, flow sheet 660
 cascade auto-refrigeration refinery alkylation process 660
 catalysts 19–37, 738
 – classification of pores of solid catalysts 228
 – deactivation 32–35, 638, 651, 692
 – deposition of residues 33, 34
 – loss via gas phase 34
 – poisoning 33
 – rate of deactivation 34, 35
 – sintering 34
 – for HDPE and LDPE 809
 – homogeneous *versus* heterogeneous catalysis 27
 – immobilization 28, 716, 730, 733, 736
 – market 20
 – major applications 27–29
 – Nobel prices in research 21
 – recovery 26
 – for refinery applications 20
 – and support materials 29
 – specific surface areas of 227
 catalytic ammonia oxidation, heat transfer role 576
 catalytic cracking 32, 620–623
 catalytic cycles 20, 22, 718
 cationic detergents 501
 catalytic gasoline reforming
 – high octane gasoline by 633–652
 – plants 634
 – process 637, 638
 – reactions and thermodynamics 633–636
 – reforming catalyst 636, 637
 – reforming catalyst, deactivation and regeneration 638, 639
 – coke burn-off within single catalyst particle 639–645
 – regeneration in technical fixed bed reactor 645–651
 catalytic o-xylene oxidation
 – data on chemical media and conditions of catalytic o-xylene oxidation 710
 – simplified reaction scheme 708
 cationic polymerization 14, 15, 17, 496
 Cativa process 739, 743, 747
 – for acetic acid 743
 caustic soda 696
 C–C-coupling reactions 20
 C₄-dimerization 720
 Celanese-LPO-process 742
 cellulose 491
 centrifuges
 – centrifugational number 171
 – hydro- or aerocyclones 167
 – sedimentation in 171
 ceramic monolith 776
 – design 776
 Cetus process 704
 C₁₈ fatty acids 451
 C–H bond breaking 606
 chain-growth
 – mechanism 807, 808
 – polymerization reactions 494, 495
 chain length distribution 755
 chain propagation 12
 chain termination 495, 496, 606
 chain transfer process 807
 char combustion 546–549
 char gasification
 – intrinsic and effective rate constants 546–549
 chemical conversion
 – terms used to quantify result 179, 180
 chemical equilibrium 20, 108, 122, 184, 188, 189

- chemical industry 2
 - annual global production of chemicals 2
 - biggest “chemical nations” 3
 - largest chemical companies by sales 3
 - pharmaceutical companies 3
 - products of German chemical industry 4
 - raw materials of 408
 - sales of the oil & gas industry 4
 - world production of important chemicals 4
- chemical process structure 176
- chemicals production 18
- chemical reaction engineering 1
 - aspects 176
 - basic definitions 176
- chemical reactors 296
 - ideal and real reactors 296–298
 - real reactors according to phases 299
 - fluid–fluid reactions 303, 304
 - gas–solid reactions 301–303
 - heterogeneously catalyzed gas–liquid reactions 304, 305
 - heterogeneously catalyzed single-phase reactions 300, 301
 - non-catalytic single-phase systems 299, 300
 - three-phase reactors 304
 - real reactors based on mode of operation 298
 - batch reactor systems 299
 - continuous mode of operation 299
 - discontinuous and semicontinuous mode of operation 298, 299
 - types and their characteristics (overview) 296
- chemicals manufacturing/fuels
 - investment costs 518–520
 - operating costs 522–524
 - price of 517–518
 - production costs of 517
 - variable costs 521, 522
 - catalyst costs 521
 - energy costs 521
 - feedstock 521
- chemical thermodynamics 182
- chemisorption 231
- chiller 658
- Chinese reed
 - biomass coke from 548
 - characterization 544
 - rate of pyrolysis 545
 - semi-technical gasifier of 552
 - technical gasifier 553
- chiral alcohols 28
- chiral compound 18
- chiral induction 19
- chiral products 18
- chiral synthons 28
- chlor-alkali electrolysis 791–797
- chlorination 16, 458
- chlorine 457
- chlorine applications 792
- chlorobenzene 458, 469, 470, 489, 490
- chloroform 110, 111, 461, 488, 489
- chlorohydrin process 696, 700, 701, 702, 703, 705, 706
 - ethylene 695, 696
 - propylene 701
- chlorohydrin reactor 701
- chloromethane 461, 488, 489
- chloroprene 465
- 1-chloro-2,2,2-trifluoroethane 490
- chromacycloheptane 757
- chromium-catalyzed ethylene oligomerization 749
- chromophores 506
- CIP system 18
- Citronellal 28
- citronellol 506
- Clapeyron, Benoit Paul Émile 50
- Clapeyron equation 51
- Clausius–Clapeyron equation 49, 50
- Clausius inequality 183
- Clausius, Rudolf Julius Emanuel 49
- Claus process 30, 625
- coal
 - from acetylene 470
 - chemis-tree, illustration 460
 - combustion 448
 - chemical reactions 448
 - and electricity production 448
 - fired power plant 571
 - gasification 449, 542, 558
 - in iron and steel production 448–449
 - liquefaction 449–450
 - processes and products 445–450
 - properties 445–447
 - pyrolysis 447–448
 - regional distribution of worldwide production 446
- cobalt/iridium-catalyzed processes 745
- C–O bond 8
- Co catalysts 722, 723
- cocurrent-flow tube-cooled ammonia reactor 534
- coke
 - combustion and gasification 546–549, 604
 - consumption in blast furnace 601
- coked reforming catalyst
 - regeneration 638–651
- coke-oven gas 434
- coking process 30, 590–594
- coking time 590–594, 603
- Colebrook, Cyril Frank 155
- Colebrook’s law 154
- colorants 506
- combined cycle power plant 544
- combined gross enrollment ratio (CGER) 415
- combustion of ammonia 567, 779
 - engines 437
 - of hot blast furnace coke, in contact with air 276
 - promoter 621
- CoMo-catalysts 627
- composition of a reaction mixture, terms used to characterize 179
- compressed natural gas (CNG) 436
- compressors 159
 - conveyance of gases by 160
- condensation 606
- conduction (heat transfer) 80
- confidence limits XIX, XXXI
- conjugative effects 8
 - stabilization of phenolate ion 9
- conjugative stabilization 16
- constant volume bomb calorimeter 188
- constrained catalyst geometries 811
- continuous ideal non-isothermal reactors
 - optimum operation line for adiabatic operation 332, 334, 335
- continuous stirring tank reactor (CSTR) 297, 305, 307, 309, 311, 313, 315, 316, 323, 326, 336, 356, 543, 726, 746, 808
- convection (heat transfer) 80
- convective heat transfer coefficient 576
- conversion, definition 179, 180
- cooled multi-tubular reactors 708
- coordination number 759
- copolymerization 468
- copper catalysts 457, 689, 692
- copper–zinc–aluminum systems 690
- co-precipitation 29
- corrosion inhibitors 501
- Cossee–Arlman mechanism 754
- cost optimum reflux ratio 540
- covalent anchoring 731
- covalent bonds 7, 9, 11
- Cowper, Edward Alfred 595
- Cowper stoves 595, 596
- crack gas 612
- cracking 12, 20, 35, 441, 655
 - alkane 609
 - catalysts 20
 - furnace 606, 607, 610
 - steam 463, 465, 604, 605, 720
 - thermal 443, 444, 553, 616, 618, 620
- critical micelle concentration (CMC) 501
- cross-flow filtration reactor 732
- crude oil 438, 459, 464, 517
 - distillation fractions, yields of 441
 - fractions, composition 440
 - in OPEC countries/non-OPEC countries 439
 - paraffins/aromatics/naphthenes, typical contents 441
 - price in 1865–2009 439
 - production, reserves, and price of 437–440
 - properties of 440–442
 - refinery, flow-sheet of 445
 - regional distribution of worldwide production 438
 - sulfur content of 442
 - typical nitrogen compounds 442
 - typical sulfur compounds 441
- crushers 164
 - types 163
- cryogenetic air separation process. *see* Linde process
- cryogenic distillation, product separation 458, 612
- crystallization 140
 - ideal binary eutectic phase system 140, 141
 - system p- and m-xylene
 - ideal binary phase system (both solids soluble in one another) 141–143
 - system anthracene and phenanthrene 142
- CSTR. *see* cooling stirred tank reactors
- Cu-catalyzed reaction 476
- cumene hydroperoxide 496
- Cu/Zn-methanol catalyst 692
- cyanohydrin reaction 17
- cyclization 606
- cycloaddition 606
- cycloalkanes 608

cyclododecanol 475, 476
 cyclohexane 10, 106, 107, 461, 464, 469, 483, 486, 763
 – oxidation of 475
 – solvent 814
 cyclohexanol 12, 464, 475
 cyclohexanone 464, 476
 cyclohexanone oxime 11, 486
 – production route to ϵ -caprolactam 487
 cyclone 171
 cyclopentadienyl groups 811
 cylindrical mills 163

d

Dalton, John 99
 Dalton's law 179
 Damascus steel 587
 Damascus swords 587
 Damkohler number 215, 582, 603, 676, 710
 Darcy's law 146
 deactivation mechanism 32
 decaffeination 139
 – with supercritical CO₂ 139
 defoamers 705
 dehalogenation 10
 dehydration 10
 dehydrochlorination 11, 701
 dehydrocyclization 634, 651
 dehydrogenation 10, 20, 30, 371, 462, 478, 481, 606, 636, 651, 748, 765
 – alkane 462
 – catalysts 20
 – oxidative 478, 481, 748
 dehydrohalogenation 10
 dehydrosulfurization 30, 35
 deisobutanizer 657, 658
 delayed coking 617, 623
 – data and conditions 617
 – stages 618
 dendrimers 732
 dendritic ligand 733
 depolymerization of cellulose 36
 depolymerization of lignin 36
 desulfurization 624–632
 desulfurization catalysts 20
 detergents 500
 – anionic 502–503
 – cationic 501–502
 – enzymes 501
 – molecules
 – applications 501
 – schematic representation 500
 – neutral 504
 – non-ionic 504–505
 – structure and properties 500–501
 DFT calculations 758
 1,4-diacetoxy-2-butene 477
 diamines 495, 498
 diaphragm process 791, 792, 793
 – advantages 796
 – schematic 794
 diastereomers 18, 19, 763–765, 767, 770
 dibenzothiophene 441, 626, 628–629
 – hydrosulfurization 625
 dibenzothiophene (DBT) derivatives
 – HDS 626
 – stability diagram 626
 dibenzoyl peroxide 496
 dicarbonic acids 495, 498
 dichlorobenzenes 489, 490
 dichloroethane 11, 490
 1,2-dichloroethane 464
 dichloromethane 461, 488, 489
 dielectric permittivity 13
 Diels–Alder type reactions 17, 613
 dienes 606
 diesel 430, 436, 463
 – fuel 443
 – oil, statutory sulfur content, historical development 624
 diethylene glycol 476
 diethyl ether 474, 477
 diethyl sulfate 501
 diffusion coefficient 56, 58, 64, 129, 248, 261, 395, 577, 582, 598, 768, 769
 diffusion of liquids 230
 diffusivity 40, 52
 – of CO₂ in N₂ 63
 – Knudsen 89, 641
 – longitudinal 343, 378
 – molecular 249, 255
 diisobutene 465
 diisocyanates 498
 dimerization 466, 468
 Dimersol-process 468
 dimethylamine 484
 4,6-dimethyldibenzothiophene (4,6-DMDBT) 628
 dimethyl ether 477
 dimethylformamide (DMF) 467
 dimethyl sulfate 501
 dimethyl sulfoxide 469
 dinitrogen oxide 483
 dioctyl phthalates plasticizers 493, 717
 diolefins 441
 diols 472, 495
 1,4-dioxane 478
 diphenyl carbonate
 dipole moment 8
 direct ethylene oxidation process 740, 747
 direct reduced iron (DRI) 589
 direct reduction 303, 596, 600, 604
 dispersion 30
 dispersion model 343, 603
 – axial dispersion and residence time distribution 343, 344
 – axial dispersion model, for turbulent flow in round tubes 352
 – dispersion of mass, and heat in fixed bed reactors 352–354
 – radial variations, in bed structure 354
 – calculation of conversion by 348
 – dispersion and conversion, in empty pipes 349
 – axial dispersion model for laminar flow in round tubes 349–351
 – determination of diffusion coefficients of fluids 352
 – and flow of two liquids in a pipeline 346
 – large deviation from plug flow 346–348
 – residence time distribution 349
 – prediction of conversion based on 349
 – small deviation from plug flow 344–346
 disproportionation 469, 655

– alkylate molecules 655
 – of carbenium ions 496
 distearyl (dimethyl)ammonium chloride 502
 distillation 97, 98, 467, 474, 755
 – azeotropic 106
 – heterogeneous 107
 – homogeneous 106
 – design of column 101–104
 – extractive 107
 – number of theoretical stages 104, 105
 – pressure swing 107, 108
 – principles 98–100
 – reactive 108
 – reflux ratio 104, 105
 – theoretical stages 104–106
 – stages of industrially important distillation processes 106
 distillation column (DC) 753
 Döbereiner 21
 1-dodecene 717
 double absorption sulfuric acid process 566
 drinking water 144, 147, 148
 – global drinking water coverage 515
 dual-pressure HNO₃ plant 585
 dyes 506

e

Eadie–Hofstee plot 289
 Earth's ecosystems 425
 ecological footprint 427, 428
 economy of scale 694
 E-factor 516
 effective diffusion coefficient 89, 129, 294, 640, 669, 767, 768
 effective dispersion coefficients 356, 646, 648
 effectiveness factor 250, 640, 642, 646, 766
 – for pore diffusion for macro- and micropores 266
 – for reversible first-order reaction 251, 252
 effective rate constants 240, 255, 286, 398, 548, 597, 599, 669, 670, 784
 effective reaction rate 247
 effluent refrigeration 658, 659
 – alkylation unit, flow sheet 660
 Einstein, Albert 248
 elastomers 455, 491, 497
 electrochemical cell 801
 electrochemical reactants 789, 790
 electrochemical reactions 786, 787, 801, 802
 electrode reactions 789, 791
 electrolysis 786, 801
 – potential–current curves 793, 794
 – voltage 796
 electrolytic copper refining 800
 electromagnetic spectrum 79
 electrometallurgy 800–802
 electron density 8, 9, 15
 electronic nature of bonds and atoms, factors influencing 7–8
 – conjugative effects 8
 – inductive effects 8
 – mesomeric effects 8
 – steric effect 8
 π -electron systems 8, 15, 17, 506
 electrophiles 9
 electrophilic reagents 9
 electrophilic substitution reaction 15

- electrorefining 800
 - electrostatic precipitator (ESP) 780
 - elephant function 234, 235
 - elimination reactions 10
 - emissions, by mobile sources 510
 - emissivity 79
 - Emmett, Paul Hugh 127
 - emulsion 499, 500, 656, 659
 - formation 728
 - liquid 727
 - polymerization 499
 - enantiomers 18, 19
 - 2-butanol 17
 - nomenclature 19
 - (*R*)- and (*S*)-enantiomers 18, 19
 - enantioselective hydrogenation 25
 - enantiotopic halves 18
 - energy barrier 23, 24
 - energy consumption 411, 422–425, 521, 522
 - enthalpy 45, 184–188
 - entrained-flow gasifier 552. *see also*
 - Koppers-Totzek process
 - zones for modeling 551
 - entrained flow reactor 550
 - entropy 48–51, 183, 186
 - environmental aspects 509
 - air pollution 510–512
 - green chemistry 515–516
 - water consumption and pollution 512–515
 - environmental catalysts 20
 - enzyme 19
 - epichlorohydrin 701
 - epimerization 763–771, 773
 - epoxidation 701–703, 706, 750
 - 1,2-epoxypropane 700
 - equilibrium by minimization of *G* of reaction system, calculation 198
 - equilibrium composition 572
 - of SO₂ oxidation 190
 - equilibrium of gas reaction, influence of pressure 189
 - equilibrium of NH₃ synthesis, influence of real gas behavior on 191
 - ethane 461, 462
 - dehydrogenation 189, 606
 - oxidation processes 747
 - ethanol 474
 - age-old aerobic fermentation 739
 - alcoholic beverages 472
 - chemical production routes 474
 - isolation proceeds, via distillative processes 474
 - as solvent 690
 - ethene 11
 - decomposition 805
 - oligomerization 28, 288
 - process for solution polymerization of 814
 - single-site catalysts for ethene polymerization 811
 - ethene/propene/diene copolymerizations (EPDM) 499
 - ethene–vinyl acetate copolymers 499
 - ether, industrially importance 477
 - ethylbenzene 11, 703
 - ethylbenzene hydroperoxide 702
 - ethyl chloride 481
 - Ethyl Corporation process 753
 - ethylene oligomerization schematic 753
 - ethylene 461, 462, 480
 - acetaldehyde, production of 480
 - direct oxidation 705 (*see also* ethylene oxidation)
 - ligands, oxidative coupling 759
 - oligomerization 759, 761 (*see also* ethylene oligomerization)
 - partial oxidation 696
 - pipeline system 806
 - polymerization 805
 - schematic representation 808
 - production 462
 - silver-catalyzed direct oxidation 697
 - steam-cracking process 465
 - ethylene chlorohydrin 695
 - ethylenediamine 484, 485
 - ethylene dichloride, via ethylene oxy-chlorination 407
 - ethylene hydratization 474
 - ethylene oligomerization 751, 756, 758
 - aluminum-alkyl-based
 - “Aufbaureaktion” 750–753
 - linear 1-alkene production 749–762
 - nickel-catalyzed oligomerization, shell higher olefins process (SHOP) 753–756
 - 1-olefins, industrial relevance 749
 - selective, metallacycle mechanism 757–762
 - catalytic cycles, elementary steps 758–759
 - ethylene oxidation
 - on Pt wire 242
 - Wacker–Hoechst process 480
 - ethylene oxide 464, 472, 476, 478, 695, 705
 - application 478
 - commercial production 695–700
 - chlorohydrin process 695, 696
 - ethylene, direct oxidation 696–699
 - ethylene oxide, products made 699, 700
 - consumption 699, 700
 - industrial epoxides 478
 - producer 700
 - production 696
 - ethylene oxide plant
 - degree of utilization 523, 524
 - fixed and variable costs 523
 - flow sheet 699
 - ethylene trimerization 757
 - eutectic phase system 140
 - exhaust gas cleaning 20
 - exhaust gases treatment
 - automotive emission control 773–778
 - car engine emissions reduction, catalytic converters 775–778
 - engine emissions reduction and emission standards 773–775
 - catalytic treatment, ceramic monolith 777
 - composition of exhaust gas without treatment 773, 774
 - from mobile and stationary sources 773–786
 - NO_x, selective catalytic reduction (SCR) from 778–785
 - catalysts and reactors 779, 786
 - flue gas treatment from power plants 778, 779
 - nitrogen oxides formation during fuel combustion in power plants 778
 - reaction chemistry of SCR 781
 - SCR reactor, reaction kinetics and design 781–785
 - experimental reaction orders, differ from stoichiometric coefficients 212, 213
 - external effectiveness factor 244
 - Arrhenius number 245
 - for exothermic heterogeneously catalyzed gas reaction 244–246
 - Prater number 245
 - Sherwood number 244
 - external heat transfer 283, 284
 - coefficient 329, 678
 - external mass transfer
 - coefficient 641
 - estimation of required length of fixed bed reactor for gas phase reaction controlled by external mass transfer 239
 - external effectiveness factor η_{ex} 237
 - for Langmuir–Hinshelwood kinetics 237, 238
 - for negative reaction order 237, 238
 - influence of external mass, and heat transfer on effective rate 239, 240
 - interaction with chemical reaction 235–237
 - through boundary layer 282, 283
 - extractive distillation 469, 474
 - extra- and intraparticle mass and heat transfer limitations, criteria for 286
 - extrusion 761
- f**
- falling film evaporator 726
 - Faraday constant 787, 796
 - Faraday's law 786, 787
 - Faraday, Michael 786
 - fats and oils
 - composition and production 451
 - industrial routes to convert 452
 - fatty acid esters, hydrolysis 451
 - fatty acid methyl esters 11, 452
 - fatty alcohol ether sulfates 504
 - fatty alcohol polyether glycols 504
 - fatty alcohols 452, 473, 475, 504, 505
 - non-ionic surfactants based on 455
 - fatty alcohol sulfates 504
 - fatty amines 484, 485
 - fatty carboxylates 502
 - fatty nitrile 485
 - FCC. *see* fluid catalytic cracking (FCC)
 - FCC-process. *see* fluid catalytic cracking
 - Fe–Cr catalyst 539
 - Fe-modified bismuth-phosphorous molybdate contact 486
 - fermentation processes 28, 474, 739
 - fertilizers 20, 558
 - applications 459
 - Fick, Adolf Eugen 54
 - Fick's law 54, 218, 579, 768
 - Fick's law, second 85
 - film diffusion 229
 - filtration
 - cake filtration 168
 - pressure 168
 - of a suspension of CaCO₃ 168
 - fine chemicals 28, 505, 763–772
 - adhesives 506

- fragrance and flavor chemicals 506
 - menthol and menthol production 763–764
 - menthol isomers epimerization
 - mass transfer influence 766–771
 - thermodynamics and kinetics 764–766
 - pesticides 506–508
 - pharmaceutical 508, 509
 - vitamins, food, and animal feed additives 508
 - vs. petrochemicals, characteristic differences 505
 - fine particles, fluidization regimes with 622
 - finite element method 578
 - first law of thermodynamics 45
 - first-order rate constants 618
 - first-order reaction 204
 - Fischer, Franz 664
 - Fischer–Tropsch synthesis 29, 437, 449, 662, 664–685, 665, 666, 670, 673, 679, 708, 717, 797
 - chemical media and reaction conditions 677
 - commercial plants 671
 - GTL plant, main parts 675
 - history, current status, and perspectives 670–674
 - intrinsic and effective reaction rate 668–670
 - kinetic scheme 665
 - mechanisms scheme 665
 - multi-tubular fixed bed Fischer–Tropsch reactor modeling 677–684
 - processes and reactors 674–677
 - product distribution 667
 - product streams 758
 - reactions and mechanisms 664–668
 - reactors used 675
 - fission power 421
 - fixed bed gasifier. *see* Lurgi reactor
 - fixed-bed reactor 300, 301
 - fixed bed reactors, modeling 355
 - criteria used to exclude a significant influence of dispersion 357
 - axial dispersion of heat 360, 361
 - axial dispersion of mass 357, 358
 - radial dispersion of heat 361, 362
 - radial dispersion of mass 358–360
 - radial variations in bed structure 363
 - dispersion processes 356, 357
 - fundamental balance equations 355–357
 - fixed-matrix regenerator system 595
 - flame velocity 435
 - flavor chemicals 506
 - flow-sheet 658
 - flue gas 778
 - treatment 786
 - flue gas desulfurization (FGD) 778
 - unit 780
 - fluid catalyst 620
 - fluid catalytic cracking (FCC) 463, 620, 621, 623. *see also* cracking
 - block diagram 622
 - chemical media and reaction conditions, data on 621
 - heat balance 622
 - regenerator, minimum fluidization and discharging velocity 623
 - fluid–fluid reactions 292
 - industrial reactions 216
 - kinetics of 216, 217
 - fluidization velocity 157
 - fluidized bed Fischer–Tropsch (FT) reactor 663
 - fluidized-bed gasifier. *see* Winkler process
 - fluid–solid extraction 136
 - design 139
 - effective extraction rate, factors influencing 136
 - ideal solvent, requirements 136, 137
 - influence of particle size on rate of external mass transfer 138, 139
 - principles 136
 - solubility of caffeine in CO₂ 138
 - fluoropolymer 493
 - fluorous phases 733
 - food additives 508
 - food grade phosphoric acid 458
 - food industry 139
 - food ingredients 28
 - formaldehyde 106, 254, 285, 476, 478, 479, 496, 694, 742
 - formic acid
 - methanol, carbonylation 481
 - production capacities 482
 - N*-formylmorpholine 467
 - fossil fuels
 - CHO content 433
 - consumption 446
 - crude oil 408
 - reserves, and resources 408, 419, 420
 - conventional and non-conventional fossil fuels 418–420
 - fouling 723
 - Fourier, Jean Baptiste Joseph 53
 - Fourier number 82, 593
 - Fourier's law, first 52, 66
 - Fourier's law, second 81
 - fragrances, role 501, 506
 - Frasch process 458
 - friction factor 153, 154
 - Friedel–Crafts acylation reactions 14
 - Friedel–Crafts alkylation 469, 703
 - Fritz Haber 526
 - FT GTL plant, main parts 675
 - FT multi-tubular reactor 664
 - FT reactors, design 674
 - FTS. *see* Fischer–Tropsch synthesis
 - fuels
 - average price and world demand 518
 - consumption 599
 - equipment costs 518
 - production costs of 517
 - purification 775
 - solid, typical composition 447
 - fugacity coefficients 687, 695, 787
 - fugacity, influence of pressure on 191, 687
 - functionalizations 20, 36
 - fungicides 506, 507, 508
 - fusion power 421
- g**
- galvanic cell 788, 791
 - gas compressor 611
 - gas hourly space velocity (GHSV) 565
 - gasification
 - chemical reactions 448
 - computations 551
 - reactors 302
 - gas–liquid interface
 - mass transfer 217, 218
 - gas–liquid reactions
 - equations according to two-film theory 225
 - influence of *Ha* on enhancement factor *E* 224
 - kinetics, on solid catalysts 291
 - reactor types 293, 304
 - gasoline 430, 442, 443
 - limit values of sulfur in 624
 - production of 437
 - gasoline spark ignition engines 775
 - gas-phase PE-process 814
 - gas recycle hydroformylation processes 725
 - gas recycle process 724, 738
 - gas–solid reactions 157, 172, 175, 181, 195, 196, 203, 547, 641, 642
 - equilibrium of 195–197
 - kinetics 268
 - reactors for 301, 302
 - spectrum of factors influencing rate of 269
 - influence of external and internal mass transfer 269
 - gas-to-liquid (GTL) FTS technology 670
 - Gay-Lussac, Joseph Louis 4
 - Gibbs enthalpy, of gas phase system 199
 - Gibbs free enthalpy 789
 - Gibbs functions 184, 185, 559, 570, 571
 - Gibbs, Josiah Willard 184
 - Gini coefficient 413
 - global anthropogenic sulfur emissions 510
 - Global Footprint Network 426, 427
 - global warming 424, 425, 483, 781
 - glucose 453, 454, 505, 704
 - non-ionic surfactants based 455
 - glutaminic acid 508
 - glycerol 451, 452, 473, 477, 701, 792
 - glycidol 28
 - glycol ethers 705
 - greenhouse gas producers 35, 425
 - Grignard reagents 8
 - gross domestic product (GDP) 410
 - gross national product (GNP) 410
 - per capita (pc) vs. primary energy consumption (pc) 412
 - GTL plant 674
 - guano, fertilizer and gunpowder ingredient 525
 - Gulf process 752
 - gutta-percha (*trans*-1,4-polyisoprene) 456
 - gypsum, applications 459
- h**
- Haarmann & Reimer process 764, 772
 - Haber–Bosch process 29, 525, 568, 673
 - Haber, Fritz 526, 527
 - Hagen, Gotthilf Heinrich Ludwig 155
 - Hagen-Poiseuille's law 153
 - Halcon process 703
 - haloalkane 13

- Haldor Topsoe process for methanol production 693
 - half-cell reaction 790
 - Hall–Hérout process 802
 - halogenated compounds 490
 - applications 489
 - happiness and life satisfaction of nations 416
 - hard coal, liquefaction 450
 - hardening agent 587
 - Hastelloy C 484, 744
 - Hatta number 226
 - HDPE fluid bed process 815
 - HDS process, configuration 632
 - heat 235
 - dispersion coefficient 647
 - loss estimation
 - hot wire by radiation and convection 80
 - human body 80
 - heat capacities 45, 434, 805
 - heat conduction 52
 - Fourier's first law 66
 - in spherical shell 67
 - through wall of tube with externally cooled surface 66
 - heat exchangers 93, 94–97
 - counter-flow and parallel-flow heat exchangers, comparison 96
 - logarithmic mean temperature difference in a heat exchanger 95–97
 - heat of polymerization 805
 - heat transfer
 - analogy to mass transfer 579
 - boiling 78, 79
 - coefficient 546, 575, 679, 710
 - fluid and external surface of tube (cylinder) 73
 - fluid and internal surface of empty tube 71, 72
 - fluid and particles of packed bed 77
 - fluid and single particle 75, 76
 - local, for flow of fluid across cylinder 73, 74
 - plane walls and cylindrical shells surrounded by fluids 77, 78
 - by radiation 79, 80
 - heat transfer by convection
 - contribution of free convection to overall heat transfer 76
 - estimations of heat transfer coefficients (α) 67
 - Nusselt number 68, 69
 - from a stagnant or a flowing fluid to a solid 67
 - heat transport, in chemical engineering 66
 - heavy oils 139, 304, 434, 444, 449, 543, 612
 - cracking
 - fluid catalytic cracking (FCC) 620–623
 - thermal cracking (delayed coking) 616–620
 - gasification 553, 554
 - height of transfer zone (HTZ) 134/135
 - hemicellulose 453
 - Henry coefficient 64, 109, 110, 116, 146, 293, 669
 - Henry's law 109, 217, 627
 - Henry, William 109
 - herbicides 506, 508
 - heterogeneous catalysis. *see* heterogeneously catalyzed process
 - heterogeneous catalysts 19, 20, 23, 27, 29, 269, 485, 758
 - production, and characterization 29–32
 - properties 27
 - role in chemical technology 26
 - typical conditions, and catalyst lifetimes 32
 - heterogeneously catalyzed hydrodesulfurization (HDS) 626, 627, 631, 633
 - heterogeneously catalyzed reaction
 - kinetics of 226
 - reactors used for 300
 - spectrum of factors influencing 227
 - steps of gas catalyzed reaction 229
 - heterogeneously catalyzed surface reactions
 - Eley–Rideal mechanism 233
 - Langmuir–Hinshelwood–Hougen–Watson rate equations 233, 234
 - Langmuir–Hinshelwood mechanism 232, 233
 - monomolecular mechanism 232
 - rate equations for 231, 232
 - heteropoly acid 748
 - hexamethylenediamine 461, 464, 484, 485, 487
 - hexamethylene diisocyanate 461, 464
 - 1-hexene
 - extrusion 761
 - heterogeneously catalyzed gas phase hydrogenation 394
 - hydroformylation 720
 - selectivities 757
 - cis/trans*-3-hexene formation 720
 - HF-catalyzed reaction 661
 - high-density polyethylene 803, 816
 - high density polyethylen 499, 521, 522
 - high-dust system (in SCR) 780
 - high fructose corn syrup 29
 - higher olefins 25, 720, 727–729
 - liquid–liquid multiphase hydroformylation 728
 - Shell higher olefins process (SHOP) 753–757
 - solubility limitation 729
 - high-pressure Hastelloy reactor 744
 - high-pressure LDPE processes 816
 - high-pressure methanol synthesis 527
 - high-pressure steam 611
 - high-throughput experimentation 36
 - Hinterland ratio 226
 - Hirschfelder equation 58
 - Hock process, for phenol production 481
 - Hoechst process 812
 - H₂O electrolysis 797
 - efficiency 799
 - energy demand 799
 - homogeneous catalysis 19, 287, 731, 736
 - advantages 731
 - applications 716
 - homogeneous catalysts 20, 26, 722, 723
 - advantages 27, 28
 - catalyst deactivation 34, 35
 - rate 35
 - chemical industry, examples 28
 - filtration 732
 - properties 26
 - transition metal complex 28
 - homogeneous reactions
 - kinetics of 21, 200
 - vs. heterogeneous catalysis 27
 - homogeneous two-phase catalysis 290
 - Hougen–Watson type equation 561, 668
 - human development index (HDI) 413, 414
 - happiness and life satisfaction of nations 416
 - purchasing power parity (PPP) 415
 - subjective well-being index (SWB) 416, 417, 418
 - vs. energy consumption per capita 413
 - vs. gross national product (GNP) 415
 - Hüttig temperature 692
 - hydrated lime 696
 - hydratization 17
 - β -hydride elimination 754
 - hydroamination 485
 - hydrochloric acid 457, 458
 - hydrochlorination 458
 - hydrocyanation 28, 29
 - hydrodealkylation 469
 - hydrodesulfurization 291, 625
 - and reaction engineering aspects 629–633
 - reaction network 627
 - thermodynamics and kinetics 625–629
 - hydrodynamic entrance region 84
 - hydroelectricity 421
 - hydrofluoric acid 653
 - hydrofluoric acid alkylation process 656, 657
 - hydroformylation 25, 28, 464, 472, 474, 475, 480, 716–738
 - advanced catalyst immobilization technologies for 730–738
 - catalyst separation by size exclusion membranes 732, 733
 - homogeneous catalysts immobilization on solid surfaces by 731–732
 - liquid–liquid biphasic reaction systems using 733–736
 - supported liquid hydroformylation catalysis 736–738
 - allyl alcohol 476
 - catalytic cycle 719
 - current catalyst
 - and process technologies 722–730
 - 1-dodecene 718
 - ethylene 475
 - homogeneous nature 718
 - industrial relevance 717, 718
 - of internal olefins to linear aldehydes 721
 - plant 716, 730, 733
 - propene 475, 716, 717, 718
 - propylene 481, 717
 - supported liquid catalyst for 737
- hydrogen 457, 536–558
 - hydrogen by gasification of biomass 544–552
 - production
 - and application 437
 - options to produce 536–541
 - syngas and 536
- hydrogenations 16, 17, 20, 21, 29, 30, 35, 205, 291, 292, 394–396, 475
 - aldehyde 720, 723
 - catalysts 20
 - fatty ester 475
 - nitrobenzene 485
 - olefin 720
 - rate of octene 397, 398

- selective 613
 - hydrogen bonding 736
 - hydrogen cyanide 461, 462
 - hydrogen–nitrogen–ammonia equilibrium 527
 - hydrogen peroxide to propylene oxide (HPPO) process 704
 - hydrogen sulfide 612
 - hydrogen transfer 720
 - hydroperoxidation reaction 701, 703
 - hydroperoxides 702
 - hydrophilicity 500
 - hydrophobicity 500
 - hydrothermal synthesis 29
 - hydrotreating
 - clean liquid fuels by 624–633
 - history, current status, and perspective 624, 625
 - hydrosulfurization (*see* hydrosulfurization)
 - hydrotreating reactions 624, 626
 - equilibrium data 626
 - hydrotreating reactor 637
 - hydroxide 13
 - hyper-branched polymers 732
 - hypochlorous acid 791
- i**
- ICI low-pressure process 693
 - ideal gas behavior
 - compressibility factor 42, 44
 - magnitude of deviation 42
 - effect of temperature 43
 - influence of pressure 42
 - ideal gas constant 40
 - ideal gas law 40, 41
 - originators 41
 - ideal isothermal reactors 305, 306
 - comparison of ideal reactors 314
 - continuously operated
 - cascade of tank reactors 311
 - ideal tank reactor 307, 308
 - ideal tubular reactor 308, 309
 - tubular reactor with laminar flow 309–311
 - conversion for a given *Da* number 313
 - equations for conversion of reactant in ideal reactors 314
 - influence of changing volume on performance 315
 - mixed flow reactor 315
 - plug flow reactor 315
 - influence of reactor type on product yields and selectivity 316
 - tubular recycle reactor 311–313
 - well-mixed (discontinuous) isothermal batch reactor 306, 307
 - I-effect 8
 - ignition–extinction behavior 240, 268
 - ignition of Pt-wire during oxidation of ethylene 242, 243
 - ignition temperature 435
 - impregnation 30
 - indenoxide 28
 - indirect oxidation of propylene 702
 - inductive effects 8
 - industrial catalysts 20
 - application areas 35
 - chemical synthesis 36
 - environmental catalysis 35
 - production of polymers and materials 36
 - refinery and energy applications 35–36
 - importance for development of efficient processes 36
 - industrial coal liquefaction processes 450
 - industrial electrolysis 786–802
 - chlorine and sodium hydroxide 791–802
 - applications 791, 792
 - chlor-alkali electrolysis processes 792, 793
 - diaphragm process 793–795
 - electrolysis of water 797–800
 - membrane process 796
 - mercury cell process 795
 - electrochemical kinetics, and thermodynamics 786–791
 - electrical work and thermoneutral enthalpy voltage 789–791
 - electrochemical potentials 787, 788
 - Faraday's law and current efficiency 786, 787
 - galvanic and electrolysis cells, Nernst's law 788, 789
 - overpotentials 791
 - standard electrode potentials 789
 - electrometallurgy 800–802
 - electrolytic refining in aqueous solution 800, 801
 - fused salt electrolysis 801, 802
 - industrial organic chemistry 459, 460
 - alkanes and syngas 460–464
 - alkenes, alkynes, and aromatic hydrocarbons 464–471
 - organic compounds containing oxygen, nitrogen, halogens 472
 - acids 481–484
 - alcohols 472–477
 - aldehydes 478–481
 - amines and nitrogen-containing intermediates 484–486
 - epoxides 478
 - ether syntheses 477–478
 - halogenated organic intermediates 488–491
 - ketones 481
 - lactams, nitriles, and isocyanates 486–488
 - polymers 491
 - polyesters, polyamides, and polyurethanes 497–500
 - polyolefins and polydienes 492–493
 - vinyl-polymers and polyacrylates 493–497
 - industrial processes
 - acetic acid 739–749
 - ammonia synthesis 525–536
 - catalytic reforming, high octane gasoline by 633–652
 - coke and steel 587–604
 - ethylene and propylene oxide 695–706
 - exhaust gases treatment from 773–786
 - fine chemicals production 763
 - fuels and chemicals from syngas, methanol and Fischer–Tropsch synthesis 662–695
 - heavy oils cracking, liquid fuels by 616–624
 - hydroformylation (oxosynthesis) 716–738
 - hydrotreating, clean liquid fuels by 624–636
 - industrial electrolysis 786–802
 - linear 1-alkene production, ethylene oligomerization processes 749–762
 - nitric acid 568–587
 - polyethylene (PE) production 803–816
 - refinery alkylation 652–662
 - steam cracking, basic chemicals by 604–616
 - sulfuric acid 558–567
 - syngas and hydrogen 536–558
 - o-xylene to phthalic acid anhydride, catalytic oxidation 706–716
 - industrial soda ash 458
 - initiation 606
 - initiator 495
 - injection molding 805
 - inorganic fibers, applications 459
 - inorganic products
 - ammonia and nitric acid 457
 - applications 457
 - in chemical technology 457
 - chlorine and sodium hydroxide 458
 - phosphoric acid and phosphate salts 458
 - soda ash (sodium carbonate) 458–459
 - structure 457
 - sulfur and sulfur dioxide 458
 - insecticides 506
 - insertion–elimination mechanism 759, 760, 761
 - insertion polymerization reactions 496
 - inspection, of equilibrium 189
 - interfacial and internal mass transport effects, simultaneous occurrence 254
 - irreversible first-order reaction 254, 255
 - overall effectiveness factor 255
 - interfacial transport of mass 235
 - intermediates 460
 - internal heat transfer 284–286
 - influence on effective reaction rate 285
 - internal mass transfer 284
 - internal olefins to *n*-aldehydes, selective hydroformylation 721
 - intraparticle T-gradients, for gas and liquid phase reactions 253
 - intrinsic pseudo-first-order rate constant 782
 - intrinsic rate of chemical reaction 229
 - investment costs 518–524, 703
 - ionic liquid–organic biphasic catalysis 736
 - ionic liquids (ILs) 64, 290, 630, 662, 733–737
 - application 736
 - cations and anions 735
 - ion pair 13
 - iridium catalysts 747
 - iron 457
 - isenthalpic expansion 47
 - isobutane 463, 467, 468, 653–657, 660, 703, 813
 - isobutane-to-olefin ratio (I/O) 656
 - isobutanol 475, 478
 - isobutene 465, 466
 - isocyanates 486, 487
 - iso-hexane 11
 - isomerizations 20, 35, 469, 606, 721
 - isooctene 468
 - isophthalic acid 465
 - isopropanol 7, 475
 - isotacticity 492
 - isothermal compression 160
 - isothermal plug flow reactor 618
 - isotope-labeled carbon dioxide 690

j

jet fuel 444
 Jost pot 768, 769
 Joule, James Prescott 46
 Joule–Thomson coefficient 45, 47
 – calculation 47
 – liquids 48
 – sign 48
 Joule–Thomson effect 45, 435, 458, 540
 Joule–Thomson throttling process 46, 47

k

Kármán's law 154
 Kármán, Theodore von 155
 Katzschmann process 483
 Keim, Wilhelm 753
 Kellogg process 693
 Kelvin, Lord 46
 kerosene 443
 ketone 14
 kieselguhr 474
 kinetic data 379
 – case studies 392
 – heterogeneously catalyzed hydrogenation of
 hexene 394, 395
 – heterogeneously catalyzed multiphase
 reaction 395–400
 – non-isothermal oxidation of carbon nanotubes
 and fibers 400
 – thermal conversion of naphthalene
 392–394
 – evaluation of 382–385
 – laboratory-scale reactors for kinetic
 measurements 385–388
 – measurement and evaluation 379, 380
 – principal methods for determining 379, 380
 – laboratory reactors 380–382
 – macrokinetics 380
 – microkinetics 380
 – pros and cons of integral and differential
 method 382
 kinetic energy 56, 60, 62, 152, 155, 201
 kinetic racemic resolution 19
 kinetic resolution 29
 kinetics 22
 – of biochemical reactions 177
 – birth and death of a rumor 209, 210
 kinetic theory of gases 57
 Kirchhoff's law 79
 Knudsen diffusivity 90–93, 249, 641
 Koppers-Totzek process 543
 Kuhlmann process 723

l

laboratory-scale continuous fixed bed
 reactor 765
 laboratory-scale reactors for kinetic
 measurements 380, 385, 404
 – batchwise operated stirred tank reactor 387
 – classification of laboratory reactors 386
 – fixed bed reactor with taps 387
 – gradientless reactor 380
 – with internal recycle 388
 – integral reactors 381
 – differential evaluation of data 381, 382
 – laboratory-scale semi-batch reactor 764
 – laboratory-scale trickle bed reactor 631

lactams 486
 lambda value 776
 laminar flow 783
 Langmuir–Hinshelwood–Hougen–Watson
 (LHHW) model 234
 Langmuir–Hinshelwood mechanism 697, 767
 Langmuir, Irving 122
 Langmuir's adsorption isotherm 231
 L-asparaginic acid 508
 LD converter 589
 LDPE autoclave process 808
 LDPE tubular process 808
 leaving group 14
 Le Chatelier, Henry Louis 189
 Le Chatelier's principle 189, 609
 length of unused bed (LUB) 134
 Lewis acids 11, 496
 Liebig 21
 life expectancy index (LEI) 415
 ligand association 759
 – reaction 754, 759
 ligand back bone 721
 ligand bite angle 721
 ligand dissociation 759
 ligand effect 27
 ligand–metal complexation equilibria 731
 light crack-fuel, composition 614
 light heating oil 443
 light hydrocarbons
 – autothermic reforming 557
 lignin 453, 454, 456
 lignite, liquefaction 450
 limestone, applications 459
 limit cycle (oscillation) 326, 327
 Linde process for air separation 540, 541
 linear alkylbenzene sulfonates (LABS) 503, 750
 linear low-density polyethylene 750, 803
 Lineweaver-Burk plot 289
 liquefied natural gas (LNG) 419, 436
 liquefied petroleum gas (LPG) 2, 443
 liquid acid catalysts 656
 liquid catalysis 736
 liquid filled porous catalyst 669, 685
 liquid fuels 670, 672
 – production capacity 673
 liquid hourly space velocity (LHSV) 637
 liquid–liquid biphasic catalytic reaction 27, 29,
 485, 730, 733, 735, 737, 738, , 753
 liquid–liquid equilibrium
 – calculation based on Gibb's enthalpy 195
 – and link to gas-phase reaction 194
 liquid–liquid extraction 116
 – design 118, 119
 – number of theoretical separation stages of
 extraction 120
 – principles 116–118
 liquid–liquid phase separator 727, 734
 liquid–liquid reactions
 – equilibrium of 193, 194
 – industrial reactions 216
 liquid phase esterification, equilibrium of 195
 liquid recycle process 725, 738
 – advantage 725
 – schematic view 725
 liquid–vapor equilibrium 541
 living polymerization 496
 L-methionine 462

logarithmic mean temperature 94, 95
 “loop reactor process” 489, 813
 – schematic view 813
 Loschschmidt, Johann Joseph 41
 Lotka–Volterra model
 – for cyclic oscillations 327, 328
 low-density polyethylene 803, 804
 – autoclave process 806
 – formation, free-radical process 806
 – tubular reactor process
 -- schematic view 807
 low density polyethylene 498
 lower heating values (LHV) 520, 532, 798, 799
 – ethylene oxide (EO) plant 520
 low-pressure methanol carbonylation 744
 low-pressure oxo process (LPO) 724
 lubricants 443, 493, 705, 750, 753, 762, 792
 Lurgi process for methanol production 694
 Lurgi reactor for coal gasification 543
 lynx-hare cycle 326, 327

m

macropores 31
 macroradical 495
 magnetic suspension balance 63
 maleic acid 483
 maleic acid anhydride 30, 461, 464, 468, 469,
 470, 482, 483
 maleic anhydride 476
 Mariotte, Edme 41
 Markovnikov's rule 17
 mass transfer
 – analogy to heat transfer 579
 – by diffusion 53–57
 – with fast/instantaneous reaction near/at gas/
 liquid interface 220–225
 – with (slow) homogeneous gas/liquid reaction in
 bulk phase 219, 220
 mass transfer coefficient 86, 294, 574, 578, 597
 – influence of temperature 575
 mass transfer resistance
 – heterogeneously catalyzed gas–liquid
 reaction 293
 – heterogeneously catalyzed gas or liquid
 reaction 229
 mass transport 84
 – diffusion in porous solids 89, 90
 – forced flow in empty tubes 84, 85
 – hydrodynamic entrance region 84, 85
 – interrelation of diffusion and convection 87,
 88
 – Knudsen diffusion, and related
 phenomena 90–92
 – limitation 697
 – steady-state and transient diffusive mass
 transfer 85, 86
 Maxwell–Boltzmann distribution 60
 McCabe–Thiele approach 101–105
 mechanical unit operations
 – compressors and pumps 159
 – conveyance of gases by compressors 160,
 161
 – conveyance of liquids by pumps 159
 – estimation of energy requirement for the
 conveyance of fluids 161
 – contacting and mixing of fluids 161, 162
 – conveyance of fluids 152

- pressure loss in empty tubes 152–156
 - pressure loss in fixed, fluidized, and entrained beds 156–159
 - crushing and screening of solids
 - particle size analysis 164, 165
 - particle size reduction 163, 164
 - sieve analysis and particle size distribution, granular material 165
 - sieve analysis of sand 166
 - cyclone for separation of solid particles from gases or liquids 171
 - plate-type electrostatic precipitator 172
 - screening and classification of particles 166, 171
 - sedimentation in centrifuges 171
 - sedimentation in electrical fields 171, 172
 - separation of solids from fluids 168
 - filtration 168
 - sedimentation 168–172
 - solid–solid separation (sorting of different solids) 167
 - tubular electrostatic precipitator 172
 - mega methanol 694
 - melting enthalpy 51
 - melting point of selected liquids 51
 - melting temperature 50
 - membrane process 792, 796
 - membrane reactors 305, 370, 371, 372, 732, 733
 - hydroformylation catalysis 733
 - membrane separation 458
 - principles 144–146
 - menthol diastereomers 770
 - epimerization, reaction scheme 764
 - equilibrium concentrations 765
 - structure 763
 - menthol isomers, diffusion coefficients 768
 - menthol stereoisomers 769
 - Menton, Maud Leonora 288
 - mercury cell process for chlor-alkali
 - electrolysis 791, 795
 - mercury porosimetry 32
 - mesomeric effects 8
 - mesopores 31
 - metabolism 21
 - metal atoms 8
 - metal carbonyls 34
 - metal hydrides 17
 - metallacycle mechanism 757–762
 - metallocene catalysts 20, 811
 - metal–organic vapor deposition 30
 - metal oxide 776
 - metal plating 726
 - metathesis 755
 - methacrylic esters 462
 - methane 8, 460–461
 - chemical products from 461, 489
 - chlorination 7, 458
 - coal mining 446
 - equilibrium content during steam reforming 555
 - equilibrium of methane pyrolysis 197
 - formation in Fischer-Tropsch synthesis 665
 - hydrogen cyanide production 461
 - natural gas 433, 434
 - syngas production 462
 - methanol 8, 63, 100, 104, 108, 377, 449, 472, 477, 483, 662, 685, 689, 692, 695, 743, 749
 - carbonylation 742, 743
 - carbonylation, catalytic cycle and mechanism 745
 - Co-catalyzed carbonylation 745
 - industrial production 686
 - Ir-catalyzed carbonylation 745
 - oxidation 478
 - production
 - copper–zinc–alumina catalyst 690
 - high-pressure plant 689
 - Rh-catalyzed carbonylation, catalytic cycle for 745
 - synthesis 24, 664, 671, 685–695
 - catalysts for 689–692
 - equilibrium 688, 689
 - flow sheet 693
 - kinetic mechanism 691
 - processes and synthesis reactors 692–695
 - reaction steps 691
 - thermodynamics 686–689
 - methanol-to-olefin (MTO) 694
 - methylaluminoxane (MAO) 492, 496, 757, 811
 - methylaluminoxane co-catalyst 758
 - methylamine 484
 - methyl *tert*-butyl ether (MTBE) 465, 478, 694, 703
 - methyl carbocation 14
 - methyl chloride 481
 - N*-methyldiethanolamine 113
 - methylene diphenyl diisocyanate (MDI) 498
 - methyl ethyl ketone 481, 742
 - methyl iodide 744
 - N*-methylpyrrolidone (NMP) 728
 - N*-methylpyrrolidone/water
 - mixtures 469
 - methyl *tert*-butyl ether (MTBE) 478
 - metolachlor 28
 - (*S*)-metolachlor stereoisomer 508
 - Michaelis, Leonor 288
 - Michaelis–Menten equation 288–290
 - Michaelis–Menten kinetics 29
 - microorganisms 28
 - micropores 31
 - microreactor technology 36
 - middle temperature pyrolysis 604, 605
 - mixing 162
 - dynamic/static mixers 162
 - fluids 161
 - modified Thiele modulus 251
 - molar heat capacity 45, 317
 - molecular interaction forces 42
 - molecular speeds in gas, distribution 60
 - molybdenum naphthenate 703
 - monoethylene glycol 699
 - monomers 12, 491
 - monophasic reaction system 729
 - monopropylene glycol 701
 - Monsanto low-pressure process, for acetic acid 744–747
 - Monsanto process 743, 744, 747, 749
 - flow scheme 746
 - montmorillonite 474
 - motor octane numbers 652
 - moving-bed process 639
 - multibed ammonia reactor 533
 - with indirect cooling 533
 - with quench cooling 533
 - multifunctional reactors 36
 - multiphase catalytic processes 28
 - multiple-bed reactor 693
 - multiple catalyst bed reactors 693
 - multiple catalyst beds 561
 - multi-purpose plant (MPP) 505
 - multi-scale modeling 36
 - multistage cascade reactor 660
 - multi-tubular reactors 695, 698, 708, 716
 - cooling temperature, influence 682
 - FT reactor 680, 681
 - modeling and simulation 677
 - runaway diagram 683
- n**
- nanofiltration 732
 - naphtha 443, 463, 613–615, 739, 740, 742, 749
 - cracking 463
 - naphtha oxidation 742
 - naphthalenes 140, 359, 379, 392–394, 441, 707, 716
 - naphthenes 189, 441, 634, 636, 638, 651
 - natural dyes 455
 - natural gas 464
 - autothermal reforming 557
 - based plant for ammonia 532
 - composition 434
 - conditioning 435–437
 - conversion 435
 - overview of processes based on natural gas 435
 - properties of 433–435
 - reforming 555–557
 - used for heating and electricity 436
 - natural gas production 434. *see also* methane
 - safety parameters 434
 - worldwide production, regional distribution of 434
 - natural oils 11
 - natural rubber (*cis*-1,4-polyisoprene) 455, 491
 - molecular structure of 456
 - n*-butanol 475
 - n*-butenes 465
 - Nernst equation 787, 788, 790, 793, 797
 - Nernst's partition coefficient 117
 - Nernst, Walther Hermann 117
 - neutral NaCl solution, scheme of
 - electrolysis 791
 - Newton, Isaac 54
 - Newton number 162
 - Newton's law 53
 - NH₃ combustion 32
 - n*-hexane 11
 - NH₃ synthesis 32
 - from natural gas 457
 - nickel alkyl 754
 - nickel catalyst 288, 394, 395, 398, 468, 481, 555, 753, 762
 - ethylene oligomerization mechanism 753
 - nickel hydride 754
 - nitration 464
 - nitration reaction 16

- nitric acid 457, 568–586
 - ammonia, catalytic oxidation kinetics 572–583
 - in industrial reactor, on series of Pt gauzes 579–583
 - on single Pt wire for cross-flow of gas 573–579
 - NO oxidation 583, 583, 584
 - plant 567, 587
 - processes 584–586
 - block diagram 569
 - reaction scheme 569
 - production
 - stability diagram 570
 - thermodynamics 570
 - production, reactions and thermodynamics 568–572
- nitric oxide (NO) 568
 - equilibrium content in air 572
- nitriles 486, 487
- nitrobenzene 10, 15, 469, 485
- nitrobenzene hydrogenation 16
- nitrogen by air separation 540, 541
- nitrogenous fertilizers 568
 - production 569
- nitrogen fertilizers 525
- nitrogen oxides 779
- N-methylpyrrolidone (NMP) 467
- N,N-azobisisobutyronitrile 496
- non-ideal flow, and residence time distribution 336, 337
 - pulse experiment 338
 - step experiment 339, 340
- nonionic alkylphenol ethoxylates 700
- non-ionic surfactants
 - based on fatty alcohols and glucose 455
- non-isothermal ideal reactors 316
 - adiabatic operation of a batch reactor 317, 318
 - choice of best reactor type, for adiabatic operation 335
 - continuous ideal non-isothermal reactors
 - optimum operation line for adiabatic operation 332, 334, 335
 - continuous ideal non-isothermal reactors, optimum operating lines 332
 - continuously operated non-isothermal ideal tank reactor 322, 323
 - continuously operated non-isothermal ideal tubular reactor 328, 329
 - adiabatic operation of PFR 329, 330
 - cooled batch reactor, with exothermic reaction 318–322
 - cooling stirred tank reactors (*see* cooling stirred tank reactors)
 - and criteria for prevention of thermal runaway 316, 317
 - critical condition for thermal runaway, for a zero-order reaction 322
 - decomposition of H₂O₂ in adiabatic batch reactor 318
 - evolution of reactor temperature, in cooled batch reactor 319
 - optimum operation line for non-adiabatic operation of PFR 335
 - optimum path to minimize volume of PFR 335, 336
 - wall-cooled ideal tubular reactor 330, 331
 - well-mixed (discontinuously operated) non-isothermal batch reactor 317
- non-solar renewables 429
- normalize standard electrode potentials 802
- northern hemisphere (NH), temperature deviation 426
- NO_x adsorber catalyst 778
- NO_x emissions 511
- NO_x storage catalysts, principle 778
- NTP (normal temperature and pressure) 185
- nuclear power 420–421
- nucleophiles 9
- nucleophilic additions 17, 18
 - prochiral carbonyl compound 18
- nucleophilic reagents 9
- nucleophilic substitution reactions 15
- Nusselt number 68, 575, 578, 579
 - for cross flow over a long cylinder 76, 77
 - and heat transfer through fluid between two parallel plates 68
 - local and average Nu number for laminar flow in a circular tube 72, 73
 - variation, along circumference of a cylinder for 74
- Nusselt, Wilhelm 66
- o**
- octane number (ON) 14, 440, 443, 634, 651, 656, 674, 685
- 1-octene
 - hydroformylation 733, 734
 - hydrogenation 395, 398
 - liberation 759, 762
 - liberation from 759
 - selectivity 758
- trans-4-octene, isomerization/hydroformylation of 721
- Octol process 468
- olefins 441
 - hydroformylation 721, 722
 - hydrogenation 720
 - isomerization 720, 721
 - sources 654
- 1-olefins 472
 - Schulz–Flory type distribution 753
 - solubility 728
- α -olefin sulfonates (AOS) 750
- oligomerization 655, 805
 - aluminum-based 757
 - catalytic cycle of ethene 288
 - 1-decene 750
 - ethylene oligomerization for linear 1-alkene production 749
 - Ni-catalyzed 753–755
 - reactor 755
- oligomers 504, 504, 609, 752
 - Schulz–Flory distribution 752
- one-dimensional fixed bed reactor model 680
- one dimensional pseudo-homogeneous reactor model 645
- optical brighteners 501
- optimum operation line (of reactor) 332–336
- organic acids, production capacities. 482
- organic S-species, reactivity 628
- organic sulfur compounds 537
- organic transformations 7
- organocatalyst 19
- organometallic catalyst 735
 - complexes, immobilization 734
 - system 809
- organometallic complexes 735, 736
- organophosphorous 730
- osmosis 147
- Ostwald process 29
- Ostwald, Wilhelm 21, 22
- overall turnover number 20
- overheating of coke particle, during combustion with air 286
- oxidations 20, 292
 - acetic acid synthesis
 - by ethane and methane oxidation 748
 - via acetaldehyde oxidation 740, 741
 - via butane or naphtha oxidation 742
 - alcohol 481
 - aldehyde 481
 - alkene 479
 - catalytic oxidation of ammonia on 573–580
 - catalytic oxidation of o-xylene to phthalic acid anhydride 706
 - combustion chamber for oxidation of sulfur 560
 - cycloalkane 475
 - direct oxidation of ethylene 696
 - equilibrium composition of SO₂ oxidation 190
 - ethylene 480
 - ignition of a Pt-wire during oxidation of ethylene 242
 - indirect oxidation of propylene 702
 - intrinsic rate constants for oxidation (and gasification) of coke 546
 - of NH₃ to N₂ and NO and of NO to NO₂ 571
 - non-isothermal oxidation of carbon nanotubes 400
 - NO oxidation to NO₂ 583
 - number 759
 - partial oxidation (of methane, heavy oil) 461, 552
 - reactions 11–12
 - oxidative addition 746, 760
 - oxidative coupling 759, 760
 - oxidative dehydrogenation 481
 - oxide-supported catalyst 809
 - oxidizing agent 559
 - oxosynthesis 716. *see also* hydroformylation
 - oxychlorination 458
 - oxygen 457
 - oxygenates 443
 - oxygen content 549
 - o-xylene 484
 - p**
 - paraffins 131, 433, 440, 443–445, 651, 655
 - paraformaldehyde 479
 - parallel reactions 206
 - cycle 653
 - particle size
 - analysis 164, 165
 - distribution curve 166
 - Rosin–Rammeler–Sperling–Bennett (RRSB) function 165
 - distribution of a granular material 165
 - influence on pressure drop of fixed bed 157

- reduction 163, 164
 - reduction ratios
 - and maximum sizes (charge) of crushers and millers 163
 - particle temperature 240
 - maximum temperature difference between center and outer surface 252
 - maximum temperature difference between particle and surrounding fluid 240
 - Peclet number 350–353
 - perfect gas equilibria 183
 - perfluorohexane 733
 - peroxidation reactor of propylene oxide process 703, 704
 - peroxide 702
 - pesticides 506
 - petrochemical base chemicals, global production 450
 - petrochemicals vs. fine chemicals production 505
 - petrochemistry 605
 - petroleum industry 437
 - petroleum residues 623
 - Petukhov's law 154
 - PFR. *see* plug flow reactor
 - pharmaceutical 508
 - phenol 8, 472
 - phenol production 477
 - Hock process 481
 - α -phenylethanol 703
 - Phillips catalyst 809, 810, 813
 - Phillips Particle Form Process 813
 - phosgene 487, 498
 - phosphates 457
 - phosphite ligands 730
 - phosphoric acids 457
 - phosphoryl chloride (POCl_3) 542
 - phosphotungstic acid 748
 - photosynthesis 21
 - phthalic acid 484
 - anhydride 472, 521
 - esters 493
 - production capacities. 482, 484
 - phthalic anhydride 707, 708, 712, 717
 - cooling temperature influence 713
 - production 706
 - physical transformations, of pure substances 48
 - change of entropy 48
 - Clausius inequality 48
 - influence of pressure on phase transition process 51
 - Clapeyron equation 51
 - melting enthalpy 51
 - melting point of selected liquids 51
 - phase boundaries 50, 51
 - critical values 50, 51
 - supercritical state 50, 51
 - work done by system 48
 - physisorption 31, 231
 - Pier, Matthias 673
 - pig iron production, in blast furnace 595–603
 - coke consumption 599–601
 - residence time distribution 601–603
 - Planck, Max 41
 - plants, extracts/excreta 455–457, 508
 - natural dyes 455–456
 - natural resins 456
 - natural rubber 455
 - plasticizer alcohol 717
 - plastics 21
 - platinum-rhodium gauzes 572
 - alloy ammonia oxidation gauze 573
 - platinum-rhodium wire 578
 - plug flow behavior 602, 782
 - plug flow reactor 215, 262, 264, 297, 305, 308–310, 312, 315, 353, 355, 360, 381, 388, 628, 646, 710, 767, 784
 - adiabatic 646
 - continuous 767
 - ideal 297, 308, 311, 314, 353, 357, 360, 388, 603, 628
 - Poiseuille, Jean Louis Marie 155
 - poisoning 32
 - Poisson-type distribution 751
 - polarization 14
 - of bonds 8
 - polyacrylates 493, 496, 506
 - applications 494
 - polyacrylonitrile 496
 - polyaddition 494, 495
 - polyamide 6 495, 498
 - polyamide 6.6 495
 - polyamides 486, 495, 498
 - applications 497
 - formation, from diamines and dicarbonic acids 495
 - polyarylate 495
 - polybutadienes 465, 492, 493, 496
 - polycarbonate 495, 498
 - polycondensation 494
 - polydienes 492, 493, 496, 506
 - applications 493
 - polyesters 495
 - applications 497
 - fibers 740
 - formation, from diols and dicarbonic acids 495
 - polyethylene (PE) production 803–816
 - classification and industrial use 803–805
 - HDPE and LLDPE, catalysts for production 809–812
 - Phillips catalyst systems 810–811
 - single-site metallocene catalyst systems 811, 812
 - Ziegler catalyst systems 809, 810
 - HDPE and LLDPE, production processes 812–815
 - LDPE production, reaction mechanism
 - and process equipment 806–809
 - production economics, and modern developments 815, 816
 - production processes, characteristics
 - purity 805
 - reaction exothermicity and thermal stability 805
- polyether polyols 705
- polyethylene (PE) 20, 491, 492, 521, 751
- poly(ethylene terephthalate) (PET) 495, 497, 740
- polyisobutene 465
- polyisoprenes (IR) 493, 496
- polymer 460
 - polymerization 7, 17, 498, 655, 699
 - cationic 15, 17, 496
 - emulsion 499, 500
 - exothermicity 815
 - grade 612
 - grade ethene, specification 806
 - in solution 498
 - in-substance 498
 - mechanism 492
 - precipitation 499
 - reaction mixture vs. monomer conversion, viscosity 500
 - reactor 812
 - slurry-phase 499
 - suspension 499
 - polymers 12, 491
 - polymer process technologies 492
 - polymethacrylate 12
 - poly(methyl methacrylate) (PMMA) 493, 496
 - polyolefins, applications 492
 - polyols 472
 - polypropylene (PP) 492
 - polysiloxanes 732
 - polystyrene (PS) 12, 493, 496
 - acrylonitrile (SAN) 493
 - butadiene–acrylonitrile (ABS) copolymers 493
 - butadiene rubber (SBR) 493
 - polysulfide 495
 - polytetrafluoroethylene (PTFE) 493
 - polyurea 494
 - polyurethanes 494, 498
 - applications 497
 - poly(vinyl acetate) 496, 740
 - poly(vinyl chloride) (PVC) 493, 496, 717
 - hard 493
 - soft 493
 - pony-tails 734
 - pore diffusion 530, 685, 782
 - and intraparticle heat transport 252, 253
 - limitations 264, 265
 - pore diffusion resistance 229, 247
 - pore effectiveness factor 530, 531
 - temperature and particle size influence 530
 - pores, of catalyst 228
 - overall pore length 228
 - pore diameter 228
 - pore dimensions 228
 - porosity 158
 - of membrane 145
 - porous catalyst
 - particles 249
 - with slab geometry in case of consecutive first-order reactions
 - pore diffusional limitations 264, 265
 - potassium nitrate (KNO_3) 525
 - potential energy surface, for reaction 202
 - practical cell voltage 798
 - Prandtl, Ludwig 71
 - Prandtl number 71
 - Prandtl's law 153
 - Prater number 254, 285
 - precipitation 29
 - pre-desulfurized diesel oil 629
 - pre-exponential factor 201

- presaturated one-liquid flow (POLF)
 reactor 764, 765, 771
 – epimerization in 764
 pressure drop 536
 – comparison in a fixed bed and in a monolith 785
 – empty tube 152–154
 – entrained bed 158, 159
 – fixed (packed) bed 156, 157
 – fluidized bed 157, 158
 Presto program 646
 primary amines 484
 primary cracking 608
 primary energy consumption
 – global 423
 – forecast 424
 – regional distribution of 409
 – shares 408, 423
 – world 429
 probability, of chain growth 666
 prochiral compounds 18, 19
 products extracted, using supercritical CO₂ 137
 propagation 606
 propane 461, 462
 1,3-propanediol 476
 propanols 475
 propene 17
 – gas-phase hydroformylation 737
 – rhodium-catalyzed hydroformylation 724
 2-propen-1-ol. *see* allylic alcohol
 propionic acid 742
 propylene 461
 – direct oxidation 701
 – indirect oxidation 702
 – indirect propylene oxidation 704
 – oxidation, pilot plant reactor 704
 – Rh-catalyzed hydroformylation processes 728
 – Wacker-Hoechst oxidation of 481
 propylene glycol ether 478
 propylene oxide 466, 472, 478, 706
 – application 478
 – chlorohydrin process, flow sheet 702
 – commercial production 700–706
 – chlorohydrin process 701, 702
 – propylene, indirect oxidation 702–705
 – propylene oxide, products made 705, 706
 – Halcon process, flow sheet 704
 – industrial epoxides 478
 – polyethers from 705
 – world consumption 705
 PS–butadiene–acrylonitrile (ABS) copolymer 493
 PS–butadiene rubber 493
 pseudo-first-order rate constant 668
 PtRh-gauze 583
 – geometry 580
 pumps, conveyance of liquids by 159
 purchasing power parity (PPP) 410, 415
 purified enzymes 28
 pygas 613
 pyrolysis gasoline 612
 pyrolysis oil 613
 pyrolysis of solid fuels (coal, biomass) 544
 – chemical reactions 448
 – kinetic parameters for biomass 545
- q**
 quenching 611
 quench-system 610
- r**
 racemic mixture 19
 racemic resolution processes 19
 racemization processes 19
 radial carbon profiles 643
 radial dispersion 710
 radial effective thermal conductivity 678
 radial heat dispersion 389
 radial heat flux 683, 684
 radial heat transfer in packed bed reactors.
 see also fixed bed reactors, modeling
 – effective radial conductivity λ_{rad} of a packed bed 368, 369
 – heat transfer coefficient and *Nu* number 369, 370
 – and methods to account 363
 – one-dimensional model of a wall-cooled reactor 365–368
 – two-dimensional model of a wall-cooled reactor 363–365
 radial temperature profiles (Fischer-Tropsch reactor, o-xylene oxidation) 681, 713
 radiation 79
 radiation zone 610
 radical chain propagation 12
 radical chlorination 461, 488
 radical cracking taking place in a steam cracker 606
 radical mechanism of acetaldehyde oxidation 740, 741
 radical polymerization reactions 495
 radical reactions 11
 – steam cracking 605
 radicals 7, 490
 radicals I 495
 Raffinate 1 467, 468
 Raffinate 2 468
 Raffinate 3 468
 Raney-copper 29
 Raney-nickel 29
 Raoult, François-Marie 99
 Raoult's law 99
 rate equation 200
 – influence of temperature and reaction order 200
 rates of reactions 178
 – windows of rates, biochemical and chemical processes 177
 raw coke oven gas, composition 590
 reaction energy 187
 – calorimetric measurements 187
 reaction mechanism 200, 201
 – view of chemist and chemical engineer 200
 reaction of gases
 – with a non-porous solid 270
 – border cases and models 270
 – chemical reaction determines effective rate 274
 – conversion different cases 275
 – effective rate limited by external diffusion 274
 – equations 275
 – rate limited by film diffusion and internal diffusion 272, 273
 – reaction and external mass transfer 273
 – shrinking non-porous unreacted core 270–272
 – shrinking non-porous unreacted core and gaseous product(s) 273, 274
 – slow chemical reaction 272
 – solid product layer 270–272
 – with a porous solid 276
 – basic equations for conversion 277
 – border cases and general situation 277
 – border cases and models 276
 – chemical reaction, rate-determining step 281
 – equations for conversion 281
 – general closed solution by combined model 277–279
 – homogeneous uniform conversion model 280
 – rate controlled by diffusion through solid product layer 281
 – reaction and diffusion in product layer determine rate 281
 – shrinking unreacted core model 280
 reaction of *n*-th order 204, 205
 reaction quotient (*Q_R*) 185
 reaction rates 23, 24
 – different forms and units 230, 231
 reactions, general classification 10
 – acid–base catalyzed reactions 11
 – addition reactions 10
 – electrophilic addition reactions 17
 – electrophilic substitution reactions at aromatic compounds 15–17
 – elimination reactions 11
 – nucleophilic addition reactions 17, 18
 – nucleophilic substitution reactions 13
 – choice of solvent: 13
 – groups surrounding carbon atom 13
 – nature of incoming group 13–14
 – nature of leaving group 14
 – reactions via carbocations 14, 15
 – reactions via free radicals 11, 12
 – rearrangement/isomerization reactions 11
 – substitution reactions 10
 reactions in series 206
 reactions with varying volume 213–215
 reaction time 180, 181
 reactors. *See also* chemical reactors
 – batch 181
 – catalytic 23
 – chemical reactor
 – disciplines needed for design 176
 – scale-up dimensions 177
 – influence of mixing on the reactor size 178
 – influence of reactor type on productivity 178
 – tube 35
 reactor technology, novel developments 370
 – adiabatic reactors, with periodic flow reversal 376, 377
 – hybrid (multifunctional) reactors 370
 – catalytic distillation 372
 – coupling membranes and reaction 370, 371
 – coupling reaction and adsorption 371, 372
 – microreactors 373

- advantages 373
- drawbacks 373, 374
- heat transport 375, 376
- mass transport, and residence time distribution 374
- typical values of characteristic parameters 374
- monolithic reactors 372, 373
- reagent induction 19
- reagents classification 9, 10
- real gas
 - adiabatically expansion 46
 - properties 40
- real gas equilibria 190, 191
- rearrangement or isomerization reactions 10
- reciprocal reaction rate 564, 565
- recycle compressor 630
- recycle gas, composition 684
- recycle ratio
 - definition 676
 - influence 677
- recycle reactor 676
- recycling 27
- Redlich-Kwong equation 44
- reduce CO₂ emissions 426
- reducing agent 780
- reductive cleavage 761
- reductive elimination 720, 760
- refineries
 - flow-sheet of crude oil refinery 445
 - processes 443-445
 - products, properties of 442-443
- refinery alkylation 463, 652-662
 - alkylation feedstock and products 654, 655
 - commercial alkylation processes 657-662
 - commercially applied alkylation processes comparison 661, 662
 - using hydrofluoric acid as liquid catalyst 657, 658
 - using sulfuric acid as liquid catalyst 658-661
 - process variables 655-657
 - acid strength and composition 656
 - effect of mixing 656, 657
 - isobutane concentration 656
 - reaction temperature 655, 656
 - reaction and reaction mechanism 652-654
- reforming catalysts (reforming of gasoline) 636, 639
 - characteristic data 641
 - deactivation and regeneration 639
 - mechanisms 636
- refractory-lined furnace for sulfur combustion 559, 560
- regeneration process (decoking of reforming catalyst) 645
- regioisomers 16
- regioselectivity 738
- regulators 501
- renewable energy 421-422, 424, 430
- renewable raw materials
 - base chemicals 450-451
 - carbohydrates 453-455
 - extracts and excreta from plants 455-457
 - fats and vegetable oils 451-453
- research octane numbers (RONs) 652, 634
- reserves of fossil fuels 418-420, 423
- residence time 180, 181, 608
 - distribution 336-343
- resources of fossil fuels 418-420, 423
- reverse osmosis 147
 - basic principle 147
- reversible reactions 210-212
 - activation energies 212
 - first-order reaction
 - effectiveness factor (pore diffusion) 251, 252
 - exothermic 258
 - with influence of external and internal mass transfer 256-259
 - ratio of rate constants 212
 - relation between equilibrium
 - and rate of forward and reverse reaction 213
 - standard reaction enthalpy and entropy 212
- Reynolds number 70, 71
- Reynolds, Osborne 71
- Rh-based hydroformylation 722-724, 730, 738
- Rh-BIPHEPHOS 721
- Rh catalyst 729
- Rh-catalyzed propene hydroformylation 728
- rhodium catalyst 731
- riboflavin 508
- risertype reactor 658
- Roelen, Otto 717
- Rosin-Rammler-Sperling-Bennett (RRSB) function 165
- Ruhrchemie/Rhône-Poulenc process 726, 727, 733
- S**
 - α -SABLIN technology 757
 - saccharose (α -D-glucopyranosyl- β -D-fructofuranoside) 455
 - Sachsse-Bartholomé process 461, 470
 - sanitation, global 514
 - saponification 503, 701
 - SASOL tetramerization system 761
 - SATP (standard ambient temperature and pressure) 185
 - saturated fatty acids 451
 - saturated monoalcohols, industrial production 474
 - Schmidt, Ernst 86
 - Schmidt number 86
 - Schulz-Flory product distributions 752, 755
 - SCR reactor 781
 - pressure drop 785
 - scrubbers 658
 - secondary amines 484
 - second law of thermodynamics 48
 - second-order reaction 205
 - sedimentation 168, 169
 - estimation of size of sand trap of sewage plant 170
 - in gravitational field 169
 - separation of solids from fluids 168
 - single sand particles in water 170
 - selective catalytic reduction (SCR) 586, 778
 - selectivity 25
 - definition 179, 180
 - selective hydrogenation reactions 613
 - selectivity of reactions 259
 - influence of external mass transfer on
 - selectivity of parallel reactions 262, 263
 - selectivity of reactions in series 259-262
 - influence of pore diffusion
 - on selectivity of parallel reactions 267
 - on selectivity of reactions in series 263, 264
 - self-alkylation 655
 - self-ignition 699
 - semi-batch stirred tank reactor 764
 - semi-regenerative reforming process, flow scheme 637
 - separation by membranes 144
 - applications of technology 144
 - basic principle of reverse osmosis 146
 - mass transport through
 - non-porous membrane 146
 - porous membrane 145, 146
 - membrane separation processes, applications 147
 - desalination of sea water 147
 - gas separation 147-149
 - principles of membrane separation 144, 145
 - dense (non-porous) membranes 144
 - porous membranes 144
 - seawater desalination process 147
 - spiral-wound membrane element 147
 - separation processes, based on the wettability 167
 - sequestrants 501
 - Shell catalyst system 707, 715, 723
 - Shell higher olefins process (SHOP) 25, 750, 753-757
 - flow scheme 753
 - Sherwood numbers 86, 138, 239, 574, 579, 582, 641, 783
 - Sherwood, Thomas Kilgore 86
 - shrinking core model 644
 - side-fired primary reformer 556
 - Siemens-Martin (SM) process 589
 - sieve analysis, of sand 166
 - sigmoidal heat production function 587
 - silicates 459
 - silicones 459
 - silicotungstic acid 748
 - SILP catalyst 737
 - SILP materials 737
 - simultaneous equilibria, calculation 197
 - single-phase system 287
 - homogeneous and enzyme catalysis 287
 - mechanism of homogeneous catalysis 288
 - turn over number 287
 - single-pressure nitric acid plant 585
 - single-site catalysts 811
 - development 811
 - Kaminsky-catalyst, formation 811
 - metallocene catalysts 809
 - single-stage reactor 659
 - sintering 34
 - size exclusion membranes 732
 - slurry-phase polymerization 499
 - slurry process 812
 - Smochulowski, Marian 248
 - Snia-Viscosa process 486
 - S_N1 reaction 13
 - S_N2 reaction 13
 - SO₂
 - catalytic conversion into SO₃ 560-566

- selectivity conversion vs. dimensionless reactor volume 565
 - selectivity of reactions conversion vs. temperature plot 564, 565
 - production routes 559
 - emissions
 - soap formation 503
 - Soave–Redlich–Kwong equation 44, 687
 - soda ash 457
 - sodium carbonate. *see* industrial soda ash
 - sodium hexafluoroaluminate 802
 - sodium hydroxide 457
 - sodium nitrate (NaNO₃) 525
 - sodium salt of tris(*m*-sulfonatophenyl) phosphine (Na-TPPTS) 726
 - Sohio process 462, 486
 - solar energy 430
 - sol–gel processes 29
 - solid catalysts
 - individual steps of catalysis 292
 - kinetics of gas–liquid reactions on 291–294
 - reaction and interfacial transport of mass and heat 235
 - sorption on surface of 231
 - solidification temperature curves 140
 - solvation 13
 - Solvay process 458
 - process scheme of 459
 - solid–fluid separation 168
 - solid–solid separation processes 167
 - soot–naphtha suspension 553
 - sorting of solids 167
 - sour gases 435
 - space–time yield 23, 181, 499
 - space velocity 181
 - spectrum of factors, influencing rate of reaction 227, 228
 - speed of reactions 177
 - sprouting of PtRh catalyst for ammonia oxidation 572
 - S-sensitive DeNO_x-storage catalysts 625
 - standard Gibbs function of reaction 189
 - standard of living 415
 - standard potentials 787, 789, 790, 800, 802
 - standard reaction enthalpy 186, 187
 - calorimetric measurements 187
 - standard reaction entropy 186, 187
 - standard reference conditions 184
 - starch 454, 491
 - molecular segments 455
 - starch-containing substrates 472
 - steam cracker/cracking 10, 464, 604, 605, 607
 - basic chemicals by 604–616
 - benzene 468
 - butadiene, isobutene, and butenes 466
 - C₄-cut, technical processing 466
 - economics 615
 - ethylene 464
 - general and mechanistic aspects 605–608
 - industrial steam cracker process 610–615
 - product distribution, influencing factors 608–610
 - applied feedstock 608
 - hydrocarbon partial pressure in cracking oven 609, 610
 - residence time 608, 609
 - temperature in cracking oven 608
 - product separation and purification 613
 - propylene 465
 - simplified scheme 612
 - steam cracker process, economic aspects 615
 - steam cracker unit
 - mass balance 614
 - simplified scheme 614
 - steam reforming process 32, 536
 - ammonia plant, block diagram and temperature profile 538
 - feed for 537
 - steel 603
 - iron ore to 603
 - production processes 588
 - steel production 587–589
 - based on blast furnace route 588, 589
 - based on scrap and direct reduced iron (DRI) 589
 - coal and coke in steel production 449, 587
 - Stefan-Boltzmann law 79
 - Stefan flow 87
 - Stefan, Joseph 79
 - step-growth polymerization 494
 - stereochemical environment 811
 - stereoisomers 18
 - steric demand 13
 - steric effects 8
 - reactivity of two trityl radicals 9
 - stirred tank reactor 746
 - stirred tank reactors
 - adiabatic operation 323
 - derivation of E_{θ} - and F -function 340
 - dynamic behavior and oscillations 326
 - dynamic stability 325
 - equations 324, 326
 - heat production function, and heat removal lines 324
 - parameters of styrene polymerization 325
 - static stability 325
 - typical devices for 319
 - stoichiometric coefficient 560, 787
 - Stokes' law 169, 170
 - STP (standard temperature and pressure) 185
 - straight-run gasoline 651
 - stranded gas 694
 - STRATCO[®] Contactor[™] reactor 657
 - setup 659
 - stripper 612
 - styrene 464, 469, 702
 - copolymers 703
 - subjective well-being index (SWB) 416, 417, 418
 - substitution reactions 10
 - substrate induction 19
 - sugar 454
 - based surfactants 454
 - sulfochlorination 12, 463, 504
 - sulfolene 465
 - sulfonation 16
 - sulfoxidation 504
 - route 464
 - sulfur 457
 - emissions 624
 - sulfuric acid 457, 474, 558–567
 - processes for production 566
 - production, reactions and thermodynamics 558, 559
 - sulfur dioxide conversion into SO₃ 560–566
 - sulfur dioxide production 559, 560
 - use as catalyst for alkylation 658
 - supercritical carbon dioxide (scCO₂) 734
 - immobilization, schematic representation 734
 - supercritical fluids 93, 136, 137, 139, 150, 485, 735
 - solvation properties 137
 - supercritical hydrocarbons 139
 - superheated steam 610
 - supported Ag particles, REM pictures 698
 - supported aqueous phase (SAP) catalysts 737
 - supported ionic liquid phase (SILP) catalyst 737
 - surface kinetics 231
 - surface renewal theory for gas–liquid mass transfer 217
 - surfactants 500
 - applications 502, 503
 - molecules
 - application field 501
 - schematic representation 500
 - neutral, applications 504
 - structure and properties 500–501
 - suspension polymerization 499
 - suspension process. *see* slurry process
 - sustained strong economic growth 423
 - Sutherland constant 58
 - Sutherland, William 58
 - SWB 416–418
 - Symrise process 763
 - syndiotacticity 492
 - syngas, limitations 672
 - syngas 460, 464, 536–558, 716
 - by partial oxidation of heavy oils 552–555
 - from solid fuels (coal, biomass) 542–552
 - basic principles and reactions 542
 - by gasification 543, 544
 - by gasification of biomass 544–552
 - by steam reforming of natural gas 555–558
 - treatment 537
 - synthesis gas. *see* syngas
 - synthetic ammonia 525
 - synthetic fuels
 - Fischer–Tropsch synthesis (FTS) 684
 - production 664, 672
 - synthetic hydrocarbons (SHC) 750
 - synthetic lubricants 750
 - synthetic rubber. *see* elastomers
- t**
- Takasago process 763, 772
 - tanks-in-series model 340, 602, 603
 - calculation of conversion by tanks-in-series model 342, 343
 - derivation of number of tanks-in-series by E_{θ} function 342
 - residence time distribution of cascade of 340–342

- Teller, Edward 127
 tensides 453, 478, 504
 terephthalic acid 465, 483, 740
 – production capacities. 482, 483
 terephthalic dimethyl ester 483
 tert-butylamine, production 485
 tertiary amines 484
 tetrachloromethane 488
 1,1,1,2-tetrafluoroethane 490
 tetrahydrofuran (THF) 478
 Texaco process for heavy oil gasification 553
 – feedstock and raw syngas composition 554
 thermal conductivity 69, 229, 546, 580, 592, 593, 647
 thermal conductivity 81
 thermal cracking of heavy oils 616
 thermal diffusion 56
 thermal entrance region 71
 thermal runaway during PE production 806
 thermodynamic data
 – NH_3 synthesis 192
 – selected species 185
 thermogravimetry (TG) 92, 400, 404
 thermoplastic polymers 491
 thermoset resins 491
 thickness δ of thermal boundary layer 68
 – definitions 68
 Thiele modulus 252, 254, 640, 641, 642, 669, 715
 Thomson, William 46
 three-phase system 629, 633
 three-way catalyst 776, 786
 tidal power 422
 time-tank process for alkylation 658, 661
 – scheme 659
 titanium-silicate catalyst 703
 Ti-V-W catalyst 782
 toluene 463
 toluene diisocyanate 498
 2,4-toluene diisocyanate 488
 toluene diisocyanate (TDI) 498
 total oxidation 701
 TPPTS 726
 transalkylation reactor (TR) 469, 753
 transfer-line heat exchangers, design objectives 611
 transient heat
 – coke production from coal 591
 – of plate for Bi_h 82–84
 – transfer by conduction and convection 80–82
 transition states 23, 24
 transport coefficients of gases 57
 – binary gas mixtures 58
 – binary gas diffusion coefficients 59
 – calculation of binary diffusion coefficients 58
 – experimental values, correlation 59
 – Hirschfelder equation 58
 – special diffusion volumes derived 59
 – experimental values deviation 57
 – gas mixture, more than three components 59
 – for ideal gases 57
 – influence of T and p 57
 – mean free path 57
 – mean velocity of molecules 57
 – Sutherland constant 58
 transport coefficients of liquids 61–63
 – Bridgman equation 61
 – diffusion coefficient, calculation 62
 – Wilke–Chang equation 62
 – influence of temperature on viscosity 62
 – methods to measure diffusion coefficient in liquids 63
 – capillary method 63
 – magnetic suspension balance 63, 64
 – thermal conductivity 61
 transport limitations, in experimental catalytic reactors
 – criterion to exclude influence of dilution of catalytic fixed bed 392
 – gradientless ideal particle behavior 389, 390
 – interfacial heat transfer 391
 – interfacial mass transfer 390
 – internal heat effects 391
 – internal mass transfer 391
 – ideal plug flow behavior 388–390
 transport properties 52
 – and density of selected gases 53
 – equations for transport of mass, heat, and momentum 52, 53
 – in liquids and solids 53
 trays 723
 trickle bed reactor 629–632, 633
 triethylene glycol 476
 triglycerides 451
 trimethylamine 484
 trioxane 479
 triphenylphosphine 737
 – ligand 732
 trityl radicals 9
 Tropsch, Hans 664
 Trouton, Frederik Thomas 50
 Trouton's rule 50, 629
 turnover frequency (TOF) 23
 turnover number (TON) 20, 22, 23
 two-dimensional finite element method 577
 two-dimensional fixed bed reactor model 678, 685, 709
 two-film theory 217
 – equations 218, 219
 two first-order reactions in series 207–209
 two parallel first-order reactions 206, 207
 two-phase reactor 631
- U**
 Union Carbide Corporation (UCC) 696
 Union Carbide/Davy Powergas gas recycle process 724
 – disadvantages 725
 – schematic view 724
 Union Carbide's Ethoxene process 748
 Union Carbide's induced phase separation process
 – schematic view 729
 unsaturated fatty acids 451
 UOP process 657, 658
 urea 457
 UV-irradiation 490
- V**
 vacuum distillation 616
 vacuum residue oil 618, 619
 valence electrons (VE) 759
 valuable organic intermediates 717
 vanadium-based catalyst 561
 Van der Waals constants, of selected gases 42
 van der Waals equation 42
 – estimation of critical data based on 44
 van der Waals interactions 736
 Van der Waals, Johannes Diderik 42
 van't Hoff equation 188
 van't Hoff, Jacobus Henricus 188
 vaporization 49
 – change of entropy 49
 – enthalpy 49, 50
 – Trouton's constant 50
 – vapor pressure equation 49
 vapor pressures 50, 51, 541
 – for curved systems 51, 52
 variable costs 521–524
 vegetable oils 452
 Verbund 615
 vibration mills 163
 vinyl acetate (VAM) 467, 740
 vinyl chloride 11, 465, 472, 490
 vinyl ester 465
 vinyl ether 465
 vinylidenes 758
 vinyl-polymers 496
 – applications 494
 viscoelastic polymer 804
 viscosity of gases and liquids 52, 53
 vitamin B2. *see* riboflavin
 vitamin B₃ 508
 vitamin C 508
 vitamin E 508
 vitamins 508
 V₂O₅ catalyst 561
 volatile platinum oxides 573
 volatility, relative 99
- W**
 Wacker–Hoechst process 480
 – ethylene oxidation 480
 washing machine powder 501
 washing powders 28, 504
 washing towers 612
 waste-heat boiler (WHB) 553
 water alkaline electrolyzers 798
 water consumption, domestic 513, 514
 water content/consumption, virtual 514
 water electrolysis 797
 water footprint 513, 514
 water-gas shift reaction 24, 539, 555, 600, 669, 682, 687
 – equilibrium constant, influence of temperature on 539
 water/NMP/catalyst 729
 water resources
 – global 512
 – renewable 513
 Weisz modulus 252
 whole cell 26
 Wilke–Chang equation 62, 669, 769
 wind turbines 422
 Winkler process 543

wood
– to cellulose 454
– constituents of 454
– production of forest products 454

x

xenon 457
X-ray diffraction 31
X-ray photoelectron spectroscopy 32
XTL plant 674
xylenes 463
o-xylene 469
– oxidation

-- effective rate 715
-- multi-tubular reactor 706
– to phthalic acid anhydride
-- catalytic oxidation 706–716
-- multi-tubular reactor, design and simulation 708–716
-- phthalic anhydride, production and use 707, 708
p-xylene 465, 483, 484

y

yeasts 474
yield, definition 179, 180

z

Zeldovich, Yakov Borisovich 248
zeolites 26
– adsorbents 121
– role in refinery, and petrochemical processes 26
Ziegler Aufbaureaktion 751, 753, 757
Ziegler, Karl 751
Ziegler–Natta catalysts 21, 492, 493, 496, 750, 809, 810, 811
Ziegler–Natta polymerization 492
ZnO/Cr-oxide catalysts 689