

## Subject Index

### A

- Accurel EP 82, 103
- Acetaldehyde 10, 30, 31, 89, 92
- Acetate kinase 125
- N-acetyl-l-tyrosine ethyl ester 64
- Acrylic acid 142–144, 206, 240–244, 249–254, 264, 334, 342, 503, 522
- Acryloxysuccinimide 248, 353, 527
- Acrylonitrile 63, 238, 255–257, 286, 436, 437, 504, 521
- Activation
  - carbonyldiimidazole 272
  - chloroformate 272
  - cyanogen bromide 253
  - epoxidation 269
  - imidation 286
  - interfacial 69, 73
  - mesylation 269
  - tosylation 269
  - water-soluble carbodiimide 274
  - Woodward reagent 274
- Action pattern 94
- Active site 27, 78, 95, 190, 197, 200–212, 219, 229, 277, 420
  - accessibility of 462, 524
  - amino acid residues near 199, 478
  - availability of 12
  - blockage of 462
  - enlargement of 478
  - entrance to 97
  - essential amino acid residues
    - close to 210, 467, 473
  - geometry of, 69, 92, 97
  - involvement of 188, 248
  - modification of 28, 29, 288, 462, 488
  - number of 34
  - occupation of 113, 468
  - presence of substrate in 482
  - protection of the active centre 277
  - size of 69–77
  - titration of 9, 64, 68, 195
- Activator 75, 91, 111, 112, 114, 202, 254, 274, 454
- Activity
  - additive-dependent 75, 328
  - apparent 62
  - binding density-controlled 80, 81, 210, 211
  - binding nature-controlled 78
  - carrier nature-dependent 74
  - carrier-bound active group-controlled 196
  - carrier-bound inert group-controlled 200
  - carrier-dependent 137
  - conformation-controlled 27, 68, 327
  - conformational flexibility-controlled 213
  - diffusion-controlled 67, 68, 211, 212, 326
  - enzyme nature-dependent 75
  - enzyme orientation-controlled 210
  - expression of 60, 175, 181, 182
  - hydrolytic 66, 68
  - hydrophilicity-dependent 75
  - loading-controlled activity 70, 72, 213, 325
  - matrix-dependent 342
  - medium-dependent 72
  - microenvironment-dependent 72
  - molecular orientation-controlled 28
  - native 68
  - orientation-determined 77, 78
  - pore-size-dependent 81, 93, 194
  - protection of 482
  - reactive amino acid residue-controlled 211
  - reactor-dependent 81
  - retention of 177
  - spacer-controlled 205
  - specific 57, 62, 67, 82, 136, 171, 213
  - substrate-controlled 69
  - substrate-dependent 69
  - synthetic 66, 68, 75, 82, 269
  - volume 34, 62, 80, 171
  - water-activity-dependent 82

- Acyl amide 142, 200, 238–241, 248, 249, 257–259, 272–283, 321, 353, 409
- Acyl azide 6, 12, 265, 277, 291
  - conversion of amide to 283
  - conversion of carboxylic acid to 273
  - polymeric 186, 237
- Acyl donor 32, 90
- Acylase 9, 128
- Additive
  - as conformation inducer 19
  - enhancement of carrier's coverage by 56
  - in immobilization medium 26, 36
  - modulation of enzyme activity by 72, 75, 137, 361
  - modulation of enzyme selectivity 95–99
  - modulation of enzyme stability 91
- Adsorbent
  - affinity 78, 86
  - backbone of 119
  - bio-affinity 113
  - biospecific 134
  - hydrophobic 21, 108
  - immobilized metal 119
  - ionic 5
  - non-specific 99
  - polysaccharide-based 78
  - selective 1
  - specific 99
- Adsorption 5–9, 90, 116–119
  - affinity 54
  - behaviour 75, 81
  - binding type of 97–145
  - bio-specific 54, 113
  - capacity 65, 80
  - classification of 54
  - conventional 97
  - covalent 144
  - direct 66
  - hydrophobic 72, 108
  - ionic 5, 78, 100
  - mediated 124
  - non-covalent 55–97, 188, 231
  - non-specific physical 54, 99
  - of enzyme on carriers 34
  - physical 5, 6, 21, 75
  - specific 6, 21, 72
  - type of 65
  - unconventional 120
- Adsorption–deposition 56
- Aerosol 279
- Affinity
  - bio-specific 90
  - dye-based 90, 117, 118
  - group-specific 113
  - metal 116, 119–121
- Agarose
  - aldehyde 219, 284, 290–292, 517
  - butyl 75
  - cyanogen bromide-activated 23, 210
  - epoxy-activated 23
  - glutaraldehyde-activated 28, 218
  - glyoxal 30
  - octyl 93–97
  - oxidized 287
  - thioisulfinated 28, 218
  - *p*-toluenesulphonyl chloride-activated 269
  - tosylated 33
- Aldehyde 12, 285, 292
  - conversion to amino group 292
  - conversion to carboxyl group 292
  - conversion to diazonium salt 293
- Aldehyde dextran 208
- Aldehyde oxidase 82
- Alginate 33
- Alkaline phosphatase 84
- Alkylation 192, 217, 477, 481
- Alkylsulphatase 30, 94
- Alumina 5, 124
- Amberlite 6, 28, 40, 101
- Amberlite CG-50 65, 101, 278
- Amberlite DP-1 67, 108
- Amberlite IRA 900 130, 498
- Amberlite IRA-904 101
- Amberlite IRA 938 71, 272
- Amberlite IRC 50 101, 137
- Amberlite XAD 4 22, 82, 129, 130, 498
- Amberlite XAD-7 82
- Amberlite XE-97 5
- Amidation 192
- Amidohydrolase 134, 351
- Amino acid
  - as ligand 122
  - chiral 21
  - essential 210, 289
  - N-terminal 190
- Amino acid ester 21, 29
- Amino acid oxidase 7
- Amino acid residues
  - active 169–192
  - buried 193
  - charged 100
  - covalent modification of 77
  - essential 77
  - exposed 192
  - for covalent binding 190
  - hydrophilic 192, 193
  - hydrophobic 192, 193

- reactive 190, 191
  - reactivity of 191
  - Amino acylase 7, 20, 21, 53, 66, 78, 128, 144, 223
  - 6-Aminopenicillanic acid 14, 22
  - Amoxicillin 244
  - Ampicillin 244
  - AMP deaminase 5
  - Amylase
    - $\alpha$ -amylase 5, 8, 9, 20, 30, 64, 80
    - Taka-amylase 225
  - Amyloglucosidase
  - Aspergillus niger* 71, 84
  - Analogue
    - of a covalently bound immobilized enzyme 323
    - substrate 98, 113, 332
    - transition state 19
  - Anhydride, polymeric 186, 238–240
  - Antibiotic
    - enzymatic synthesis of semi-synthetic antibiotics 170
    - kinetically controlled synthesis of 31, 32, 232–234
    - nucleus of semi-synthetic b-lactam 22
    - semi-synthetic b-lactam antibiotics 64, 241, 488
    - synthesis of semi-synthetic b-lactam 4, 14, 19
  - Antibody 113, 465
    - carrier-bound 462
    - immobilized 116
    - monoclonal antibody 114, 115
  - Aphron 421
  - Aquaphilicity
    - activity influenced by 35, 75
    - definition of 76, 77
    - enzyme binding influenced by 143
    - introduction of 15, 16
    - selectivity influenced by 228–235
  - Arm
    - PEG 352
    - polypeptide 352
  - Artificial cell 398
  - Arylation 186, 192
  - Aspartase 110
  - Assembly, layer-by-layer 405, 429
  - Attachment
    - adsorptive covalent 142
    - carrier-bound multipoint 214–217
    - complementary multipoint 214
    - covalent 5, 14, 68, 270, 333
    - multipoint 169, 170, 214, 218, 219, 224, 232, 278
    - number of 233
    - “over-dosed” multipoint 189, 196–200, 211, 218
    - single-point 218, 222, 232
  - Azalactone 15, 23, 237, 252
- B**
- Backbone 61, 98, 187, 197
    - hydrophobic 199
    - nature of 66
    - of carrier 183
  - Barrier
    - membrane-like physical 397
    - physical 319
  - Bead
    - agarose 369
    - calcium alginate gel 131
    - chitosan 206
    - DEAE-cellulose 64
    - phenyl-sepharose 84
    - polyacrylamide 86
    - synthetic polymeric 364
    - titania 362
  - Bentonite, enzyme adsorbed on 86, 131, 142
  - Benzaldehyde 80
    - *p*-Benzoquinone 197, 256, 265, 271, 282
  - Binding
    - affinity 9
    - chemistry of 7, 23
    - coordination 9, 256
    - covalent 7, 169f
    - mode of 9, 12, 26, 28, 169, 192
    - non-covalent 63, 318
    - non-specific 54
    - position of 25, 26
  - Binding chemistry 170, 233
  - Binding density 59–63, 73, 74, 80, 215, 216
  - Binding functionality
    - active 176, 186, 235
    - concentration of 73, 176
    - density of 63, 64
    - enzyme activity affected by 71, 78
    - enzyme orientation affected by 77
    - enzyme selectivity affected by 94
    - enzyme stability affected by 82, 91
    - nature of 65, 78
    - specific 55
  - Binding mode
    - definition of 189
    - enzyme stability affected by 145, 217
    - heterogeneity of 191
    - multipoint 260
    - number of binding 230

- orientation 230
- Binding sites
  - non-specific 54
  - number of 63
  - specific 81
- Bioaffinity
  - antibody-antigen based 113
  - group-specific 113
- Biocatalyst 1
- Biodegradability 236
- Biogel CM-100 274
- Bio-immobilization 171, 188
- Bio-separation 188, 236
- Biosensor 322
- Blocking agent 222, 223, 227
- Bond
  - nature of 55
  - number of 169
- Bovine serum albumin 190, 275, 285
- Bromoperoxidase 110
- C**
- Capsule
  - liposome based 416
  - macroporous 402
  - microporous 402
  - pre-designed 405, 429
- N-Carbamyl-D-amino acid amido hydrolase 137
- Carbodiimide, water-soluble 274, 275
- Carbonic anhydrase, bovine 123, 128, 326
- Carbonyldiimidazole 272
- Carrier
  - aminoalkylated 289
  - aminolated 186, 279, 291
  - beaded 322
  - benzoquinone-activated aminolated 282
  - cellulose-based 264
  - chemical nature of 65
  - chlorotriazine-activated 280
  - cyanogen bromide-activated 198, 199, 207
  - epoxy synthetic 197
  - glycopphase-coated 187
  - hydrophilic 68, 76
  - hydrophobic 68, 84, 232, 324
  - inorganic 85
  - internal structure of 63
  - macroporous 243, 254, 321
  - mesoporous 243
  - non-porous 180, 211, 212
  - non-specific 98
  - PEI-coated 136
  - polyacrylic acid ester 251
  - polyamide 284
  - polysaccharide-based 232
  - polyvinylalcohol-based 89
  - porous 180
  - predesigned 184, 235
  - prefabricated 364
  - ready-made 184, 200, 227, 236, 250, 333
  - silanized 187
- Casein 124
- Catalase 118
- CD-spectrum 57
- Celite 66, 74, 82
- Celite Hyflo-supercel 68, 76
- Cephalosporin acetyltransferase 86
- Cetyl trimethylammonium bromide 94
- Charcoal 53
  - granule, activated 436
- Chelating support 476
- Chelating ligand 119
- Chelation 90
- China clay 134
- Chitopearl 137
- Chlorofomate 272
- Chloroperoxidase 30
- Cholesterol oxidase 325
- Choline oxidase 131
- Chromatography
  - affinity 188
  - immobilized metal affinity 116
- $\alpha$ -Chymotrypsin 60, 64, 78, 85, 124, 142
- Cibacron blue 90, 116
- Cluster
  - hydrophilic 222
  - hydrophobic 123, 196, 198, 203, 210
- CM-cellulose 204, 277
- Conformation selector 327
- Coacervation 423
  - interfacial 424
  - phase inversion 423
- Coating 184, 402
  - combination with encapsulation 402
  - enzymatically gelified 456
  - enzyme immobilization by 450–458
  - enzyme-polymer complex 456
  - ligand-mediated 455
  - monolayer 451
  - multiple layer 452
  - non-covalent 123
  - phase-inversion 451
  - sol-gel supported 371, 457
- Confinement 330
  - imprinting by 484
  - molecular 225
  - stabilization by 486

- Configuration, reactor 171, 180  
 Combi-methods 14, 334  
 Complexation 400  
   – interfacial 400  
 Composite, 237  
 Compressibility, adiabatic 421  
 Condensation 409  
   – interfacial 409  
 Conformation  
   – denatured 60  
   – freezing of 170  
   – open 70  
 Conformation change 221  
 Conjugate, enzyme-polymer 240  
 Coordination 54  
 Co-polymerisation 244, 352  
 Core decomposition 405  
 Criteria for robust immobilized enzyme 3  
 Cross-linking  
   – by light 336, 339  
   – chemical 429  
   – glutaraldehyde aided 85  
   – interfacial 400  
   – stabilization by 490, 493  
 Cross-linker, bifunctional 190, 269, 277  
 Cryogel 344  
 Crystal, cross-linked enzyme 18, 97, 135  
 Crystalline enzyme 7  
 Crown ether 95, 332  
 Cut-off 403  
 Cutinase 60, 103  
 Cyanogen bromide 7, 263  
 Cyanuric chloride  
   – activation of amino group by 258  
   – activation of hydroxyl group by 258, 270  
 Cyclohexane 398  
 Cystamine 356  
 Cytochrome C 105
- D**
- Deactivation, protein 363  
 DEAE-cellulose 90, 205  
 DEAE-Sephadex 90  
 Dehydration 510  
 Dehydration history 26  
 Density of the binding functionality 111, 171  
 Denaturation  
   – heat-induced 123  
   – pH-induced 123  
   – reversible 123  
 Deposition 371, 399  
   – alternating 452  
   – interfacial 400
- Dextran  
   – aldehyde 190  
   – amino 190  
   – oxidized 288  
 Dextranucrase 57  
 Diaion CR 20, 279  
 Diazotization 192, 288  
 Diazonium salt 5, 196, 199, 248, 265–268  
 Di-cross-linker 504  
 Dicyclohexylcarbodiimide 291  
 3,5-difluoronitrobenzene 86  
 Diffusion constraints 57, 178, 326, 364, 406  
 Diffusion, inter-particle 65  
 Diffusion limitation 176, 213, 320, 331  
 Diisopropylflupro phosphate 64  
 Bis-dimethyladipimide 86  
 Dioxane 240  
 Disperant 257  
 Distribution  
   – amino acid residues in enzyme 192  
   – of enzyme in carrier 60  
 Divinylsulphone 270  
 Duolite resin  
   – Duolite 568 82  
   – Duolite 761 66, 68, 82  
   – Duolite A-147 213  
   – Duolite A7 89  
   – Duolite S-30 248  
   – Duolite S562 82  
   – Duolite XAD 761 66, 82  
 Dowex 1X4 101  
 Drug delivery 363, 403, 416
- E**
- Effect  
   – chemical modification 26  
   – confinement 329  
   – crowding 329  
   – hydration 329  
   – interfacial activation 73  
   – microenvironment 27, 73, 80  
   – molecular orientation 77  
   – multipoint attachment 211  
   – negative partitioning 204  
   – of binding functionality 78  
   – positive partitioning 26, 204  
   – shielding 131  
   – tentacle 136  
 Effector 19  
 Electrode 7, 322, 374  
 Emulsion, double 423–429  
 Enantioselectivity  
   – conformation-controlled 230, 331–333

- diffusion-controlled 230
  - Encagement 377, 434–436
  - Encapsulation 397, 434
    - conventional 399
    - definition of 397
    - interfacial 400
    - non-conventional 401, 430
    - post-loading 429
  - Enzyme
    - carrier-bound 6 ff, 77, 510 ff
    - cell-free 16
    - covalently bound 36, 113
    - coverage 71
    - cross-linked 7, 18, 181
    - crystalline 7
    - glycosylated 190, 290
    - hard 57
    - insoluble 1
    - lipid coated 369
    - plastic 10
    - pre-immobilized 181
    - soft 57
    - sol–gel entrapped 333
    - sphere granule 351
    - supported so–gel entrapped 376
    - whole cell associated 401
  - Enzacryl AH 283
  - Enzyme aggregate 181, 485
    - cross-linked 17
  - Enzyme conformation 184
    - destabilized 59
    - native 59
    - selective 232
  - Enzyme crystal 8, 181, 485
  - Enzyme deformation 85–87
  - Enzyme distribution 60
  - Enzyme envelope 7
  - Enzyme immobilization, site-specific 193
  - Enzyme loading 71, 242
    - minimum 56
    - relationship with diffusion limitation 71
  - Enzyme orientation 170
  - Engineering
    - carrier 183
    - genetic 23
    - medium 92, 93
    - of microenvironment 25
    - process 91
    - substrate 91
  - Entrapment 317
    - classic 334
    - concomitant 334
    - conventional 334
    - covalent 351
    - definition 319
    - diffusion 362
    - diffusion-controlled 363
    - impregnation 364
    - in situ 376
    - of cross-linked enzyme 371
    - of polymer–enzyme covalent conjugates 368
    - of polymer–enzyme non-covalent complex 371
    - post-loading 362
    - selective protein partition 363
    - supported 371, 372
  - Entrapment method 319
  - Environment 225
    - compatible 231
    - hydrophilic 225
  - Epichlorohydrin 254
  - Epoxide hydrolase 110
  - Erythrocyte haemolysate 398
  - ESR spectroscopy 69, 189
  - Eupergit C 63, 85, 175, 186, 195, 210, 290
  - Eupergit C 250 L 175, 195
- F**
- Fiber 369
    - cellulose 263
    - hollow 290, 405
    - non-woven 372
  - Filament 436
  - Film 369
    - hydrophobic polymer 369
    - silicon rubber 64
    - supported enzyme 371
  - Flexibility, conformational 189, 205, 206, 216–218, 226, 333
  - Foam, polyurethane 371
  - Fractogel 128
  - Fructose-1,6-bisphosphatase 30
  - Function
    - catalytic 1–3, 320, 333
    - non-catalytic 1–3, 320, 333
  - Functionality
    - active 169, 170, 183, 248
    - aldehyde 275, 288
    - amino 264
    - built-in intrinsic 237
    - hydroxyl 253
    - inert 170, 236, 324
    - non-active 170, 183
    - oxirane (epoxy) 265, 288
    - pendant 172, 183
    - photo-crosslinkable terminal 369
    - polycarbonate 245–247

**G**

- β-Galactosidase 68, 217
- Endo-d-galacturonase 206
- Gel
  - Ca alginate 365
  - CM-agarose 81
  - cold-set 344
  - glycidyl methacrylate-derived dextran 363
  - hybrid 343
  - hydrophobic 323
  - polyacrylamide 329
  - synthetic 321
- Gelation
  - by action of temperature 344
  - by solvent removal 351
  - chemical 320
  - interfacial 400, 403
  - physical 320, 372
- Geometry
  - of carrier 182
  - of the active centre 94–97
  - pore 171
- Glass
  - controlled pore 178
  - cyanogen bromide activated 281
  - dextran-coated porous 262
  - glycophase porous 75
  - hydrophobic controlled pore 81
  - plate 372
  - polyethyleneimine-coated non-porous 86, 137
  - polymethylglutamate (PMG)-coated 124
- Glucoamylase 30, 86
- Glucose isomerase 64, 81, 83
- Glucose oxidase 225, 249, 259, 267, 275, 280, 284, 319
- β-Glucosidase 67, 207, 208
- Glutamate dehydrogenase 83
- Glutaraldehyde
  - as activating agent for inert carrier 277
  - as cross-linker 7
- Glycerol carbonate 200
- Glycoenzyme 235, 284
- Glycosylation 114
- Graft copolymer 284
- Grafting 184, 236
- Granule 438
- Group
  - aldehyde 249, 290
  - amino 277
  - carboxyl 281
  - carrier-bound active 183–185
  - carrier-bound inert 183–187

- epoxy 186, 241–244
- inert pendant 203
- isocyanate 199
- orientation 330

**H**

- Hemoglobin 78
- Heterogeneity of binding nature 192
- Heteropolymer 250
- 1,6-Hexanediamine 398
- Homopolymer 247, 377
- Horse liver alcohol dehydrogenase 69, 93
- Horseradish peroxidase 57, 85
- Host 376
- Hydration 405
- Hydrogel 80, 259
  - degradable 259
- Hydrolysis
  - mandelic acid methyl ester 95
  - of penicillin G 134
  - of sec-alkyl sulphates 94
- Hydrophilicity 7, 20, 65, 75
  - enzyme activity influenced by 75, 76
  - enzyme loading influenced by 65
  - of the carrier 7, 324, 325
  - tailor-made 12
- Hydrophilization
  - of the carrier 233
  - of the enzyme 34, 227
- Hydrophobicity 238, 326
- Hydrophobic core 192
- Hydroxyl group
  - separate 268
  - vicinal 190

**I**

- Imidoester 282
- Imprinting 19, 332
- Immobilization
  - adsorption-based 53–145
  - biospecific 75, 80
  - double 128–145, 330
  - heterogeneous 193
  - of enzyme, covalent 169
  - of enzyme in organic medium 170
  - pseudo-affinity 113
  - pseudo-covalent 123
  - reversible denaturation 123
  - site-specific 113, 193
- Immobilized enzyme
  - carrier-bound 173
  - industrial 244
  - plastic 352
  - ready-made 227

- robust 3
- spacer-mediated 233
- Impregnation 333
- Indion 48-R 278
- Indion 850 74
- Interaction
  - biospecific 78
  - charge-charge 73, 87
  - cooperative 91
  - hydrophobic 83
  - incompatible 204
  - multivalent 91
  - non-specific 80
  - polymer-metal oxide 346
  - polymer-polymer 346
  - polymer-salt 346
  - specific non-covalent 90
  - synergetic interaction 67
- Interconversion 202
  - of active carrier 288–293
  - of inert carrier 260–287
- Invertase 5
- Ionic strength 72
- Irradiation 336
- Isocyanate 283
  - polymeric 186
- Isoelectric point 57
- Isothiourea 279
- Isourea 279
  
- L**
- Laccase 205, 405
- $\beta$ -Lactamase 199
- Lactase 113, 114, 124, 345, 372
- Lactose 370
- Langmuir film 76
- Layer
  - dense 364
  - partition 178
- Layer-by-layer 15, 405
- Leakage 86, 103, 121f
- Leaving group 201, 224, 247
- Lewait 258, 278
- Ligand
  - biospecific 137
  - metal chelating ligand 119
- Linkage, guanidine 281
- Lipase 204
  - *Bacillus stearothermophilus* 227, 228
  - *Candida antarctica* B 30, 70, 94, 326
  - *Candida rugosa* 30, 70, 73, 89, 92, 95, 200, 202, 319, 326, 328, 466, 480, 485
  - *Chromobacterium viscosum* 366
  - *Mucor miehei* 30, 74, 81, 228
  - *Nigellaa sativa seed* 72
  - porcine pancreas 76
  - *Pseudomonas cepacia* 31, 365
  - *Pseudomonas fluorescens* 68, 93, 206, 230, 332, 365
  - *Rhizopus niveus* 66, 74, 76, 82
  - *Rhizopus oryzae* 68, 92
  - *Staphylococcus carnosus* 226
- Lipid
  - complex 26
  - lipid-coated enzyme 368, 408
  - pairs 14
- Liposome
  - capsules based on 416
  - enzyme immobilized on 124–128
  - polymeric 416
- Loading 211–213
- Luciferase 76, 127
- Lysozyme 79, 118
  
- M**
- 2-Mannosidase 30
- Mass transfer 194
- Matrix
  - bovine serum albumin 365
  - charged 240
  - film-like polymer 371
  - hydrophobic 324
  - hydrophobic sol-gel 326
  - peo 328
  - predesigned 405
  - pva 326, 331
  - ready-made gel 365
  - rigid sol-gel 327
  - soft polymeric 328
  - sol-gel 325, 329
  - synthetic gel 330
- Mediator 128
- Medium aqueous 11
- Medium enzyme immobilization in
  - organic 11, 477
- Membrane
  - hollow fiber 136
  - hollow sphere 182
  - PAN 287
  - ready-made hollow sphere 429
  - semi-permeable 401
  - spherical 397, 409, 412
- Mesylate 269
- Method
  - benzoquinone 12, 271
  - carbodiimide 274
  - combined 20
  - divinylsulphone 270



- generic 21
  - glutaraldehyde 276
  - hybrid 134
  - s-triazine 270, 277
  - Ugi 287
  - Micelle
    - encapsulation of enzyme 16, 404
    - polymeric 416
    - preparation 416
  - Microbead 136, 137
  - Microemulsion
    - encapsulation of enzyme in 412
    - oil-in-water 421
  - Microdevice 405
  - Microenvironment
    - favourable 228
    - hydrophilic 21, 227
    - non-compatible 189
    - of the carrier 8–10, 63, 64, 73, 187, 199–201, 211, 260
    - of the enzyme 29, 55, 183
    - of the medium 331
  - Microencapsulation 398
  - Microcapsule
    - magnetic 281
    - non-swelling 405
    - polyelectrolyte-coated 432
    - soft 405
    - swelling 405
  - Microsphere
    - affinity 98
    - hydrogel 320
    - liquid hollow 412
    - monosized 208
    - plain 207
    - polyacrolein microspheres 250
    - polystyrene 7, 76
    - polyvinylalcohol 272
    - soft hollow microsphere 19
  - Milk xanthine oxidase 68
  - Mitochondria 325
  - Mobility
    - conformational 233
    - molecular 189, 224, 228, 343
    - of immobilized enzyme molecule 175
  - Modification
    - chemical 184
    - controlled 202, 228
    - no chemical 53
    - of protein surface 128
    - post-immobilization 184, 227, 506–522
    - pre-immobilization 430, 490–493
  - Modifier 129
    - chemical 223
    - physical 223
  - Monomer 200
    - hydrophilic 200
    - hydrophobic 239
  - Monolayer
    - coverage 57
    - hydrophobic 344
    - macromolecular 338
    - occupation 174
    - organic silane 377
  - Montmorillonite 78
  - Morphology 194
  - Moving front theory 60
  - Multilayer 70, 136
- N**
- Nanocapsules 421
  - Nylon
    - fiber 469
    - hydrolyzed 86, 134, 138, 278, 284
    - modified 212
  - Nitrophenol 251
  - p*-Nitrophenyl ester 251
  - 1,2-Naphthoquinone 282
- O**
- Occupation
    - active centre 113
    - carrier's surface 173, 519
    - monolayer 173
  - Organic phase 399
  - Organophosphorus hydrolase 79
  - Orientation
    - mismatched 189
    - random 458
    - site-specific 91, 113, 458
  - Osmolyte 223
  - Oxidase
    - amino acid 204
    - glucose 75, 90, 131, 180, 227, 259, 330
    - glycolate 330
    - lactate 330
  - Oxirane ring 12, 203, 242, 289
  - Oxygen 78
  - Ovalbumin 425
- P**
- Papain 105, 173
  - Particle size 64, 65, 81
  - Payload 34, 173, 247
  - Pectin 342
  - Pectin esterase 103
  - Pectinase 85

- PEG 131, 227  
PEGylation 499, 528  
Penicillin G acylase 4, 7, 9, 14, 20, 26, 31, 74, 79, 105, 112, 114, 124, 127, 135, 143, 144, 172–176, 179, 194–197, 200–205, 211, 213, 221, 232–235, 240–245, 248, 254–257, 371  
Penicillin V acylase 131, 132, 227  
Penetration of enzyme molecules in the carrier 67–70, 179, 180  
Peptide formation 192  
Permeability, substrate 402  
Phase inversion 401  
Phosgene 279  
Phospholipid, polymerizable 416  
Polarization phenomena 328  
Polyacid 346  
Polyacrylamide 254, 255  
Polyacrylamide 185  
Polyaldehyde 185, 249–251  
Polyaminostyrene 278  
Polyanhydride 185  
Polyaphrons 421  
Polyazlactone 185  
Polybase 346  
Polycarbonate 185, 245–247  
Polycarboxylic acid phenyl ester 185  
Polyeptide 185  
Polyelectrolyte, non-biodegradable 429  
Polyethyleneimine 364  
Polyethylene terephthalate 84  
Polyisocyanate 5, 185  
Polyisothiocyanate 7  
Polymer  
– natural 376, 520  
– semi-synthetic 346  
– synthetic 376, 520  
Polynitrile 257  
Polyphenolic polymer 249  
Polysaccharide  
– cyanogen bromide activated 264, 288  
– linear 258  
– natural 342  
– oxidized 186  
– semi-synthetic 258  
Polystyrene 85  
Polyurethane  
– foam 372  
– porous 141  
– prepolymer 336  
– sheet 141  
Polyvinylalcohol 257, 261, 319  
Pore  
– closed 321  
– dead-ended pore 173  
– open 321  
– permanent 321  
– wall pore 430  
Pore diameter 179, 201  
Pore distribution 171, 175–178  
Pore radius 171  
Pore size 61–63, 81, 173, 174  
– distribution 177  
– mean 81  
– minimum 178  
Pore volume 171–177, 201  
Porosity 177, 194, 328, 333  
Polymerisation  
– dispersion 246  
– interfacial 400, 401  
– precipitation 236, 255  
– suspension 200, 240, 255  
Post-synthesis 74, 247  
Post-treatment 245, 368, 506–522  
Pre-carrier 253–268  
Precursor  
– gel 344  
– gel-forming 320  
Pregel 334  
Pre-immobilization 430, 490–493  
Prepolymer 325, 336  
– cross-linking of 336  
Pressure drop 180  
Pricon brown 116  
Pricon green 116  
Pricon red 116  
Pricon yellow 116  
Principle  
– monolayer 56, 87  
– stability 56  
Product map 31, 32, 234  
Productivity 1, 22  
Prostaglandin synthetase 105  
Protease 30, 31, 85, 131  
Protein drug 1  
Pseudo-immobilization 171  
Porogen 257  
Pseudo-affinity  
Pullulan 274
- Q**  
QAE-Sephadex 101  
Quenching agent 227, 243, 520
- R**  
Reaction medium 2, 172  
Reaction system 19, 22, 181  
Reaction type 172

- Reactor
  - column 2
  - membrane 359
  - monolithic 252, 253
  - plug-flow 2
  - shallow-packed bed 81
  - sieve-plate 16, 323
  - stir-tank 2
  - stirred batch 81
- Reactor configuration 2, 180, 183
- Recyclability 3
- Regioselectivity 29, 92, 230
- Rehydration 511, 514
- Release, controlled 320
- Resin
  - anion-exchange 68
  - epoxy-amine 338
  - phenol-formaldehyde 248
  - polyethyleneimine-coated 97
- Resin plate 364
- Reversibility
  - of adsorption 113
  - of binding 11, 114, 471
- Rigidification
  - by crosslinking 34, 490
  - by multipoint attachment 26, 72
  - lower activity caused by 18, 210–215, 232, 458
  - stabilized by 343, 352
- Rigidity
  - carrier 125, 362
  - enzyme conformation 211, 345
- S**
- Scaffold
  - enzyme 15, 34
  - insoluble carrier 9, 34, 235
  - ligand 115, 470
- Schiff base formation 192, 217–219, 235, 250, 268
- SDS 422
- Sebacoyl chloride 398
- Selectivity
  - additive-controlled 95
  - aquaphilicity-controlled 233
  - binding functionality-controlled 94
  - carrier nature-dependent 333
  - carrier-bound active group-controlled 228
  - carrier-bound inert group-controlled 230
  - conformation-controlled 92, 97, 233
  - definition of 29
  - diffusion-controlled 93, 233
  - functional group 230
  - medium-controlled 95
  - microenvironment-dependent 331
  - orientation-controlled 95
  - reaction 92, 230, 235
  - spacer-controlled 232, 233
  - substrate 92, 230
  - water activity-dependent 332
- Sepabead 95, 186, 377
- Sephadex 59, 67, 86, 95
- Sephadex G-25 67
- Sepharose
  - cyanogen bromide-activated 69, 71
  - n-hexyl-substituted 83, 84
  - n-octylamine-substituted 68, 83, 90
  - octyl 69, 93, 124, 128
  - palmityl-substituted 83, 123
  - phenyl 84
- Shape
  - irregular 182
  - regular 182
- Shrinking core theory 60
- Size
  - pore 179
  - protein globule 179
- Silica
  - aldehyde 234
  - aminopropyl 234
  - colloidal 174
  - controlled pore 19, 266
  - macroporous 74
  - mesoporous 73
  - octyl 70
  - polyethyleneimine-coated 66, 86
  - silanized 79
  - TiCl<sub>4</sub>-activated 271
  - tosylated 269
- Softanol 30, 422
- Sol-gel
  - classification of sol-gel precursor 360
  - conventional process 355
  - hydrophobic 358
  - precursor 361
- Solvent
  - organic
  - pore-generating 177
- Spacer
  - activity influenced by 205, 206
  - albumin 208
  - amino dextran 208
  - definition of 188–190
  - hydrophilic 189, 225, 227, 231
  - hydrophilic macromolecular 225
  - hydrophobic 189, 210, 221
  - length of 170, 208
  - role of 66

- Spheron 206, 300
- Spherosil 66, 81
- Spherosil XOA 200 68
- Stability
  - additive-dependent 91
  - binding density-controlled 91
  - carrier nature-controlled 86
  - carrier-bound active group-controlled 217
  - carrier-bound inert group-controlled 221
  - confinement-controlled 85, 225, 329
  - conformation-controlled 83
  - cross-linking-dependent 85
  - diffusion-controlled 85
  - enzyme loading-dependent 85, 87
  - enzyme orientation-dependent 91
  - enzyme structure-dependent 331
  - enzyme-dependent 91, 330
  - matrix-nature-dependent 329
  - mechanical 364, 377
  - medium-controlled 87
  - microenvironment-controlled 89, 277
  - operational 377
  - temperature-dependent 87
- Strategy
  - adsorption–crosslinking 136
  - adsorption–deposition 56
  - double immobilization 215
  - immobilization–stabilisation 215
  - post-immobilization 214
  - pre-immobilization stabilization 20
  - stabilization–immobilization 17, 490
- Structure
  - hyper-activated 97
  - open 97
  - sandwich 436
- Stereoselectivity 92, 230
- Steric hindrance 69, 188, 196, 205–210, 224, 264, 481
- Subtilisin 30, 58
- Subtilisin BPN' 91
- Subtilisin Carlsberg 196, 291
- Subtilisin Novo 291
- Sugar 223, 327, 356, 423
- Sulphurtransferase 118
- Support
  - chitosan-based 135
  - polyacrylamide-based 225
  - polystyrene-based 225
  - silica-based 513
- Surface
  - accessible 174, 179
  - available 61
  - external 172–174, 195
  - hydrophobic 228
  - internal 172–174
  - outer surface 195
  - solid 58
  - specific 194, 201, 244
- Surface area 61, 171, 174
- Surface occupation 176
- Surface overage 57
- Surface utility 175
- Surfactant 336, 415
  - anionic 415
  - cationic 415
  - non-ionic 415
- Swelling factor 239, 247, 258
- Symplex 349–351
- Synperonic A 20, 422
- Synthesis
  - asymmetric 29
  - solid-to-solid 181
- T**
- Tag
  - chemically introduced 117, 503
  - genetically engineered 16, 117, 473
- Technique
  - activation 185
  - derivatization 228
  - entrapment technique 319
  - grafting 243
  - interconversion 185, 202, 270
  - modification-immobilization 9
  - post-immobilization 222
  - template-leaching 327
  - water-soluble carbodiimide 275
- Template
  - activator 359
  - as conformer selector 31, 481–486
  - for microcapsule 405
  - pore generating 325, 328, 357
- Thermostability
  - cross-linking dependent 21
  - matrix-dependent 329
- Thermolysin 206
- Thiolphosgene 279, 280
- Toluene 238, 249
- Tortuosity 63, 123, 171, 194
- Tosylation 15, 230, 268, 271
- Toyonite 28, 82
- Transglutaminase 134, 336, 456
- Tresyl chloride 220, 369
- Triazine 220, 265, 280
- Trisacyl gel 272
- Triton X-100 19

$\alpha$ -Trypsin 56, 57, 65, 72–77, 123, 173–178, 183

Tween 80 96

Tyrosinase 83

## U

Uigi reaction 192, 284, 287

Ultrasonication 515

Urease 104, 118

Urokinase 30

## V

Vesicle 416

Void of the matrix 368

Volume activity 34, 61, 67, 74, 78, 171, 323

## W

Water activity 3, 82

Water content 241

Water partition 27

Water regain capacity 3

Water retention capacity 216

Wofatit Y 56, 515

Woodward reagent K 7, 202, 274

## X

Xanthine oxidase 112

Xerogel 285

Xylene diamine 249, 438, 522

D-Xylose isomerase 110

## Y

Yeast alcohol dehydrogenase 84, 87, 129, 320, 336, 498

Yeast cell 324, 325, 366

Yeast hexokinase 474

Yeast microsome 345

Yeast mitochondrial alcohol 519

Yeast RNA 283

Yield, space-time 22

## Z

Zero cross-linking 277

Zeolite

– FSM-16 105, 133, 226

– hydrophobic type Y 104, 105

– MCM-41 85, 104, 376

– MCM-48 105

– NaY 102





























