

Index

a

Adaptive Substituent Reordering Algorithm (ASRA) 99
 additive mutational effects 287
 Agilent technology 93
 aggregation 213
Agrobacterium radiobacter epoxide hydrolase, amino acid residues 250
 alcohol dehydrogenases (ADHs) 178–179
 aldehyde dehydrogenases 179–180
 aldolases 167, 184
 AlleyCat 255
 amino acid
 – residues 128
 – residues in *A. radiobacter* epoxide hydrolase 250
 – saturation mutagenesis 142
 amino acid bias 59, 62–65, 67
 amino acid dehydrogenases 180–181
 aminoacyl-tRNA synthetase 186
 aminoglycoside aminotransferase 185
 ANT computational tool 96
 antibody engineering 16, 187
 apo-myoglobin 243
 aptamers 4
Arthrobacter sp. transaminase 131
 artificial metalloenzymes 84, 237–260
 artificial shuffling 88
Aspergillus niger epoxide hydrolase (ANEH)
 134, 136, 138, 269, 271
 – epoxide hydrolase 269
 – feruloyl esterase from 209
 – mechanism 270
 – rac-1 catalyzed by 269
 assembly of designed oligonucleotides (ADO)
 89
 – benefits and limitations 90
 – concept 90

avidin-Whitesides system 238
 axial chirality 178

b

Bacillus megaterium, CYP 284
Bacillus stearothersophilus host organism 6
Bacillus subtilis spore display; laccase; lipase
 205, 210
 – CNA 225
 – epPCR and 63, 64
 Baeyer-Villiger monooxygenases (BVMOs)
 167, 178
 β -galactosidase (BGAL) 119
 – X-ray data of 119
 – structure 121
 – variants 121
 B-FIT approach 211
 B-FIT based thermostabilization 135
 B-FITTER computational tool 97
 biased mutation-assembly 87–88
 BVMOs 167, 178

c

Candida antarctica A lipase (CALA)
 145–149, 169
Candida antarctica B lipase (CALB) 75, 91,
 169
Candida macedoniensis ene-reductase
 AKU4588 (CmOYE) 277
 carbon dioxide fixation 16
 carbonic anhydrase 171
 carotenoid synthase 187
 cassette mutagenesis 7
 CASTER 96
 CASTp computational tool 96
 catalyst properties, simultaneous optimization
 117
 catalytic antibodies 187

- CAVER computational tool 97
- cellulases 167
- chorismate mutase 77
- circular permutation 91
- codon degeneracy 131, 142, 147, 150
- KCA 144
 - NDT 136, 143, 148
 - NNK 131, 134
- Combinatorial Active-Site Saturation Test (CAST) 75, 125, 127, 131, 135, 168, 245
- residues 129
- Combinatorial Multiple-Cassette Mutagenesis (CMCM) 86, 87, 125
- combinatorial solid-phase gene synthesis 159
- continuous evolution 4
- computational tools 96–100
- consensus approach 70, 216
- Constrained Network Analysis (CNA) approach 224
- ConSurf computational tool 96
- cooperative effects 116, 130
- cooperative mutational effects 287–295
- CorNet computational tool 96
- CRISPR-Cas9 nuclease 16
- 22c-trick mutagenesis method 154, 159
- Cu(II)-phthalocyanine 240
- CUPSAT computational tool 97
- cutinase 182
- cyclodextrin glycosyltransferase 167
- cyclododecanone monooxygenase (CDMO) 144
- cyclopropanation 258, 259
- Fe-carbenoid mediated 259
- cytochrome P450 monooxygenases (CYPs) 282
- d**
- deacetoxycephalosporin C synthase 186
- decarboxylases 183
- deep mutational scanning 44
- Degrado-algorithm 219, 226
- depurination 5
- Diels-Alder cycloadditions 240, 244
- dioxygenases 181
- directed evolution
- enzymes, *see* enzymes directed evolution
 - history of 4
- directed evolution stereoselectivity concept 14
- display systems 35
- divide and combine approach 226, 227
- DNA shuffling 12, 118–121, 125, 136
- application 207
 - epPCR and 125, 130–132
 - experiment 125
 - single-gene shuffling *versus* 86
- DNA polymerases 16, 186
- domain swapping 92
- double codon saturation mutagenesis (DCSM) 152
- dual selection system 36
- Dynamic Disulfide Discovery (DDD) 221
- e**
- enantioselectivity 115, 238
- PAL 123
- ene-reductase, OYE 273
- ene-reductases 182, 273–279
- enzyme activity 116
- enzyme ancestral resurrection 237
- enzyme-coupled assay 47
- enzyme promiscuity 237–260
- enzymes, directed evolution
- applications of 16
 - definition 1
 - history of 4
 - selected examples 167
- epoxide hydrolase (EchA) 171–172, 250, 269
- error-prone polymerase chain reaction (epPCR) 5, 9, 14, 60–70, 122, 139
- application 9, 207
 - conventional 10
 - cycle 122
 - DNA shuffling 125, 130, 132
 - four cycles of 14
 - illustration 60
 - whole-gene mutagenesis techniques 60
- error-prone rolling circle amplification (RCA) 66
- esterases 167, 169, 279–281
- expanded genetic code 67, 84
- f**
- FamClash computational tool 96
- family shuffling 86
- fatty acids 284
- Fe-carbenoid mediated cyclopropanation 259
- Fe-Fe hydrogenase 182
- FireProt approach 223
- fitness landscapes 137–139, 292–295
- flavin reductase 182
- fluorescence-activated cell sorter (FACS) technology 13
- FoldXR computational tool 97
- Framework for Rapid Enzyme Stabilization by Computational libraries (FRESCO) 221

fructosyl amine oxidase 182
 fucosidase, from galactosidase 119

g

galactase oxidase 177
 galactosidase, fucosidase from 119
 gas chromatography high-throughput assay
 49–50, 52
 gene mutagenesis methods 59, 115
 – circular permutation 91
 – combinatorial solid-phase gene synthesis
 159
 – comparative studies 118
 – computational tools 96
 – epPCR 60
 – ISM 135
 – recombinant 85
 – saturation mutagenesis 70, 130, 142, 154
 – SCSM 149
 – solid-phase combinatorial 92
 – TCSM 151
 genetically modified plants 16
 genetic complementation 4, 28
 genetic complementation *Geobacillus*
kaustophilus error prone strain 205
 glucose oxidase 178
 GLUE/GLUE-IT computational tools 96
 glycosidases 172
 glycoside hydrolase 139–141
 glycosyltransferases 167, 174
 glyphosate degradation 181
 growth selection pressure 29–35
 Grubbs-Hoveyda Ru-catalyst 259, 260

h

haloalkane dehalogenase 183
 halohydrin dehalogenase 183
 history of directed evolution 4–16
 homology model 123
 homophenylalanine dehydrogenase 29
 HotSpot Wizzard computational tool 96
 HPLC high-throughput assay 49, 52
 human estrogen sulfotransferase 185
 human glutathione transferase 185
 human serum albumin (HSA) 240, 241
 hybrid catalysts 238
 hydroxynitrilase lyases 67, 185
 hypermutagenic PCR 62

i

immunofluorescence, antibody-based 141
 incorporating synthetic oligonucleotides via
 gene reassembly (ISOR) 87, 89
 in vitro coevolution strategy 118

in vitro compartmentalization (IVC) 42
 IPRO computational tool 96
 ISOR mutagenesis method 87, 89
 isotopically labeled pseudo-enantiomers 48
 ITCHY mutagenesis method 87
 iterative saturation mutagenesis (ISM) 76,
 123, 125–127, 133–135
 – B-FIT 212, 213
 – free energy 138
 – optimal pathways 135
 – pathways 135
 – promiscuity 246, 247
 – protein-protein interfacial sites 215
 – reminiscent of 168
 – Sp3GH98 141

k

kanamycin nucleotidyltransferase 6
 Kemp elimination 251, 252, 255, 256
 Kunkel mutagenesis method 5, 66

l

laccases 177
 L-aspartic acid 9
 limonene epoxide hydrolase (LEH) 273
 lipase 14–15, 135, 167–169
 local minima 136–139, 213
 local structural entropy (LSE) 226
 lock-and-key Fischer hypothesis 75, 124
Lucilia cuprina 207, 208

m

malonyl-CoA synthase 187
 manganese Schiff base complex 243
 MAX strategy 75
 MBLOSUM computational tool 96
 megaprimer approach 9, 72
 megaprimer PCR 72, 75, 94
 megaprimer PCR of whole plasmid
 (MEGAWHOP) 63
 meso-epoxides 148
 metabolic pathway engineering 16
 Michaelis-Menten equation 269
 microfluidic devices 42–43
 microtiter plates 1
 Mn-corroles 240
 molecular biological techniques 118
 molecular biology, saturation mutagenesis and
 148
 molecular dynamics (MD) 291
 – calculations 271
 molecular mechanics (MM) methods 268,
 278
 monoamine oxidases 181–182

- multiple sequence alignment (MSA) 70, 142, 143, 217
- multiplexing GC and HPLC 52
- mutagenesis method 6
- mutational effects, in fitness landscapes 287
- mutator strain 6, 182
- myoglobin-based Cr-catalyst 242

- n**
- N*-acyl acrylic acid 238
- N*-acyl amino acid racemase (NAAAR) 29
- Natto-kinase 186
- nitrilases 172
- NMR, B-FIT approach 212
- non-additive mutational effects 287–295
- noncontiguous recombination (NCR) 219, 220
- non-overlapping oligonucleotides 73
- Nov statistics 80, 82–83
- nucleases 167

- o**
- OE-PCR, *see* overlap extension polymerase chain reaction (OE-PCR)
- oil-in-droplet emulsions 42–43, 87
- Old Yellow Enzymes (OYE) 273
- olefin metathesis 260
- oligonucleotide gene shuffling (DOGS) 87
- oligonucleotide shuffling 12
- OmniChange saturation mutagenesis 75
- OSCARR mutagenesis method 75
- overlap extension polymerase chain reaction (OE-PCR) 8, 11, 71, 73
- oversampling 77
- oversampling factor 80
- oxidative stability 7, 206

- p**
- P450-BM3 sequencing 157
- Patrick/Firth algorithm 13, 77, 79
- penicillin G acylase 170
- phage display 13, 187
- phenyl acetone monooxygenase (PAMO) 143–145, 147, 148
 - crystal structure 143
- phenylalanine aminomutase 185
- phosphonate inhibitor 34
- phosphorylases 174
- phosphotriesterases 167, 171
- phytases 170
- P450 monooxygenases 167, 175–177, 258, 281–286
- pollution control 16
- polyketide synthase 187
 - pooling strategies in screening 50
- Polymerase chain reaction (PCR)
 - amplification 62, 63
 - hypermutagenic 62
 - megaprimer 72, 75, 94
 - with Sloning libraries 95
- PoPMuSiC algorithm 208
- PoPMuSiC computational tool 97
- primer design 150, 154
- primer extension 7
- product inhibition 1, 179
- promiscuity 237
 - catalytic behavior 238
 - catalytic profile 245
 - ISM 246, 247
 - P450-BM3 258
 - Whitesides system 238, 245, 247
 - X-ray crystallography 242
- ProSAR computational guide 97–99
- PROSIDE method 206
- protein engineering study 205
- protein-protein interfaces 215
- protein sequence-activity relationships (ProSAR) 98, 99
- protein thermostabilization 205, 226
 - divide and combine approach 227
 - FRESCO 97, 221
 - PcDTE 216
- ProxiMAX method 75
- pseudo-enantiomers 32
- Pseudomonas aeruginosa* lipase (PAL) 14, 122, 288
 - binding pocket 124
 - comparative studies of 126
 - crystal structure 124, 127
 - directed evolution 122
 - enantioselectivity 123
- Pseudomonas aeruginosa* esterase 37
- Pseudomonas cichorii* D-tagatose-3-epimerase (PcDTE) 215, 216
- Pseudomonas fluorescens* esterase (PFE) 248
 - catalytic profiles 282
 - enantioselectivity 279
 - rac-3 catalyzed 280
 - 3D homology model 281
- pyrrolysyl-tRNA synthetase 185, 186

- q**
- QM/MM methods 268
- quantitative structure-activity relationships (QSARs) 98
- quantum mechanics (QM) methods 268, 278
- Quick Quality Control (QQC) 81, 84, 135, 154, 156, 158

- QuikChange™ protocol 67, 71, 72
 Q-values for library quality control 81, 154, 156
- r**
- random chimeragenesis on transient templates (RACHITT) 87
 random drift mutagenesis (RNDM) 87
 random insertion/deletion (RID) mutagenesis 67, 70
 RDA-PCR mutagenesis method 87
 recombined extension truncated templates (RET) 87
 recombinant gene mutagenesis methods 84–92
 reduced amino acid alphabets 77–82
 reductive amination 180, 131–133, 183
 ribosomal display 13
 RNA 4
 RNA polymerase 186
 robotic colony picker 1
 robustness of enzymes 205
 – ancestral/consensus approaches 216
 – B-FIT approach 211
 – CNA approach 224
 – DNA shuffling 207
 – epPCR 207
 – FireProt approach 223
 – FRESCO approach 97, 221
 – ISM 215
 – SCHEMA approach 219
 rolling circle amplification (RCA) 66, 67
 Rosetta algorithms 101, 219, 244, 250
- s**
- Saccharomyces cerevisiae* phosphatase 4
 saturation mutagenesis (SM) 70, 120, 121, 123, 131
 – application of 205
 – CALA binding pocket 146
 – efficient method for 74
 – four libraries 132
 – guidelines 130
 – at multi-residue site 131
 – in protein engineering 154
 – purpose 70
 – SCSM 149
 – systematization 142
 – TCSCM 151
 – techno-economical analyses 154
 SCADS computational tool 226
 SCHEMA approach 219
 SCRATCHY mutagenesis method 87
 screening systems 44–52
 selection systems 27–44
 sequence-independent site-directed chimeragenesis (SISDC) 89
 sequence saturation mutagenesis (SeSaM) 67
 – advantage 67
 – stages 68
 serum paraoxonase 87
 single code saturation mutagenesis (SCSM) 149
 single codon saturation mutagenesis (SCSM) 150
 single-gene shuffling 86
 single-stranded DNA (ssDNA) 86
 SIRCH computational tool 96
 site saturation mutagenesis (SSM) 70
 site-directed mutagenesis
 – application of 205
 – QuikChange™ protocol 67
 site-specific mutagenesis 7, 168
 Sloning approach 93, 95
 SM-based gene mutagenesis methods 168
 solid-phase combinatorial gene synthesis 92–95
 Sp3GH98
 – crystal structure 141
 – evolutionary pathways 141
 splicing by overlap extension (SOE) 11
 staggered extension process (StEP) 86, 87
 statistical computationally assisted design strategy (SCADS) 226
Stenotrophomonas maltophilia flavoprotein monooxygenase (SMFMO) 250
 step economy in directed evolution 148
 stereoselective enzyme, selected examples 167
 stereoselectivity 116
 strategies for gene mutagenesis applications 115
 streptavidin 246
 structure-based combinatorial protein engineering (SCOPE) 87
 substrate walking 117, 118, 131, 132
 sulfoxidation 176, 180, 242
 SwiftLib computational tool 96
 synergistic mutational effects 287–295
- t**
- tabacco epi-aristolochene synthase (TEAS) 226
 tagatose epimerase 175
 Tang mutagenesis approach 154, 158–159
Taq polymerase 60, 61, 67, 186

- techno-economical analysis of saturation
 - mutagenesis 154
- TEM-1 β -lactamase 27
- testosterone 285, 286
- Thermoethanolicus brockii* alcohol dehydrogenase (TbSADH) 152
- thermostability 115
 - optimization 116, 205–227
- Thermotoga maritima* thermophilic organism, tHisF 242
- Thermus aquaticus*, Taq polymerase epPCR 60
- thiamine diphosphate enzymes 185
- tHisF 243, 244
- toluene monooxygenases 180
- TopLib computational tool 80, 96
- transaminases 131–133, 183
- transketolases 184
- Trichoderma reesei* cellulase, B-FIT approach 213, 215
- triple code saturation mutagenesis (TCSM) 151
- two-parameter optimization 116–117

- u**
- universal blood 140
- UV-Vis plate reader 44–45

- v**
- vaccine production 16
- VisualCNA 225

- w**
- Whitesides system, promiscuity 238, 245, 247
- wild-type (WT) 1
 - *Aspergillus niger* epoxide hydrolase 134, 136, 138, 269, 271
 - ene-reductase 273
 - LEH 149
 - and mutant BPO-A1 haloperoxidases 209
 - PAL 14, 122, 123
 - TEAS 226

- x**
- X-ray, BGAL 119
- X-ray crystallography, promiscuity 242
- xylanase 174, 210

- y**
- yeast display 13

- z**
- Zinc-finger proteins 167