

Index

a

- ab initio methodology 32, 34, 35
- Abraham descriptors 26
- accelerated serendipity 335
- accuracy 26, 38
- acetaldehyde 28
- acetaminophen 267
 - spectrum 267
- acetone 259
- acetonitrile 33
- ACOMP, *see* automatic continuous online monitoring of polymerization reactions
- acoustic irradiation 155, 167
- acrylonitrile butadiene styrene (ABS) polymers 217
- activated complex 23
- activation energy barrier 25
- activation free energy 25
- active pharmaceutical ingredients (APIs) 76, 142, 157, 176, 264
- acylases 76
- additive manufacturing 12
 - 3D printing 220
 - techniques, chemical reactors manufacturing 220
- additive manufacturing (AM), polymerization 216
 - melting-based techniques 218
 - – electron beam melting (EBM) 218
 - – fused deposition modeling (FDM) 219
 - – laser sintering (LS) 219
 - – material jetting (MJ) 219
 - – selective laser melting (SLM) 218
 - photopolymer jetting (PJ) 217
 - physical binding 217
 - stereolithography (SLA) 217
- adsorbents 63
- adsorption 28, 300, 320
 - competitive 319
 - properties 300
- advanced-flowTM reactors 161
- agglomeration 48
- agitated cell reactor (ACR) 163
- Ag nanocubes 54, 55
- Ag nanoparticles 50
- Ag nanowire 64
- alcohol dehydrogenases 76
- aldolases 76
- aliphatic and aromatic hydrocarbons 259
- alkoxyxanthenes 22, 24
- alkylation reaction 362
- alkyl halides
 - via phase transfer catalysis 140
- alkyltransferases 76
- American Chemical Society Green Chemistry Institute Pharmaceutical Roundtable 155
- amine dehydrogenases 76
- amines 74
- amino transferases 84
- ammonia lyases 76
- amorphous Ni hydroxides 58
- AM Technology 163
- anthropogenic emissions of carbon dioxide 4
- AP Miniplant 163
- apparent transverse relaxation 296
- applied mathematics 11
- artificial intelligence (AI) 12
- ART[®] reactor 161
- ascorbic acid 63
- asymmetric reduction of MLK-II to MLK-III 77
- ATEX regulation 173

- atom economy 38
 - atorvastatin 74
 - ATR-IR flow cell 231
 - attainable region (AR) 94
 - attenuated total reflectance (ATR) 265, 271
 - Au hybrid spheres 52
 - Au nanospheres 63
 - Au/TiO₂ catalysts 318
 - automated kinetic parameter estimation
 - logic flow diagram 359
 - automated open-loop optimization
 - systems 350
 - automated self-optimized reaction 365
 - automatic continuous online monitoring of
 - polymerization reactions (ACOMP) 275
 - axial dispersion–exchange model (ADEM) 124
- b**
- Baeyer-Villiger monooxygenases 76
 - barrier channels 136
 - base-catalyzed Knoevenagel condensation
 - reaction 353
 - batteries 47
 - Bayer Technology Services 158, 174, 178
 - Bayesian statistics-based design 11
 - benzaldehyde 345
 - benzyl bromide
 - benzylation reaction of ethyl
 - 2-oxocyclopentanecarboxylate 140
 - bespoke 3D printed device 223
 - big data approaches 335
 - bimetallic hollow PtAg nanoparticles 53
 - binder jetting (BJ) 218
 - bio-based chemical supply chain 11
 - biocatalysis 74, 76, 79, 80, 83, 85
 - biocatalytic
 - reduction using a KRED 78
 - retrosynthesis 75, 76
 - transformations 75
 - biological catalyst 73
 - biorefining 12
 - systems 9
 - bioseparations 12
 - biotechnology 12, 73
 - biotransformation 29
 - biowaste-derived limonene to isocarveol 7
 - biowaste-derived terpene feedstock 7
 - biphasic reactions 142
 - esterification reaction 20
 - Bloch theory of NMR 295
 - Bloch vector model 291
 - Boltzmann constant 291
 - Boltzmann distribution 291
 - bonding electrons 293, 294
 - borohydride – TEA complex 272
 - boron reagent 77
 - branch and bound techniques 92
 - Bretherton's solution 130
 - 3-bromothiophene-2-carboxylic acid 349
 - business environment 191
 - business models 12, 192
 - in chemical industry 195
 - innovation 196
 - 2-butanone 316
 - tert*-butyl chloride 27, 31
 - γ -butyrolactone 304, 305
- c**
- CAD file 218, 221
 - CAD reactor configuration design 245
 - C₅ adsorption 301
 - calibration models 269
 - capillary microreactor 139
 - carbon dioxide 4
 - rate of emissions of 2
 - carbon emissions 3, 4
 - carbon nanofiber (CNF) 120
 - carbon sequestration 10
 - carboxylic acid reductases 76, 80
 - Carr–Purcell–Meiboom–Gill (CPMG)
 - sequence 297
 - cascade mixers 160
 - catalyst 47, 73
 - behavior 63
 - composition 47
 - properties 73, 74
 - surface 47
 - wetting efficiency 300
 - caterpillar mixers 160
 - CCD experimental matrix 349
 - CCF design 350
 - CCF DoE model 351
 - ¹³C DEPT-45 NMR spectra of 1,4-
 - butanediol 306
 - ¹³C DEPT NMR spectroscopy 301
 - ¹³C DEPT-45 spectra of coadsorption of C₅
 - hydrocarbon and hydrogen on Al₂O₃ 302
 - ¹³C-DEPT spectroscopy 320
 - ¹³C distortionless enhancement polarization
 - transfer (DEPT)-45 NMR 304
 - central composite (CCD)–face-centered (FCD)
 - design 346
 - cesium carbonate 22, 24
 - cetyltrimethylammonium bromide (CTAB) 63
 - cetyltrimethylammonium chloride (CTAC) 61

- CFD code 127
- chemical analysis in manufacturing 259
- chemical engineering-enabling technologies 12
- chemical engineering science 9
 - for sustainability 7
- chemical industry 2, 194
 - as energy storage solution 3
 - sustainability challenge for 1
- chemical leasing 12, 192–194
 - model 193
- chemical management practice 194
- chemical manufacturing 5
- chemical pollution 5
- chemical processes 319
 - conceptual design 89
- chemical reactions 35, 38
 - closed-loop optimization 350
- chemical reactors 299, 300
- chemical shift 293, 294
- chemicals management 193
- chemical wastes 259
- chemistry of biofeedstocks 5
- chemocatalysts 76
- Chemtrix BV 170
- chiral alcohols 74
- chiral boron reagent 77
- CHK-O cells 240
- chloroform 267
- chloromethane 293
- chloroxanthone 24
- chlorozanthone product 22
- chronoamperometry 60
 - measurements 55, 59
- CINC Industries 164
- circular economy 9
- closed-loop automated reactor system 332
- closed-loop discovery
 - algorithm-based self-optimization 364
 - design of experiments, application of 346
 - high-throughput screening 342
 - one-variable-at-a-time approach (OVAT) 344
 - rate-based/physical organic approaches 350
 - self-optimization 341
- closed-loop experimental system 332
- closed-loop optimization
 - analytical techniques 332
 - decision algorithms 334, 335, 337, 338
 - system 331, 334
- cloud-enabled automated continuous-flow reactors 368
- ¹³C MAS NMR spectra 302
- ¹³C NMR spectroscopy 294
- CO₂-based technologies 4
- CO₂-derived methanol 4
- CO₂ emissions 4, 7, 8
- cofactor recycle 84
- Coflore® flow reactors 163
- compact heat exchange reactors (Chart E&C) 161
- complex multisubstrate kinetics 84
- computational cost 26
 - and accuracy 34
- computational method 33
- computer-aided blend design (CAMD) 35
 - defined as 20
 - formulation 37
 - methodologies 21, 31, 34
 - optimization problem 33
 - problems 21, 33
 - QM-CAMD 32
 - techniques 20, 21
- computer-aided mixture design (CAMxD) 34, 35
- computer-aided molecular design (CAMD) approaches 20, 38, 97
- computer-aided solvent design 31
- computer-aided techniques 81
- Co nanoparticles 49
- conceptual process design 89
- confidentiality 210
 - and intellectual property rights 205
- ConsiGma™ 165
- continuous flow oscillatory baffled reactor (COBR) 162, 233
- continuous-flow reactors 330, 334, 364
- continuous-flow systems 332
- continuous kinetic measurements 169
- continuous lab-scale microwave reactor 167
- continuous liquid interface production (CLIP) 249
- continuous manufacturing
 - asymmetric enone hydrogenation 176
 - case studies 174
 - classification 154
 - continuous filter 178
 - DFT/DFBA synthesis 178
 - equipment for 158
 - downstream equipment 163
 - as enabling technology 166
 - microwave chemistry 166
 - photochemistry 168
 - process integration 165
 - sonochemistry 167

- equipment size/production capacity ratio 153
 - F³ Factory case studies 180
 - INVITE platform 179
 - means of process intensification 153
 - modular design approach 179
 - modularization concept for versatile continuous production 175
 - 2-nitro-ethanol, from formaldehyde/nitromethane 176
 - process development and scale-up 169
 - process development/implementation 168
 - – changeable production systems, modularization 174
 - – ecotrainer concept, for rapid process development 173
 - – flexible implementation 172
 - – heat of reaction 171
 - – lab-scale development 168
 - – mixing requirements 171
 - – process analytical technology (PAT) 172
 - – reaction kinetic 170
 - – scale-up 170
 - process intensification 153
 - reactors with dynamic mixing 161
 - – agitated cell reactor (ACR) 163
 - – agitated tube reactor (ATR) 163
 - – continuously oscillatory baffle reactor (COBR) 162
 - – spinning disc reactor 162
 - – tube/Taylor–Couette reactor 162
 - reactors without active mixing 159
 - – empty tube 159
 - – intensified mixing 160
 - – plate reactors 161
 - – tube with static mixers 159
 - small-scale continuous chemical production, modularization 173
 - for small- to medium-scale chemical production 153
 - thioether oxidation 175
 - upstream equipment 159
 - continuous manufacturing and crystallization (CMAC) 83, 157, 158
 - continuous reactors 300, 320
 - continuous solid–liquid separation 164
 - continuous-stirred tank reactor (CSTR) 94, 352
 - continuum solvation models 24, 34
 - control hazardous reactions 330
 - conventional diffusion measurements 289
 - convex objective function 91
 - convex relaxation 91
 - functions 91
 - Copiride 158
 - CO poisoning 49, 53, 64, 65
 - CO₂ recycling technology 4, 8
 - core–shell nanoparticles 50
 - core–shell particles 50
 - core–shell PtAg nanoparticles 50
 - corrosion resistant metal oxide 49
 - COSMO-based models 26
 - COSMO descriptors 31
 - COSMO-RS and COSMO-SAC methods 33
 - COSMO-RS/COSMO-SAC thermodynamics 34
 - COSMO-RS model 28
 - COSMO-RS/SAC formalism 33
 - COSMO solvent descriptors 31
 - cost-competitive technology 49
 - cost reduction 192, 196
 - costs of goods sold (COGS) 154
 - co-surfactant 63
 - CO tolerance 57, 60
 - coupling
 - online analytical technique 364
 - photochemistry 168
 - CPMG spin echo pulse sequence 298
 - cryo-NMR 309
 - crystallization 266
 - CSE-XR[®] mixer (Fluitec mixing + reaction solutions AG) 160
 - cubic nanocages (CNC) 61
 - Cu-catalyzed intramolecular amination 79
 - CuCl catalyst 344
 - cumene 301
 - cyanoborohydride (NaBH₃CN)
 - in MeOH (1M) 231
 - 3-cyanopyridine hydration 368
 - cyclic voltammogram (CVs) 49, 50, 52, 55
 - Co/Graphitic Carbon (GC), Pt/GC, and PtCo/GC 58
 - renormalization of 50
 - cyclization reaction 22, 24
- d**
- database-screening approach 27
 - database solvents 29
 - 3D computer-aided drawing program (3D CAD) 215, 227
 - dead zone (DZ) 250
 - decomposition approaches 32
 - deep reactive ion etching (DRIE) 116
 - dendritic hollow nanocrystals 61
 - density functional theory (DFT) 30, 319
 - design

- constraints 35
 - engineers 93
 - of experiment (DoE) 329, 338
 - problems 91
 - detergents 3
 - deterministic methods 92
 - device setup 234
 - DFT + PCM calculations 30
 - diastereoselective catalytic hydrogenation 347
 - diazo coupling reaction 139
 - diazoketone 142
 - dichloromethane 29
 - 2,4-dichloropyrimidine/4,4'-(2,4-pyrimidinediyl)bis-morpholine
 - S_NAr reaction 358
 - dielectric constant 26, 28, 36
 - Diels–Alder cycloaddition 20, 27, 31, 34, 223
 - diethyl diallylmalonate 22
 - differential side stream reactor (DSR) 94
 - diffusion 307, 320
 - attenuation curves of several hydrocarbons 309
 - coefficients 306, 307, 309, 313
 - competitive 301
 - fluids confined in porous catalysts 306
 - liquid hydrocarbons 309
 - pathways 311
 - reflectance Fourier transform spectroscopy (DRIFTS) 318
 - difluorobenzaldehyde (DFBA) 179
 - 2,4-difluoronitrobenzene, with pyrrolidine in ethanol 355
 - 2,3-difluorophenylboronic acid 179
 - 2,3-difluorotoluene (DFT) synthesis 179
 - digital micromirror device (DMD) 248
 - 1,3-dimesityl-4,5-dihydroimidazol-2-ylidene ruthenium complex 22
 - dioxygenases 82
 - Dipole moments 28, 265, 267
 - discrete variables 92
 - dispersion 124
 - disruptive - synthetic biology 12
 - distillation/extraction columns 166
 - 2D NMR correlation spectroscopy (COSY) 300
 - DoE approach 339
 - D-optimal design 359
 - 3D printed cell perfusion system 241
 - 3D printed flat sheet membranes 237
 - 3D printed flow reactors 228
 - 3D printed fluid selector 242
 - 3D printed IR sensor block 245
 - 3D printed PDMS layer SEM image 238
 - 3D printed PDMS photoresist 239
 - 3D printed sealed sequential reactors 224
 - 3D printer basic chemical reactor 222
 - 3D printing
 - applied to flow chemistry 226, 235, 239, 242
 - combined reactor, and reaction design 222
 - continuous flow millifluidic devices 231
 - flow chemistry 220
 - functional devices 226
 - future trends 248
 - integrated modular setup for multistep organic transformations 232
 - keyword 216
 - membranes 235
 - of millifluidic devices 230
 - in PDMS, membrane contactor 238
 - processes, characteristics 216
 - rapid prototyping of millifluidic devices 229
 - shape memory polymer fibers 250
 - smart materials through 4D printing 250
 - techniques fabrication scheme 221
 - ultrafast printing 249
 - DRIE silicon–glass microreactor 117
 - droplet device 249
 - drug manufacturing 157
 - drug product quality 177
 - drying processes 268
 - d-spacing 61
 - 3D System Viper si2 SLA 3d printer 228
 - 3DTouch™ 3D printer 229
 - dynamic mechanical analyzer (DMA) 250
- e**
- Earths vs. biocapacity 2
 - EBM printing process 218
 - echo amplitudes 299, 316
 - ecological footprint 1, 2
 - economic gains 197
 - economic prosperity 1
 - economic viability 203
 - electrocatalysis 47–49, 55, 64
 - devices 48
 - reactions 47
 - reduction 4
 - electrocatalysts 47, 48
 - in fuel cells 47
 - support corrosion 49
 - electrochemical
 - conversion devices 47
 - energy 49, 64
 - measurements, of MOR on 60
 - oxidation 63
 - reaction 47
 - surface area 55, 59

- electrochemistry 47, 48
 - electrode potential 47
 - electrolyte composition 47
 - electrolyte ions 47
 - electrolytic cell 3D printed plates 228
 - electrolyzers 47, 226
 - electron beam melting (EBM) 218
 - electronegativity 293
 - electronic effects 48
 - electrons 47
 - electrospray ionization mass spectrometer (ESI-MS)
 - high-resolution 232
 - emissions
 - incurred 3
 - savings 3
 - emulsification methods 48
 - emulsions 289
 - enantiomers 77
 - enantioselective amination 77
 - ene reductases 76
 - energy
 - balances 91
 - consumption 27, 91, 260
 - demand 2
 - efficient technologies 2, 3
 - generation 3, 4
 - resources 268
 - savings 196
 - storage 49
 - engineered
 - biocatalysts 79
 - enzymes 75
 - microbial cells 73, 74
 - transaminases 76
 - environmental, health, and safety (EHS) 28
 - impact 38
 - environmental impact 27
 - enzyme ATA117, 234
 - enzyme discovery 75
 - enzyme limitations 81
 - equipment sizes 94
 - esterases 76
 - esterification 22, 29, 30
 - e_{surf} (NMR) against E_{max} (TPD) for water on different porous oxide surfaces 318
 - ethylene 4, 323
 - ethylene glycol 321
 - ethylene glycol/water–toluene flow 122
 - European Community competition rules 208
 - European framework for waste 207
 - experimental conditions 47
 - experimental design procedure, stages of 339
 - experimental systems
 - self-optimization and requirements 330
 - extractive techniques 352
- f**
- face centered cubic (fcc) 56
 - face-centered (FCD) design 346
 - falling film microreactor (FFMR) 115, 125, 133
 - FDA (US Food and Drug Administration) 156
 - FDM 3D printer 219, 234
 - feedback loop 330, 332
 - fermentation-based chemical production 12, 73, 74
 - F³ Factory project 158, 179
 - filamentous structured material (FSM) 120
 - fingerprints, of molecular dynamics of molecules 289
 - Fischer indole synthesis 77, 79
 - flexibility 157
 - flow module, CAD drawing 243
 - flow rate, curves outlining 354
 - flow system, schematic diagram 353
 - fluid catalytic cracking (FCC) 311
 - fluidized beds 300
 - reactors 166
 - fluorescence detectors 344
 - Fo number 126
 - Food and Drug Administration (FDA) 263
 - footprint 1
 - formic acid 53, 63, 64
 - oxidation 63, 64
 - Fourier number 132
 - Fourier transform (FT) 292, 297
 - Fourier transform infrared (FTIR) spectra 345
 - free energy 23–25
 - free induction decay (FID) 291, 292
 - FT-IR analysis 334, 364, 366
 - fuel
 - cells 47, 53
 - oxidation 47
 - technology 3
 - functional
 - economy 191
 - groups, combinations of 21
 - modules, illustration and photographic images 247
 - nanomaterials, design of 11
 - fused filament fabrication 219

g

galvanic replacement 64
 – reaction 48, 51, 54, 60, 62, 64
 gas chromatography (GC) 259, 319
 gas chromatography-mass spectrometry (GC-MS) 259
 gas-dominated flow 118
 gas-expanded solvent (GXL) 34
 gas flow passes 134
 gas-liquid channeling 134
 gas-liquid distributing principles
 – two-phase flow uniformity 133
 gas-liquid interface 127, 322
 gas-liquid mass transfer coefficient 120
 gas-liquid mass transfer, for Taylor flow 128, 131
 gas-liquid-solid catalytic reaction 115
 gas-solid reactions 170
 Gaussian processes 340
 GEA Westfalia Separator Group 164
 generalized disjunctive program (GDP) 92
 – formulations 104
 – models 104
 generalized reduced gradient (GRG) 91
 generate-and-test approach 28
 generic closed-loop automated system
 – schematic diagram 331
 generic pharmaceutical 77
 genetic algorithms 91
 genetic code 73
 Genzyme 157
 geothermal system 106
 Gibbs free energy 98
 GlaxoSmithKline (GSK) 158
 global population 2
 global warming potential 8
 glycerol 28, 309
 glycerol ethyl acetal 28
 glycerolysis 20, 29
cis-glycol production 20
 gold nanoparticles 52
 gradient-based methods 91
 gradient-based optimization algorithms 91
 gradient-based quasi-Newton search algorithm 362
 graphene 59
 green and sustainable chemistry 5
 green chemical engineering 8
 green chemistry 5, 11, 47, 259, 260, 281
 – principles 6
 green engineering
 – principles 9
 – solutions 8

greener chemistry 21
 green house gas (GHG) 4
 – emissions 3, 4
 greenhouse gas emissions 196
 green solvents, in design approaches 35
 Griseofulvin 274
 group contribution methods 33
 Grubbs-catalyzed metathesis 303
 Grubbs II catalyst 22
 gypsum 314
 gyromagnetic ratio 291

h

Hahn echo sequence 297
 Hahn spin echo pulse sequence 298
 haloalkanes 22
 halogenases 76
 Hatta number 127
 hazardous 5
 – chemicals 197
 – oxidants 82
 – waste, management 193
 HCOOH decomposition 63
 heat exchange networks (HEN) 93, 101
 – design 89, 101
 – objective function 102
 heat transfer coefficient 159
 Henry's law 127
 heterocycle 1-(4-methoxyphenyl)-1,2,3,12b-tetrahydroimidazo[1,2-f]phenanthridine 222
 heterogeneous
 – catalysts 47, 48, 289, 320
 – catalytic microreactors 323
 – catalytic reactions 47, 300, 320
 – reactor 323
 1-hexene 302, 303
 Higbie penetration theory 132
 highest-valued parameters
 – pressure and temperature 348
 high-fructose corn syrup (HFCS) 83
 high-performance liquid chromatography (HPLC) 259
 high-throughput screening (HTS) 225, 343
 Hildebrand solubility parameter 26
 HiTEC Zang 163
¹H NMR spectroscopy 323
¹H NMR spectrum of chloroethane 294
 hollow Au nanospheres 64
 hollow PdAg nanotubes 64
 hollow PdAu nanoparticles 63
 hollow PtAg heterodimers 54
 hollow PtAg nanostructures 55

- hollow PtAg popcorn-shaped particles 55
 - hollow PtAu spheres 53
 - hollow PtCo nanospheres 57
 - synthesis via a novel galvanic replacement reaction 56
 - hollow PtCu₃ nanocages 63
 - hollow PtCu nanospheres 62, 63
 - hollow Pt metal alloys 51
 - hollow Pt nanoparticles 51
 - hollow Pt nanospheres 50
 - peak current density of 50
 - with positively charged ultrafine Ru nanoparticles 60
 - stable during potential cycling 51
 - synthesis via galvanic replacement using 50
 - hollow PtNi nanospheres
 - ratio of forward to backward peak currents for 59
 - supported on carbon 59
 - toward MOR 58
 - hollow PtNi nanostructures, durability of 59
 - hollow PtRu nanospheres 60
 - hollow PtRu nanotubes 59
 - hollow Pt_xNi_{1-x} spheres 58
 - hollow spherical PtPd/C 62
 - homogeneous catalytic metathesis 302
 - homogeneous Grubbs'-catalyzed metathesis 302
 - human development index (HDI) 1
 - hybrid computer-aided molecular design technique 29
 - hybrid experimental/computer-aided approach 31
 - hybrid reaction-separation scheme 83
 - hybrid screening, based on predictive models 28
 - hybrid solvent selection methodology 29
 - hydration kinetics 314
 - hydraulic flow resistance 135
 - ratio 135
 - hydrazine 54
 - reduction 54
 - hydrocarbons 309
 - hydrodynamic
 - dispersion 124
 - regime 300
 - hydroformylation 20, 28
 - hydrogenation 170, 304
 - hydrogen bonding 268, 293, 309, 315
 - hydrogen evolution reaction (HER) 50
 - hydrogen mass transfer model 132
 - hydrogen peroxide 61
 - hydroprocessing catalysts 313
 - hydrothermal synthesis 224
 - hyperfine splitting 293
- i*
- imine reductases 76, 80
 - imine reduction 233
 - implementation of a process change (ISPR) 83
 - Impulse 158
 - in situ product removal (ISPR) 83
 - indium tin oxide (ITO) 57
 - industrial trickle bed reactors 124
 - inhomogeneities, static magnetic field 296
 - in-line ATR FT-IR system 280
 - innovations 2, 191
 - in unit operations and manufacturing in chemical industry 11
 - in silico model simulation 358
 - in silico synthesis 28
 - Integrated Computer-Aided System (ICAS) software 29
 - integrated process design, operation, and control 105
 - intelligent controller automated self-optimizing system 330
 - interdigital mixer 160
 - interfacial energy 63
 - interparticle distance 48
 - inversion recovery
 - experiment 296
 - pulse sequence 296
 - investment cost, redistribution of 197
 - iodo(nitro)methane 37, 38
 - ionic mobility 64
 - iron 47
 - iron(III) nitrate (Fe(NO₃)₃) solutions 55
 - irregular pore 311
 - isocarveol 8
 - Isomerization 301
 - isopropanol 77
 - ISO transportation 173
- j*
- Jacobian matrix 90
 - Japanese auto industry 191
 - J-coupling 293, 294
- k*
- Katapak-S packings 120
 - Keggin-type heteropolyanions 136
 - 1,5-keto acids 80
 - β-keto esters, alkylation reactions 140
 - ketoreductase (KRED) 74, 77
 - ketoreductase (KRED) biocatalyst 77

- kinetic
 - analysis 84
 - information 28
 - models of biocatalytic conversions 84
 - parameters 84
 - process models 93
- Kirkendall effect 48
- Knoevenagel reaction 354
- knowledge 210
 - management systems 156
 - sharing 202
- Knudsen diffusion mechanism 308
- Kolbe–Schmitt reactions 20, 30
- Koutecky–Levich plots 57
- l*
- laboratory-scale flow reactors 227
- LabView 334
- lactic acid 314
- Larmor frequency 292, 293, 297
- laser melting machines 218
- laser sintering (LS) 219
- layer-by-layer printing technique 219
- LC-MS analysis 342
- LCMS sampling 362
- lean manufacturing 191
- legal environment 191
- legislations 5
- lethal concentration 30
- lethal dose (LD_{50}) 28
- Levenburg-Marquardt algorithm 356
- LeyLab communication array 368
- life cycle assessment (LCA) 7, 8
- limonene 8
- linearity 309
- linearizing nonlinear functions 92
- linear programming 91
- lipases 74, 76
- liquid chromatography-mass spectrometry (LC-MS) 259
- liquid film thickness 130
- liquid–liquid bubbly flow coalescence 140
- liquid–liquid extraction 176
- liquid–liquid microchannel flow 122
- liquid photosensitive inks
 - polymerization 217
- lithiation 20
 - reaction 33
- LMH model 128
- Lockhart–Martinelli–Chisholm correlation 127
- Lockhart–Martinelli models 130
- Lockhart–Martinelli parameter 128
- Lonza FlowPlate® reactor 161
- low-cost electricity 3
- low-temperature cleaning 3
- lyases 76
- m*
- machine learning 12
 - algorithms 336, 340
 - methods 336
- macropores 48
- magnetic field gradients 297, 315
- magnetic moment 290, 291
- magnetic quantum states 291
- magnetic resonance imaging (MRI) 12, 320, 323, 324
- magnetization 291, 292, 295, 296
- manganese 47
- manufacturing
 - defined 191
 - industry 191
 - practices 191
 - technical innovation in 211
- mass and energy integration 6
- mass specific activity 55
- mass transfer 300
 - coefficient 82, 131
 - limitations 314
- mass transfer-limited multiphase processes 161
- mass transport 300, 320
 - limitations 300
 - properties 289
- material erosion 167
- material integration 100
- mathematical programming 93
- mathematical programming techniques 21, 89
- MATLAB-based computer program 356
- maximum oxygen transfer rate 82
- maximum theoretical yield 73
- Meerwein–Ponndorf–Verley reduction of propionaldehyde 301
- melting plastic filaments 219
- membrane reactors
 - reaction and in situ separation 166
- MeNO₂ 176
- Menschutkin reaction 22–24, 31, 33, 35, 37
- mesoscale baffled reactor (mCOBRs) 233
- metal catalysts 304
- metallic Pd 63
- metal–organic framework catalysts 321
- metal–organic frameworks (MOFs) 225
- metals 48

- metathesis 22, 302
- methane steam reforming 166
- methanol 4, 60, 63
- methanol oxidation reaction (MOR) 48, 50, 57–59, 62
- methyl acrylate 27
- 2-methyl-1,3-butadiene 27
- 2-methyl-3-butyn-2-ol (MBY) 121
- methyl chloride 259
- methyl iodide 31
- methylnicotinate 350
- 3-methyl-1-pentyn-3-ol
 - liquid-phase hydrogenation of 120
- α -methylstyrene 301
 - hydrogenation 116
- Michaelis constant 83
- Michaelis-Menten kinetics 84
- microfluidic device 249
 - assembled 248
- microinova 170
- micropacked bed reactors 142
- micropores 307, 314
- microporous region 314
- microreactor design 12
- microstructural evolution 314
- microstructured packed bed reactor (MSPB) 142
- microstructures implementation 164
- microwave
 - heating 167
 - irradiation 167
- mid-infrared spectra 266
- mid-IR spectrometers 265
- mini-trickle bed operation 143
- Minnesota solvation model 24
- Miprowa[®] reactor 160
- MIP support 194
- miscibility 28
- mixed integer dynamic optimization problems (MIDO) 21
- mixed-integer linear programming (MILP) 92
 - problems 21
- mixed-integer nonlinear program (MINLP) 21, 92
 - CAMD formulation 31
 - mathematical problem 30
- mixed integer optimization 92
- mixed suspension mixed product removal (MSMPR) 176
- ML mixers 160
- model-based conceptual design 90
- model-based methods 26
- model-based optimization 168
- model-based screening methods 27
- model-based selection methods 34
- modified rotational dynamics 315
- molecular biology 74
- molecular complexity constraints 35
- molecular design 11
 - concepts 26
- molecular diffusion 298
 - coefficient 131
- molecular discovery flow synthesis 341
- molecular modeling tools 25
- molecular size 307
- molecular structures 21
- monometallic Pt 49
- monooxygenases 82
- Montelukast 76, 78
- MPBR flow regimes studies 118
- multibiocatalyst synthesis 80
- multieffect distillation (MED) 105
- multienzymatic/chemoenzymatic pathways 75
- multienzyme organic synthesis 80
- multijet modeling machines 219
- multiobjective active learner (MOAL) 341
- multiobjective optimization problems (MOO) 21
- multiphase kinetics 84
- multiphase microreactors 115
 - barrier-based gas–liquid flow 135
 - capillary microreactors 137
 - microstructured packed bed reactors 142
 - phase transfer catalysis 139
 - wall coated catalytic microreactors 137
 - continuous phase multiphase microreactors 115
 - falling film microreactor (FFMR) 115
 - mesh contactor 116
 - dispersed phase multiphase microreactors 116
 - fibrous internal structures 120
 - foam microreactors 120
 - microstructured packed beds 117
 - prestructured microreactors 118
 - segmented flow microreactors 116
 - ethyl 2-oxocyclopentanecarboxylate with benzyl bromide 140
 - falling film 136
 - flow distributors 134
 - flow regimes 121
 - capillary microreactors 121
 - structured packed beds 122
 - gas–liquid flow regimes 123
 - hydrodynamics 125
 - falling films microreactors 125

- interdigital mixer–redispersion capillary assembly 141
 - liquid bridge nitrogen–water 119
 - liquid film 126
 - mass transfer 131
 - capillary microreactors 131
 - falling film microreactors 133
 - micropillar device 119
 - multichannel microstructured reactor 138
 - octanal conversion in FFMR 137
 - octanal oxidation with oxygen 136
 - packed bed reactors 123
 - hydrodynamic dispersion 124
 - liquid holdup 123
 - phase transfer catalyzed C–N cross-coupling reaction 143
 - phase-transfer-catalyzed diazo coupling reaction 139
 - picolinic acid, hydrogenation of 143
 - pressure drop, in capillary microreactors 127
 - gas–liquid 127
 - liquid–liquid 130
 - principles/features 115
 - Taylor flow 129
 - two-phase flow distribution 133
 - two-phase flow regimes, in capillaries 121
 - multiphase mixtures 84
 - multiphase systems 84
 - multistage flash (MSF) 105
 - multistep reaction sequence, schematic diagram 223
 - multiwalled carbon nanotube (MWCNT) 64
 - mutagens 259
 - mutation 91
- n**
- nanocages 63
 - nanocluster 49
 - nanoparticles 48, 49
 - nano-structured functional materials 11
 - National Institute for Occupational Safety and Health (NIOSH) 259
 - Navier–Stokes equation 243
 - near-infrared (NIR)
 - CAD representation 247
 - multivariate method 271
 - radiation 268
 - spectrometer 269
 - spectroscopy 267, 270, 271
 - neural networks, training of 337
 - new business models, impediments in implementing 197
 - quality assurance 198
 - single supplier dependency 197
 - new energy technologies 4
 - new technology 8
 - Newton iteration 90
 - Newton method 90
 - globalization of 90
 - modifications of 90
 - Newton–Raphson method 90
 - NFPA health hazard classification 28
 - Ni hydroxides 59
 - Ni oxides 59
 - NIST MS spectra database 335
 - NiTech 157
 - NiTech® Solutions Ltd 162
 - nitrile hydrolases 76
 - nitroaromatic nitrile
 - chemoselective catalytic reduction 346
 - reduction of 346
 - 2-nitroethanol 175
 - nitrogen–water two-phase flow 118
 - nitromethane 33, 37, 38
 - N-methylpyrrolidone (NMP) 272
 - NMR toolkit 289
 - nondestructive analytical methods 270, 281
 - noninvasive Raman spectroscopy 353
 - noninvasive tool 319
 - nonlinear equation 90
 - systems 90
 - nonlinearity 309
 - nonlinear problems 21
 - nonlinear programming (NLP) 90, 91
 - non-native biocatalytic reaction pathways 12
 - nonnatural products 83
 - nonnatural substrates 74, 75
 - non-Pt alloy nanostructures 63
 - nonreactive oxygenated species 59
 - nontoxic chemicals 194
 - nonuniformity factors 134
 - Normag 163
 - Novartis–MIT Center for Continuous Manufacturing 157, 177
 - n-propanol etherification reaction 366
 - nuclear magnetic resonance (NMR) 290, 319
 - experiment 292
 - methodologies 290
 - pulsed field gradient 297
 - quantitative ¹H NMR 294
 - relaxation 295, 316
 - measurements 318
 - method 319
 - times 289, 315
 - resonance 294

- signals 293
- signal 294, 304
- decay 310
- enhancement 304
- spectroscopy 289, 293, 294
- of liquids 293
- resolutions 297
- nuclear shielding 293
- nuclear spins 291, 298
- alignment 304
- and bulk magnetization 290
- nucleophilic substitution 20
- numerical
 - algorithms, challenges to 93
 - optimization 93
- Nylon 6 234
- nylon-based 3D printed materials
 - chemical modification 236

o

- occupational health agencies 259
- octahedral dendritic hollow nanocrystals (ODH) 61
- octahedral dendritic nanocrystals (OD NCs) 61
- octahedral nanocages (ONCs) 61
- 1-octane 320
- octanol-water partition coefficient 28
- 1-octene 321
- 2-octene 320
- oleylamine (OAm) 62
- oligomerization 323
- on-demand preparation
 - concept diagram 362
- one variable at a time (OVAT) approach 329, 339
- onion model for process design 98
- open-loop/closed-loop chemical discovery systems
 - schematic diagrams 342
- open-loop synthesis system 341
- operating conditions 6, 94
- operating costs 197, 198
- operating variables 92
- operational expenses (OPEX) 196
- optimal kinetic parameter 361
- optimal Pareto solutions 8
- optimization
 - based approaches 30, 33, 89
 - based CAMD approaches 27, 31, 32
 - complete flow sheets 11
 - heat integration networks 11
 - problem 91

- progresses, complex method of 367
- ordinary diffusion 307
- organic reactions 28
 - catalytic discovery 343
- organizational innovation 191
- ortho-bromocinnamic acid 77
- ortho-trisubstituted 2-
 - hydroxybenzophenones 22
- Ostwald ripening 48
- outer approximation (OA) 92
- overall flowsheets 97-100
- overintensification 170
- overlapping resonances 294
- oxidases 76, 82
- oxidation
 - density 63
 - 1,2-propanediol 314
 - reactions 29
- oxygen 82
 - -containing species 60
 - solubility 82
 - transfer rate 82
- oxygen reduction reaction (ORR) 47, 48, 51, 57
 - activity 51, 59
 - PtPd nanocubes 61
- oxygen-sensitive reactions 362
- oxynitrilases 76

p

- palladium-catalyzed amination reactions 142
- palladium chloride 63
- palladium on carbon (Pd/C) 223
- paper manufacturing 8
- para-hydrogen-induced polarization (PHIP) 304
- parallel pressure reactor (PPR) 346
- pareto optimal solutions 7
- pareto solutions 7
- partial oxidation 49
- particle size 48, 274
- particle stability 48
- PCA model 27
- PdAg nanotubes 64
- PdAl₂O₃ catalyst 116, 144, 301
- PdAu catalyst 64
- Pd catalysts 63
- Pd lattices 64
- Pd-M alloys 63
- PDMS-based flexible membrane 241
- Pd nanoparticles 63
- Pd/SiO₂ catalysts 144
- pentan-1-ol methylation reaction 365
- 2-pentene 302

- 1-Pentene/hydrogen 301
- cis*-2-pentene/hydrogen 301, 302
- perindopril 77, 79
- pharmaceutical industry 84, 157
- phase transfer catalysis (PTC) 139
- phenacyl bromide 22–24, 27, 33, 35, 37
- phenacylpyridinium bromide 23
- phenylalanine ammonia lyase (PAL) 77, 79
- photochemically generated singlet oxygen 168
- photochemical reactions 168
- photoinitiator (ethyl(2,4,6-trimethylbenzoyl) phenyl phosphinate) 237
- photolithography 116
- photopolymerization techniques 215
- photopolymer jetting 217
 - modeling machines 217
- picolinic acid 143
- piperidines 80
- platinum (Pt) 47
 - activity 48
 - based catalysts 63, 64
 - based nanoporous alloys 49
 - as catalytically active phase 49
 - diameter 48
 - electrocatalyst 48
 - electronic structure 58
 - enriched surface layer 59
 - hollow nanospheres 49, 50
 - kinetics and corrosion stability 49
 - mass activity 51
 - nanoclusters 49
 - nanosphere 49, 50
 - nanostructures 55
 - pristine 49
 - surface layer 59
- plug flow reactor (PFR) 94, 158
- P450 monooxygenases 76
- Podbielniak liquid–liquid extractor 163
- Poiseuille flow 243
- polarity 26, 28
- polarizable continuum model (PCM) 26
- polarization transfer techniques 295
- policymakers 193
- polyacrylates 229
- polyamides (PA) 218
- polycarbonate (PC) 218, 219
- Polycat 158
- polychromatic light sources 265
- polyether ether ketone (PEEK) 219
- polyethylenimine (PEI) 219
- polylactic acid (PLA) 219
- polymers 21
- polymer stabilizer (PVP) 56, 57
- polymethyl methacrylate (PMMA) 218
- polyols 309
- polypropylene (PP) 219, 224, 228
- polysilane/SiO₂-supported Pd catalyst 142
- polystyrene-co-methacrylic acid (PSA)-assisted templating method 58
- polyvinylpyrrolidone (PVP) 54
- popcorn-shaped nanoparticle 54
- pore network connectivity 307
- pore size distributions 48, 307
- pore space 64, 289, 301, 309
- porous 49
 - catalysts 294, 301, 314
 - catalytic materials, relaxation time analysis in 314–319
 - materials 48, 306, 315
 - matrix 312
 - oxides 316
- predicted maximum desired product yield 363
- predicted rate constants 37
- predictive capabilities 31
- price setting 204
- price volatility 191
- principal component analysis (PCA) 27
- printing polymeric active composites
 - self-folding and opening box fabricated 251
- process analytical chemistry (PAC) 260
 - advantage at-line laboratory 261
 - applications 270
 - for biodiesel production 276
 - of dairy industry 270
 - polymer industry 274
 - preparation of polymeric strip film unit dosage forms 273
 - synthesis of active pharmaceutical ingredients 271
 - challenges to overcome 270
 - concept and objectives 260–264
 - definitions 262
 - future trends in 279
 - measurement system 261
 - near-infrared spectroscopy (NIRS) 262
 - nondestructive NIR spectroscopy 263
 - noninvasive analyses 262
 - off-line analysis 260
 - off-line at-line laboratories 262
 - productivity 261
 - quality 261
 - real-time optimization 263
 - supervisory control and data acquisition system (SCADA) 263
- process analytical technology (PAT) 172, 263
 - challenges to overcome 268

- commercial manufacturing 172
 - definition 262, 263
 - future trends in 279
 - process and protein engineering methods, for improvement of biocatalysts 81
 - process-driven protein engineering 80
 - process/EHS model constraints 30
 - process equipment assembly (PEA) 174
 - process equipment container (PEC) 174
 - process flowsheet optimization 103
 - process intensification 11
 - process model constraints 21, 31
 - process optimization methodologies 330
 - process simulation 90
 - process synthesis 93
 - production-consumption pattern 192
 - product-service system 191, 192, 205, 206
 - continuum 194
 - proportional-integral-derivative (PID) 331
 - propylene 304, 321
 - proteases 76
 - protein engineering 74, 75, 80–82, 84
 - improvement 81
 - proton exchange membrane (PEM) 226
 - proton exchange with surface groups 315
 - PtAg dimers 55
 - PtAg nanoboxes 54
 - PtAg nanocubes 50, 51
 - Pt₂Al₂O₃ catalysts 304
 - PtCo nanospheres 56, 57
 - PtCu₃ nanocages 63
 - PtCu nanoparticles 63
 - PTFE capillary microreactor 138
 - PtNi alloy 59
 - PtNi nanostructures 58
 - PtRu alloys, bifunctional mechanism 60
 - Pt:Ru ratios 60
 - Pt_xNi_{1-x}-PSA core-shell structures 58
 - pulsed field gradient (PFG) 289, 298
 - NMR plots 313
 - NMR spectroscopic techniques 306
 - PFG-NMR log attenuation plots for n-octane 313
 - pulsed gradient spin echo (PGSE) 298, 299
 - pulsed gradient stimulated echo bipolar (PGSTEBP) 298
 - pyridine 22–24, 33, 35
- q**
- QM calculations 33
 - QM-predicted rate constants 33
 - quality assurance (QA) 197
 - quality standards 205
- quantitative information 294
 - quantitative structure–property relationship (QSPR) 96
 - quantum mechanical calculations 25, 32, 34
 - quasihomogeneous behavior 309
- r**
- rac-methylbenzylamine, with 3D printed bioreactors
 - kinetic resolution 237
 - radio frequency pulse (RF) 292
 - Raman bands 265, 267
 - Raman immersion probe 266
 - Raman spectra 264–266, 269, 274, 302, 353
 - (R)- and (S)-amines 76
 - raspberry-like hierarchical PtAu hollow spheres (RHAHS) 52
 - modified gold electrode 53
 - Raspberry Pi-based instrument monitoring and control 334
 - rate constant 24, 31, 33, 37, 354, 355
 - R&D (research and development) 156
 - REACH regulation 204, 207
 - reaction orders 355
 - reaction parameters
 - reaction rate 27, 47, 179
 - constant 27, 28, 31, 38
 - reactionware 221
 - reactive-adsorptive process 28
 - reactive distillation (RD) 99
 - reactor design and manufacture 220
 - reactor networks 11, 93
 - design 94
 - reactors internal volumes, and reaction mixture volumes 226
 - real adsorption systems 315
 - real time monitoring 268
 - real-time reaction 332
 - monitoring 289
 - redox reactions 47
 - refocusing pulses 316
 - refrigerants 21
 - relaxation 91, 320
 - constant 297
 - rate 297, 315
 - times 315
 - remote operator 367
 - renewable bio-based materials 73
 - renewable energy 9, 47
 - installations 3
 - technologies 3
 - Re₂O₇/Al₂O₃ catalysts 302
 - residence time distribution (RTD) 124

- retrosynthesis 75
 - analysis, application of 75
- reverse osmosis (RO) 106
- reversible process 296
- Reynolds numbers 121, 160
- RF pulse 295
- robotic experiment 336
- robotics 12
- root mean square displacement (RMSD) 307
- rotating ring-disk electrode (RRDE) 57
- rotational and translational motions 315
- Ru cluster 60

- 5**
- sacrificial template 63
- scale-up strategy 170
- scanning projection stereolithography (SPL) 248
- Schwarz-P triple periodic structure 237
- screening methods 27
- (S)-DIP-Cl and biocatalytic route to 78
- selective catalytic reduction (SCR) 318
- selective laser melting (SLM)
 - printers 219
- selectivity 27
- self-assembly concept 250
- self-diffusion 313
- self-formation 64
- self-optimizing continuous-flow systems 364
- sensors 47
 - analytical techniques 333
- sensory perception 336
- separation systems 94–97
- separation techniques, and relevant pure component properties 95
- sequential ORR polarization curves 51
- service industry 191
- service-oriented models 192
- shielding constant 293
- signal-to-noise ratio (SNR) 294, 304
- silicon–glass microreactors 118
- silver nanoparticles, automated platform 235
- simplex method 339
- simultaneous parameter fitting
 - concentration-time profiles 357
- single resonance frequency 297
- sitagliptin 74, 76
- slit-plate mixer 160
- small-scale continuous equipment 164
- SMD solvation model 37
- SMR™ (Sulzer Ltd.) 160
- SMSIM (supermodified simplex) 366
- SMX™ (Sulzer Ltd.) 159
- sodium boron hydride (NaBH₄) 57
- sodium chloride (NaCl) 55
- soft (macro-) molecular and hard templating approaches 48
- solar-thermal methanol synthesis 4
- solid catalyst surface 315
- solid foam packings
 - gas-liquid mass transfer 120
- solid–liquid separation 165
- solid nanoclusters 49, 50
- solid Pt nanoparticles 51
- Solid State Pharmaceutical Center 165
- solid waste 259
- solubility 23, 24, 28, 33, 35, 37
- solvatochromic 31
 - equation 26, 27, 31–34, 36, 37
 - parameters 26
 - shifts 26
- solvent 6, 27
 - descriptors 31
 - design 27
 - – algorithm 32
 - – reactions 38
 - effects, on reactions 22
 - generated from CAMD 29
 - mixtures 35
 - molar volume 33
 - properties 31, 33, 34, 37
 - and properties for 36
 - recovery 27
 - screening, alkylation reaction studied 362
 - selection 27–29
 - substitution 29
- solvolysis 27, 31
- spectroscopic process monitoring 12
- spinning disc reactors 162
- split and recombine (SAR) 160
- Starlam mixers 160
- state equipment network (SEN) 103
- Stejskal–Tanner plot 299
- stereolithography 217
 - machines 217
- structured packed bed microreactors
 - drawback of 118
- structure–property constraints 35
- styrene 304
- successive linear programming (SLP) 91
- successive quadratic programming (SQP) 91
- SuperFocus Interdigital Micromixer 160
- superior CO tolerance 60
- superlinear convergence rate 90

- superstructure-based approaches 89, 101
- superstructure-based design, of reactor networks 94
- superstructure optimization 11, 94, 106
- supply chain risk management 197
- surface conditions, of PtRu catalysts/hollow PtRu assemblies 61
- surface interactions construction materials 314
- surface structure 47
- surface-to-surface diffusion 311
- surface-to-volume ratio 64, 315
- surfactant/reductant ratio 52
- surrogate model 37
- sustainable 38
 - chemistry 5
 - challenge of 11
 - OECD defined 6
 - materials management 206
 - process design 89
 - production-consumption pattern 192
- Synflow 158
- systematic computer-based solvent design method 35

- t**
- TaBaChem business model 194, 195, 199, 203, 207, 211
 - advantages of implementing 196
 - continuous innovation 196
 - environmental impact and safety 197
 - long-term partnership 197
 - production and investment cost 196
 - business confidentiality and protection of competition 208
 - intellectual property rights 208
 - closing life cycle and preventing waste 205
 - compatibility of service model with actual legislation 203
 - focuses on 194
 - general economic, technical, and management aspects 198
 - direct gains, indirect gains, and investments 198
 - pricing 199
 - organizational and managerial aspects 202
 - knowledge sharing 202
 - logistics 203
 - quality assurance 202
 - sales 202
 - tendering and rewarding 202
 - technical aspects 201
 - process optimization 201
 - reuse of chemicals 201
- Taylor–Couette reactor 162
- Taylor flow 132
 - to bubbly 117, 132
 - to churn 117
 - regime 137
- technical
 - constraints 91
 - innovations 192, 196
- templating 64
- terpenes 8
 - cyclases 76
- 4-tert-butylphenylboronic acid 344
- tetrabutylammonium hydrogen sulfate 140
- tetramethyl silane (TMS) 293
- tetra-n-butylammonium bromide (TBAB) catalyst 140
- theory of sampling (TOS) 268
- thermal degradation 319
- thermal vapor compression (TVC) 105
- thermodynamic 1, 31, 32
 - equilibrium 166
 - limitations 166
 - motivated shortcut methods 93
 - properties 28
- thermoplastic 228
 - filaments 219
- thieno[2,3-c]isoquinolin-5(4H)-one-A (TIQ-A) 349
- thioethers oxidation 175
- tissue engineering 12
- titania precursor spheres 52
- toluene 259
- tortuosity 307, 308
- tosylfuranoside 272
- toxic chemicals 5
- toxicity 5
- trade-off
 - between cost and GHG 7
 - between model accuracy and solution efficiency 34
- trade-offs 29, 38
- traditional model vs. TaBaChem situation 200
- traditional sales business model vs. chemical leasing business model 193
- transaminases 80
 - enzymes 76
 - technology 76
- transamination 76
- transesterification 30, 276, 278
- transformations 75, 191
- transition metals 47, 49
- transition state theory (TST) 23, 32

- trans-2-pentene/hydrogen 301, 302
 transport kinetics 65
 transverse magnetization 297
 T_2 relaxation processes 314
 trialkylamines 22
 trichloroethylene 259
 trickle bed reactor packings 124
 triethylamine (TEA) 272
 triethylbenzylammonium chloride (TEBA) 142
 trifluoroacetic anhydride (TFAA) reacts 271
 tripropylamine 31
cis,trans-1,3,5-tris(pyridine-2-ylmethylene) cyclohexane-1,3,5-triamine 233
 T_1 - T_2 correlation plots for water in 317
 T_1 - T_2 pulse sequence showing RF pulses 316
 two-dimensional Laplace inversion 316
 two-factor system, simplex progression 340
 two-phase resistive network (2PRN) 134
- u**
 UNIFAC-based models 32
 UNIFAC group contribution method 33
 United Nations Industrial Development Organization (UNIDO) 193
 – sustainable resource management program 193
 α,β -unsaturated aldehydes
 – carbonyl bond, hydrogenation of 138
 user-defined model 359
 UV and visible spectrometry 319
 UV curable polymer 246
 UV light 216
 – irradiation 250
 UV protection 336
 UV response 342
- v**
 validation 34
 value-added approach 193
- valve design 240
 vanadium 47
 van der Waals interactions 315
 vapourtec 170
 variable progression
 – local optimum parameter 345
 verification stage 35
 vibrational spectroscopic methods 264–268
 – comparison 264
 voltammograms 51, 52
 volume selective spectroscopy (VOSY) 321
 volume-translated Peng-Robinson equation of state 34
 volumetric flow rate over time 356
 volumetric mass transfer coefficient 118
- w**
 Warnier model 130
 waste
 – legally defined 206
 – legislation 197
 – material 22
 – treatment, permits 196
 Waste Framework Directive 206
 water and energy processes 105
 Watershed resin 239
 Watershed XC 11122 resin 239
 We numbers 131
 Wet stirred media milling (WSMM) 273
 Wilkinson's catalyst 304, 324
 – using THF 346
 wind turbines 3
 working capital expenditures 154
- x**
 Xylene 259
- z**
 ZnO as sacrificial template 59

