

Index

a

- ABC transporters 130, 131
ab initio calculation 575
 A β -protein 622
Acacia gum
 – adsorption layers 721
 – emulsifying efficiency 722
Acacia seyal 217
Acetobacter xylinum 91, 809
N-acetylglucosamine 807
 acetyl glutamyl octapeptide-3 836
 acetyltransferases 59
Achras sapota 74
 acidic polysaccharides 235, 320
 – helical conformations 320
 acrylamide (AAM) 212
 acrylated polylactide (PLA) 216
 acrylic acid (AA) 212
 adipic acid dihydrazide (ADH) 245
 ADP-glucose (ADP-Glc) 62
 ADP-glucose pyrophosphorylase
 (AGPase) 62
 adsorption processes 525
 – block copolymer 187
 – competitive 724
 – copper adsorption kinetics 511
 – electrostatic 92
 – indirect polysaccharide 724, 727
 – organomodifier 187
 – phthalocyanine on ultrathin cellulose
 films 485
 – reversible 292, 293
 agarose 8, 838
 – cosmetic applications 838
 agarose–PEG diacrylate IPNs 215
 agarose–poly(ethylene glycol) (PEG) diacrylate
 IPN hydrogels 215
 Ag/Au NPs *in situ* generation 496
Agave americana 41
 Aggrecan assemblies 604–606
 aggrecan structure 605, 606
 aggregation/gelation process 557
 aggregation number 542
 aging
 – of biopolymer systems 780, 781
 – moisture, effects 782–785
 – tests 781
 -- accelerated 781, 782
 -- artificial 781
 -- environmental 781
 agro-polymers 175
 alanine 102
Alcaligenes eutrophus 814
 alginate/pectin fluid gel 711
 alginates 8, 215, 615, 842
 – cosmetic applications 842
 alginate/silver nanoparticle-coated suture
 – *in vitro* antimicrobial activity of 808
 alginic acid 807
 aliphatic copolyesters 180
 aliphatic polyphosphoesters (PPEs) 817
 alkaline-extracted gel (AEG) 678
 alkylamino hydrazide 245
 – HA derivatives 245
 alkylation (arylation) of HA based on ester
 bond formation 244
 alkyl carbamates 245
 1-allyl-3-methylimidazolium chloride
 (AMIMCl) 13
 Alzamer[®] 816
 Alzheimer's disease 4
 amide bonds
 – hydrogen bonding ability of 815
 amino acid ester polyphosphazenes 817
 amino derivatives, surface grafting 500
 12-aminododecanoic acid 197
 ammonium persulfate (APS) 221
Amorphophallus konjac 19

- amphiphilic β -hairpin peptides 594
- amphiphilic polyelectrolytes 237
- amyloid fibrils 4
- amylopectin 63, 216
 - chemical structure 176
- amylose 216, 674
 - chemical structure 175
- angle resolved XPS (ARXPS) 482, 483
- anisotropic interactions 405, 408, 421
 - characterization 406
 - orientation 412
- anisotropic systems 572
- anisotropy 448, 646
 - of motion 448
- anomalous diffraction approximation (ADA) 665
- Anopheles gambiae* 125
- antiaging 833
- apparent molar mass 559
- arabinogalactan fraction (AG) 720
- arabinoxyltransferases 56
- arabinoxylans 20
- ARES-controlled strain rheometer 679
- aromatic copolyesters 178, 179, 180, 183, 184
 - based nanobiocomposites 199, 200
- aromatic hydroxycinnamates 46
- Arrhenius law 382
- ascorbate anion radicals (ASC) 459
- L-ascorbic acid 458
- Aspergillus fumigatus* 119
- atomic force microscopy (AFM) 443, 521–526
 - hydroxygallium phthalocyanine physisorbed on cellulose films studies 522–524
 - silver nanoparticles on cellulosic films studies 524, 525
- atomic layers 487
- atomic scattering factor 569
- ATR/MIR spectra 514, 520
- attenuated growth mechanism 523
- attenuated total reflectance-Fourier transform infrared spectroscopy (ATR-FTIR) 464
- attenuated total reflection in multiple internal reflection (ATR/MIR) 513
- Auger electrons 480
- Auger parameter (AP) 480
- Aureobasidium pullulans* 824
- autocorrelation function 546
- Avogadro's number 536

- b**
- Bacillus anthracis* 805
- Bacillus megaterium* 814
- bacterial cellulose (BC) 26, 779, 822
 - biopolymer production 91
 - fracture surface, SEM micrograph of 792
 - tensile modulus 793
- benzoic acid 46
- benzoyl peroxide (BP) 816
- benzoylphenyl urea 130, 131
- benzyl starch (BS) 216
- Berry extracts anti-aging serum 833
- Bessel function 572
- beta-lactoglobulin 4
- β -glucans 8
- β -1,3-1,4-glucan synthases 56
- binary gel 678
- binding energies (BE) 475, 479, 500
- bio-based composites 10
- bio-based monomers 473
- bio-based succinic acid, and diols 180
- biocellulose 822
- biocompatibility status, of biodegradable polymers 811, 812
- biocomposites 23, 173, 181
 - based on agro-polymers 181
 - cellulose fiber reinforcement 181, 182
 - lignin and mineral fillers 182
 - based on aromatic copolyesters 183–186
 - based on biopolyesters 182, 183
 - cellulose composites 25, 26
 - cellulose-polymer interactions 26, 27
 - natural fiber composites 23–25
 - semi-solid composites 27, 28
 - thermal properties 184
- biodegradable nanocrystalline cellulose (NCC) 780
- biodegradable polyesters 177
- biodegradable polymers 174, 785, 786
 - classification 174
 - general pathways 786
 - natural and synthetic polymers 803
- biomacromolecules 87
- bionanocomposites 2
- bioplastics 7
- biopolyesters, chemical structures 178
- biopolymer-embedded biocomposites, recycling 790–795
- biopolymer microscopy systems
 - atomic force microscopy 619–621
 - cryo transmission electron microscopy 617–619
 - laser scanning confocal microscope 623–625
 - optical microscopes (OM) 612–614
 - scanning electron microscopy 614–616
 - scanning tunneling microscope 621–623
 - transmission electron microscopy 616, 617
- biopolymer microstructure application 625

- fibers
 - electrospinning 633, 634
 - phase separation in 633, 634
 - self-assembly fibers 632, 633
 - structure of 632
- hydrogels
 - applications of 630–632
 - structure of 630
 - for medical applications 638–640
- microspheres 626–629
- porous scaffolds
 - collagen-like nanofibrous scaffolds 637
 - membranes 637, 638
 - sponge-like 636, 637
 - structure of 636
- biopolymers 1, 3, 4, 37, 102
 - applications (*See* cosmetic applications, biopolymers)
 - biodegradation 2, 785
 - behavior 786–790
 - starch/PLA/PHEE, cross section 790
 - biopolymer-based materials
 - physicochemical properties 694
 - biopolymer film, schematic illustration 482
 - biopolymer gel 99
 - hypothetical stress–strain plot 680
 - biopolymer/protein mixtures 4
 - categories 473
 - characterization (*See* biopolymers, characterization)
 - definition 404
 - diffraction (*See* biopolymers diffraction)
 - impact on environment 102, 103
 - isoprene 38
 - lipid and phenolic 38
 - biopolymer cutin 38, 39
 - NMR of biological polymers 404, 405
 - physical gels 699–715
 - plasticization 161, 162
 - potential use 474
 - properties 403
 - role 37
 - solid-state NMR spectroscopy 403–436
 - collagen 428–432
 - elastin 432–435
 - silk 422–428
 - solutions 591–593
 - structure and dynamics 38, 404, 607
 - study methods 405–409
 - magic angle spinning 408, 409
 - oriented fibers 407, 408
 - static powder samples 406, 407
 - systems 536, 537, 553, 563, 584
 - geometry 583
 - large-scale structural characterization 583–608
 - structural characterization 593
- biopolymers, characterization 383
 - biological systems, and biomaterials 395–398
 - main relaxations (α – α' -modes) 397
 - secondary relaxation (β -mode) 396
 - temperature dependence 396, 397
 - native biopolymers 383–389
 - collagen 384–389
 - role OH hydration in biopolymers dynamics 389
 - fibrillar proteins 390–395
 - soluble biopolymers 389, 390
- biopolymers diffraction
 - beam size 574
 - choice of wavelength 573, 574
 - diffraction 569, 570
 - explicit model 572
 - line/point-focused beam 573
 - microfocus capacity and beam damage 578, 579
 - molecular conformation 574, 575
 - molecular shape from fiber diffraction 576, 577
 - monochromator and filters 573
 - polydisperse particles 575, 576
 - precise crystallographic coordinates 577, 578
 - structure factor, and scattered intensity 568, 569
- Biocore[®] 806
- biosorption mechanisms 511
- Biot number 748
- birefringence
 - size and angle 648
- blending laws 663
- blends
 - with chitosan 158–161
 - processing 163, 164
- Bohr magneton 445
- Boltzmann's constant 536, 652
- bone mineralization process 600
- botulinum toxin 831
 - crystal structures of 831
- broad asymmetric resonance 425
- broadband homonuclear correlation 418
- broadband recoupling methods 417
- 4-bromoaniline (BrA) 516
- Brownian diffusion 534
- Brownian mean-square displacement 562
- bulk polymers, molecular motion 451

- 1-butyl-3-methylimidazolium chloride (BMIMCl) 13
- c**
- CAB–dimethacrylate IPNs 218
- CAB–polyethylene glycol dimethacrylate IPNs 218
- caffeic acid 46
- calcium alginate (Ca(II)-Alg) hydrogel 215
- calcium ion, interaction 336
- Campanula rapunculoides* 65
- cancer-causing agents 844
- Candida albicans* 117
- capillary force lithography 264
- carbohydrate biopolymers 37, 48
- carbon-centered radical species 456
- carbon fiber 10
- N,N'*-carbonyldiimidazole (CDI) 492
- Carbopol gels 711
- carboxymethylated cellulose fibers 809
- carboxymethylation 14
- carboxymethyl cellulose (CMC) 144, 675, 723, 809
- cardiomyocytes 620
- carrageenans 8, 826
- carrageen (carrageenan), cosmetic applications 839, 840
- Carreau–Yasuda model 153
- Cartesian analysis 649
- cartilage 102
- casein 8
- hydrolysate 690
- casting system, schematic of 746
- catecholamines 124
- cefepodoxime proxetil oral suspension 810
- cellulose 1, 2, 8, 10, 12, 37, 49, 109, 218, 454, 483–507, 674
- activation with imidazole derivatives 492–506
- fibers controlled surface modification by amino derivatives 499–506
- hemin surface grafting on cellulose films 492–496
- metallic nanoparticles growth on cellulose surface 496–499
- allomorphs 12
- applications 53
- biosynthesis 50, 51
- rosette terminal complexes 50, 51
- CDI activation 493, 494
- cellulose synthase (CesA) protein
- hypothetical model 52
- chains reaction 489
- chemical structure 11
- components 503
- composition 49
- critical plasticization 457
- derivatives 218
- extraction 12, 13
- fibers 9, 455, 499
- films 497, 513, 517
- activation, with isocyanate derivatives 488–492
- production 484
- gels 461
- gum 837
- cosmetic applications 837
- homogeneous chemical modification 483
- hydroxyl groups 498
- microfibrillated 12, 14
- nanocellulose 13, 14
- nanowhiskers 14, 15
- sources 16
- native cellulose, steps in assembly 12
- occurrence 49
- oxidation scheme 463
- phosphate 218
- phthalocyanine adsorption, on ultrathin cellulose films 485–488
- plasma membrane, side for catalysis 53
- polymerization 51, 52
- properties 49, 50
- regenerated film
- ATR/MIR spectra 515
- XPS spectra 490
- signal 491
- size 11
- structure 49
- surface modification 496
- synthases 53, 110
- ultrathin films 477, 524
- cellulose, cellulose surface studies tool 484
- works 506, 507
- cellulose acetate butyrate (CAB) 218
- cell wall
- of marine algae 351
- polysaccharides, function 353, 460
- centerband-only detection of exchange (CODEX) 422
- Ceratonia siliqua* 17
- charge neutralization 600
- chemical shielding anisotropy 406, 407, 408, 413, 435
- chemical shifts 413, 430
- distribution 412
- chitin 37, 110, 124
- application 134

- biochemistry of synthesis 114
- chemical structure 509
- cosmetic applications 840
- historical events 110–112
- Leloir pathway 113
- model for chitin microfibril 122
- noncuticular chitin, in insects 131–133
- organization
 - in arthropod cuticle 119–123
 - in fungal cell wall 118, 119
- organizing factors 123–126
- orientation by microvilli 120
- as structural element 133, 134
- synthesis inhibitors 130, 131
- from trehalose 112–115
- chitinases 110, 122, 819
- chitin gelation process
 - mass transfer model 747
- chitin hydrogel modeling
 - schematic of 755
 - vapor gelation process for 757
- chitin-organizing factors 123
- chitin-protein matrix 128
- chitin synthase enzyme (CHS) 118
- chitin synthases 110, 115–117, 123–126
- chitin synthesis in fungi, regulation 117, 118
- chitosan (CS) 8, 144, 212, 221, 509, 615
 - based blends 145
 - based IPNs 216
 - based sorbents 511
 - chemical structures 236, 509
 - cosmetic applications 840
 - gelation process 764
 - mass transfer model 764
 - grafting of MAH on NR and reaction of NR-g-MAH with 160
 - hydrogels (*See* chitosan hydrogels)
 - hydrophobic 239
 - polymer chains 761
- chitosan hydrogels
 - by ammonia penetration, and chemical reaction 760
 - formation
 - gelation, visual observation of 762
 - gelation front 761
 - mass and heat transfer equations 762
 - mass transfer model 764
 - PDE system 763, 764
 - visual observation of 762
 - geometry for 763
 - modeling 763
 - PDE system 763, 764
 - preparation of 761
 - vapor gelation process 761
- chitosomes 118
- Chlamydomonas reinhardtii* 62
- chondrocytes 117
- chondroitin sulfate (ChS) 109, 225, 601, 602, 806
 - solution, SANS spectra 601, 602
- Chondrus crispus* 826
- Chromobacterium violaceum* 814
- Cht-based blends with different polyesters, mechanical properties 160
- cis-polyisoprene 67
 - cis-1,4-polyisoprene
 - biosynthesis 68–71
 - composition 67
 - occurrence 67
 - properties 67
 - structure 67, 68
- Cleopatra 827
- Cl⁻ ions 304
- Clivia miniata* 41
- Clostridium botulinum* 831
- Cochlospermum gossypium* 512
- CODEX experiment 431
- coefficient of linear thermal expansion (CLTE) 791
- coherent scattering 588
- coil-stretch transition 660
- coil-to-helix transitions 704
- collagen 217, 384–389, 428–432, 832
 - activation enthalpy 387, 388
 - as antiaging agent 833
 - compensation diagrams 388
 - in cosmetic surgery 833, 834
 - as ideal biopolymer 97
 - molecular mobility 386
 - molecules 832
 - relaxation times obeying compensation law 388, 389
 - in skin care 832, 833
 - structure analysis 384
 - thermal analysis 385, 386
- collagen-coated gum Arabic (GA) 512
- collagen fibers 618
 - birefringence 657
 - emulsifying properties 689
- colloidal magnesium aluminum silicate 838
- compatibilization 155–157
 - blend morphology and 162, 163
 - strategy 157
- complex modulus 676
- composites 157, 158
- conductivity 301, 305
- confocal laser scanning microscopy (CLSM) 558

- emulsion images 730
 - images of phase separation microfibrillar structure 634
 - Conidiobolus obscurus* 118
 - conservative dichroism 667, 668
 - consistency index 689
 - contact angle (CA) 505
 - contamination carbon 478
 - contrast factor 539, 596
 - contrast matching procedure 533
 - controlled radical polymerization (CRP) 4
 - conventional continuous wave (CW) EPR 448
 - cooperative concentration fluctuations 547
 - coronary heart disease 11
 - cosmeceutical agents 829
 - cosmetic applications, biopolymers 827, 830
 - biologically active peptides 835, 836
 - botulinum neurotoxin 831, 832
 - collagen 832
 - as antiaging agent 833
 - in cosmetic surgery 833, 834
 - in skin care 832, 833
 - cosmeceuticals 828, 829
 - general ingredients 828
 - ingredients function, class of 828t
 - placental proteins 834
 - polysaccharides 836
 - agar 838
 - agarose 838
 - alginates 842
 - carrageen (carrageenan) 839, 840
 - cellulose gum 837
 - chitin 840
 - chitosan 840
 - dextrans 841
 - gellan gum 839
 - glycogen 841
 - gumarabic 841
 - hyaluronic acid 842
 - hydroxyethyl cellulose (HEC) 837
 - hydroxypropyl starch phosphate (HSP) 841
 - methyl cellulose (MC) 837
 - pectins 840
 - pullulan 842, 843
 - starch 841
 - xanthan gum 838, 839
 - products, ingredients 828
 - protein hydrolysates 830
 - proteins 829–836
 - soy protein 834, 835
 - wheat proteins 834
 - Coulombic interaction 735
 - critical weber number (We_{cr}) 154
 - cross-correlation dynamic light scattering 552–556, 553
 - applications 553–556
 - theoretical background 553
 - crosslinked DNA gels 596
 - cross-linked polymers 462
 - cross-polarization
 - efficiency 434
 - magic angle spinning 429
 - spectrum 429
 - pulse sequence 410
 - cryotechniques 14
 - cryo TEM images 618
 - of disintegrated bacterial cellulose 618
 - of peptide-amphiphile nanofibers 633
 - vitrified suspension of fixed, and demineralized nacreous shell organic matrix fragments 619
 - cryo-transmission electron microscopy 541
 - CS/nHAp/nCu–Zn scaffolds 780
 - CS processing for use in tissue engineering 640
 - Cu(II)–RLMP complex EPR spectra 465
 - cumulus–oocyte complex (COC) 126
 - curdlan 8, 325
 - properties 342
 - structure of 824
 - cuticle
 - secretion, and cuticle formation 126–128
 - transcriptional regulation of production 128–130
 - cutin
 - biosynthesis 41, 42
 - molecular architecture 40, 41
 - monomers 39, 40
 - Cyamopsis tetragonolobus* 17
 - cynoethyl cellulose 218
 - cyclic deformation experiments 661
 - cyclodextrins 236, 237, 826, 841
 - $\alpha/\beta/\gamma$ -cyclodextrins 455
 - cytoplasmic endoplasmic reticulum 618
- d**
- Dactylis glomerata* 64
 - DANTE sequence 416
 - data evaluation process 608
 - DDS. *See* dynamic dielectric spectroscopy
 - debranching enzymes (DBEs) 62
 - Debye-like relaxation process 380
 - Debye relaxation 375
 - DECODER experiments 426
 - decoupling efficiency 411
 - degradation processes
 - cellulosic fibers 791

- chemical 40
- of chitosan 807
- due to hydrolysis 2
- enzyme 679
- fiber/matrix interface 783
- hydrolytic, for different HA-GMA hydrogel formulations 256
- induced 483
- mechanical 663
- of paper-based polymers 459
- of pectin, and oligogalacturonides 58
- by pepsin 629
- rate 150
- starch 61
- temperature 180
- thermal 453
- degree of acetylation (DA) 754
- degree of coverage 504
- degree of densification 604, 605
- degree of esterification (DE) 22, 723, 810
- degree of polymerization (DP) 10, 11, 50, 54, 66, 281, 287, 288, 822
- degree of substitution (DS) 239, 245–248, 250, 254, 460, 492, 677, 722
- dehydrogenated lignin-like polymers (DHPs) 44
- 2-deoxyglucuronic acid 340
- deoxyribo nucleic acid (DNA) 88, 89
 - chemical structure of bases 90
 - crowding effects 598, 599
 - folding 596–598
 - gels
 - SANS spectra 597
 - sequence 596
 - solution, ionic interactions 595, 596
 - structure 577
 - superhelix 598
- desorption experiments 462
- deuterated molecules, physical properties 591
- deuterium enrichment 407
- dextran 8, 217, 319, 325, 326
- dextran-based IPNs 217
- dextran methacrylate (Dex-MA)
 - derivative 215
- dextrins, cosmetic applications 841
- diabetes 11
- diamines (DA) 492
- diaminobutane (DAB) 497
- dichroism
 - circular 325, 326, 338
 - conservative 666–668
 - infrared 652, 662
 - maxima 666
 - parametric fit 665
- dielectric analyses, theoretical
 - background 372
- dynamic dielectric spectroscopy (DDS) 376, 377
 - analysis of DDS responses 378, 379
 - general principle 376
 - measurements 377
 - relaxation map 377, 378
- orientation polarization 373–376
- polarization mechanisms in materials 372, 373
- relaxation time 382, 383
- thermally stimulated currents 379, 380
 - complex thermograms, and experimental decomposition 380–382
- dielectric analysis (DEA) 226
- dietary fiber 10
- diethylaminoethyl (DEAE) cottons 506
- diethylene glycol (DEG) 783
- differential scanning calorimetry (DSC) 226, 443
 - curve, enthalpy changes 784
- differential thermal analysis (DTA) 463
- diffraction measurements 579
- diffusion coefficient 547, 548, 560
- diffusive wave spectroscopy (DWS) 558–561
 - applications 560, 561
 - theoretical background 558–560
- diglycerine tetraacetate 194
- 9(10),16-dihydroxyhexadecanoic acid 40
- N,N*-dimethylacetamide (DMAc) 754
- N,N*-dimethylacrylamide (DMAm) 218
- dimethylformamide (DMF) 243
- 5,5-dimethyl-1-pyrroline-*N*-oxide (DMPO) 461
- dimethyl sulfoxide (DMSO) 243
- diphenylphosphoryl azide 217
- 1,1-diphenyl-2-picrylhydrazyl (DPPH) 460
- dipolar-assisted rotary resonance (DARR) 417
- dipolar couplings 411
- dipolar moments 374
- dipolar recoupling
 - experiments 416
- DIPSHIFT experiments 430
 - Lee-Goldberg (LG) decoupling 431
- disaccharide 355
- disordered biopolymers 412
- disproportionating enzymes (D-enzymes) 62
- dithiothreitol 269
- Dixonella grisea* 352
- Doi-Edwards-Marrucci-Grizzuti (DEMG) model 658

- donepezil hydrochloride 810
 - doping
 - concentration 305, 307
 - effect of ion doping on swelling properties
 - and network structure of hydrogels 301, 302
 - of gels 279
 - levels 521
 - Doppler effect 534
 - double-helical DNA 583
 - double-quantum correlation spectroscopy (DOQSY) 412, 414, 425
 - data 423
 - experiments 413
 - spectra 425, 426
 - Dox crystals 616
 - doxorubicin 134
 - dry-heated WPI–dextran mixture 733
 - dual axle birefringence 648
 - dual oxidase protein (Duox) 125
 - DWS correlation functions 561
 - dynamic dielectric spectroscopy (DDS) 371, 376, 377
 - analysis of DDS responses 378, 379
 - general principle 376
 - measurements 377
 - relaxation map 377, 378
 - dynamic light scattering 545–552
 - to study structures and processes 548–552
 - theoretical background 545–548
 - dynamic light scattering (DLS) 250, 539, 546, 547, 550
 - cross-correlation 553, 556, 560
 - equipment 550
 - measurements 548
 - dynamic mechanical thermal analysis (DMTA) 781
 - dynamic scattering. *See* dynamic light scattering (DLS)
- e**
- Earth's gravity 751
 - edible films 801
 - effective attenuation length (EAL) 480
 - elastic modulus 677
 - elastic scattering 534
 - elastin 95–97, 432–435
 - structure 432
 - elastin mimetic, cross-polarization magic angle spinning studies 433
 - electromagnetic radiation 533
 - electron density 568
 - electron microscopy 539, 598
 - electron paramagnetic resonance (EPR) spectroscopy 443, 445, 452, 453
 - application 444
 - of biopolymers 443–467
 - antioxidant activity determination 460
 - biocatalytic oxidation/reduction 465, 466
 - biopolymer blends morphology and temperature-dependent behavior 463–465
 - biopolymers functionalization, polymerization/cross-linking 462
 - biopolymer surface/interface interactions 462
 - radical degradation pathways due to redox reactions of 458–460
 - radiolytic and photolytic irradiated degradation 453–458
 - small molecules through biopolymer structures penetration 461, 462
 - structure and molecular motions determination 453–460
 - thermal degradation 453
 - integral intensity
 - time dependence 459
 - principle 446
 - spectra analysis 453
 - spin probe
 - nitroxide radical 446
 - spin trapping techniques 466
 - theoretical background 445–450
 - electron spectroscopy, for chemical analysis 474
 - electron spin–lattice relaxation 455
 - electrospinning 2
 - electrospun fiber, from the AgNO₃-containing gelatin solution 617
 - electrospun gelatin fibers, optical microscope 613
 - electrostatic interaction 339
 - biopolymer hybrid 729
 - electrostatic protein–polysaccharide interaction 719
 - elongational flow-induced birefringence (EFB) 659, 660
 - elongation–recovery cycles 662
 - emulsions 717
 - biopolymer blends 724
 - covalent protein–polysaccharide conjugates 730–734
 - incompatible protein–polysaccharide blends 724–726
 - physical protein–polysaccharide interactions 726–730

- droplet coalescence 718
 - electrostatic protein–polysaccharide interaction 719
 - high free energy of 717
 - stability 727
 - enantioselectivity 40
 - endo- β -1,4-glucanase 91
 - entangling processes 682
 - enthalpy 184, 387, 391, 782, 784
 - enzymatic degradability 804
 - enzyme thrombin 805
 - epoxidized soybean oil (ESO)-based composites reinforced 779
 - 1,2-epoxypropyl trimethylammonium chloride 508
 - ethyl cellulose (EC) 837
 - 1-ethyl-3-[3-(dimethylamino)propyl] carbodiimide 245
 - ethylene glycol dimethacrylate (EGDMA) 212
 - ethylene oxide (EO) 837
 - excess Rayleigh factor 536
 - exopolysaccharides 317
 - exopolysaccharides 1644 337
 - solid-state conformations 317
 - double helix 323
 - no secondary solid-state structure 319
 - simple or/and double helices 321–323
 - single-chain conformation 319, 320
 - triple helix 323, 325
 - extracellular matrix (ECM) 87, 636
- f**
- facial moisturizer 835
 - fat–protein complexes 549
 - fat-reduced foods 825
 - fatty acids 40
 - fenugreek 8, 18
 - fermentations 8
 - fiber diffraction 577
 - fibers
 - chemical composition 426
 - EPR spectra 466
 - fibrillar proteins 390
 - activation energy 392
 - Arrhenius-like behavior 390, 393
 - degrees of hydration 392
 - internal protein motions 393
 - manifestation of glass transition 395
 - motilities in a hydrated protein 393
 - relaxation times 391
 - temperature dependence 390–394
 - p1 mode 395
 - fibrinogen 217
 - fibroin–agarose cryogels 102
 - field emission scanning electron microscopy (FE-SEM) 508
 - finite acceptance angle 556
 - flagelliform 422
 - flax 183
 - flow birefringence 656–660
 - collagens 657, 658
 - measurements 656, 658
 - polysaccharides 659, 660
 - proteins 656, 657
 - wormlike micelles 658, 659
 - xanthan gum solution 657
 - flow-induced optical anisotrop 653
 - fluoroprobe pyranine (8-hydroxypyrene-1,3,6-trisulfonic acid, trisodium salt) 307
 - 5-fluorouracil (5-FU) 221
 - folding test 689
 - food applications, biopolymers 820
 - alginic acid 825
 - bacterial cellulose 822, 823
 - carrageenan 826
 - chitin 819
 - chitosan 819
 - curdlan 823, 824
 - cyclodextrins 826
 - dextran 819–821
 - gelatin 825, 826
 - gellan 823
 - pullulan 824, 825
 - starch 825
 - xanthan 821, 822
 - food biopolymers classes 673
 - food packaging 801
 - food products 2
 - form factor 588
 - function 586
 - variation 589
 - fossil fuels 1
 - Fourier synthesis 577
 - Fourier transform 569, 570
 - characteristics 568
 - infrared imaging spectroscopy (FT-IRIS) 464, 512
 - fractal dimension 537
 - frequency-independent elastic modulus 563
 - friction coefficient 548
 - fructans 63
 - chemical structures 64
 - composition 63
 - Fn-type fructan 64
 - linear levan-type 64
 - occurrence 63
 - structure 63
 - fructosyltransferases 65

- FTIR dichroism spectroscopy 223, 513, 662
 FTIRS ATR/MIR importance 514
 fucans 351
 fucosyltransferases 56
 full width at half-maximum(FWHM) 491, 500
 furcellaran 8, 840
 furfural 57
- g**
- galactans 351
 galactomannans 7, 8, 10, 15, 16, 21
 – solubility 16, 17
 – structure 17
 galactose-3-sulfate 355
 galactose-6-sulfate 355
 galactosyltransferases 56
 galacturonic acids 21, 22
 gallic acid (GA) 460
 gallium arsenide (GaAs) 484
 Gaussian coil-like structure 572
 Gaussian conformation 593
 Gaussian function 568, 570
 gel
 – analysis, techniques and domains 700
 – “egg-box” model 336
 – strength 336, 344
 – types 342
 gelatin 217
 – chains, in helix conformation 709
 – film mechanical properties of 783
 gelatin/carrageenan-coupled network 710
 gelatinization 176
 gelatin sol–gel temperature 713
 gelatin solution, gelling 707
 gelation front
 – DA, influence of 766
 – relative position of 765, 766
 – temperature, influence of 766
 gelation process 551
 gellan 8
 – analogues 324
 – deacetylated 340
 – disorder–order transition 338
 – double helix 324
 – gels 340
 – OH(O) hydrogen bonds 324
 – properties 338–341
 gellan gum 678, 823, 839
 – cosmetic applications 839
 gellan systems
 – rheology–structure properties 682
 gelling globular proteins 543
 gelling properties, in presence of salts 336
 – $\beta(1\rightarrow3)$ -D-glucans 341, 342
 – $\beta(1\rightarrow4)$ -D-glucuronan 336, 337
 – – “egg-box” model 336
 – gellan and similar polysaccharides 337–341
 – polysaccharide 1644 337
 – YAS 34 342–345
 gelling temperatures 714
 gel organization, at different scales 700–704
 gel permeation chromatography (GPC) 663, 782
 gel rigidity 705
 Gelrite® 340
 gel strength analysis 689
 generalized Maxwell mechanical model 676, 677
 generally recognized as safe (GRAS) 823
 GHOST methodology 449
 glass transition temperatures (T_g) 182, 226
 global warming 7
 globular protein aggregates 557
 – schematic structure 543
 globular proteins 540, 541
 glucomannans 8, 10
 – synthases 56
 glucono- δ -lactone (GDL) 686
 glucosamine-6-phosphate synthase 113
 D-glucose-based linear molecule 574
 α -glucose-based polymers, small-angle X-ray scattering of 575
 glucose-1-phosphate (Glc1P) 62
 glucose-6-phosphate (Glc6P) 62
 glucose–starch mixture 507
 glucose-6-sulfate 355
 glucuronan, chemical structure 320
 glucuronic acid 112
 glucuronic acid (GlcA) 806
 glucuronoarabinoxylan 19
 – synthases 56
 glutaraldehyde (GA) 212, 217, 221, 223
 gluten 144
 gluten-free bread 822
 glyceraldehyde 220
 glycerol 46, 176
 glycerol–water system
 – Newtonian liquids model 681
 glycine (Gly) 102
 glycogen, cosmetic applications 841
 glycol chitosan (GCHI) 242
 glycol chitosan nanoparticles 243
 – *in vivo* noninvasive NIR image 243
 glycolic acid 37
 glycoproteins 10
 glycosaminoglycans (GAG) 600, 638

- glycosylation 113
 glycosyltransferases 51, 56, 58, 109, 118, 119
 glycyL-L-histidyl-L-lysine (GHK) 835
 Golgi apparatus 58
 GPI-cell wall proteins (GPI-CWPs) 119
 G-protein Rho1p 118
 Gram-negative bacteria 91
 granule-bound starch synthase (GBSSI) 62
 granule–substrate interface 508
 Grashof number 751, 752, 773
 gravimetric curves, for different chitin concentration 756
 α -guaiaicoxy-[3-hydroxy]-propriovertone (GHV) 457
 α -guaiaicoxylacetoveratrone (GAV) 457
 guanilate kinase (GK) 595
 guar gum 8, 17
 – structure 18
 Guinier approximation 570, 574
 Guinier plot 571
 Guinier region 590
 Guinier thickness plot 575
 gum arabic (GA) 8, 66, 217
 – cosmetic applications 841
 – polysaccharide emulsifiers 720
 gum karaya 66
 gums 511–513. *See also* guar gum
 – adsorbed metals and nanoparticles on natural gums 512, 513
 – XPS ability to characterize natural gums 512
 gum tragacanth 8, 66
 gyromagnetic ratios 410
- h**
 HA. *See* hyaluronic acid (HA)
 HA-g-PLGA copolymers 248
 Hartmann–Hahn condition 410, 420
 Hartree–Fock approximation 575
 H-bonds 321, 322, 323, 326, 327, 330, 334, 424
 health applications, biopolymers 802
 – biodegradable polymers 802, 803
 – human origin, polysaccharides of 806
 – chondroitin sulfate (CS) 806, 807
 – hyaluronic acid (HA) 806
 – hydrolyzable backbone
 – poly(α -esters) 810–813
 – poly(alkyl cyanoacrylates) 817
 – poly(anhydrides) 816
 – polycaprolactone (PCL) 814
 – polydioxanone 814
 – poly(ester amide) 815
 – polyglycolide 813
 – poly(3-hydroxyalkanoates)(PHAs) 814, 815
 – poly(lactide-co-glycolide) 813, 814
 – polylactides 813
 – poly(orthoesters) (POE) 816
 – polyphosphazenes 817
 – polyphosphoesters (PPEs) 817, 818
 – poly propylenefumarate (PPF) 816, 817
 – nonhuman origin, polysaccharides of
 – alginate 807, 808
 – carrageenans/carrageenins 810
 – cellulose 809
 – chitin 807
 – chitosan 807
 – gum arabic 808, 809
 – pectin 810
 – starch 809
 – xanthan gum 808
 – poly(amino acids) 803–806
 – collagen 803–805
 – elastin 805
 – fibrin 805, 806
 – natural poly(amino acids) 805
 – polymers, selection of 803
 – proteins 803–806
 heat deflection temperature (HDT) 791
 heat-induced glycinin gels 688
 heat transfer simulation 750, 751
Helianthus tuberosus 65
 hemicelluloses 10, 15, 54
 – applications 56, 57
 – biosynthesis 55, 56
 – categories 54
 – cellulosans 54
 – polyuronides 54
 – composition 54
 – occurrence 54
 – predominant constituents 54
 – properties 54
 – repeating disaccharides 55
 – structure 54
 hemicellulosic polysaccharides 351
 hemolymph 112
 heparan sulfate 109
 Herman's orientation function 660
 Herschel–Bulkley model 689
 heterogeneity, of hydrogels 301, 449
 – current measurements for morphology of gels 302, 303
 – effect of ion doping on 301, 302
 heteronuclear dipolar couplings 411, 418, 430
Hevea brasiliensis 67
 hexadecyltrimethylammonium bromide 195

- hexamethylene diisocyanate 197
- high-frequency scaling 680
- highly oriented pyrolytic graphite (HOPG) 622
- high methoxyl (HM) pectin 840
- high-power proton decoupling 429
- high-*q* regime 594
- HOGaPc 522
 - ATR/MIR spectra 519
 - hybrid systems 518
- HOGaPc-grafted film 486
- HOHE gels 687
- homogalacturonan (HG) 21, 57
- homo-IPNs 223
- homonuclear dipolar recoupling
 - methods 416
- homopolymers 179, 184
- human bladder tumors 134
- Human Genome Sequencing Project 596
- hyaluronan 8, 110, 326–330
 - Cotton effect 326
 - flow experiments 329
 - properties 327
 - role of pH 329, 330
 - structure 326, 327
 - viscosity behavior 327–329
- hyaluronic acid (HA) 110, 115, 117, 235, 236, 242, 603, 604, 806, 842
 - amphiphilic, nanoassemblies based on 249–253
 - chemical structures 236, 321
 - cosmetic applications 842
 - design of novel biomaterials based on 248, 249
 - methacrylated hyaluronic acid (HA–MA) 270
 - cross-linking mechanism 270
 - micromolding process 268
 - nanoparticles obtained from HA–cholic acid 251
 - patterning (*See also* hydrogels)
 - cocultures of ES cells with fibroblasts 265
 - fabrication of coculture system using capillary force lithography 264
 - of proteins and cells 264
 - soft lithographic methods used for 263
 - photoimmobilization process 266
 - self-assembled, nanoparticles for active tumor targeting 250
 - sequential cross-linking of acrylated HA 269
 - solubilization of hydrophobic dye, Nile red (NR) 254
 - structure of 806
 - surfaces for culture of cancer cells 267
 - synthesis 117, 806
- hyaluronic synthase 110
- hybrid thin films formation 485
- hydrated elastin
 - carbon-13 spectra 435
- hydrazinodeoxy cellulose 218
- hydrogels 214
 - bases 809
 - of biopolymers, for regenerative medicine 99
 - cellulose-derived biopolymers-based hydrogels 100
 - polysaccharide hydrogels 99
 - protein biopolymers-based hydrogels 100
 - for cell biology, and tissue engineering 254
 - engineering biological functionality 260, 261
 - patterning of hyaluronic acid 261–271
 - strategies for cross-linking of HA 254–260
 - cell viability test of human MSCs in peptide–HA-based hydrogels 262
 - formation 631
 - heterogeneity (*See* heterogeneity, of hydrogels)
 - images of encapsulated hMSCs in 269
- hydrogenation, of xylose 57
- hydrogen bonding 428
- hydrolysis 15
- hydrolytically degradable polymers 810
- hydrolyzable backbone, health applications
 - poly(α -esters) 810–813
 - poly(alkyl cyanoacrylates) 817
 - polyanhydrides 816
 - polycaprolactone (PCL) 814
 - polydioxanone 814
 - poly(ester amide) 815
 - polyglycolide 813
 - poly(3-hydroxyalkanoates)(PHAs) 814, 815
 - poly(lactide-*co*-glycolide) 813, 814
 - polylactides 813
 - poly(orthoesters) (POE) 816
 - polyphosphazenes 817
 - polyphosphoesters (PPEs) 817, 818
 - poly propylenefumarate (PPF) 816, 817
- hydrolyzed soy protein 834
- hydrophobically modified alginate (HMA) gels 677, 678
- hydrophobically modified water-soluble derivatives of chitosan 239
- hydrophobically modified water-soluble polymers 238

- hydrophobic chitosans 239
hydrophobic nanofillers 190
hydrophobization 244
hydroxo complexes 464
p-hydroxybenzaldehyde 46
hydroxycinnamic amines 46
hydroxyethyl cellulose (HEC) 218, 837
– cosmetic applications 837
2-hydroxyethyl methacrylate 221
hydroxyethyl methacrylate-derivatized
dextran 215
hydroxygallium phthalocyanine (HOGaPc)
solution 485
– cellulose films 485
hydroxyl ethyl cellulose 809
hydroxyl propyl cellulose (HPC) 809
hydroxymethylated (HM) LPs with C1-*p*-cresol
(HM-LP-P) 793
– cellulose control molds 794
– water absorption of 794
hydroxypropyl cellulose (HPC) 218, 723
– semidilute solution systems 659
hydroxypropyl methyl cellulose (HPMC)
723
hydroxypropyl starch phosphate (HSP) 841
– cosmetic applications 841
4-hydroxy-2,2,6,6-tetramethyl piperidine-1-oxyl
(4-hydroxy-TEMPO) 464
4-hydroxy-2,2,6,6-tetramethylpiperidinyloxy
(TEMPOL) 461
hyperfine coupling constants 447
hyperfine splitting 455
hypertension 11
- i**
imidazole carboxylic esters 492
INADEQUATE spectra 428
incident X-photon energy 475
incoherent scattering 588
indium tin oxide (ITO) 484
inelastic neutron-scattering methods 584
inelastic scattering 534
infrared dichroism 662
infrared spectroscopy 513–521, 520
– cellulose activation, with imidazole
derivatives 517, 518
– cellulose film activation, with isocyanate
derivatives 513–516
– hybrid systems of silver nanoparticles
– generated on cellulose surfaces 519–521
– new hybrid films
– based on cellulose and hydroxygallium
phthalocyanine 518, 519
inhomogeneous broadening 420
- intensity autocorrelation functions 549, 552
interaction peak 538
interfacial shear moduli
– deformation dependence 722
interfacial tension 545
interpenetrating polymer networks
(IPNs) 211
– antibacterial applications 228
– biomedical applications 227, 228
– casting–evaporation processing 220
– characterization 222–226
– FTIR spectroscopy 223, 224
– mechanical characterization 224
– morphological and structural
characterization 222, 223
– rheological 225
– swelling behavior 225, 226
– thermal 226
– derived from biopolymers 214
– applications 214
– drug delivery applications 226, 227
– emulsification cross-linking technique
220, 221
– freeze drying technique 222
– hydrogel IPNs 214
– manufacture 220
– miniemulsion/inverse miniemulsion
technique 221
– scaffolds for tissue engineering 227
– simultaneous IPNs 213
– thermoplastic IPNs 213
– types 212
– use for biological elements 228, 229
inulin 63
– applications 66
– biosynthesis 65
– de novo synthesis 65
– in Jerusalem artichoke 65
– metabolism in Asteraceae 65
ionic *p*-type semiconducting gels
303, 304
– electrical properties 304, 305
IPNs. *See* interpenetrating polymer networks
(IPNs)
island like model 492
isoelectric point 3
isoprene biopolymers 67
isotropic chemical shift 405
ITO/glass support 522
ITO XPS regions 487
- j**
jams 23
Jerusalem artichoke 65

k

- Kappa carrageenans 839
- karaya gum 8
- karaya polysaccharide (KP) 681
- κ -carrageenan gels 17
- κ -casein 8
- kenaf fiber biocomposites 778
- KGM/PAA IPN hydrogels 222
- konjac glucomannan 19
 - applications 19
 - sources 19
 - stability 19
- konjac glucomannan (KGM) 222
- Kuhn–Grün model 647
- Kuhn’s statistical segment 652

l

- labeled biopolymers, heteronuclear correlation spectra 420
- Lachenaia minima* 64
- lactide-derived polymers 219
- β -lactoglobulin 550, 551
 - concentration dependence 558
 - turbidity of 557
- β -lactoglobulin 8
- Langmuir–Schaeffer (LS) cellulose nanocrystal monolayers 521
- Larmor frequency 421
- laser scanning confocal microscopy (LSCM) 611
- Laue function 570
- Lee–Goldberg cross-polarization 411
- Lee–Goldburg decoupling 430
- Legendre polynomial 660
- Leuconostoc mesenteroides* 325
- Li–cellulose coordination complexes 13
- ligand-free heterogeneous catalyst 510
- light reaching detectors 553
- light scattering (Raman) 648–650
 - experimental setup 650
 - mechanism and applications 648–650
 - studies
 - of biopolymer systems 533–563
 - equipments 538
 - light-scattering intensity 551
 - methods 666
 - schematic 535
 - static scattering 534–545
- lignification 43
- lignin 10, 42, 44
 - biosynthesis 43, 44
 - degradation 466
 - linkages 43, 44
 - and mineral fillers 182

- models 457
- oxidation 465
- phenolic alcohol precursors 43
- ligno-cellulose fibers 181, 182, 484
 - laccase-catalyzed oxidation 466
- lignocellulosic fillers (LCFs) 184
- linear viscoelastic (LVE) 681
- lipids 37
- liquid–liquid transfers 747
- lithium chloride (LiCl) 754
- L-lactic acid (LA) 813
- local folding geometry 452
- locust bean gum (LBG) 17
- low-density polyethylene (LDPE) 825
- lower critical solution temperature (LCST) 601
- low methoxyl (LM) pectin 840
- Ly6 proteins 124
- lysyl-threonyl-threonyl-lysyl-serine (KTTKS) 835

m

- macroscopic polymers 660
- magic angle spinning 408, 409, 417, 431
 - application 415
 - effect 408
 - NMR methodology 415, 427
 - spectrum 432
- magnetic anisotropy 451
- magnetic field 407
 - density 445
- magnetization evolution 417
- Maillard-type conjugates 175, 731, 732
- mannans 15, 27
- mannose:galactose ratios 8
- mass absorption coefficient 573
- mass structure factor 538
- mass transfer model 744
- mastication process 680
- maximum elastic modulus 686
- Maxwell element 677
- mean square displacement (MSD) 562, 563, 680
- medical applications, uses
 - polymers, list 804
- melting temperature 180
- metallic nanoparticles immobilization 496
- methacrylamidopropyl trimethylammonium chloride (MAPTAC) 279
- methyl cellulose (MC) 723, 837
 - based films 780
 - cosmetic applications 837
- N,N*-methylenebisacrylamide (BIS) 221

- 4,4'-methylenebis(phenyl-isocyanate) (MDI) 488, 516
- methylene blue (MB) 727
- methyltransferases 58, 59
- micellar casein (MCN)–soy protein (SP) mixture 693
- microbial biopolymers, as drug delivery vehicle 92
- microbial cellulose 474
- microbial polysaccharides
- as biopolymers 90
 - applications 90–92
 - synthesis 90–92
 - secondary solid-state structures 318, 319
- microbial recombinant collagens 97
- production using genetic engineering 97, 98
- microbiocomposites 190
- microcrystalline cellulose (MCC) 27, 28, 506
- microcrystalline system 409
- microfibrillated cellulose (MFC) 14, 779
- microfluidics 4
- microgel-like aggrecan 606
- micro-rheology 547, 561
- Mie theory 540
- milk protein concentrate (MPC) 691
- milk protein gels 685
- Mimusops balata* 74
- mitomycin C (MMC) 134
- mixed biopolymer solution 545
- mmv* mutant 113, 127
- mode coupling theory (MCT) 704
- modeling 741
- application, to biopolymer systems 754
 - chitin/chitosan biopolymers, nature 754
 - chitin hydrogel 755, 756
 - chitin matrices, preparation 754
 - numerical results 756–760
 - biopolymer matrices fabrication 741, 742
 - boundary conditions
 - heat transfer 749
 - mass transfer 749, 750
 - boundary displacement 750, 751
 - discriminating 742
 - mass/heat transfer coefficients 751
 - forced convection 753
 - free convection 751–753
 - mass/heat transfer, coupling
 - Biot number 748, 749
 - heat equation 749
 - lumped parameter 749
 - methodology 745
 - basic assumptions 746, 747
 - casting system, schematic 746
 - geometry 745
 - mass balance equation 747, 748
 - thermodynamic model 747
 - numerical simulation 753
 - peptide systems 403, 435
 - predictive tool 742, 743
 - simulation approach for
 - bulk phase, mass transport 743, 744
 - heat transfer phenomena 744
 - mass transport 743
 - moving boundary 744
 - phase change 743
 - thermodynamics 743
 - validation for 744, 745
- molecular dynamics (MD) simulation 575
- molecular theory 647
- monochromatic neutron beam 586
- monochromator (MC) 650
- monochromator-based Raman scattering experiment 650
- monodisperse particles 547
- Monte Carlo (MC) simulation 575, 588, 598, 599, 729
- montmorillonites 187, 188, 189, 190, 193
- Mucor rouxii* 118
- Mueller matrix 646, 649, 650
- Multimode Nanoscope III microscope 522
- multiple particle tracking (MPT) 562
- mutant mur2, 26
- n**
- Na-based nanofiller 191
- N-acetyl chitosan (NACS) 241
- N-acetylglucosamine 112, 215
- NaCl concentration 710
- nanobiocomposites 174, 186
- nanocellulose 13, 14
- nanoclay-based nanobiocomposites 190
- nanoclays 192
- nanocomposites 2, 173
- thermal stability 192
- nano-copper-zinc (nCu-Zn)
- for bone tissue engineering 780
- nanocrystalline cellulose (NCC) 780
- nano-fibrillated cellulose (NFC) 14
- nanofillers 173
- nanogels, by inverse miniemulsion technique 222
- nano-hydroxyapatite (nHAp) 780
- for bone tissue engineering 780
- nanoparticles (NPs) 236
- nano-sized cellulose 473
- nanotechnology 2
- naphtha 68

- natural antioxidants, applications 460
 natural biopolymers 87, 403
 natural fibers 10, 483
 natural gums 511
 naturally occurring biopolymer family 89
 natural poly(amino acids) 805
 natural polymeric fluids, characteristics 646
 natural rubber 67. *See also* cis-Polyisoprene
 – applications 73
 – biosynthesis 71
 – NLCP mechanism 71, 72
 – initiation 71
 – propagation 71, 72
 – termination 72, 73
 NCO function 488
 neutral polymers 592
 neutron diffraction 653
 neutron–nucleus interaction 584
 neutron-scattering 593
 – experiments 589
 – lengths 587
 – theory 585
 Newtonian viscous liquid 705
 N-glycosylation 127
 N-hexanoyl chitosan (NHCS) 241
 nikkomycins 130
 N-isopropylacrylamide (NIPAAm) 221
 – hydrogel 304
 nitrobenzene oxidation 46
 nitroso molecule 450
 nitroxide 4-amino-2,2,5,5-tetramethyl-3-imidazoline-1-oxyl (AT) 461
 nitroxide orientation effect 447
 nitroxide probes 464
 nitroxide radicals 461
 NMR experiments 409, 421
 NMR resonances 404
 noncuticular chitin, in insects 131–133
 nonlinear elastic method 653
 non-sulfated glycosaminoglycan. *See* hyaluronic acid
 NO radical 450
 notch filter (NF) 650
 N-propionyl chitosan (NPCS) 241
 n-type semiconducting gels 303, 304
 – electrical properties 304, 305
 nuclear magnetic resonance-chemically induced dynamic nuclear polarization (NMRCIDNP) analysis 457
 nuclear spin interaction 420
 nucleic acid biopolymers 89, 90
 – chemical structure 90
 null mutations 124
 nutrient pollutants 630
- o**
 Oak Ridge National Laboratory (ORNL) 585
 obesity 11
 octavinyl polyhedral oligomeric silsesquioxane (ovi-POSS) 780
 – nanocomposites 780
 octenyl succinic anhydride (OSA) 509
 – starch 841
 – based microspheres 221
 Odijk–Skolnick–Fixman theory 603
 off-magic angle spinning proton-driven spin diffusion 425
 OH/OOH radicals, EPR lineshapes 450
 oil-in-water emulsions, heating, effect 734
 oligodeoxynucleotides (ODNs) 817
 OMMT aggregation 199
 optical anisotropy 659
 optical microscopes (OM) images 612
 – of alginate droplets 627
 – of volume phase transition of microspheres 629
 optical techniques 646, 654
 organic moieties 501, 502
 organogenesis 351
 orientation angle 667
 orientation-distribution evaluation and reconstruction (DECODER) experiment 415
 orientation distribution function 661
 oriented fibers 407, 408
 oscillating electric field 567
 oscillation frequency 677
 oscillatory shear rheology (OSR) 225
 osmotic compressibility 547
 osmotic pressure 10
 ozonolysis 41
- p**
Palaquium gutta 73
 palladium catalysis 510
 palladium species 510
 palmitoyl-lysyl-threonylthreonyl-lysyl-serine (pal-KTTKS) 836
Parthenium argentatum 67
 partially hydrolyzed polyacrylamide (PHAM) 225
 particle–liquid systems, structural characterization 673
 particle–particle interactions 673
 PBS/Cht blends, mechanical properties 159
 PDB structures 434
 Peclet regime 667
 pectin 723
 pectin from sugar beet (SBP) 723

- pectin gels, elastic moduli 810
- pectins 8, 21–23, 57
 - amidated pectin 23
 - from apple, hypothetical structure 22
 - applications 59
 - biosynthesis 58, 59
 - categories, according to methoxy content 22
 - components 57
 - composition 57
 - cosmetic applications 840
 - major sources 58
 - occurrence 57
 - rate of gelation 22
 - sources 23
 - structure 57, 58
- peptides, cosmetic applications 836
- petroleum-based polyesters 179
- phase-modulated schemes 411
- phenomenological approach 676
- phenylcarbamate formation 515
- phenyl-isocyanate (PI) reaction 489
- phenylpropane 10
- phosphate-cross-linked waxy maize starch (PCS) 691
- phosphoglucomutase (PGM) 62
- phosphoproteins 8
- photoelastic modulator 650
- photoelectron ejection, schematic representation 476
- photoelectrons escape 505
- photoimmobilization 263
- photolytic degradation reactions 453
- phthalocyanine structures 523
- phycocyanin 352
- phylosilicates 187
- Pichia pastoris* 97
- pig skin. *See* gelatin
- PLA adhesion 787
- plant cell cultures, for fermentation 684
- plant gums 66
- plasma membrane 119
- plasticized starch 176, 177
- plasticizer 145
 - on MMT dispersion 191
- polarimeters, schematic model 647
- polarimetry 646–648
 - experimental setup 647, 648
 - theoretical background 646, 647
- polarization
 - exchange curves 417
 - mechanisms in materials 372, 373
 - orientation 373–376
 - state analyzer 647
 - state generator 647
- poly (3,4-ethylenedioxythiophene) 218
- poly[(1,3)-2-acetamido-2-deoxy- β -D-glucopyranosyl-(1,4)- β -D-glucopyranosyluronic acid] 603
- polyacrylamide IPNs 218
- poly(acrylic acid) (PAA) 216
- poly(α -esters) 810–813
- poly(α -hydroxyl acids) 810
- poly(α -L-guluronic acid) 320
- poly(alkyl cyanoacrylates) 817
- poly(allylamine) (PAH) 216, 253
- polyanhydrides 93, 94, 816
- polyaniline 218
- polybutylene adipate 184
- polybutylene succinate (PBS) 180, 787
- polybutylene succinate/adipate (PBSA) 180
- polybutylene terephthalate 184
- polycaprolactones 179, 183, 814
- poly(carboxyphenoxypropane)-(sebacic acid)] (PCPP-SA) polymer 816
- poly(diallyldimethyl ammonium chloride) (PDADMAC) 215, 512
- polydimethylsiloxane (PDMS) 261
- polydimethylsiloxane–CAB IPNs 218
- poly(di-*n*-hexylsilane)
 - rheo-optical properties 655
- polydioxanone 814
- polydisperse systems 560, 570
- poly(ϵ -caprolactone) (PCL) 179
- polyelectrolyte hyaluronic acid (HA) 458
- polyelectrolyte polymers 238
- polyelectrolytes 318
- polyepichlorohydrin (PECH) 199
- poly(ester amide) blend 815
- polyesteramides 179
- polyesters 37, 145
 - based on agro-resources 177, 178
- polyethylene glycol (PEG) 178, 216, 599
- poly(ethylene glycol) macromer (PEGM) 226
- polyethylene oxide (PEO) 779, 837
- poly(ethylene oxide) nanocomposites 779
- polyglycolic acid (PGA) 37, 219, 810
- polyglycolides 813
- poly(hydroxyalkanoates) 473
- polyhydroxyalkanoates (PHAs) 1, 37, 92, 93, 178, 179, 214, 218, 777, 814
- poly(3-hydroxyalkanoates)(PHAs) 814, 815
 - classes of 815
 - general structure of 815
 - industrial production process 815
- poly(3-hydroxybutyrate) (PHB) 219, 777, 778
- poly(hydroxybutyrate-co-hydroxyhexanoate) (PHBHx) 179

- poly(hydroxybutyrate-co-hydroxyoctadecanoate) (PHBod) 179
- poly(hydroxybutyrate-co-hydroxyoctanoate) (PHBO) 179
- poly(hydroxybutyrate-co-hydroxyvalerate) (PHBV) 179
- poly(3-hydroxybutyrate-co-3-hydroxyvalerate) (PHBV) copolymer 219
- poly(hydroxybutyrate-co-valerate) (PHBV) 778
- polyhydroxybutyrate (PHB)
 - homopolymer 179
- poly(3-hydroxynonanoate) (PHN) 219
- poly(3-hydroxyoctanoate) (PHO) 219
- poly(3-hydroxyvalerate) (PHV) 219, 778
- poly(lactic acid) 37, 183, 787
 - stereoisomeric forms of 810
- poly(L-lactic acid) (PLLA) 510
- poly(lactic acid)-based
 - nanobiocomposites 193, 194
- poly(lactide-co-glycolide) polymers (PLGA) 219, 247, 813, 814
- polylactides 219, 813
- poly(L-lactide) (PLLA) 178, 780
- poly(L-lysine) (PLL) 253
- ϵ -poly-L-lysine (ϵ -PL) 92
 - applications 92
- polymacromonomer (PM) 654
- polymer gels, from biopolymers 279
 - experimental methods 279–281
 - fluoroprobe–polymer interactions 283–286
 - gelation kinetics 281–283
 - imprinting the gels 292–300
 - polymerization 281–283
 - real-time monitoring of monomer conversion 286, 287
 - sol–gel transition 287–292
- polymeric gel diodes 304
- with ionic charge carriers 305–307
- $J/m_{\text{gel}}-U$ characteristics 307
- polymeric p–n junction, working mechanism 305, 306
- polymerization 4
- polymer–nanofiller interactions 174
- polymer–polymer interactions 318
- polymers
 - analysis 474
 - blends 463
 - characterizations 463
 - materials 652
 - solubility parameters 150
 - matrix 463
 - microheterogeneous structures 443
 - mobility 184
 - nanocomposites 2
 - polymer 1644 338
 - rheology 646
 - solvation 592
 - polymer–solvent interactions 318
 - poly(methacrylic acid) (PMAA) 226
 - poly(methacryloyloxyethyl trimethylammonium chloride) (PDMC) 226
 - polymethyl methacrylate (PMMA) 834
 - poly(N-isopropylacrylamide) (PNIPAAm) 224
 - polynucleic acids 595–600
 - poly(orthoesters) 816
 - poly(orthoesters) (POE) 816
 - polypeptide radiolysis 458
 - polypeptides 583
 - polyphosphazenes 817
 - polyphosphoester copolymer 818
 - polyphosphoesters (PPEs) 817, 818
 - polypropylene (PP) 780
 - poly propylenefumarate (PPF) 219, 816, 817
 - polypyrrole (PPy)–cellulose composites 521
 - polysaccharide-based biopolymers 600–606
 - polysaccharides 1, 2, 7, 10, 11, 48, 109, 118, 236, 317, 600, 674, 801
 - adsorption 727
 - applications (*See* polysaccharides, cosmetic applications; polysaccharides, health applications)
 - conformations 317, 318
 - diversity in nature 600, 601
 - emulsions 719
 - polysaccharide 1644 337
 - roles 48
 - solid-state conformations 319
 - structural 49
 - surface-active 720–723
 - polysaccharides, cosmetic applications 836
 - agar 838
 - agarose 838
 - alginates 842
 - carrageen (carrageenan) 839, 840
 - cellulose gum 837
 - chitin 840
 - chitosan 840
 - dextrans 841
 - gellan gum 839
 - glycogen 841
 - gumarabic 841
 - hyaluronic acid 842
 - hydroxyethyl cellulose (HEC) 837
 - hydroxypropyl starch phosphate (HSP) 841
 - methyl cellulose (MC) 837

- pectins 840
 - pullulan 842, 843
 - starch 841
 - xanthan gum 838, 839
 - polysaccharides, health applications
 - nonhuman origin
 - alginate 807, 808
 - carrageenans/carrageenins 810
 - cellulose 809
 - chitin 807
 - chitosan 807
 - gum arabic 808, 809
 - pectin 810
 - starch 809
 - xanthan gum 808
 - polystyrene (PS)/poly(2,6-dimethyl-1,4-phenylene oxide) (PPO) 654
 - polyurethane (PU) 217
 - polyurethane–chitosan synthesis 464
 - polyuronates 801
 - poly(vinyl alcohol) (PVA) IPNs 216
 - polyvinylpyrrolidone 215, 216
 - poly(*N*-vinylpyrrolidone) (PNVP) 816
 - pore size 223
 - Porod law 538
 - Porod regime 590
 - Porphyridium aeruginosum* 352, 355, 361, 362
 - Porphyridium cruentum* 352, 355
 - porphyrins 518
 - grafting 517
 - position-dependent dynamics 452
 - power law 605
 - principal components 406
 - probability distribution functions 648
 - propylene glycol esters of alginate acid (PGA) 723
 - protein–polysaccharide interactions 720
 - schematic representation of 735
 - protein–polysaccharide solutions 724
 - proteins 1, 2, 3, 593–595
 - applications (*See* proteins, in cosmetic applications)
 - folding 593, 594
 - protein–anionic polysaccharide mixtures 727
 - protein-associated water 595
 - protein concentration 688
 - protein, cosmetic efficacy of 829
 - protein–GA interaction 728
 - protein hydrolysates 830
 - cosmetic applications 830
 - protein kinase Pkc1p 118
 - protein physical–chemical properties 690
 - protein–polysaccharide conjugates 731
 - protein–polysaccharide interaction 726, 728, 735
 - protein–water interaction 594, 595
 - used in industrial applications 8
 - proteins, in cosmetic applications 829–836
 - botulinum neurotoxin 831, 832
 - collagen 832
 - as antiaging agent 833
 - in cosmetic surgery 833, 834
 - in skin care 832, 833
 - placental proteins 834
 - protein hydrolysates 830
 - soy protein 834, 835
 - wheat proteins 834
 - proteoglycans 604, 638
 - proteolytic enzyme 679
 - proton-driven spin diffusion
 - experiments 412, 434
 - off-magic angle spinning 424
 - Pseudomonas elodea* 823
 - Pseudomonas oleovorans* 219
 - Pseudomonas stutzeri* 814
 - pullulan 319, 325, 326
 - chemical structure of 843
 - cosmetic applications 842, 843
 - pulse electron nuclear double resonance (ENDOR) techniques 465
 - pyranine 279
 - pyranose cycles 458
- q**
- q*-dependent scattering intensity
 - evolution 545
 - quasielastic neutron-scattering methods 584
 - quasielastic scattering 534
 - “quasi-equilibrium” conditions 412
- r**
- radiation-dependent constant 537
 - radiation photon energy 446
 - radiation scattering 533
 - radiation-scattering
 - techniques 534
 - radicals
 - EPR spectra 454
 - species, structures for 456
 - radius of gyration 537, 538, 570
 - Raleigh factor 538
 - Ralstonia eutropha* 219
 - Raman anisotropy 649
 - Raman microscopy (RM) 623
 - Raman scattered light 649, 650
 - Rayleigh constant 540

- Rayleigh–Gans–Debye (RGD) scattering 668
- Rayleigh instabilities 545
- reactive oxygen species (ROS) 466, 833
- recombinant collagen
 - production using genetic engineering 97, 98
- recombinant DNA technology 88
- recombinant genetically engineered biopolymer 95–97
- recombinant protein polymer production 94, 95
- recycled newspaper cellulose fiber (RNCF) 791
- red microalgae 352
 - bioactivities 362–365
 - disaccharides 355, 356
 - glycoprotein 356
 - monosaccharides 356
 - proteins in cell wall of 355, 356
 - rheology, of polysaccharide solutions 356–359
 - SCOP databases 356
 - sulfated polysaccharides from 352–354
- REDOR experiment 419, 423
- refractive index 538, 549
 - difference 661
 - tensor 647, 656, 666
- relative humidity (RH)
 - chitin solution thickness, water concentration profiles 760
 - experimental data and simulated results 758
 - water and NMP fluxes 759
- relaxation phenomena 447, 661
- relaxation times 382
 - distributions 550
- resonances, broad distribution 407, 408
- Reynolds number 624, 753
- rhamnogalacturonan-I 21
- rhamnogalacturonan I (RG-I) 57
- rhamnogalacturonan-II 21
- rhamnogalacturonan II (RG-II) 57
- rhamosan 340, 341
 - structures 340
- rheological behavior
 - of biopolymer systems 673–694
 - linear viscoelastic properties, mathematical modeling 676, 677
 - of meat proteins 689
 - of milk proteins 685–688
 - milk proteins and polysaccharides, mixtures rheological properties 690–693
 - of mixture systems 690–694
 - polysaccharide structure regarding rheological properties 674, 675
 - of polysaccharide systems 674–685
 - polysaccharide systems modeling 677–685
 - of protein systems 685–689
 - of soy proteins 688, 689
 - soy proteins, rheological properties of mixtures 693, 694
- rheological tests 686, 705
- rheologies 9
- rheology–morphology relationships 4
- rheometers 561
- rheometrics optical analyzer (ROA) 667
- rheometrics optical module (OAM) 656
- rheo-optical characterization
 - applications for biopolymers 652–668
 - applications 661–664
 - determination method of orientation 660, 661
 - fiber orientation degree, birefringent characterization 661
 - flow birefringence 656–660
 - orientation (liquid crystal) 660–664
 - particle characterization method 667
 - rheo-optical properties 667, 668
 - size of phase/particle 664–668
 - stress 652–656
 - of biopolymer systems 645–668
 - light scattering (Raman) 648–650
 - mechanism and equipment 646–652
 - polarimetry 646–648
 - rheo-optical Fourier transform infrared spectroscopy 651, 652
- rheo-optical FTIR spectroscopy 651, 652, 661, 668
 - experimental principles 651
 - experimental scheme 651
- rheo-optical instrument, schematic model 648
- rheo-optical techniques 544, 659, 662
- rhodamine B isothiocyanate 506
- Rhodella grisea* 354
- Rhodella reticulata* 352, 354, 361
- ribonucleic acids (RNAs) 599
- ribozymes 89
- rigid gel formation 675
- ring-opening polymerization (ROP) 177
- RMDP17 340
 - structures 340
- RNA as biopolymers 89
 - chemical structure of bases 90
- RNA folding 599, 600
- rotational diffusion coefficient 657
- rotational motion 448

- rotational resonance 416
- rotation echo double resonance (REDOR) 418
- R&R proteins 125
- rubber elasticity 711
- S**
- saccharides 57
- Saccharomyces cerevisiae* 98
- SALS patterns anisotropy 546
- Samia cynthia ricini* silk fibroin 423
- scanning electron microscopy (SEM) 443
 - images, of MMS 635
 - micrographs images showing the surfaces of reverse osmosis 637
 - micrographs of cross sections of porous scaffolds 636
 - micrographs of solid-walled-gelatin scaffolds and nanofibers-gelatin scaffolds 637
 - photographs of freeze-dried *N*-succinyl-chitosan/aldehyde hyaluronic acid composite hydrogels 632
- scanning tunneling microscope 621
 - image of A β fibril 622
 - image of domains formed by assembly of (R)/(S)-2-bromohexadecanoic acid on graphite 623
- scattered intensity 568
 - time evolution 542
- scattered light intensity 556
- scattered radiation 535
- scattering angle 556
- scattering contrast 536, 587, 588
- scattering curves 572, 591
 - of homogeneous sphere 571
- scattering intensity 536, 540, 543, 545, 549, 552, 596
- scattering length 535
 - density 587
- scattering techniques 533, 539, 607
 - advantage 544
- scattering vector 571
- scattering wave vector 535, 541, 544, 554, 586
- schizophyllan 8
- Schmidt number 752
- scleroglucan 8
- seaweeds 8, 352, 353
- sec61 β* mutant 126, 127
- secretion, and cuticle formation 126–128
- segmental optical anisotropy 652
- self consistent field (SCF) calculations 728
- self-diffusion coefficient 547, 559
- semiconductor substrates 491
- semi-flexible polymers 538
- semi-IPN hydrogels 212, 216
- sensitivity factors 481
- sensory texture perception 680
- sepiolite 190
- serine 102
- serpentine (Serp) 125
- serum albumin BSA 593
- shear strain amplitude 676
- shear stress 614
- short interfering (si) RNA 134
- short-lived radical species 449
- Siebert relation 547
- signal-to-noise (S/N) ratios 406, 449
- silk 422, 423
 - derived from silkworm, structural studies 423–425
 - derived from spiders structural studies 425–428
 - fibers, molecular structure 428
 - fibroin/polyacrylamide semi-IPN hydrogels 212, 425
 - protein 102
- silver nanoparticles 477
 - XPS Ag 3d region 478
- single-colored light 648
- single crystal diffraction 579
- single-molecule force spectroscopy 521
- sisal 183
- site-directed spin labeling (SDSL) 451
- size distribution histogram 576
- skim milk powder (SMP) 691
- skin tone 828
- Skygreen[®] 198, 199
- SL EPR spectroscopy
 - features 444
 - orientational sensitivity 452
- small angle light scattering (SALS) device 541
- small-angle neutron scattering (SANS) 443
 - advantage 607
 - advantages 584, 585
 - AggreCan assemblies 604–606
 - application 593, 607
 - basic principles 584–591
 - biopolymer systems, large-scale structural characterization 583–608
 - chondroitin sulfate 601, 602
 - crowding and RNA folding 599, 600
 - DNA, crowding effects 598, 599
 - DNA folding 596–598
 - DNA solution, ionic interactions 595, 596
 - form factor 588
 - hyaluronic acid 603, 604
 - physical background 585–587
 - polynucleic acids 595–600

- polysaccharide-based biopolymers 600–606
- polysaccharides diversity in nature 600, 601
- protein folding 593, 594
- proteins 593–595
- protein–water interaction 594, 595
- scattering contrast 587, 588
- set-up, schematic diagram 586
- similarities between synthetic and biopolymer solutions 591–593
- structure factor 588–590
- zero average contrast method 590, 591
- small-angle X-ray scattering (SAXS) 443, 584
 - model system 570–572
 - SAXS experiment 585
- small-deformation experiments 676
- Smoluchowski equation 649
- sodium alginate (SA) 215, 224, 842
- sodium caseinate (CN) 731
- sodium caseinate (NaCAS) 691
- sodium caseinate (SC)–xanthan 725
- sodium hyaluronate helix 322
- sol–gel transition 287–292, 699, 700, 704–711, 711–715
 - definition of 704, 705
 - gel formation techniques 705, 706
 - gel point determination method 706–708
 - gel uses to trap scattered elements 711, 712
 - physical gels and applications, mechanical reversibility 712
 - polymer gel 704
 - $\tan \delta$ curves 708–711
 - temperature curves 714
 - whipping temperature 712–715
- solid-state NMR spectroscopy 403–436, 404, 422, 430, 512
 - application 404, 422–435, 432, 436
 - collagen 428–432
 - elastin 432–435
 - silk 422, 423
 - silks derived from silkworm, structural studies 423–425
 - silks derived from spiders structural studies 425–428
 - biopolymers 409–422
 - cross-polarization 409–411
 - dynamics analysis 420–422
 - heteronuclear decoupling 411
 - heteronuclear dipolar recoupling methods 418–420
 - homonuclear dipolar recoupling methods 415–418
 - magic angle spinning dipolar recoupling/correlation spectroscopy 415
 - oriented samples, correlation spectroscopy 414, 415
 - unoriented samples, correlation spectroscopy 412–414
- solubility 193
- sorbitol 176
- soybean polysaccharides (SSPS) 683
- soy protein 834, 835
- soy protein isolate (SPI)–dextran 725
- soy protein isolate (SPI) films 784
- Sphingomonas paucimobilis* 340
- spider dragline silk 426
 - DOQSY and DECODER spectra 427
- spin-labeled polysaccharides 462
- spin labeling EPR (SL EPR) 444
- spin label rotational anisotropy 452
- spinning process 423, 424
- spin probe 451
- spin trap adduct 444
- spin trapping techniques 458
- spin traps denoted as spin trapping EPR (ST EPR) 444
- spreading coefficient 156
- Staphylococcus aureus* 638
- starch 1, 8, 21, 37, 59, 216, 507–509
 - applications 63
 - based blends 146, 147
 - biosynthesis 61–63
 - mechanisms for amylose biosynthesis 62
 - cationic 191
 - composition 59, 60
 - cosmetic applications 841
 - extrusion process 177
 - granules' melting 177
 - modification with dodecen-1-yl-succinic anhydride 155
 - nanocrystal-based nanobiocomposites 190
 - native starch structure 175
 - occurrence 59, 60
 - plasticized 176, 177
 - properties 60, 61
 - role 61
 - silylation, grafting of PCL, and desilylation 163
 - general strategy 163
 - starch-based homo-IPN microspheres 223
 - starch functionalization 508, 509
 - structure 60, 150–152
 - amylopectin 60
 - amylose 60
 - XPS ability to characterize native starch 508
- starch/PLA/PHEE bars
 - photographs of 788
- scanning electron micrographs 790

- in soil 789
 - starch–polycaprolactone (SPCL) blend 509
 - starch–poly(hydroxyester ether) (PHEE)
 - composites
 - tensile properties of 782
 - starch–sorbitol–water systems 782
 - static light-scattering data information 603
 - static powder samples 406, 407
 - static scattering methods 534–545, 595
 - cross-correlation dynamic light scattering 552–556
 - diffusive wave spectroscopy 558–561
 - dynamic light scattering 545–552
 - micro rheology using DLS and DWS 561–563
 - to study particular structures and processes, applications 539–545
 - dilute systems 539–543
 - undiluted systems 543–545
 - theoretical background 534–539
 - turbidimetry 556–558
 - St-based blends 158
 - Stokes/hydrodynamic radius 547
 - Stokes vectors 647
 - storage modulus 686
 - storage polysaccharides 59
 - strain force 681
 - Streptococcus pyogenes* 110
 - Streptococcus zooepidemicus* 326
 - stress-optical coefficients (SOCs) 652, 654, 655, 656, 658, 663
 - stress-optical law 647, 652, 654, 663
 - stress-Raman rule 649
 - stress relaxation 646
 - stress–strain curve 680
 - stress–strain diagram 652
 - stretching machine 651
 - stroke 11
 - structure factors 536, 555, 588–590, 598
 - suberin 45
 - aliphatic monomers 46
 - biosynthesis 47, 48
 - chemical composition 45–47
 - fine structure 47, 48
 - poly(acylglycerol) polyester model 48
 - properties 45
 - ultrastructure 45
 - suberization 45
 - succinoglycan 334, 335
 - solutions, properties 335
 - structure 334
 - sucrose 62, 65
 - sulfated polysaccharides 351
 - modifications 359–362
 - sulfhydryl-specific nitroxide binding 451
 - sulfuric acid 15
 - sunflower protein isolate (ISFP)
 - thermoplastic potential of 783
 - supercoiled DNA, intermolecular organization 599
 - superhydrophilic 615
 - superhydrophobic 615
 - supermacroporous cryogel matrix, from biopolymers 100, 101
 - protein cryogel 101, 102
 - formats 102
 - synthesis 101
 - superporous hydrogels 216
 - SUR (sulfonyleurea receptor) 131
 - surface tension 153
 - surfactants 187
 - synchrotron radiation 475
 - syntxin1A (syx1A)* gene 127
 - synthetic polymers 583
 - synthetic solutions 591–593
 - synthetic systems, molecular properties 432
- t**
- Takayanagi's equation 186
 - take-off-angle (TOA) 482
 - tamarind xyloglucan 26
 - tara 8
 - Taylor expansion 570
 - TCFB technique 658
 - Teflon liquid cell 514
 - TEM images, of MMS 635
 - TEMPO-mediated oxidation reaction 452, 462
 - TEMPO oxidation 14
 - tensile modulus, as a function of composition 158
 - tensile strength 155, 157, 161, 782
 - tensile tests 199
 - tetrabutylammonium (TBA) salt 243
 - tetramethylethylenediamine (TEMED) 279
 - texture profile analysis (TPA) 689
 - thermal diffusivity 753
 - thermally stimulated current analysis (TSC) 371
 - thermodynamic model 747
 - thermodynamics, of biopolymer system 743
 - thermogravimetric analysis (TGA) 184, 226, 791
 - thermoreversibility 214
 - thermoreversible gels 673
 - thioacidolysis 46
 - three-dimensional nanofibril network 506
 - time-resolved EPR (TR EPR) 455

- tin(IV) catalysts 196
torsion angles 413, 426, 433
total structure factor 591
traditional spectroscopic methods 513
transferred echo double resonance (TEDOR)
 experiments 419
transglycosylases 59
transient radical species 459
transition metal ions 458–460
transmission electron microscopy
 (TEM) 443, 611
trans-Polyisoprene 73, 74
trans-1,4-polyisoprene 73, 74
Tribolium castaneum 118
triethylene glycol (TEG) 783
Trigonella foenumgraecum 18
(trimethylsilyl)cellulose (TMS-C)
 derivative 484
trisaccharide 64
trisodium trimetaphosphate (TSTP)
 223
1,1,1-tris(*p*-hydroxyphenyl)ethane triglycidyl
 ether (THPE-GE) 779
TSC. *See* thermally stimulated current analysis
 (TSC)
TSG-6 (tumor necrosis factor-stimulated
 gene-6) 126
turbidimetry 556–558
 – applications 557, 558
 – theoretical background 556, 557
turpentine 68
two-color flow birefringence (TCFB)
 technique 654
two-dimensional correlation spectroscopy
 412
two-dimensional homonuclear
 correlation 418
two-dimensional techniques 414
tyramine 46
- u**
UDP-Glc 6-dehydrogenase 115
UDP-GlcNAc production 113
UDP-GlcNAc pyrophosphorylase
 113, 115
UDP-glucose 51, 53
ultra small-angle neutron-scattering
 (USANS) 594
ultrathin films 485
Ulva armoricana 779
ulvans 351
uncompatibilized blends 152–154
unimolecular micelles 238
UV-vis spectrophotometry 464, 507
- v**
van der Waals interactions 12, 630
vanillin 46
vapor gelation process 761, 771
 – principle of 761
 – simulation of 771
vapour induced phase separation (VIPS) 751
 – diffusion coefficient of ammonia 770
 – gelation problems 751
 – gelation process 752, 754, 758, 760
 – gelation time *versus* partial pressure of
 ammonia 768
 – gelation time vs partial pressure 769
 – mass transfer coefficient 769
 – mass transfer coefficient of ammonia 769
 – NH₃ concentration profiles 767, 768
 – pH profiles 767, 768
vermiform (Verm) 125
Vicia sativa 40
N-vinylpyrrolidone 816
N-vinylpyrrolidone (NVP) monomers 816
virial coefficient 536
viscosity 7, 153, 335, 338, 339
viscosity–shear rate reproducibility 664
vita skin care products 833
vitrification 14
Vogel–Fulcher–Tammann (VFT) law 383
vulcanization 68
- w**
wave/matter interaction techniques 701
waxy rice starch–SMP mixture
 – pasting profile (solid line) 692
Weber number (*We*) 154
Weissberger's system 458
whey protein concentrate (WPC) 727
whey protein isolate/cross-linked waxy maize
 starch (WPI/CWMS) blend 692
whisker-based nanobiocomposites 190
W/O/W emulsions images 613
WPC dry heating 732
WPI-formed weak network 693
- x**
xanthan 8, 17, 331–334, 338
 – applications 333
 – chemical structures 321
 – conformation 331
 – gelling properties 333
 – interactions, with galactomannans 333,
 334
 – rheological experiments 331
 – role of ionic strength 332
xanthan gum 725, 838

- cosmetic applications 822, 838, 839
 - Xanthin Night Cream 833
 - X-band EPR measurement 446
 - X-ray beam 578
 - X-ray diffraction 645
 - X-ray diffractometers 573
 - X-ray energies 483
 - X-ray fiber diffraction 576
 - quadrant 578
 - X-ray frequency 567
 - X-ray generator 573
 - X-ray induced degradation 483
 - X-ray intensity 573
 - X-ray photoelectron spectroscopy (XPS) 474
 - analyzer 505
 - atomic force microscopy 521–526
 - basics 474–483
 - biopolymers studying tool 473–526
 - cellulose 483–507
 - chitin 510
 - chitosan 511
 - data
 - atomic ratio Ag/C_{cell} computed from 499
 - gums 511–513
 - infrared spectroscopy 513–521
 - intensity ratio 481
 - qualitative aspects 475–480
 - binding energy and chemical shift 475–478
 - charge shifts and Auger parameter 478–480
 - quantitative aspects 480–483
 - atomic relative amounts 480, 481
 - degradation induced by X-ray 483
 - heterogeneities in depth 481–483
 - regions 490, 498, 504
 - peaks fitted in 491
 - spectrometer
 - simplified cross-section 475
 - starch 507–509
 - X-ray radiation 478
 - X-ray scattering 541, 549, 567–580, 585
 - beam size 574
 - choice of wavelength 573, 574
 - diffraction 569, 570
 - explicit model 572
 - line/point-focused beam 573
 - microfocus capacity and beam damage 578, 579
 - molecular conformation 574, 575
 - molecular shape from fiber diffraction 576, 577
 - monochromator and filters 573
 - polydisperse particles 575, 576
 - precise crystallographic coordinates from fiber diffraction/single crystal diffraction 577, 578
 - small-angle X-ray scattering (SAXS) model system 570–572
 - structure factor and scattered intensity 568, 569
 - X-ray interaction with electron 567, 568
 - X-ray scattering experiment 584
 - XSAM800 KRATOS database 481
 - XSAM800 KRATOS spectrometer
 - photograph 476
 - xylans 10, 15, 19
 - synthases 56
 - xylogalacturonan (XGA) 21, 57
 - xyloglucan 26, 54
 - synthases 56
 - xyloglucan endotransglycosylase (XET) 21
 - xyloglucans 7, 8, 10, 15, 20, 21
 - applications 21
 - extraction 21
 - structure 20
 - xylosyltransferases 56
- y**
- YAS 34, 342–345
 - Young's modulus 195, 197, 779, 782
- z**
- ZAC method 599
 - z-average diffusion coefficient 548
 - Zeeman constants 447
 - Zeeman coupling 445
 - zero average contrast (ZAC) condition 590, 591
 - zero average contrast method 590, 591
 - “zero-shear” specific viscosity 683, 685
 - zero-shear viscosity 679, 682
 - Zimm plots 590
 - zona pellucida (ZP) proteins 126

