

Index

a

abiraterone 426
 abnormal lactone (AL) 1495, 1496
 π -acceptors 828
 π^* -acceptor 810
 π -ligand 960
 accessible molecular surface (AMS) 834
 acenaphthene imine derivative ligands 257
 acetaldehyde 508
 π -from ethylene 500
 π -oxidation 95
 acetamide, transamidation of
 π -amino acid catalyzed 1436
 acetic acid 93, 709, 1526
 π -nickel-based catalysts 105
 acetic anhydride 110, 111
 2'-acetonaphthone 735
 acetonitrile 708, 1547
 acetophenones 726, 730, 732, 734, 738, 1047
 π -derivatives 726
 acetylcholinesterase (AChE) inhibitor 1496
 acetylidyne ligand
 π -on photocatalytic H₂ production 1668
N-acetylmannosamine (ManNAc) 920
 (+)-achalensolide, asymmetric synthesis 1300
 acid–amine coupling 1429
 π -boron derivative 1429
 acid–base interactions 860
 acid halides 525
 acidic hydrogen ion 492
 π -acidic ligands 1404
 acidic phosphate electrolyte, electrochemical properties 1142
 acids, promotor effect 1268
Acinetobacter calcoaceticus 908
 π -NCIMB 9871 909
 acridine-based bisphosphine ligand 1629
 acrolein acetal, Heck arylation of 974
 acrolein, arylation 974

acrylate 199, 1612
 π -derivatives 1115, 1117
 π -esters, synthesis of 1610
 acrylic acid 126, 1612
 π -based on CO₂ 1610
 π -thermodynamic situation 1611
 acrylonitrile-butadiene-polystyrene microencapsulated Os 1514
 actinides 1071
 activated carbon 1343
 activation energy 963
 activation reaction 233
 active catalyst system 283
 active noble metal complexes, reoxidation 1264
 acyclic diene metathesis polymerization (ADMET) 824
 acyclic ketones, BV oxidation of 1502
 acyclic precursors 1343
N-acyl- α -amino acid derivatives
 π -synthesis 1197
 acylamidines 1469
N-acyl amino acids 1535
 acylases 913
N-acyl cyclic amines 1535
 acyl hydrazones, with Rh/duphos 633
 acyl ligand 103
 acyl palladium complex 169
 acylphosphite 838
 1-adamantanol 1533
 adapalene 429
 adenine-thymine (A-T) 858
 adiabatic flash 100
 adipic acid
 π -fermentation of 1617
 π -production from LA 1629
 aerobic oxidation 1057
 Ag/Al₂O₃ catalyst 1445
 alcohol dehydrogenase (ADH) 901, 903

- alcohols
 - alcohol/ketone (A/K) ratio 711
 - oxidation 717, 720
 - oxidative carbonylation of 150
 - primary alcohols 453
 - secondary alcohols 1058, 1533
- alcoholysis 1262
- aldehyde amidocarbonylation
 - metal-catalyzed 1197
- aldehydes 1111
 - decarbonylation of 526
 - decarbonylative addition reactions 527
 - oxidative decarbonylative couplings 527
- aldimines 743
- aldol adducts 1048
- aldolases 918
- aldolization reaction 1101
- Al(III)-salen complexes 282
- aliphatic aldehydes 729
- aliphatic amides 743
- aliphatic amines/anilines, arylation of 752
- aliphatic carboxylic acid derivatives
 - decarbonylative elimination 529
- aliphatic polycarbonates 280
- aliskiren 1091
- alkali formates
 - by acidolysis 1605
- alkali metal-catalyzed hydroamination
 - reactions 1413
- alkanes 1526
 - borylation 1127, 1128
 - carbon monoxide copolymerization 837
 - C–H bonds, selective oxidation of 1525
 - coordination-insertion process 966
 - hydroxylation 713
 - metathesis 1073
 - oligomerization 1076
 - oxidation 705, 711, 714, 1526
 - selective oxidation of 1525
- alkene isomerization, transition metal catalyzed
 - functionalized alkenes 1370
 - metal-catalyzed isomerization 1365
 - non-functionalized alkenes 1367
- alkene metathesis 1071, 1337
 - case study 1073
 - catalysts optimization 1075
 - catalytic cycle 1073
 - Chauvin mechanism 1334
- alkenes
 - coordination-insertion process 979
 - [2 + 2] cycloaddition of 1391
 - enantioselective hydroamination of 1405
- Fe-catalyzed one-pot oxidative cleavage 1645
- hydroamination of 1389, 1403
- hydroformylation reaction 1198, 1561
- hydroxycarbonylation of 1563
- insertion 970, 973
- isomerization 1369, 1372
- rhodium-mediated hydrogenation of 720
- alkoxides (NaOtBu) 1612
 - as ligands 242
- alkoxycarbonylation 29, 123, 1563
- alkylation, palladium-catalyzed 456
- alkyl aldehydes 1326
- alkylaluminium 337
- alkylaromatic compounds 479
 - homogeneous liquid phase oxidation 470
- alkylated amine 1380
- N*(3)-alkylated triazoles 1545
- alkylating agent 208
- alkylation
 - nitrogen heterocycles 1323
 - TiCl_4 with aluminium alkyl molecules 204
- alkyl hydroperoxides 543
- alkylidene catalysts 1342
- 1-alkylimidazoles 755
- alkylmetallocenium ions 208
- alkylpalladium complexes 159
- alkylpalladium migration product 963
- alkylphenols 545
 - oxidation 548
- alkyl-substituted aromatic compounds 427
- alkyl-substituted vinyl groups 507
- alkylvanadium halide 205
- 4-alkynals, cyclization of 1325
- alkyne-dicobalt hexacarbonyl complexes 1291
- alkynes
 - carbonylation 118–125
 - complexes 1287
 - hydroamination catalyst 1380, 1391
 - hydroarylation of 1319
 - metathesis 1337
 - methoxycarbonylation reactions 120, 123
 - palladium catalyzed hydroformylation 58
 - photochemical carbonylation of 125
 - reductive amination 729
 - tetramerization 316
 - trimerization 1211
- alkynoates 142
- alkynoic acid esters 118
- 2-(2-alkynyl)anilines 1415
- α -alkynyl indoles
 - three-component synthesis 1477

2-alkynyl substituted arenes
 – cyclization 1206
 allene insertion 1465
 – allylation sequence 1465
 – carbonylative sequences 1468
 allenes
 – hydroalkoxylation of 853
 – regioselective carbopalladation 1464
 allenynes
 – $\text{Mo}(\text{CO})_6$ -mediated reaction 1302
 allyl alcohol, to 4-hydroxy-butyraldehyde 54
 allylamines 1568
 – hydroformylation 56, 62
 allylation intermediate, cyclization 1465
 π -allyl complex 1366, 1399
 allyl cyanide 61
 allyl derivative 1106
 allyl ether
 – arylation of 975
 – Heck arylation of 974
 – hydroformylation, regioselective 55
 allylic alcohols 627, 1056, 1511
 allylic aromatics
 – base catalyzed isomerization 1372
 allylic oxidation 706
N-allyl-4-methyl-*N*-(2-methylallyl)
 benzenesulfonamide 873
 π -allylpalladium chloride 344
 2-allylphenol, oxidation 548
 alpha-olefins, metallacycles 312
 γ -alumina-supported silver clusters 1447
 alumina surface 1070
 aluminium alkyls 207
 aluminium compounds 200, 205
 aluminoxane co-catalysts 208
 Amgens's hydroformylation approach 54
 amidases 913
 – penicillin G amidase 913
 amidation 1583
 – alcohols 1444–1445
 – aldehydes 1440–1442
 – carboxylic acids 1429–1431
 – esters 1437–1439
 – nitriles 1445–1449
 – oxime/oxime intermediates 1449–1452
 amide bond formation 1445
 – alcohol/nitrile coupling, ruthenium
 catalyzed 1444
 – reactions 1428
 amide compound 1278
 amide formation
 – BEMP catalyzed 1439
 – palladium catalyzed 1441

amide functionality 1435
 amides
 – large scale synthesis 1430
 – regioselective synthesis 1452
 amidinate catalyst 231
 amidinato ligands 194
 amidocarbonylation
 – metal-catalyzed 1197
 – reaction 1198
 amido(cyclopentadienyl)titanium
 compounds 198, 211
 amination reactions 1583
 – efficient Buchwald biaryl phosphine
 ligands 438
 – efficient Josiphos-type ferrocenylphosphine
 ligands 442
 – efficient trialkylphosphine and amino-
 phosphine ligands 449–450
 amine complex 1280
 – amine-*N*-oxide cycle 1514
 – hydroamination via oxidative addition
 of 1401
 – *N*-formylation 1428
 – nucleophilic attack 1398
 – oxidative carbonylation of 150
 – phosphite, hetero-combinations 860
 amine-containing cyclic diphosphine
 ligands 1164
 amine coupling 1447
 amino acid dehydrogenase (AADH) 904
 amino acid derivatives 1198
 amino acids (α -amino carboxylic acids) 752,
 904
 – synthesis of 904
 D-amino acids 914, 915
 2-amino-1-alkanols 154
 amino-alkenes
 – rare-earth metal catalyzed intramolecular
 hydroamination of 1381
 – thermodynamic profile, of intramolecular
 hydroamination 767
 α -amino α -alkyl esters 1455
 α -aminoalkyl radical 1121
 amino-alkynes 1390
 – cyclization of 1382, 1398
 β -amino-alkynes 58
 – hydroformylation 59
 amino-allenes 1385
 β -amino and β -hydroxyl esters 680
 aminocarbonylation 123, 1455–1456
 – of alkynes 1455
 – of aryl chlorides 1454
 – of heteroaryl bromide 1453

- metal catalyzed 1452
- *tert*-butylamine as ammonia surrogate 1454
- 6-aminohex-1-yne 1408
- aminohydroxylation 1510
- aminolysis 1271
 - of esters 1438, 1439
- aminomethylpyrrolidine 237
- aminopentenes yields pyrrolidine
 - cyclization of 1387
- aminophosphine ligand 318, 450
- (*S*)-1-aminopropan-2-ol 60
- amino troponiminato calcium 1396
- ammonium hexafluorophosphate 729
- amorphous cobalt-phosphate (Co-Pi) 1141
- amphiphilic phosphane-based micelles,
 - catalytic performance 856
- analogous nickel complex 1176
- Anderson–Schulz–Flory distribution 347
- anhydrides of dicarboxylic acids 912
- anidulafungin 426
- anilido complex 252, 1278
- aniline
 - accelerating effect 1269
 - cobalt-catalyzed oxidative carbonylation 1278
- anion effect 962
- anionic alkali metal bases 1612
- 4-anisidine 728
- anisoles
 - arenes, conversion in to 1634
 - hydrogenolysis of 1634
- anisyl derivative 1114
- annelated dihydrofurans, three-component synthesis 1465
- annelated isoquinoline derivative, four-component synthesis 1466
- annelated triazoline derivatives 1466
 - three-component synthesis 1467
 - transformation into isoquinolines 1467
- ansa-cyclopentadienyl-amido titanium complex 226
- ansa-lanthanocenes 1381
- anticancer cell sensitizing agent, imidazoline-based 1203
- anti-diastereomers 1511
- anti-Markovnikov addition product 736
- anti-Markovnikov hydrocyanation 1368
- anti-Markovnikov mechanism 503
- anti-Markovnikov products 737, 1379, 1401
- anti-Markownikov regioisomer 1386
- anti-Markownikov regioselectivity 1395, 1397
- antimigraine drug 1201
- antipsychotics 1207
- aqueous-biphasic, homogeneously-catalyzed process 73
- aqueous hydrogen peroxide 546
- aqueous-micellar solutions 869
 - with homogeneous and heterogeneous catalysts 870
- Arabidopsis thaliana* 907
- Ar–Cl oxidative addition 957
- arenes
 - alkanes, carbonylation of 1125
 - C–H functionalization
 - borylation of 1315
 - palladium-catalyzed 1210
 - decarbonylative C–H arylation 528
 - L-arginine 904
- Ar–I oxidative addition, alternative pathways 960
- aromatic acids
 - industrial production of 482
 - metal-catalyzed decarboxylation 481
 - structures 472
 - synthesis, future developments 487
 - via liquid-phase homogeneous aerobic oxidation 471
- aromatic alcohols 1056
- aromatic amines
 - aromatic bidentate amines 258
 - oxidative carbonylation 1262
 - redox carbonylation 1262
- aromatic carboxylic acids
 - bifunctional activation 1272
 - co-catalyst, role as 1268
 - manganese(II) oxide and sodium hydroxide 470
 - protodecarboxylation of 533
- aromatic C–H transformations 1315
- aromatic enone 1116
- aromatic hydrocarbons 207
- aromatic isocyanates
 - large-scale generation 1261
- aromatic polycarbonates
 - synthesis of 274
 - technological routes to 275
- aromatic triflates 415
- aryl–palladium bond 1200
- Arthrobacter aurescens* 917
- artificial metalloenzymes 849
- aryl alkyl carbinols
 - Oppenauer oxidation 1628
 - aryl alkynes hydrogenation 58
- N*-arylamides and acetanilides 1456

- aryl amines
 – formation 436
- arylarsenic 1486
- arylating agents 415
- α -arylation 757
- β -arylation 970
- N*-arylation 752
- aryl azides 729
- aryl benzenesulfonates
 – Pd-catalyzed amidation 441
- aryl boronic acids 1053, 1466
- aryl bromides 1121
 – hydroxylation of 458
- Pd-catalyzed amination 436
- aryl chlorides 823
 – amination 439
- Buchwald–Hartwig amination 448
- high turnover number Pd-catalyzed amination 447
- hydroxylation of 458
- aryl diazonium salts 823
- aryl halides
 – alkynylation of 754
- Buchwald–Hartwig amination 443
- coupling with carbon nucleophiles 754
- decarboxylative trifluoromethylation 537
- oxidative addition 956
- palladium-catalyzed alkoxylation 454, 456
- palladium-catalyzed amination 445
- palladium-catalyzed coupling 449, 456, 953
- palladium-catalyzed hydroxylation 457
- Pd-catalyzed intramolecular etherification 454
- aryl iodides 752, 753
 – alkynylation of 755
- aminocarbonylation 1453
- oxidative additions 960
- aryl ketones
 – decarboxylative synthesis 537
- transfer hydrogenation 632
- aryl mesylates
 – Pd-catalyzed amination 448
- aryloxy-function 192
- aryl–palladium bond 146
- γ -arylpropanoic esters 974
- α -arylpropionic acids 912
- aryl sulfonates 536
- aryl tosylates
 – Buchwald–Hartwig amination 445
- with Josiphos-type ligands 443
- Pd-catalyzed amination 442
- asymmetric BV oxidation 1488
- asymmetric dihydroxylation (AD) 1510
 – catalyst 709
- cinnamates and asymmetric alcoholysis (AA)
 of styrene 1511
- asymmetric epoxidation 699
 – of *trans*-2-heptene 705
- using of α,β -unsaturated ketones 700
- asymmetric hydroamination catalysts 1387
- asymmetric hydrogenations 1051, 1086, 1087
 – of imines 782
- of silyl enol ethers 783
- asymmetric hydrosilylation 738
- asymmetric photocatalysis 1099
- asymmetric triaryl compounds 823
- atactic material 200
- atactic polynorbornenes 220
- atactic polypropylene 194, 217
- atactic polystyrene 242
- atazanavir 429
- atom transfer radical addition (ATRA)
 mechanism 897
- atom transfer radical polymerization (ATRP) 225, 882
- atorvastatin 916
- atropisomeric biaryl ligands 625
- Au-NHC catalyst 1445
- autothermal reforming (ATR) 40
- avantium 1621
- azabutadiene formation 1479
- azametallocyclobutene 1390
- aza-Michael addition 1551
- β -azido-ribose 1549
- azoxybenzene 1268, 1274
- b**
- Bacillus subtilis* 912
- back-bonding interaction 958
- backbone polymer chain 210
- (*R*)-(–)-baclofen 1490
- Badische Anilin- & Sodaefabrik (BASF) 68
 – hydroformylation process 68
- menthol process 1092
- Baeyer–Villiger monooxygenases (BVMO) 908
- Baeyer–Villiger (BV) oxidation 908, 1054
 – of ketones 1485
- one oxygen atom 909
- Baeyer–Villiger product 1500
- Barton decarboxylation reaction 533
- Bd/MeOH, telomerization of 368
- BDMS. *see* Bromodimethylsulfonium bromide (BDMS)
- Beckmann rearrangement 1451

- benzaldehyde 474, 739
- benzamidinate ligands 194
- benzeneboronic acid derivatives 1430
- benzene carbonylation 1126
- benzene derivatives 1100
- benzene oxidation 714
- benzeneseleninic 1486
- benzhydrylamine hydroamination product 1393
- benzimidazole 1323
- benzofuranone 1470
- benzofurans
 - palladium catalyzed synthesis 1206
- benzoic acids 149
 - decarboxylation 533
 - halides 528
- benzolactam formation
 - via intramolecular aminocarbonylation 1455
- benzonitrile 743
- benzoquinone (BQ) 143, 504, 544
- benzothiophene 1570
- benzotriazole 1437
- benzoxazolones 151
- N*-benzoyl-L-glutamic acid 1536
- N*-benzoyl-L-proline 1536
- benzyl alcohol 718
- benzyl benzoate, hydrogenation of 647
- benzylic bromides
 - formation 481
 - solvolysis 484
- benzylideneacetone 730
- benzylidene moiety 825
- N*-benzyl-*N'*-(2-arylethyl)piperazines 1413
- benzyne
 - *in-situ* generation 1204
- berseran 1206
- BET surface area 1009
- BF₂-bridges 1672
 - cobaloximes 1674, 1677
- biaryl diphosphines 634
- bicyclic allylic amines 1415
- bicyclic compound 1109
- bicyclic cyclobutane derivatives 1115
- bicyclic dienone 1300
- bicyclic enones 1287
- bicyclopentanoids
 - palladium catalyzed synthesis 1204
- bidentate carbene system 964
- bidentate diphosphines 357
 - ligands 161
- bidentate ligand, conformational flexibility 834
- bidentate phosphine–phosphoramidite ligand 1050
- bidentate sp²-nitrogen ligands 168
- BILN 2061 inhibitor 1346
- bimetallic catalysis 772
 - Cu/Pd-catalysts 536
- bimetallic decarboxylative cross-coupling reaction 535
- bimetallic phosphinimide complexes 230
- bimetallic Rh/Ni system 527
- (*R,S*)-BINAPHOS 59
- (*R*)-BINAP/(*R,R*)-DPEN pair 657
- BINOL-based ligand 854
- binol-complex 194
 - POOH derivative 643
- binuclear complexes 227
 - chromium complexes 317
- binuclear mechanism 317
- binuclear metallacycles 313
- biocatalysis 898, 902
 - choice of reaction systems 902
 - cycle 900
 - kinetic resolution/asymmetric synthesis 901
- biodiesel 1593
 - production 1636
- bioinspired catalyst design 1572
 - copper-based catalytic systems 758
- bioinspired diiron complexes 1659
- bio-inspired flavin mimics 1499
- biologically active quinones 543
- biological screening 1085
- biomimetic ligands
 - used in iron catalyzed alkane oxidation 710, 712
 - used in oxidation reactions 719
- biomimetic oxidation, with perfluorinated porphyrin complexes 719
- biotin binding pocket 850
- biotin moiety, diphosphine ligand 1572
- biotin–spacer–ligand scaffold 851
- biotin–streptavidin technology 850
- Biox 168
- biphenol/diamine 840
- BIPHEPHOS 36
- bipyridine
 - 2,2'-bipyridine 1143
 - 4,7-dimethylphenanthroline 1679
 - ligands 161, 1676
- bipyridyl pyrazolate 1142
- bisallenes 1466
- bis-butadiene palladium complex 345
- biscationic iridium catalyst 1626
- bis(η^5 -cyclopentadienyl) scaffold 191
- bis(cyclopentadienyl)titanium(IV) compounds 207

- bis(diphenylphosphino)propane (dppp) 56, 1298, 1563
 bis(fluorenyl)zirconocenes 210
 bis(hydroxo) bridged dinuclear vanadium core 1532
 bis-ligated MAO activated phenoxyimine 237
 bisoxazoline 169, 860
 bis(oxazolinyl)phenyl (phebox) ligands 738
 bisphenol A
 – aromatic and aliphatic polycarbonate structures 273
 bis(phenolato) ligands 194
 bis(phenoxy) catalysts 195
 bis(phenoxy) complexes 194
 bis(phenoxyimine) complexes 198
 bis(phosphine) palladium complex system 437
 bis(phosphinimino)methanide bis (dimethylsilylamine) complexes 1389
 bis(phosphinimino)methanide cyclooctatetraene complexes 1389
 bis(phosphino)amine ligand (PNP) 342
 1,2 bis-phosphinoethane scaffold 1093
 bispidine ligands 711
 black liquor 1630
 bleaching catalysts
 – structures of ligands 523
 block copolymers 238
N-Boc-2-aryl-4-alkynyl pyrroles
 – three-component synthesis 1477
N-Boc-4-iodo-2-substituted pyrroles
 – three-component synthesis 1476
 Boc-protected amino-esters 678
 Bolm's original catalytic system 1488
 bonds
 – dissociation energies (BDEs) 811
 – forming reaction 1203
 – between growing polymer chain (P) and transition metal 249
 – strengths 1310
 borane 845
 borate activation 232
 boric acid catalyst 1430
 boron-based reagents 1434
 boron-capped tris(glyoximate) cobalt 1156
 boron trifluoride diethyl etherate ($\text{BF}_3\text{-Et}_2\text{O}$) 1448
 borosalicylic acid 121
 borylation 1316
 – of arenes 1319
 Boscalid 421
 bowl-shaped phosphine 360
 BP Cativa® process 103
 BP chemicals process 334
 BP SaaBre™ process 117
 BP trimerization catalyst system 321
 Brichima process 546
m,m'-bridged biaryldiphosphine 634
 Brintzinger-type *ansa*-metallocene structure 192
 Brønsted acids 728, 729, 1397, 1516
 – catalysis 1410
 bromides, alkynylation of 755
 2-bromo-4,6-dimethylaniline 749
 bromodimethylsulfonium bromide (BDMS) 1451
 bromoindoles 1452
 bromomalonate 1116, 1119
 2-bromomesitylene
 – hydroxylation recycling 458
 1-bromo-2,6-naphthalenedicarboxylic acid 487
N-bromophthalimide (NBP) 866
N-bromosuccinimide (NBS) 866
 bubble-column reaction system 1041
 Buchwald biaryl phosphine ligands 437
 Buchwald–Hartwig aminations 412, 437, 824
 Buchwald–Hartwig coupling 1478
 building block aldehyde 28
 bulky phosphines 359, 957
 bulky phosphites
 – hydrolysis rates of 843
Burkholderia cepacia 912
 butadiene 194, 248
 – 1,3-butadiene 827, 1595
 – diphosphines in telomerization 358
 – hydroformylation 49
 – telomerization of 347, 350, 374, 849
 butadiene polymerization
 – with aliphatic phosphine Co(II) complexes and MAO 262, 265
 – by (anilidomethyl)pyridine Zr(IV) complexes with Al(iBu₂H)/MAO 253
 – with aromatic phosphine Co(II) complexes and MAO 263
 – by bis(phenoxyimino)TiCl₂–MAO catalysts 253
 – by bis(phosphinophenyl)amido lanthanide complexes 271
 – by Cr(II) bidentate phosphine complexes with MAO 256
 – by (dibenzimidazolyl)Co(II)Cl₂ complexes and EASC 266
 – by dichlorotitanium complex in combination with MAO 253
 – by NCN–lanthanide complexes 271
 – with (NNN)Cr(III) complex with MAO 257

- with (salen)Co(II) complexes and MAO 265
- butadiene telomerization 343, 353
 - Smutny's mechanism 345
- n*-butanal 75
- n*-butanol 1349
- 1-butene 233, 337, 339
- butene hydroformylation 46
- 2-butenes 1039, 1375
 - (*E*)-2-but-enyl acetate 357
 - η^3 -butenylpalladium complexes 357
- tert*-butyl amine
 - anti-Markownikov addition 1392
- n*-butyl cinnamate synthesis 1029
- t*-butyl hydroperoxide 504
- tert*-butyl substituents 1162
- 2-butyne 722
- n*-butyraldehyde 45, 91
- BV monooxygenases (BVMOs) 1497, 1499
- BV oxidation 1492, 1499, 1500
 - of cyclic ketones 1487
 - diphosphine Pt^{II} complexes 1492
 - of ketones 1486, 1493
- C**
- caesium carbonate 759
- California red scale 1110
- 1,3-calix-diphosphite ligand 855
- Candida antarctica* 912
- Candida cylindracea* 912
- Candida rugosa* 912
- caprolactam 1451
 - fermentation of 1617
 - nylon-6, monomer for 1625
- carbamates
 - rhodium-catalyzed transfer 1570
 - synthesis, selenium catalyst, use of 1279
- carbamoyl complex 1271, 1278
- carbamoyl compound 1280
- carbazoquinocin C 1103
- carbene-oxazoline 640
- carbenes 1310
 - Ru complexes 640
- carbocations 1447
- carbo/heterocycles
 - steric and electronic variations 837
- carbohydrate-based
 - benzenesulfonamides 1549
- carbomethoxy cycle 131
- carbon allotropes 1100
- carbon catalyst 117
- carbon dioxide 280, 1601
 - catalytic hydrogenation of 832
 - emissions 1601
- hydrogenation 1604, 1607, 1610
- iridium pincer complex-catalyzed reduction of 895
- uses and storage 1601
- carbon nanofiber (CNF) 221, 222, 1044
- carbon nanotubes 221, 223, 1045
- carbon-nitrogen bond formation
 - palladium-catalyzed 436–450
- carbon-oxygen bond formation
 - efficient ligands, development of 455
 - palladium-catalyzed 450–458
- carbon–sulfur bonds by catalysis, formation of 1570
- carbonylation 92, 115, 1041, 1196, 1297, 1300, 1311
 - flavones and quinolines synthesis 1199
 - rhodium-catalyzed 1274
- carbonylative cyclization
 - palladium-catalyzed 1199
- carbonylative triazole synthesis 1202
- carbonyl complex 1271
- carbopalladation processes 1468
 - 4-carboxybenzaldehyde (4-CBA) 483
 - carboxylate-directed hydroxylation 1528
 - followed by lactonization catalyzed by Fe (bpbp) 1527
 - carboxylate-ligated Ru similar 887
 - carboxylates, ligand-free aminohydroxylation of 1510
- carboxylic acids 1486, 1530
 - amidation 1427–1433
 - amidation catalyst
 - boric and boronic acid 1430
 - amine 1427
 - conversion 477
 - decarbonylative cross-coupling reactions 531
 - decarbonylative elimination 528, 529
 - decarbonylative Heck reaction 530, 531
 - decarboxylative homo-and cross-ketonization 534
 - promotor effect 1267
- cis*-carbonylpalladation 507
- carboxypeptidase A 1572
- CaRLa 1611, 1612
- Carroll rearrangement 537, 538
- cascade molecular queuing processes 1467
- cataCXium® ligand 837
- catalysis
 - challenges 1380
 - without metals 643–644
- catalyst 240, 999

- based on half-titanocene 252
- based on iron-terpyridine complexes 258
- based on late transition metals 196
- for coordinative polymerization of styrene 201
- deactivation 1268
- CO complexes, role of 1620
- efficiency 1489
- heterogeneous 999
- high-throughput screening 198
- homogeneous 1000
- leaching 117
- recycling 821
- residues 337
- selectivity 1001
- stability 161
- – substrate complex 1537
- catalytic
 - active complex 962
 - active species 1099
 - – binuclear model 320
 - activity 1009, 1026, 1053
 - aldoxime rearrangement 1449
 - Beckmann rearrangements 1451
 - click reactions 1550
 - copper-catalyzed azide-alkyne cycloaddition (CuAAC) 1542
 - – quantitative chemical transformations 1541
 - ruthenium-catalyzed azide-alkyne cycloaddition (RuAAC) 1548
 - copolymerization
 - of ethylene- or propylene-oxide with carbon dioxide 226
 - decarbonylative/decarboxylative processes 524
 - hydroamination 1402
 - hydrogenation 723
 - – of ketones 724
 - – of nitro-aromatics 729
 - by P/B Lewis Pairs 775
 - without additional Lewis base 777
- intermediate $\text{Co}_2(\text{CO})_6$ 1288
- oxidation of *N*-benzoyl-L-proline 1536
- performance 1073
- polymerizations 247
- – of olefins 203
- catalytic tetramerization systems 322
- catalytic trimerization systems 318
- catechol (CA) 546
- cation exchanged zeolites 1408
- cationic
 - alkene polymerization 1071
 - alkylzirconocene complexes 1394
 - amphiphilic molecules 1497
 - cobalt complex $[\text{Co}(\text{bpy})_3]^{2+}$ 1676
 - cobalt polypyridine complexes 1167
 - late transition metal ethylene polymerization catalysts 240
 - Ni(II) diimine 240
 - palladium species 956
 - phenyl complex 956
 - $[\text{Rh}(\text{COD})\text{L}_2^*]$ complex 1562
- cationic Ni(II) catalysts
 - mechanism of branch formation 241
- Cativa® process 95, 103, 104
- cavity-containing tetrahedral metal-ligand 852
- C–B bond 1328
- C–C bond rotation 974
- C–C-coupling reactions 28, 413, 745, 1015
- calculated molecular structures of key intermediates 967
- proposed pathways 967
- C=C double bonds 651
- C=C hydrogenation 622
- 1-C₆/1-C₈ α -olefin 311
- CC π system 1412
- CECE mechanism 1150
- Ce(IV)-periodato complexes 1517
- cellulases 1617, 1618
- cellulose 1581
 - oxidation to CO 1618
- cerium(IV) salts 1517
- cetalox 664
- cetyl pyridinium bromide (CPB) 855
- cetyltrimethylammonium
 - hydrogensulfate 854
- C₁₈-fatty acids 1582
- CH activation 435
 - with organometal compounds, photochemically supported 1124
- chain-shuttling 199
 - agent 224
 - polymerization 238
- chain walking mechanism 196
- Chan–Evans–Lam-type process 543
- Chauvin mechanism 1335
- C_β-H bond 967
- C–H bond 1307
 - activation 1209
 - aminocarbonylations 1458
- CH₂CH₂ bridge 215
- chelate ring strain effects 371
- chelating
 - assistance strategy 1308

- assisted functionalization of arenes 1319
- bisphosphine dissociation 957
- ligand 162
- phosphinimide 230
- C–H elimination 313, 1398
- chemogenetic optimization 850
- chemoselectivity 119, 370, 1515
- chenphos 635
- C–heteroatom 745
- C–H functionalization 525, 1210
 - oxidative decarboxylative couplings 540
- C–H hydroxylation studies 709
- CH_3I oxidative addition 1561
- chiral β -amino acids 633
- chiral amino-alcohol titanium complexes 1396
- chiral 2-aryl propionic acids (*profens*) 60
- chiral backbone moiety 1495
- chiral bicyclic enones 1292
- chiral bis(diphenylphosphino-1,2-dimethylethane) (DPPDME) ligand
 - frameworks 323
- chiral bisoxazoline ligand 727
- chiral boranes 780
- chiral building blocks 1089
- chiral centers 1089
- chiral (*S,S*)-1,2-diphenyl-ethylenediamine (DPEN) ligand 658
- chiral enamine 1103
- chiral hydrogenation catalysts 1047
- chiral hydroxynitrile, synthesis of 918
- chiral iodine derivative 1123
- chiral iron complexes, for asymmetric epoxidation of olefins 698
- chiral ligand, used in oxidative kinetic resolution 717
- chiral lithium bisoxazoline (BOX) catalyst 1414
- chiral metal complexes
 - generic structural elements 623
- chiral metallocyclophanes, rigid square-shaped 854
- chiral *N,N'*-dioxide/ $\text{Sc}(\text{OTf})_3$ catalyst 1496
- chiral phosphine complex 1297
- chiral phosphinopyridine ligand 1490
- chiral phosphorus ligands 829
- chiral pool-based intermediates 1090
- chiral pyridine 1098
- chiral supramolecular triangle 853
- chiral systems 193
- α -chiral thioethers 1571
- chiral titanocene 213
- chiral tridentate bisoxazoline ligands 738
- chiral zirconocene compounds
- acemic mixture of, 214
- chiraphos ligand 323, 1092
- chlorination 1583
- chlorine-coordinated catalysts 243
- chloroalkylaluminium 336
- α -chloroamide
 - palladium-catalyzed carbonylation 1202
- chlorobenzene 1612
- chloro(1,5-cyclooctadiene)rhodium(I) dimer 529
- 2-chloroethanol 502
- chloroformates 1469
- 4-chloroquininaline
 - catalyst recycling amination with morpholine 450
- chlorosulfonic acid 1434
- C–H oxidations 1528
 - regioselectivity 1535
- chromacyclopropanone structure 1102
- chromium catalysts 255, 1531
- chromium–chromium interaction 317, 318
- chromium ethyldene complex 326
- chromium heteroscorpionate complexes 324
- chromium tris(acetylacetone) 325
- chromium tris(2-ethylhexanoate) 320, 325
- cinacalcet 429, 431
 - hydrochloride 415
 - synthesis 53
- cinchona alkaloid ligands 1510
- cinnamaldehyde
 - selective formation 974
- citronellal 1087
- Clariant's process 148
- CLAs. *see conjugated linoleic acids (CLAs)*
- cleavage of lignin
 - oxidative approaches 1634–1636
- click reactions 1215
 - catalytic, non-catalytic, and triggered 1552
- C–N bond-forming reaction 759, 1384
- C=N groups
 - hydrogenation 633
 - state-of-the-art 632
- ^{13}C NMR spectroscopy 205
- CNT filled PP, advantage 223
- cobaloxime 1672, 1674, 1682
- cobalt 113
 - based catalytic system 1646
- cobalt-based H_2 -evolving catalysts 1667
- cobalt bis(dithiolene) catalysts 1178
- cobalt bis(iminopyridine) complex 1167
- cobalt catalysts 260, 1099, 1159, 1183
 - electrocatalytic water oxidation 1142
 - with Mn/Br 478

- MOS 1184
- structures 1672
- cobalt-catalyzed methanol carbonylation 96, 97
- cobalt complexes 1677
 - with 2,6-bis(imidate)pyridyl ligands 268
 - H₂ production 1157
 - ligated by imino- or amino-pyridyl alcohol ligands 267
 - mediated radical reactions 1108
- cobalt dichloride complexes 266, 268
- cobalt glyoximates 1151
- cobalt hangman porphyrin complex 1173
- cobalt hydride species 1279
- cobalt(II) glyoximate complexes 1155
- cobalt(III) hydride 1675
- cobalt porphyrin catalysts 1172
- cobalt-Schiff-base complex 1274
- CO₂-based building block 1608
- Co-based catalysts 30
- C–O bond coupling
 - palladium-catalyzed alkoxylation 447
- [Co(bpy)₃]²⁺ 1675, 1676, 1677
- Co-catalyzed hydroformylation
 - bicyclic phosphines 34
- Co-catalyzed reaction
 - additives 1288
 - catalyst precursors 1291
 - enantioselective reaction 1292
- Co₂(CO)₈ 1290
- coconut oil
 - hydrogenation 1644
- CO-diiron complex 1659
- codimerization 334
- [Co(dmgH)₂PyCl] 1677, 1681
- CO₂/epoxide copolymerization 281, 282, 284
- Co-ethyl-hexanoate 30
- Co(III)-hydroxo complexes 1279
- Co(III)salen catalyst system 282
- Co(II)salen complex 1497
- CO insertion in radical reactions
 - palladium catalyzed 1123
- Co(IV)Co(IV) peroxy species
 - hydrolysis of 1143
- CO ligand 728
- combined cyclization–hydrosilylation reaction 766
- CO migratory insertion 1198
- commercially valuable syndiotactic
 - 1,2-polybutadiene 261
- co-monomer market 309
- Co-monosubstituted Keggin POMs 516
- composite materials 222
- computational chemistry 1080
- computed free energy profile 963
- conductive metal oxides 1137
- cone angles 229, 836
- (E)-configured olefins 527
- conformational flexibility 834
- coniferyl alcohol 1630
- conjugate addition reaction 1640
- conjugated dienes, stereospecific
 - polymerization of 249
- conjugated linoleic acids (CLAs)
 - isomerization to 1373, 1642
- constrained geometry 191
 - catalysts 191, 226, 227, 230
- continuously stirred flow reactor (CFSR) 74
- continuously stirred tank reactor (CSTR) 483
- conversion of HMF into caprolactam
 - lactonization of 1,6-hexanediol, importance of 1625
- co-oligomerization 1584
 - of linoleic methyl ester with ethylene 1586
- cooperative catalysis 643
- cooperative iron-catalyzed hydrogenation of imines 728
- η^2 -coordinated acrylic acid complex 1611
- κ^2 coordination mode, P-S ligands 1560
- coordinative chain transfer polymerization (CCTP) 769
- co-oxidation processes 467
- copolymerization 156, 191–199, 211, 212, 220, 227, 233
 - of 5-alkylnorbornenes 246
 - of butadiene and isoprene 257
 - of CO₂ and epoxide to polymeric carbonates 281
 - of ethylene 199
 - of norbornene (N) and ethylene by different metallocene/MAO catalysts 220, 246
 - properties 192
- copolymers 192, 224, 244
- copper catalysis, new future in 761
- copper-catalyzed arylation 744, 746, 748, 758
 - of amides and heterocycles 753
 - of amines 752
 - of phenol 759
 - of pyridazinone 760
- copper-catalyzed α -arylation of ketones 758
- copper-catalyzed C–C bond formation 754, 763
- copper-catalyzed C–N bond-forming reaction 750, 753, 763
 - in GlaxoSmithKline's synthesis 760
 - in scalable synthesis 761

- in synthesis of API 762
- copper-catalyzed C–O bond formation reactions 746
- for synthesis of phenols and aryl ethers 746
- copper-catalyzed cross-coupling with malonates 755
- copper-catalyzed cyanation reactions of aryl halides
- developed by Buchwald, Taillefer, and Beller 755
- copper-catalyzed direct arylation of ammonia 751
- copper-catalyzed enantioselective α -arylation
- of activated methylene derivatives by Ma 757
- copper-catalyzed Hurtley-type reactions 756
- copper-catalyzed Sonogashira-type reactions 756
- copper(I) chloride 759
- copper(II) ions 1538
- copper in scalable synthetic processes 758
- corticotropin releasing factor (CRF) 759
- Corynebacterium glutamicum* 904
- Co(salen) complexes, in micellar media
- oxidation of substituted cyclobutanones 1498
- Cossee–Arlman mechanism 315
- CO₂ switchable soluble catalysts
- in Rh-catalyzed hydroformylation 883
- coumaryl alcohol 1630
- counterion 107
- coupling reaction 414, 1004, 1052
- of alcohols with amines 1445
- of benzylic alcohols with amines 1444
- carboxylic acids 1430
- between furfural and secondary alcohol 1623
- Pd(PR₃)₂-catalyzed 964
- covalent anchoring 1056
- covalent bonding 1002
- C–P bonds, via umpolung 842
- [Rh(S-^tBu)(CO)] complex 1563
- Cr-based homogeneous catalyst system 311
- Cr–Cr multiple bond 318
- Cr(III) complexes 257, 282
- critical micelle concentration 855, 865
- crixivan 1195
- crizotinib 426
- cross- and self-metathesis of methyl oleate 1589
- cross-coupling 745, 751, 953
- disadvantage 412
- multicomponent 1203
- palladium-catalyzed 953, 1203
- PEPPSI-NHC complex 823
- products, cyclization 1208
- yielding 818
- cross-dehydrogenative coupling 1441
- cross-linked polyvinylpyridine 117
- cross metathesis (CM) 873, 1348
- crotyl halide 245
- Cr-pyrrolyl ethylene trimerization catalyst system 321
- crude boronic acid 421
- cryoscopic measurements in benzene 208
- crystalline polyethylene 240
- crystallization rates 222
- crystallization temperature 222
- C–S bond formation 1570, 1571
- C₂-symmetrical octahedral complexes 196
- C₂ symmetric cis-X/cis-N/trans-O geometry 236
- C₂-symmetric metallocenes 215
- CuAAC reactions 1542, 1543
- of benzyl azide 1545
- transition state-based scheme 1543
- Cu-catalyzed electrophilic fluorination reactions 851
- CuCl₂ acetaldehyde 502
- Cu halides 143
- Cu₄I₄(H₂O)₄ catalyst 1446
- Cu(II)-mediated oxidative Glaser couplings 1547
- Cu(II)-oxazoline catalyst 1489
- Cu(II)-oxazoline complex 1488
- Cu nanoparticles 1079
- Cu/NHC complex 748
- Cu(OAc)₂ 1432, 1487
- Curtin–Hammett situation 975
- Curtius rearrangement 1471
- Cu/ZnO/Al₂O₃ catalysts 1557
- C–X coupling chemistry 1094
- cyanating agent 755
- cyanation of aryl halides 754
- cyanide synthons 1445
- cyclic alkanes 1526
- dehydrogenation 894
- cyclic amide formation
- iron catalyzed C–C bond cleavage 1457
- cyclic anhydrides
- decarbonylative additions 530
- cyclic benzyl hydrocarbons 1456
- cyclic enamine 1385
- cyclic N-alkyl imines 640
- cyclic olefins 220, 244
- cyclic ruthenate 1520
- cyclic urea 1432

cyclic voltammogram (CV) 1137
 cyclizations 1100
 – of amino-dialkene 1384
 – multicomponent cross-coupling reactions 1205
 [2 + 2] cycloaddition 1393
 – steric constraints 1393
 [2 + 2 + 1] cycloaddition 1287, 1300
 [3+2]-cycloaddition-hydrolysis 1520
 cycloaddition reaction 1101, 1517
 – metal-based 1212
 [2+3] cycloadditions 1465
 cycloalkanes 1313, 1526
 cycloalkanones
 – asymmetric oxidation of 1499
 cyclobutane derivative 1114
meso cyclobutanones 1498
 cyclobutanone derivative 1103
cis-substituted cyclobutyl-benzothiazole pyridazinone 761
 cyclocarbonylation 1455
 – iron mediated 1102
 cyclodextrins (CDs) 847, 1148, 1537, 1538
 1,4-cyclohexadiene 497
 cyclohexa-2,5-dienes 1415
 cyclohexane 708, 710, 1532
 – oxidation 468, 510, 711
 – radical-chain oxidation of 518
 cyclohexanol 511, 1056, 1532
 cyclohexanone monooxygenases (CHMOs) 1497
 cyclohexanones 726
 – desymmetrization and kinetic resolution of 1496
 – formation, during cyclohexane autoxidation 511
meso cyclohexanones
 – enantioselective oxidation 1494
 cyclohexene 722
 – disproportionation 1019
 cyclohex-2-enone 724
 cyclohexenones
 – derivative 1102
 cyclohexylacetaldehyde 1119
 cyclohexylacrylate 1052
 cyclohexylamine 1292
 cyclohexyl(diphenyl)phosphine 1006
 cyclohexyl hydroperoxide 510, 706
 – dehydration of 516
 cyclohexyloxy radical 512
 cyclometalated platinum(II) acetylide PSs 1668
 1,5-cyclooctadiene 49

cycloolefin homo- and copolymers 218, 220
 cyclopentadienyl-cobalt moiety 1559
 cyclopentadienyl-free rare-earth catalysts 1389
 cyclopentadienyl (Cp) ligand 218, 229, 1162
 cyclopentadienyl-NHC complex 740
 cyclopentane derivative 1108
 cyclopentanol 730
 cyclopentanones
 – BV oxidation of 1493
 – derivatives 1102
 cyclopentene 218, 220
 – polymerization 220
 cyclopropenium ion 1451
 cyclopropylidenes
 – cycloaddition 1213
 CycloteneTM 420
 cytochrome P450 716
 cytotoxic epithilones 1345

d

Dakin reaction 1500
 DAPTA (3,7-diacetyl-1,3,7-triaza-5-phosphabicyclo[3.3.1]nonane) 1664
 Davy process technology (DPT) 47
 dealcoholysis 237
 de-aromatized ruthenium (PNN) pincer complex 1443
 decarbonylations 1300
 – addition reactions 529
 – carbosilylation reactions 533
 – carbostannylation 529
 – cross-couplings 532
 – Heck reactions 530
 – Negishi reaction 532
 – transition metal-catalyzed 529
 decarboxylation 524, 532, 1431, 1530
 – 1,2-addition 539
 – addition reactions 539
 – allylation reaction 537, 538
 – carboxylic acids 532
 – coupling 535
 – cross-coupling 535
 – cross-ketonization 534
 – Heck reaction 540
 – ketonizations 534
 – Sonogashira reactions 537
 – trifluoromethylations 537
 1-decene 246
 – hydroformylation of 47
 – Rh-catalyzed hydroformylation 856
 degenerative group-transfer coordination polymerization 199

- dehydration reaction 477
- dehydroamino acid 638
- dehydrogenases
 - alcohols synthesis 903
 - dehydrogenation 1300
 - dehydrogenative amide formation
 - Milstein's Ru-PNN catalyzed 1443
 - dehydrogenative coupling, rhodium-catalyzed 1620
 - dehydrogenative cross-couplings 542
- dehydroxylation 1070, 1509
- density functional theory (DFT) 315, 954
 - calculations 137, 733
 - computational approach 973
 - modeling studies 891
- deprotonation 813
- designer surfactant 866
- desired Rh-catalyst, P/Rh ratio 33
- desulfurization 815
- desymmetrization
 - and kinetic resolution of cyclic ketones 1495
 - of meso cyclohexanones 1494
- detoxification
 - of xenobiotic compounds 906
- deuterium isotope effect
 - advantage 1620
- deuterium labeling 313
- DFF. *see* 2,5-diformylfuran (DFF)
- D_2/H^+ exchange 1568
- diafenthiuron 758
- dialkyl carbonates 154
- dialkyl complex 196
- 1,3-dialkylimidazolium chloride 334
- dialkylphosphinobiphenyl ligand 439
- dialkyl phosphites
 - hydrolysis of 843
- diamido-ligands 193
- diaminocyclohexane
 - backbone ((*S,S,R*)-mcpp) 1528
- 1,2-diamino-cyclohexane (DACH) 656
- dianionic N_2O_2 -ligand systems 1274
- dianion mechanism 109
- diaryl ethers
 - nickel catalyzed reductive cleavage 1633
- 3-(diarylmethylene)indolin-2-ones 1473
- three-component synthesis 1473
- N,N*-diaryl-ureas 152
- diastereoface selectivity 217
- diastereotopic sites 217
- diastereotopic transition states 213
- dicarbonylation 122
- dicobalt hexacarbonyl complex 1287
- N,N*-dicyclohexylimidazolyl carbene
 - moieties 1545
- dicyclopentadiene 205, 225
 - hydroformylation of endo/exo-mixture 50
- Diels–Alder reaction 170, 525, 867, 1550
- diene polymerization mechanism 249
- diene polymerization precatalysts 771
- 1,3-dienes, oligomerization of 826
- dienes, unconjugated 1374
- diester, acid-catalyzed hydrolysis 1628
- diethers (2,2-diethyl-1,3-dimethoxypropane) 204
- diethylamine 1413
- diethylene glycol dimethyl ether 646
- diffusion coefficient 1008, 1009
- diffusion rates 1001
- diffusion–reaction model 1014
- dislunisal 427
- 2,5-diformylfuran (DFF) 1624
- 1,2-difunctionalized building blocks 1509
- diglyoximate cobalt complexes 1151, 1155
- 5-endo-dig reaction 1382
- dihalide complexes [(diimine) $NiBr_2$] 240
- trans*-dihydride ruthenium complex [RuH₂–(tBu-PNN)(CO)] 653
- dihydrido-rhodium complex 1402
- dihydroisobenzofuran derivatives
 - three-component synthesis 1474
- dihydroquinazolines 1323
- dihydroxyacetone phosphate (DHAP) 918
 - by acid hydrolysis 919
 - dependent aldolases 919
 - dependent enzymes 919
 - phosphorylated ketone 919
- dihydroxybenzenes 546
- 1,1'-dihydroxyketones 1517
- dihydroxylation 701, 705, 1509, 1516, 1521, 1590
 - olefins and related reactions 1509
- cis*-1,2-dimethylcyclohexane 708
- cis*-dimethyl-cyclohexanol 711
- diimine ligand 968, 1157
- diiron complexes
 - host-guest supramolecule 1148
 - immobilization
 - GC and gold electrodes 1179
 - three-component system 1664
- 1,4-diisopropylbenzene 470
- β -diketiminato ligands 1390, 1396
- diketone product 1531
- 1,2-diketones 1517
- dimanganese complexes 1148
- dimerization 328

- of butadiene 344
- of propene 329
- with water 346
- DimersolTM process 332, 334, 335
- dimetallocyclodecene 317
- 2,6-dimethoxybenzoquinone 544
- 3,4-dimethoxybenzyl alcohol 720
- dimethoxycarbonylation 118
- 1,2-dimethoxyethane (DME) 325
- 2,2-dimethoxypropane (DMOP) 1263
- 2,4-dimethylbenzaldehyde 485, 486
- N,N*-dimethylacetamide (DMA) 504, 505
- 2,6-dimethylaniline 1391
- 1,4-dimethylbenzene (p-xylene) 470
- 2,3-dimethylbutenes (DMBs) 330, 333, 334
- dimethyl carbonate (DMC) 156
 - from cyclic carbonates 280
 - by means of oxidative carbonylation of methanol using 280
 - synthesis 279
- dimethylchlorosilane 1592
- 2,6-dimethylcyclohexanone 1494
- 1,2-dimethylcyclopentadienyl ligands 217
- N,N*-dimethylmethylenediamine 754
- dimethylformamide 1608, 1609
- N,N*-dimethylglycine hydrochloride 759, 760
- 2,4-dimethylhexanoic acid 1528
- dimethyl itaconate 722
- 4,4-dimethyl-2-oxazoline, alkylation of 1323
- 2,4-dimethyl-3-pentanol (DMP) 1637
- N,N*-dimethyl-p-nitrobenzamide 743
- 2,5-dimethylpyrrole 340
- dimethylsilylene bridge 215
- dimethyl terephthalate 26
- N,N*-dimethylurea 1429
- dinitroarenes 1267
- 2,4-dinitrobenzenesulfonic acid (DNBSA) 1449
- dinitrogen catalyzed reduction 898
- dinuclear dithiolato-rhodium complex 1562
- dioxirane mediated oxidations 1527
- dioxyloreol 664
- dipalladium diphosphine complex 966
- diphenols 544
- diphenoquinone (DPQ) 544
- diphenylacetylene 722
- diphenyl carbonate (DPC)
 - selectivities 278
 - synthesis 277
- 1,2-diphenyl-ethylendiamine (DPEN) 656
- diphosphine ligands 120, 1034, 1561
- diphosphines
 - in *n*-regioselective Rh-catalyzed hydroformylation 38
 - diphosphinoethane 978
 - diphosphites 843
 - synthesis 841
 - dipicolinato Mo(VI) peroxy complexes 1486
 - dipolar cycloaddition reactions 1215
 - 1,3-dipole formation 1215
 - 2,2'-dipyridylamine ligand 324
 - di(pyrrrolyl) amine 1392
 - direct amide bond formation 1428
 - direct dehydrogenative coupling of amines 1444
 - discodermolide 1090
 - dissociative monophosphine pathway 959
 - 1,2-di-substituted alkene 1382
 - 1,1-disubstituted olefins 1513
 - cis*-2,5-di-substituted pyrrolidine
 - products 1414
 - 2,3-disubstituted quinoxalines 644
 - 2,6-di-*tert*-butylphenol (DTBP) 547
 - dithiolato bridging ligands 1562
 - dithiolene ligand, redox-active 1177
 - divanadium-substituted γ -Keggin polyoxotungstate 549
 - divinylarenes intermolecular hydroamination 1386
 - dmgH₂ (dimethylglyoxime) ligand 1668
 - DMP. *see* 2,4-dimethyl-3-pentanol (DMP)
 - DNBSA. *see* 2,4-dinitrobenzenesulfonic acid (DNBSA)
 - 1-dodecene, hydroformylation 855, 875
 - dodecylbenzenesulfonate (DBS) 855
 - domino processes 1464
 - σ -donating alkoxy group 970
 - donor-substituted proline 532
 - double bond metathesis 1640
 - double bond opening polymerization 218
 - double cross-coupling
 - benzofuran derivative (NuY=YO) 1206
 - Douglas-fir beetle 1110
 - Dow Chemical 349, 361
 - Dow Chirotech 631
 - downstream processing 105
 - DuPont adiponitrile process 1367
 - dyad structure 1665, 1666, 1683
 - dynamic kinetic resolution (DKR) 902

e

 - earth-abundant metal 1655, 1667
 - Eastman acetic anhydride process 107, 109
 - egg-yolk catalysts 1001
 - elasticity 207
 - elastomeric polypropylene 194

- electrocatalytic H₂ production 1152, 1160, 1163, 1168
- electro-chemical-electro-chemical (ECEC) mechanism 1177
- electrochemical proton reduction 1181
- electrochemical water oxidation 1135
 - O₂ catalyzed by organometallic compounds 1136, 1142–1146
- electrochemical water reduction
 - H₂ catalyzed by organometallic compounds 1146–1187
- electron-deficient α,β-unsaturated ketones 539
- electron density 1331
- electron donating character 1318
- electron-donating groups 835, 959, 1668
- electronic effects 106, 1316
- electronic excitation 1097
- electron ligands 197
- electron transfer mediators 1514
- electrophilic aromatic substitution 1316
- electrophilic cationic palladium complexes 245
- electrophilic metal centers 1308
- electrophilic radical 1121
- electropolymerization 1141
- electrostatic component (Δq) 971
- elotriptan 415
- β-elimination 1311, 1335
 - mechanism 308, 312
- enamides 635
- β-enamine amide
 - hydrogenation of 633
- enamines 1380
- enantioenriched lactic acid 61
- enantiomer 175
 - molecules 1089
- enantiopure
 - acyloins 1521
 - aminoalcohol 1511
 - nitrile 1098
- enantiopurity 167, 1510
- enantioselective 732, 1047, 1048, 1338
 - BV oxidations 1491
 - FLP-catalysis 779
 - hydroformylations 1093
 - hydrogenation 622, 1092
 - metal-free hydrogenation using molecular hydrogen 779
 - synthesis 1338
- encapsulated cobalt(III) complexes 1674
- energy-efficient manner 1135
- enoate reductase (ER) 905
- enol aldehyde 1101
- enol ether 1106
- yne metathesis 1335
 - mechanism 1335
- enzymatic reactions 902
- enzymatic reduction 903
- Enzyme Commission (EC) 899
- enzyme deactivation 900
- Eosin Y 1674
- epoxidation 1073, 1123, 1590
 - of cyclooctene catalyzed by Fe(BPMEN) and Fe(TPA) complexes 695
 - of cyclooctene with iron catalysts and H₂O₂ 704
 - of olefins 694, 702
- epoxides 281, 1019, 1521, 1590
- epoxyalkyl 171
- EPR spectroscopy 243
- erucic acid 1582
- Escherichia coli* 850, 909
- esterases 910
- esters 1048, 1583
 - hydrogenation of 645
 - double bond modifications 1639
- ethene
 - Cr-pyrrole catalyzed trimerization 348
 - etherification 1583, 1593
 - ethoxylates 1583
 - ethylbenzene 467
 - ethyl benzoate 204
 - ethylene 194, 203, 205–207, 209, 233, 243, 768, 1349
 - π*-acceptor character 964
 - alternating copolymerization of 159
 - with aqueous PdCl₂ solutions 499
 - bridged complex 227
 - dimerization of 336
 - π-donor character 964
 - methacrolein via hydroformylation 44
 - non-alternating copolymerization of 162
 - radical copolymerization of 158
 - trimerization 339, 340
 - ethylenediamine (RuCl₂(P2N₂) 666
 - ethylene glycol 957, 1004, 1014
 - ethylene-graft ethylene/propene copolymers, reaction scheme for 212
 - ethylene/1-octene copolymerization 233
 - ethylene polymerization 207, 230, 231, 235, 243, 315, 325
 - catalysts 230, 235
 - ethylene/propene copolymer 211
 - ethylene propene diene monomer (EPDM) 210, 232, 1369
 - ethylene/propene macromers 211

ethylene–styrene copolymers 228
 ethylene–styrene interpolymers 228
 2-ethylhexanol (2-EH) 45
 ethyldene diacetate (EDA) 110
 ethyldene norbornene 205, 1369
 ethyl isonicotinate 651
 ethyl 3-methylbut-2-enoate 722
 2-ethynylaniline derivatives 1407
 1-ethynylcyclohexene 731
 European Congress of Chemical Engineering (ECCE) 1150
 exogenous thiolates 1568
 exothermal reaction
 – heat release 319
 exothermic salt formation 1604
 experimental diimine complexes 968
 Exxon/Mobil process 68, 69
 (E/Z) vinyl *N*-heterocycles 1385

f

FAME. *see* fatty acid methyl ester (FAME)
 Faradaic efficiency 1138, 1144, 1155, 1170, 1177
 Faradaic yields 1149, 1182, 1184
 fats 1581
 molecule 1582
 – transesterification with methanol 1583
 fatty acids 1583
 – based monomers 1636
 – derivatives 1646
 – processing of 1583
 fatty acid methyl ester (FAME) 1583, 1638
 – enantioselective epoxidation 1645
 fat valorization 1637
 Fe-catalyzed olefin oxidations 1521
 Fe complexes 642
 feedstock
 – oils obtained 1637
 [FeFe]-H₂ase 1558, 1559, 1658, 1661, 1663, 1665
 – active site 1150
 – structure of active site (H-cluster) 1658
 – NiFe-hydrogenases 1147
 – organometallic compounds 1658
 Fe(III) complexes 713, 1521
 Fe-Mo-S nanoclusters 1558
 Fe-Ni-S catalyst 1558
 fermentable sugars (bioethanol) 1632
 ferrocene based ligands 625, 635
 ferrocenyl 1092
 Fe-S enzymes 1559
 Fe(V)-oxo species 712

fenofenadine 55
 fibers 222
 FI catalysts 233
 first-order dependence 106, 109
 Fischer indole synthesis 1201
 Fischer-Tropsch synthesis 48, 328, 693, 1013, 1350, 1615
 Fischer type carbene 1103
 flash-dihydroxylation 1516
 flavin 1514
 – derivatives 1500
 flavinium salt 1500
 flavones 1478
 – three-component synthesis 1478
 flow chemistry 1094
 fluid catalytic cracker (FCC) 1375
 fluidized powder bed reactor
 – for syndiotactic polystyrene production 244
 fluorenlyl-catalyst 192
 fluorescein complex 1682
 fluorination 235, 1538
 formamide 1436, 1608, 1610
 – synthesis of 1609
 formamide, transamidation of
 – (diacetoxyiodo)benzene (DIB)
 catalyzed 1436
 formamidine formation 813
 formate dehydrogenase (FDH) 905
 – cofactor recycling system 922
 formic acid 97, 1603
 formic acid trihexylamine (NHex₃) salts 1607
 formylation of amines
 – iridium catalyzed 1440
 – zinc catalyzed 1428
 formylation reaction 1428
 fossil fuels 1655, 1656
 free radical chain mechanism (FRCM) 475
 free radical coupling 481
 freeze-drying 1047
 Friedel–Crafts alkylation 851
 – of aromatic amine 1395
 – of indoles 851
 Friedel–Crafts reaction 350
 Fru-alddolases (FruA) 919
 frustrated Lewis pair (FLP) 644, 774
 – catalyzed hydrogenations 775
 – catalyzed hydrosilylations 778
 – in catalysis 775
 – in hydrogen activation 774
 fuel cell applications
 – using NiMo-catalysts 1558
 functionalized amide bond 1431

- functionalized olefins
 - copolymerization of 169
 - hydroformylation of 50
 - hydrogenation of 637
- functionalized tetrahydroisoquinolines
 - three-component synthesis 1470, 1471
- furfural 1622
 - benzoin condensation 1623
 - hydrosilylation 1622
 - reactions of 1622
- furfuryl alcohol
 - acid-catalyzed rearrangement 1622
- fused-ring cyclocarbonylation reactions 1200

- g**
- Ga₄L₆ anionic tetrahedral capsule 852
- gas–liquid interphase 1003, 1008
- gas–liquid partition coefficient 1004
- gasoline additives 335
- gas-phase hydroformylation 1023, 1035
- gas-phase hydrogenation 1048
- gas recycle 31
- gel-permeation chromatography (GPC) 233
- gem-dialkyl activated amino-alkenes 1389
- Gibbs free energy (ΔG) 957
- Glaser reaction 431
- glass autoclaves 1087
- glass transition temperature 221, 245, 246
- glassy carbon (GC) 1139
- glucose
 - to fructose isomerization 1621
 - heterogeneous hydrogenation 1625, 1629
- glucosyl radicals 1117
- glutathione
 - flavine derivative 1572
- D-glyceraldehydes-3-phosphate 919
- glycerol 1583
 - 1,2- and 1,3-propanediol catalyzed dehydroxylation 1637
 - homogeneous catalyzed valorization 1638
 - processing of 1583
 - telomerization of 1595
- glycerol phosphate oxidase (GPO) 920
- glycol derivatives 502
- glycolic acid 153
- glycosyl halides 1117
- glyoximate 1154
- GlyX-motif 912
- gold(I) catalysts 1404
- gold nanoparticles 546
- grafting method 1077
- graphite electrode 1181
- green synthesis 26

- Grignard reagents 426, 427, 429, 816, 818, 896
- Grubbs catalyst 1641
- Grubbs–Hoveyda Ru complexes 881, 1053

- h**
- Haber–Bosch process 693, 897
- Haber–Weiss radical chain mechanism 706
- Halcon and Eastman Chemical Company 106
- half-sandwich catalysts 191, 192
- halide-substituted dithiolene cobalt catalysts 1176
- haloacrylates 142
- ortho-haloarene carbonylation reactions 1200
- halocarbons 205
- halogenated alkynes 1546
- 4-halo-pyrazoles
 - four-component synthesis 1475
- Halpern-type selectivity 970
- Hammett relationship 479
- Hantzsch ester 1117
- Hantzsch reaction 1195
- H-bonding thiourea catalyst 885
- head-to-head coupling 827
- heat management 1013
- heat shock protein 90 (Hsp90) inhibitor 760
- heat transfer 244
- Heck arylation 414
- Heck catalytic cycle
 - Pd(II/IV) redox pair 978
- Heck cross-coupling reaction 416
- Heck–Mizoroki reactions 414, 821
- Heck reactions 411, 415, 420, 508, 525, 540, 953, 1016, 1017, 1027, 1028, 1464
 - active catalyst generation 953
 - base-promoted elimination 953, 977
 - catalyst regeneration 953
 - C–C coupling 966
 - classical mechanism 954
 - ligand-free 964, 965
 - stereoselectivity 974
 - β -H elimination 968
 - pathway 974
- hemicellulose 1615
- hemiisotactic polypropylene 217, 218
- hemilabile ortho ether groups 359
- Henkel process 483
- heptadiene synthesis
 - nickel-catalyzed 1213
- n-heptane 1536
- 1-heptene 347
 - hydroformylation 47
 - SAP catalyzed oxidation 1029
 - Sasol's conversion of 347

heptenes 46, 1021
 heteroaromatic ketones 641
 heterocycle synthesis
 – *in-situ* generated alkynes, role of 1209
 – palladium-catalyzed 1205
 heterocyclic carbonyl compounds 728
 heterocyclic primary amides 1446
 heterogeneous catalysis 116, 126, 247, 1059,
 1069
 – for autoxidation chemistry 515
 heterogeneous hydrogenation 1586
 heterogeneous Ziegler catalysts 226
 heteropolyacids 1080
Hevea brasiliensis (HbHNL) 917, 918
 H₂-evolving activity 1162
 H₂-evolving molecular catalysts 1178
 hexachloroplatinum acid dihydrate 1592
 1,4-hexadiene 211
 1,5-hexadiene
 – with Rh-complex 49
 hexameric capsules 853
 hexamethyldisilylamides (NaHMDS)
 1612
 hexamethylene-1,6-diamine (HMDA) 48
 hexamethylene diisocyanate (HDI) 1261
 1-hexene 46, 193, 308, 311, 313, 324
 – Amoco process 348
 – from ethylene 339
 – in hexene fraction 340
 – hydroformylation reaction 1033
 – hydrogenation 1044
 – production 311, 342
 1-hexene plant 238
 hexene selectivity 335
 hexoses and pentoses
 – Rh(dppp)₂Cl catalyzed
 decarbonylation 1625
 2*H,5H*-dihydrofurans 55
 high density polyethylene (HDPE) 203, 225,
 307, 308
 highly oriented pyrolytic graphite
 (HOPG) 1183
 high-throughput methods 197
 HIV protease inhibitor 1195
 Hiyama–Denmark reaction 820
 HMF. *see* 5-hydroxymethylfurfural (HMF)
 Hoberg-type complexes 1611
 homeopathic concentrations 1094
 homogeneous catalysis 91, 127, 207, 693, 1069,
 1085, 1086, 1335
 homogeneous hydrogenation 645
 – of C–C double and triple bonds 720
 – of nitrogen multiple bonds 728

homogeneous INSITETM technology 226
 homogeneous iron catalyst 728
 homogeneous liquid phase aerobic oxidation
 – catalyst optimization 480
 – kinetics and mechanism of 474
 homogeneous nickel catalysts 196
 homogeneous palladium catalyst
 – alkynes, hydroformylation of 59
 homogeneous photocatalytic systems 1684
 homogeneous transfer hydrogenations 730
 homogeneous water splitting systems 1656
 homogenous carbonylation reactions 91
 homogenous catalysts 205, 207, 1076, 1514
 homopolymerization 192
 – of ethylene 220
 homopolymers 244
 homotopic coordination sites 214
 host–guest relations/self-organization, in
 homogeneous catalysis 846
 – artificial metalloenzymes 849
 – cyclodextrins 847
 Hoveyda–Grubbs catalysts 1337
 5-HT_{2A} receptor antagonists 1455
 Huisgen cycloaddition 868
 Hunsdiecker–Borodin reaction 533
 Hurtley reaction 746, 756
 hybrid catalysts 1078
 hybrid materials 1077
 hybrid mesoporous material 1078
 hydantoinases 915
 hydration of nitriles 1445
 hydrazine 730
 β-hydride elimination 159, 243, 1204, 1401
 hydroacylation
 – alkenes 1323
 – alkynes 1323
 hydroamination 1379, 1380, 1397, 1404
 – activation parameters 1383
 – of alkynes 1379
 – asymmetric intramolecular reactions 1389
 – catalysts 1408, 1410
 hydroaminomethylation 1585
 hydroborations 1640
 hydrocarbons 203, 218, 222, 1350
 – forming processes 328
 – oxidation 93
 hydrocyanation 1367, 1640
 hydrodesulfurization (HDS) 1558
 hydroesterification 1587, 1588, 1590
 hydroformylation 25, 26, 27, 863, 874, 1004,
 1006, 1020, 1032, 1086, 1640
 – approach, chemical transformations 29
 – aqueous-phase process 71

- catalysts 1094
 - cobalt-based processes 63
 - conditions 1561
 - of fatty compounds 1587
 - of 1-hexene 1021
 - mechanism 65
 - metal-catalyzed 1197
 - 1-octene 1023
 - rhodium-based processes 26
 - sulfonated ligands 39
 - technologies 31
 - β -hydrogen abstraction 330
 - hydrogenation 621, 728, 1014, 1025, 1042, 1583, 1605, 1608
 - of alkynes 720
 - biaryl diphosphines 634
 - catalytic systems/transformations, evaluation 622
 - of C=C double bond 723
 - chiral anions 642
 - C=N bonds 632
 - of CO₂ 1609
 - of C=O< Bonds 724, 730
 - cooperative catalysis 642
 - established ligand classes 634
 - of esters 645
 - ligand development 633
 - novel design principles 641
 - olefins 625, 720
 - phosphine ligands 638
 - rare earth metal catalysts 764
 - self-assembling monodentate ligands 641
 - of short-chain fatty acids 1583
 - hydrogen-bonding 857, 1002, 1511, 1530
 - hydrogen cyanide (HCN) 899, 917
 - β -hydrogen elimination 1366
 - hydrogen evolution reaction (HER) 1180
 - hydrogen liberation 1443
 - hydrogen peroxide 715, 1590
 - hydrogen transfer 207
 - catalysis 894
 - hydrohalide salts of amines 1432
 - hydrolases 910
 - hydrolysis 1512
 - of peptides 913
 - hydro-oligomerization 219
 - hydrophilic/hydrophobic compounds 863
 - hydrophilic isocyanide ligands 1664
 - hydrophilic ruthenium catalysts
 - with sulfonated phosphine ligands 1606
 - hydrophobic interactions 1538
 - hydrophobic oligopeptide 911
 - hydrophobic reactant 864
 - hydroquinone (HQ) 546
 - hydrosilylation 736, 741, 1565, 1592
 - anti-Markovnikov addition product for 737
 - of carbonyl compounds 741
 - of carboxamides 743
 - of carboxylic acid ester 742, 743
 - catalysts 886
 - of 1,3-dienes 737
 - of imines using chiral borane 786
 - 1,4-hydrosilylation of olefins 737
 - hydrosilylative deoxygenations 740
 - hydrothermal method 156
 - hydrovinylation 1592
 - of fatty compounds 1584
 - α -hydroxyalkyl radical intermediate 720
 - cis-hydroxy-ethylene–palladium species 497
 - hydroxyketone 910, 1102, 1623
 - hydroxylamine salts 1435
 - hydroxylation 714
 - of alkanes 1536
 - of benzene 715
 - of 2-ethoxycarbonyl-1-oxo-cyclopentane 706
 - palladium-catalyzed 457
 - α -hydroxylation of a steroidal cyclic ether 1531
 - hydroxyl function 1106
 - hydroxyl radical 475
 - 5-hydroxymethylfurfural (HMF) 1618, 1620, 1623
 - 2-hydroxy-4-methyltetrahydropyran (MHP) 57
 - hydroxy nitrile lyase (HNL) 901, 902, 917
 - (2S,4R)-4-hydroxyproline 757
 - hydroxypropylated β -CD (HP-(β -CD) 849
 - N-hydroxypyridine-2-thione esters 533
 - 8-hydroxyquinoline (8-HQ) 549, 550, 759
 - hyperconjugation 1528
 - hypervalent iodine compounds 1436
- i*
- ibuprofen 147, 1531
 - synthesis of 147
 - imidazole skeleton 814
 - imidazoline 1102
 - imidazolin-2-iminato complexes 1341
 - imidazol(in)-ylidene 812
 - imidazolium 1055, 1077
 - imidazolones 1469
 - imine hydrogenation, by intramolecular FLP 777, 785
 - imines
 - asymmetric transfer hydrogenation of 735
 - B(C₆F₅)₃-catalyzed hydrogenation of 778

- with carbon monoxide, copolymerization of 172
- ligands 1154
- iminoamination and hydrazination of alkynes
 - titanium-catalyzed 1214
- iminopyridine 737
- immobilization 1045
 - by ionic interaction 1514
 - on magnetic mesocellular mesoporous silica 1514
 - of osmium catalysts 1514
 - of reoxidant, NaO_4 , on wet silica 1517
- immobilized catalyst 373
- indazolone 760
- indium phosphite (InP) 1667
- indole *N*-carboxamides 1471
- indoles 1103, 1478
 - decarboxylative C–H arylation 542
 - three-component synthesis 1479
- indolones 1472
- industrial carbonylations 93
- indylidene ruthenium complexes 1641
- inert solvents 1265
- infrared spectroscopy 33, 109
- inorganic co-catalyst 155
- insertion barrier difference 970
- in-situ*
 - azomethines, palladium-catalysis, role of 1208
 - generation of chiral diborane catalyst 781
 - isomerization 1038
 - oxidation 1512
 - polymerization 222, 223
- in-situ* generated RuO_4
 - alkanes catalyzed, selective oxidation of 1534
- intellectual property 1089
- interceptive decarboxylative allylations 539
- intermolecular
 - carbonylation 139
 - hydroacylation 1327
 - hydroamination 1380
 - reaction, Ru-catalyzed 1294
- intersystem crossing (ISC) mechanism 544
- intramolecular
 - aminocarbonylations 1455
 - C–O bond formation 455
 - cyclization 1198
 - [3+2] cycloaddition 1466
 - hydrosilylation reaction 1570
 - *N*-arylation 1478
 - nucleophilic cyclization 1199
- iodide dissociation 100
- iodobenzene 1027, 1028, 1052
- thiolation 897
- 3-iodoindazoles 1453
- iodolysis equilibrium 108
- iodomethane oxidative 1561
- ionic hydrogenation 648, 724
- ionic liquid 1002, 1004, 1045, 1047
 - crystalline 1031
 - loading 1048
 - solvent 115
- ionic strength 109
- ion-paired chiral ligand 860
- ion pairing-directed self-assembly 860
- Ir catalyzed hydrogenation 639
- Ir-chiral diphosphine complex 1302
- Ir-cobaloxime photocatalysts structures 1679
- iridium complexes 639, 1138
- iridium pincer complexes 894, 895
- iron-based molecular catalyst systems
 - for photocatalytic H_2 production 1659
- iron bleaching catalysts 522
- iron-borohydrido-hydride complex 721
- iron carbonyl catalyzed reduction, of carboxamides 742
- iron catalysis 196, 744
 - asymmetric cis-dihydroxylation 1521
 - hydrogenation 721, 730
 - hydrosilylation 737
 - oxidation 693, 702, 719
 - with predictable selectivity in aliphatic C–H oxidation reactions 1527
 - primary amide formation 1454
 - reduction 693
- iron-catalysts 241, 257, 1521, 1526, 1527
 - electrocatalytic water oxidation 1146
 - for hydrogenation
 - precursor for linear ethylene polymerization 242
 - system 726
- iron catalyzed reductions, using organosilanes 736
- iron complexes 721
 - containing carbenes 735
 - containing tridentate nitrogen ligands 736
 - with tetradentate ligands 734
- iron cyclohexene 1102
- iron(II) sulfate 714
- iron-porphyrin system 732
- iso-aldehyde 41
- isoblock polypropylene 218
- isobutene 192
- isobutylaluminodoxane 210
- iso-butyric acid 76

- isochroman-3-one synthesis of 148
 isocyanate
 – complex 1273
 – isolation 1262
 – trapping of 1265
 isoheptenes 335
 isoindolinones 1468
 isomerization 213, 881, 1030, 1339
 – *cis-trans* isomerization 962
 isomerizing dehydrogenative silylation 1641
 isomerizing hydroformylation 42
 isononanols 335
 isooctenes 335
 isoprene 1073
 – hydroformylation of 49
 isopropanol 730, 735, 1048
 isopropylbenzene 467
 isoquinoline derivatives 757, 1466
 – three-component synthesis 1474
 isoselective polymerization
 – of styrene 200
 isosorbide 1630
 isotactic and atactic polypropylenes 213
 isotactic-atactic stereo-gradient 199
 isotactic polymers 169, 176, 212, 214
 isotactic polypropene 199
 isotactic polypropylene 193, 194, 195, 196, 212,
 217
 isotactic polystyrene 200, 202
 itaconic acid derivatives 1086
 – synthesis 1086
 ivabradine hydrochloride 435
- j**
 Janus catalyst 1157
 Johnson Matthey Synetix 631
 Jolly–Beller mechanism 369
 Josiphos-type ferrocenylphosphine
 ligands 443
- k**
 Keltan ACETM polymers 232
 ketene 1103
 – acetal 976
 – intermediate 1102
 ketimide complexes 231
 ketimines 743
 – asymmetric reduction of 735
 ketocarbamates 1469
 keto–enol tautomerization 911
 ketones 1528, 1533
 – alcohol 510
 – α -arylation of 757
 – asymmetric hydrosilylation of 739
 meso ketones 1494
 β -ketophosphine 352
 kinetic isotope effect 136
 kyotorphin (Tyr-Arg) 913
- l**
 LA. *see* levulinic acid (LA)
 β -lactam 1102
 β -lactam peptide antibiotics 914
 lactate dehydrogenase (LDH) 921
 lactococcal multidrug resistance Regulator
 (LmrR) 851
 lactones 1102, 1513
 lanthanide 1071
 – catalysts 269, 271, 1379
 – ligands 1103
 – triflates 1635
 lapatinib 426
 L-leucine 904
 leukotriene A4 hydrolase inhibitor
 DG-49B 759
 levulinic acid (LA) 1626
 – hydrogenation 1628
 – lignocellulosic, formation by 1626
 – reductive amination 1629
 Lewis acidic late transition-metal
 complexes 1379
 Lewis acidic metal 1409
 Lewis acidic surface site 1502
 Lewis base 970
 ligand-enabled palladium-catalyzed 435–460
 ligands
 – Buchwald–Hartwig amination 823
 – classification of 831
 – data banks 1087
 – design 1526
 – electronic influence 810, 970
 – free palladium 420
 – Heck–Mizoroki reaction 820
 – Hiyama reactions 819
 – *cis*-ligand insertion reaction 492
 – Kumada–Tamao–Corriu (KTC)
 reaction 816
 – metal combinations 197
 – metathesis 824
 – Negishi coupling 816
 – NHC–metal complexes 814
 – N-heterocyclic carbenes via imidazolium
 salts 813
 – reductive desulfurization/ α -elimination 814
 – Sonogashira reaction 819
 – steric influence 969

- Suzuki-Miyaura reaction 822
- synthetic pathways 812
- telomerization 826
- light-driven H₂ generation
 - schematic presentation 1657
- lignin 1581
 - depolymerization 1631
- lignocellulose 1615
- lignocellulosic biomass
 - conversion into levulinic acid 1626
 - derived products 1616
- limonene 49
- linalool hydroformylation 1025
- linear alkenes
 - Brookhart and Goldman's dehydroaromatization 895
- linear alpha olefins (LAOs) 307, 309, 324, 341
- linear fat aldehydes 1587
- linear low-density polyethylene (LLDPE) 210, 225, 226, 307, 308, 339
 - resins 341
- linoleic acid 1582, 1584, 1592
- linoleic acid methyl ester 1584
- linolenic acid 1592
- lipases 910, 911, 912
 - esterase-catalyzed hydrolysis 911
 - lipase B 912
- lipids 1581
- liquefied petroleum gas (LPG) 332
- liquid films 1000, 1003
- liquid–liquid two-phase separation 161
- liquid phase hydrogenation reactions 1051
- liquid phase oxidation 479
 - with air/oxygen 509
 - deactivation mechanisms 480
- lithium acetate 101
- lithium iodide 100, 108
- LLDPEs 225, 227
 - production 311
- low density polyethylene (LDPE) 203
- lower critical solution temperatures (LCST) 877
- low-pressure oxo processes (LPOs) 30, 73
- low throughput screening 1085
- low-water acetic acid process 95
- lubricants 1583

- m**
- macrocyclic cobalt(II) complex 1675
- macrocyclic oligomers 1349
- macrocyclic tripeptides 1549
- macrocyclization 1344
- magnetic nanoparticle synthesis 1056
- MALDI-TOF mass analysis 172
- malonates, arylation of 754
- manganese(III) complexes 1538
- manganese(III)-porphyrin system 1538
- manganese/iron bleaching catalysts 519
 - bleaching processes 519
 - iron-based bleaching catalysts 522
 - oxidation catalysts 520
- manganese(V)-oxo unit 1538
- Manihot esculenta* 917
- Mannich-type addition 1196
- D-mannose 866
- Markovnikov addition 134, 853
- Markovnikov insertion 1366
- Markovnikov's rule 135, 502
- MAS-NMR analysis 1060
- Matsuda reaction 415
- MCR. *see* multi-component reaction (MCR)
- Menger model 868
- (–)-menthyl acetate 1528
- 4-MeO-1,10-phenanthroline 1269
- 3-mercaptopropionic acid (MPA-CdTe) 1664
- mesoporous silica materials 1002, 1078
- metabolic instability 431
- metal-based oxidant 1534
- metal–carbon bonds 219, 249
 - protolytic cleavage 1397
- metal carbonyl catalyzed reactions 1098
- metal catalysts 199, 245, 1538
 - bearing chelating ligands 193
 - dithiolene ligands 1175
 - recycling 459
- metal-catalyzed decarboxylation 479, 480
- metal-catalyzed hydroborations 1640
- metal-catalyzed isomerization 1198
- metal-catalyzed oxidative coupling of CO₂ 1610
- metal catalyzed rearrangement 1450
- metal cation
 - Lewis acidity 1409
- metal-directed self-assembly 859
- metal hydrides 1071
 - bonds 243, 1401
- metal–hydrogen bond 570
- metallacycles 1211, 1271
- metallocyclobutane 1073, 1334
- metallocyclononane 314, 317
- metallocyclopentadienes 316
- metallic palladium 1030
- metal–ligand combinations 198
- metal–ligand coordinative bond 852
- metal–ligand interactions 853
- metallocene 208, 211, 214, 224

- catalysts 199, 206, 207, 217, 218, 220, 227, 245
- complexes 217
- metalloporphyrins 1537
- metallorganic catalysis 203
- metal–metal multiple bond 318
- metal nanoparticles 1078
- metal–nitrogen bond 1401
- metal–organic frameworks (MOFs) 1077, 1078
- metal oxidation 1309
- metal oxygenation 1509
- metal peroxy species 1487
- metal polypyridine catalysts 1165
- metal precursors 624
- metal to ligand charge transfer (MLCT)
 - transition 1111
- metathetic catalytic systems 1335
- methacrylate 199
- methane 208
- methanol 1583
 - activation barrier, effect on 976
 - carbonylation 92, 93, 99, 1041
 - to gasoline (MTG) technology 1615
- methanolysis 138
- methoxyacrylates 142
 - formation, using palladium complexes 143
- methoxycarbonylation 118, 126, 134
- methoxy compound 1280
- methoxyethylamine 1432
- methyl 2-acetamidoacrylate
 - Rh-catalyzed hydrogenation 858, 860
- methyl acetate carbonylation 95, 96, 107, 113
- methyl acetoacetate, enantioselective
 - hydrogenation 1049
- methylaluminoxane (MAO) 206, 207, 208, 210, 248
- N*-methylamides 1429
- methylaromatic compounds 482
- methylated β -cyclodextrin 1561
- methyl benzoate
 - hydrogen drop 672
- methyl benzoate esters 1437
- methyl benzyl ethers 741
- methyl carbamates 153
- methyl crotonate 127
- methylcyclohexane 1127
- methylenecyclopropanes 1387
- methyl esters 1583
- methyl formate 114
- methyl heptenone 1370
- N*-methylimidazole 758
- methyl iodide 114
- methyl (4-phenylphenyl) ketone 738
- methyl linolenate 1638
- methyl methacrylate 92, 126
- N*-methylmorpholine (NMM) 1514
- 2-methylnaphthalene 717
- 2-methyl-1,4-naphthoquinone (MNQ) 544
- 5-methylnicotinamide synthesis 1457
- methyl nicotinate esters 651
- methyl nonyl acetaldehyde (MNA) 47
- methyl *N*-phenylcarbamate (MPC) 1268
- N*-methyl-*N*-(trimethylsilyl)trifluoroacetamide (MSTFA) 743
- methyl oleate 1588
 - ethenolysis 1348
 - hydrogenation 1644
- 2-methyl-1-pentene ($\text{Al}^{\text{i}}\text{Pr}_3$) 329
- methyl phenyldiazoacetate 885
- methyl propanoate 122
- methylpyridinium iodide 116
- meso*1-methylpyridinium-4-yl groups 1172
- methyl pyruvate, hydrogenation 1050
- methylrhenium trioxide (MTO) 548, 1514
- methyltrioxorhenium (MTO) 1514
- methyl vinyl ether
 - regio-determining insertion 973
- micellar catalysis 863
 - aqueous-micellar solutions 863
 - catalytic reactions in aqueous-micellar solutions 869
 - homogenous catalyst complexes 872
 - micellar effect 866
 - reactant solubilization 863
 - solid-supported catalysts 875
- micellar enhanced ultrafiltration (MEUF) 869, 873
- continuous reaction and separation process 874
- micellar media 1497
- Michael addition 851, 1470
 - cyclization/coupling 1206
- micro-porous solids 1000
- microwave irradiation (MWI) 1429
- migratory insertion 968, 1287
- mimicking disulfide linkages 1170
- Miyaura coupling 823
- Mizoroki–Heck reaction 1052
- Mn(III)-salen catalyst 1624
- mobile phase 1051
- M–O bonds 1071
- Mo^{IV} -oxo complex 1171
- molar ratio 221

- molecular catalysts 1179
 molecular oxygen 154
 molecular single-site electrocatalysts
 – immobilization 1177
 molybdenum 1338
 molybdenum carbene 873
 molybdenum hexacarbonyl ($\text{Mo}(\text{CO})_6$) 1454
 molybdenum polypyridine complexes 1165
 monodentate phosphine ligand 957
 – reaction rate, ligand dissociation, effect
 of 959
 monoligation 366
 monolignans 1630
 monomer concentration 213
 monooxygenase enzymes 906, 1486
 monophosphine ligands 350
 MonoSPANphos 364
 monotelomers 1595
 monoanxanthos 360, 361
 Monsanto process 98, 99, 1041
 – high water process 102
 – methanol carbonylation 1560
 morpholine 1111
 Mortreux catalysts 1341
 MPC. *see* methyl N-phenylcarbamate (MPC)
 MTG. *see* methanol to gasoline (MTG)
 technology
 Mukaiyama system 1486, 1487, 1488
 multiblock copolymers 240
 multicomponent carbonylation
 reactions 1199, 1202
 – chiral ligands, role of 1211
 – metal catalyzed 1197
 multicomponent cross-coupling
 chemistry 1203
 multi-component reaction (MCR) 1463
 multicomponent syntheses
 – metal-catalyzed 1196
 multiple C–H activation 229
 multiwalled carbon nanotubes
 (MWCNTs) 221, 222, 1141, 1182
 myrcene
 – ligand dependent regioselectivity 50
- n**
- Nafion film 1180
 Nafion membrane-coated electrode 1140
 nanocomposites 221
 nanofiltration 1343
 nanoparticles 1070
 – controlled growth 1078
 nano-scale magnetite powder 534
 NAPHOS-type diphosphine ligand 36
 naphthalene derivative 1099
 2,6-naphthalenedicarboxylic acid 486
 Naproxen 415
 natural fats 1581, 1582, 1636
 natural oils 1582
 Negishi reaction 429
 – cross-coupling reaction 412, 430, 816
 neutral monophosphine pathway 964
N-heterocyclic carbenes (NHCs) 740, 811, 813,
 824, 1439, 1544
 – aryl groups 366
 – complexes 367, 810
 – palladium complexes 366
 – phosphine complexes 820
 – steric and electronic properties 809
 – syntheses of 809
 – thioether ligands 1565
 NH₂Si-complexes
 – for hydrosilylation of carbonyl
 compounds 740
N-hydroxyphthalimide (NHPI) 518
 nickel 111
 nickelalactones [$\text{Ni}((\text{CH}_2)_2\text{CO}_2)(\text{ligand})$] 1611
 nickel catalysts 220, 269, 1162, 1175
 – electrocatalytic water oxidation 1145
 – grafted on carbon nanotube 1185
 – modified electrodes 1186
 nickel catalyzed amide formation 1450
 nickel catalyzed dimerization 329
 nickel catalyzed hydrocyanation 858
 nickel complex 245
 – diazadiphosphine complexes 1184
 nickel ferrite nanoparticle 1429
 nickel(II) complexes
 – based on bis(imino)aryl pincer ligands 269
 – bearing 2-(*N*-arylcaboximidoyl chloride)
 quinoline ligand 269
 – pyridylbis(imine) complexes combined with
 EASC 269
 nickel pincer complex-catalyzed
 processes 896, 1157
 [$\text{Ni}(\text{CO})_3(\text{phosphine})$] 835
 Ni(diimine) catalysts 241
 NiFe 1149
 nifedipine 1195
 NiFe-H₂ase 1147, 1149, 1559
 Ni-modified electrode 1187
 nitrenes 1310
 nitrilases 914
 nitrile coupling
 – co-operative zinc triflate and hydroxylamine
 hydrochloride catalyzed 1447
 – platinum catalyzed 1447

- nitrile hydration
 - heterogeneous cerium(IV) oxide and Au/TiO₂ catalyzed 1446
 - zinc nitrate catalyzed 1445
- nitrobenzene
 - carbonylation 1267
 - deoxygenation 1272
 - SILP catalyzed carbonylation 1043
- nitrogen nucleophiles 1466
 - coupling of aryl halides with 750
- nitrogen oxides 1593
- 4-nitropyridine *N*-oxide (NPNO) 1512
- nitroxide radical coupling (NRC) 1550
- NMR spectroscopy 200, 1080, 1533
- noble metal catalysts 1264
- NOESY NMR spectra 1566
- non-alternating ethylene/CO copolymers 157
- non-aqueous ionic liquid (NAIL) 334
- non-chiral metallocenes 212
- non-heme iron(II) complexes 714
- non-metallocenes 194
 - catalysts 199
 - metal complexes 226, 248
 - structure 191
- non-oxidative coupling 1076
- non-regioselective catalysts 335
- non-symmetric phenanthrolines 1271
- nonvolatile ionic liquid 1608
- norbornene 170, 192, 219, 220, 221, 1106, 1288
- normal lactone (NL) 1495, 1496
- Novartis discodermolide synthesis 1091
- Noyori's ruthenium complexes 656
- Nozaki-Hiyama-Kishi reaction 1568
- nucleophilic complexes 107
- nucleophilic elimination 136
- nucleophilic reagents 137

- o**
- octene 26
 - 1-octene 46, 192, 199, 211, 224, 233, 308, 311, 313, 324, 826
- oils 1581
 - valorization 1638
- olefin 149, 177, 233, 414, 627, 1323, 1509
 - enantioselective hydrogenation of 625
 - epoxidation 512
 - hydroarylation of 1318
 - hydroformylation 57, 855
 - hydrogenation of 627
 - physical properties 177
 - polymerization catalysis 224, 232
 - α -selective arylation 970
 - (Z/E)-isomerization 41
- α -olefin
 - polymerization 199
 - olefin block copolymer (OBC) 238
 - olefin complex
 - base-promoted formation 977
 - olefin insertion energy 972
 - olefin insertion polymerization
 - post- and non-metallocenes for 225
 - olefin isomerization 1367
 - olefin oxidation 490
 - olefin polymerization 233, 235, 331
 - Olefins Conversion Technology (OCT) 1375
 - oleic acid 1582
 - oleochemicals 1581
 - oleochemistry 1583
 - oleoyl alcohol 1021
 - oligo(ethylene oxide) (EO) 877
 - oligoketones 169
 - oligomerization 214, 227, 1583, 1594
 - styrene, with nickel cations 202
 - oligomers 218
 - Oppenauer oxidation 1625
 - optical clarity 207
 - organic-inorganic hybrid materials 1077
 - organic peroxycarboxylic acids 1486
 - organoaluminium compounds 200, 205
 - organomagnesium compound 257
 - organometallic catalysis 953, 1438
 - organometallic catalysts 251, 693
 - organometallic complexes 197, 1073
 - grafting 1070
 - organometallic compounds 1097
 - organosolv method 1630
 - osmate esters 1520
 - osmium 1509, 1521
 - catalyzed dihydroxylation 1509
 - OsO₄ dihydroxylations 1510
 - Os(VIII)-glycolate 1509
 - Os(VI)-monoglycolate 1509
 - oxamides 153
 - α -oxamination 1112
 - organo- and photoredox-catalyzed 1113
 - oxazolidinones 151
 - oxidation 1017, 1029, 1054, 1517, 1528, 1590, 1594
 - alkanes 1536, 1538
 - allylic and benzylic sp³ C–H bonds 1525
 - aromatic C–H bonds 714, 717
 - chiral tertiary C–H bonds 1531
 - cyclic alkanes 1532
 - pentacyclic triterpenoids using t-BuOOH 1535
 - products of glycerol 1594

- secondary alcohol 719
- unsaturated fatty compounds 1590
- oxidative addition
 - dissociative transition state 956
 - oxidative alkyne carbonylations 139
 - oxidative amidation of aldehydes 1442
 - oxidative arylation processes 541
 - oxidative carbonylation 1262, 1263
 - amines 152, 153
 - amino alcohols 154
 - anilines 151
 - transition metal-catalyzed 149
- oxidative cleavage 1517
- oxidative couplings 370, 1342
- oxidative cyclization
 - aminoalcohols 1512
 - oxidative decarboxylative couplings 540
 - oxidative photocatalysis 1114
 - oxidative quenching
 - by direct electron transfer 1662
 - oxidized carbon nanotubes 221
 - oxidizing agents 1515
 - oxidizing reagents 1525
 - oxidoreductases (EC) 903
 - oxime formation 1551
 - oximes, Beckmann rearrangement of 1452
 - oxonation 27
 - oxo processes 76
 - oxo reactor 67
 - oxo synthesis 25
 - oxyfunctionalization 465
 - oxygenases 906
 - ozonolysis 1645

p

- Paal–Knorr cyclization 861
- palladium 826, 1018
 - catalysis 745
 - catalysts 157, 220, 247
 - higher oxidation states 891
 - palladium–carbon bond 131, 1203
 - palladium catalyst system 1588
 - palladium-catalyzed alkoxylation 443
 - palladium-catalyzed allylic substitution
 - reactions 431, 1565
 - palladium-catalyzed coupling reactions 411, 413
 - advantages 413
 - of five-membered heteroarenes 536
 - for large-scale production 434
 - palladium-catalyzed cross coupling
 - reaction 411, 414, 429, 435, 1464
 - palladium-catalyzed decarboxylative Heck reaction 540

- palladium-catalyzed oxidative carbonylation 155
- palladium chloride 344
- palladium complexes 199, 245
- palladium hydride 120
- palladium(II) complex 437
- palladium-mediated telomerization 809
- palladium pincer complex catalysts 891
- palladium trifluoroacetate 540
- palladium/triphenylphosphine catalyst
 - 349
- palm oil 1581
- parathion (E603) 867
- partial oxidation (POX) 40
- Pauson–Khand reaction 118
 - mechanism 1287
 - non-cobalt mediated/catalyzed 1293
- P chiral ligands 637
- Pd- and Pt-catalyzed arylation 840
- penta-coordinate Pd-species 960
- pentadentate ligands, with iron 523
- pentadentate N-ligands 711
- pentenenitrile 1367
- peptidases 913
- peptide chemistry 1535
- perfluoroalkyl 171
- peroxodiiron(III) complexes 716
- peroxomolybdenum complex 1487
- peroxy acid 1485
 - thermal decomposition 477
 - peroxycarboxymidic acid
 - *in-situ* generation of 1502
- petrochemicals 1583
- petroleum-based fuels 1656
- phase separation 73, 869
- phase-switchable polyoxometalate (POM)
 - 882
- phase-transfer catalysis 1000
- phenol hydroxylation processes 546
- phenol oxidation processes 546, 547
- phenols
 - arenes, conversion in to 1633
 - hydrogenolysis of 1634
- phenothiazines 1207
- phenoxyimine catalysts 237
- phenoxyimine complexes 235
- phenoxyketimine ligands 194
- phenoxyoctadiene 344
- phenylacetic acid 1428
- phenylacetylene 730, 1122, 1124, 1407
- phenyl alanine dehydrogenases 904
- 4-phenylbutyric acid 1430
- phenylmethylenecyclopropane

- ring opening of 1387
- phenylpalladium(II)-diimine complex 971
- phenylphosphines 840
- pheromones 1110
- Phillips chromium-based ethylene polymerization catalyst 308
- Phillips pyrrolide system 341
- phosgenation
 - with homogenous tertiary amine catalyst 278
- phosgene 1230, 1261
- phosgene hydrolysis 274
- phosphabicyclononanes 34
- phosphanes. *see* phosphine
- phosphate buffer solution (PBS) 1140
- phosphine 106, 346, 811, 829
 - based catalysts 366
 - containing complex 707
 - σ -donation ability 810
 - free complex 1297
 - ligand 127, 638, 729, 1010, 1443, 1659
- phosphine-palladium-diolefin complexes 359
- phosphinimide catalysts 228
- phosphinooxazoline (PHOX) ligands 1490
- phosphino-phosphine sulfides 1560
- phosphite ligands 839, 840
- phosphite P(OMe)₃ ligand 636, 1559
- phosphites
 - hydrolytic stability 844
 - synthesis 840
- phospholane 1092
- phospholane-type diphosphines 636
- phospholane type ligands 626
- phosphole catalyst 228
- phosphonate functionalized complex 1161
- phosphonate groups 1139
- phosphonic acids 1267
- phosphonium salts 114
- phosphorous acid 830
- phosphoramidites 636, 1087
 - synthesis 842
- phosphorus ligands 837, 838, 843
 - in homogeneous catalysis 828, 829
- phosphorus-sulfur ligands 1561
- photocatalysis 1098
- photocatalyst 1097, 1682
- photocatalytic H₂ evolution 1665
- photochemical alkoxy carbonylation 125
- photochemical decarboxylations 537
- photochemical electron transfer mediated reactions 1108
- photochemical H₂-evolving reaction 1677
- photochemical H₂ generation processes 1662
- photochemical redox catalysis 1111
- photochemical transformations 1097, 1104
- photocycloaddition 1100, 1106, 1115
- photodimerization 1106
- photoelectrochemical catalysis 1110, 1111
- photoinduced water oxidation 1657
- photoredox cycle 1121
- photosensitizer (PS) 1656, 1657, 1668
- phthalide 478
- phthalocyanine 716, 1181
- physical adsorption 1000
- Pichia pastoris 913
- 2-picolinic acid 757
- pig liver esterase (PLE) 913
- pincer complexes 889
 - generic structure 889
- pincer SNS ligand
 - deprotonation 1566
- plasticization 251
- plasticizer alcohols 91
- platform chemicals 1617
- platinum 125, 1592
 - platinum group metal (PGM) 1447
 - platinum terpyridylphenylacetylides complex 1668
 - platinum tetrachloride 1592
- PMMA monomer methyl methacrylate 51
- P-N ligands 324
- ³¹P NMR spectroscopy 835
- P-N-N terdentate ligand 352
- P–O bonds 840
 - hydrolysis 843
- polar monomers 772
- polyamides 1446
- polybutadiene 249, 272, 771
- polycarbonates 225, 273, 281
- polycondensation route 277, 1582
- polycyclopentene 218, 219
- polydentate ligands 833
- polydicyclopentadiene 225
- polydispersities 200
- polyesters 26
- polyether carbonates 283
- polyethylene (PE) 203, 206, 207, 209, 211, 319
 - characteristics of 211
 - production 309
 - Ziegler catalyst 203
- poly(ethylene glycol) (PEG) 849, 905
- poly(ethylene terephthalate) (PET) 465, 470
- polyethylenes
 - unit cells 173
- polyketones
 - chemical transformations of 176
 - crystal structures of 173

- synthesis 158
- polymer design 224
- polymeric monoliths 154
- polymerization 191, 194, 201, 204, 208, 210, 222, 227, 242, 243, 244, 1073, 1338
 - active sites, surface of nanofibers 222
 - butadiene 245, 251, 252, 263
 - catalysts 197, 198, 235
 - of cycloolefins 218
 - ethylene 203, 209
 - olefins 203, 207
 - polycarbonates 274
 - propylene 235
 - of styrene 200
 - technology 233
 - temperature 213, 241
- polymerizing α -olefins 191
 - *cis*-1,4 polymers 250
- polymethylbenzene 474
- polynorbornenes 219, 245
- polyolefins 203, 224, 225, 248
 - nanocomposites 221
 - production 225
- polyoxometalate (POM) 1054, 1141, 1532
- polyoxotungstate 1533
- polypeptides 172
- polypropylene (PP) 192, 196, 203, 206, 218, 223, 225
 - microstructure 205, 213
 - properties of 217
 - pseudo-enantiomers of 166
 - various metallocene catalysts 213
- polypropylene matrix 222
- polypyridyl ruthenium 1137
- polypyrrole 506
- polystyrene 200
- polysubstituted furans 1478
 - three-component synthesis 1478
- polysubstituted phenol synthesis 1214
- N*-poly(tetrahydrofuran) ligand 883
- polyurethanes 283, 467
- poly(vinyl chloride) (PVC) 45
- porcine pancreatic lipase (PPL) 912
- pore diameters 1000
- porous solids, classification of 1001
- porphyrin 1538
- porphyrin
 - ligand 1536
- Portnoy model 868
- positive charge delocalization 968
- post-metallocene catalysts 191, 1387
- precursor screening 1059
- Prelog-rule 903
- pre-reactive complexes 958
- Prilezhaev reaction 1645
- primary amides
 - from oximes 1451
 - from aldoximes. 1449
- primary amides, transamidation of
 - hydroxylamine hydrochloride catalyzed 1436
- primary amide synthesis
 - from alcohols 1450
 - via aminocarbonylation of benzyl and allyl chlorides 1454
- primary amino-alkenes
 - intramolecular hydroamination of 1392
- Proactinomyces erythropolis* 908
- product selectivity 354
- L-proline 1436
- propane dehydrogenation (PDH) 45
- propargylic carbonates 1466
- propene 204, 213, 220, 221, 224, 1040
 - dimerization 330
 - hydroformylation 44, 1005, 1035
 - hydrogenation 1047
 - mechanism of isotactic polymerization 215
- prophos 1093
- n*-propylamine 1386
- propylene 192, 194, 196, 335, 1349
- propylene-ethylene copolymers 233
- propylene oxide 467, 1019
- propane carbonylation 127, 139
- prostostenoid
 - rapid synthesis 1204
- ProsulfuronTM 415
- protease inhibitor 1343
- protic solvents 112
- proton-coupled electron transfer (PCET)
 - 1174
- protonolysis 132
- proton reduction 1135, 1657
- proton transfer 135
- Prunus amygdalus* 917
- Pseudomonas cepacia* 912
- Pseudomonas chlororaphis B23* 914
- Pseudomonas putida* 910
- push-pull complex 962
- push-pull stabilization 812
- pyrene-functionalized nickel complexes 1186
- pyrethroids 918
- pyridazinone 761
 - arylation of 759
- pyridine derivative 1099
- pyridine formation 1099
- pyridine-imine ligands 1166

- pyridine *N*-oxide (PNO) 1512
 pyridoxyl-5-phosphate (PLP) 920
 pyridyl-amido catalysts 232
 2-pyridylidiphenylphosphine (2-PyPPh₂) 127
 pyridyl group 132
 pyridylphosphine 137
 pyrophoric metal hydrides 645
 pyrrole-based tetraphosphoramide 36
 pyrrolidines 1382
 – *cis*-pyrrolidines 1512
 pyrrolyl ligand 1076
 pyruvate decarboxylase (PDC) 922
- q**
- quantum chemistry calculations 954
 η³ quasi-tetrahedral transition state 961
 quinuclidine 1512
- r**
- rabbit muscle (RAMA) 919
 racemic alkyl-substituted cyclic ketones 1488
 racemic products 1510
 racemization 1098
 radical addition of glycosyl bromide, photoredox induced 1118
 radical cation 1113
 radical chain oxidations 508
 – alkyl nitrite 514
 – homogeneous catalysts for autoxidations 513
 – hydrocarbons, autoxidation mechanism 510
 – industrial processes 508
 radical (SET) pathway 1521
 radiofrequency heating 1429
 Raney-Nickel 845, 1584
 rapid intramolecular cycloalkylation 1210
 rare earth metal catalysts 764, 1382
 – hydrogenation 764
 – hydrosilylation, hydroboration, and hydrostannylation 765
 reaction rate constant 1018
 reaction zone 1008
 reactive gases 1085
 reactor models 224
 reactor void volume 1004
 Re complexes
 – for BV reaction 1492
 redox active co-catalyst 1264
 redox carbonylation 1262
 redox mediator
 – on water oxidation 1139
 reductive amination 1620
- reductive carbonylation 1262
 – ruthenium catalyzed 1273
 reductive coupling
 – three-component nickel-catalyzed 1212
 reductive dicarbonylation 140
 reductive elimination
 – palladium–carbon bond, role of 1206
 reference complex 962
 regiochemistry 971
 regioisomers 1100, 1287
 regioselective catalysts 1526
 regioselective coupling 969
 – C–C coupling 966
 regioselective dimerization
 – of propene 333
 – of propylene 335
n-regioselective hydroformylation 42
 regioselective oxidation 1531
n-regioselective Rh-catalyzed hydroformylation
 – catalysts 888
 – multidentate ligands 38
 regioselectivity 966, 1318, 1335, 1398
 – characteristics of 370
 – electronic control 972
 Reppe process 119
 resveratrol 420
 reusable heterogeneous catalysts 1446
 reverse biomimetic reduction approach 727
 reversible polymethyl chain transfer 199
 Rh-BINAPHOS catalyst 60
 Rh-BIPHEPHOS catalyst 52, 55
 Rh-catalyzed asymmetric hydrogenation 831, 832
 Rh-catalyzed heterocycle alkylation reactions 1323
 Rh diphosphine catalysts 38, 630
 Rh-driven processes 67
 rhodium complexes 1314, 1661
 rheological measurements 212
Rhizomucor miehei 912
 rhodamine dye 1674
 rhodium 1010, 1040
 rhodium carbonyl clusters 1092
 rhodium catalyst 32, 1445, 1565
 – hydroformylation 31, 833
 rhodium complexes 99, 1125, 1297, 1315, 1325
 rhodium hydride 1021
 rhodium trichloride hydrate 1584
Rhodococcus rhodochrous 914, 915
 Rh-SILP catalysts 1032, 1047, 1052
 – hydroformylation 1040
 ricinoleic acid 1582

rilvpirine 415
 ring bromination 487
 ring-closing metathesis (RCM) 824, 873, 1343
 ring-opening metathesis (ROM) 873
 ring-opening metathesis polymerization (ROMP) 225, 245, 824, 1641
 ring-rearrangement metathesis (RRM) 824
 Ritter reaction 1449
 – catalysts 1451
 Roche ester 61
 ROMP. *see* ring-opening metathesis polymerization (ROMP)
 Ru–biaryl diphosphine complexes 623
 Ru catalysts activity 1338
 Ru catalyzed reaction 1294
 Ru-cobaloxime structures 1679
 Ruhrchemie–Rhône-Poulenc process 74, 1020
 Ru-NHC complexes 825
 RuO₄-catalyzed dihydroxylation 1515, 1516, 1517
 – of allenes 1517, 1519
 – vicinal dihaloalkanes, leading to 1,2-diketones 1519
 RuO₄-catalyzed ketohydroxylation 1520
 RuO₄-catalyzed oxidative cyclization
 – of 1,5-dienes 1519
 – of 1,6-dienes 1520
 Ru pincer complexes 893, 1438
 Ru-Rh photocatalysts 1680
 Ru-SILP catalyst 1055
 – asymmetric hydrogenation 1049
 ruthenium 113, 1509, 1515, 1521
 – common metathesis reactions catalyzed 825
 ruthenium carbene complexes 225, 1054
 ruthenium catalyst 1340, 1535, 1606
 – BIAR 627
 – dihydroxylation with hydrogen peroxide 1520
 – dioxygenation of olefins 1515
 – Ir-based 1138
 – with NHC spectator ligands 825
 – oxidative cyclizations 1517
 – ruthenium-catalyzed azide–alkyne cycloaddition (RuAAC) 1548
 – terpyridine ligands 1141
 ruthenium complexes 506, 1535
 – with bidentate and tetradentate phosphine ligands 663
 – polypyridine complexes 1111, 1675
 – salen complex 1122, 1123
 – TPPS complex 1608
 ruthenium-diiron dyads 1664
 ruthenium hydride species 1072

ruthenium hydrido-BH₄ complexes 678
 ruthenium(II)-TriPhos complexes 647
 ruthenium(IV) complex 1535
 ruthenium-metathesis catalysts 888
 ruthenium nanoparticles 1621
 Ru(VIII)-glycolate 1517
 Ruxolitinib 426
 RX oxidative addition 954
 – computational studies 955

s

saccharides 1581
 sacrificial alkene 1640
 – norbornene 1640
 salalen titanium complexes 195, 237
 salicylaldehyde 233
 salicylaldiminato complexes 235
 sandwich zirconium complexes 192
 SAP catalyst 1020, 1021, 1027
 – performance 1023
 Sasol PNP tetramerization system 323, 342
 scaffold phosphine ligands
 – aryl-heteroaryl and heteroatom-incorporated 446
 Sc aminopyridinates 772
 scandium triflate (Sc(OTf)₃) 1432
 scandium-tris(trifluoromethanesulfonate), Sc(CF₃SO₃)₃ 506
 scanning tunneling microscopy (STM) 1558
 Schiff base ligands 233, 520, 708, 1277, 1342
 Schlenk-technique 829
 Schrock-type catalysts 1339
 Schulz–Flory distribution 347, 348
 – product distribution-afflicted processes 311
 sclareolide 663
 SCRAM catalyst 1440
 sealing temperature 207
 secondary phosphine oxides (SPOs) 638, 843
 selective alkyne tetramerization 316
 selective ethylene tetramerization
 – binuclear mechanism 317
 selective hydrogenations 1584
 selective terminal functionalization reaction 1638
 selenium compounds
 – carbamoyl compound 1280
 – toxicity 1279
 selenium(IV)-methoxy complex 1280
 selenium-modified rhodamine dyes 1674
 self-assembled PSI–cobaloxime hybrids 1677
 self-assembling ligands 641, 1681
 SEM-EDX dot scans 1061

- sensitizer 1097
- serine hydrolases 913
- seven-membered ring intermediate 1102
- Sharpless–Katsuki epoxidation 1645
- Shell higher olefin process (SHOP) 32, 48, 352, 1368, 1590
 - ligand-modified, cobalt-based process 70
- Shell patents phosphinites 374
- Shing dihydroxylation 1516
- Shvo catalyst 1623
- silanol groups 1002
- silica chemisorption 1010
- silica gel 1033
- silica materials 1070
- silicotungstate catalytic system 1493
- silicotungstate polyoxometalates 1491
- siloxane bridges 1070
- silver(I) iodate (AgIO_3) catalyst 1441
- silylcyanation 1073
- sinapyl alcohol 1630
- single-site catalysts 1069
- single-stage process 498
- in situ* polymerization 221
- slurry phase hydrogenation 1045
- sodium dodecyl sulfate (SDS) 855, 1298, 1497, 1664
- sodium thiophene-2-carboxylate 739
- sole energy source 1656
- sol–gel process 1000, 1077
- solid material 999
 - catalysts 1136
 - surface properties 999, 1031
- soluble organometallic catalysts 1499
- solvatophobic effects 846
- solvent-free reaction 823
- Sonogashira coupling 431, 819, 1121, 1122, 1342
 - in air under amine-free conditions 819
 - catalytic generation of alkynones and alkenones 1464, 1474
 - cross-coupling reaction 431, 432
- Sonogashira reactions
 - decarboxylative and non-decarboxylative 538
- southern pine beetle 1110
- space-time yield (STY) 1501
- spectroscopic techniques 1080
- spiroketal structures 174
- square-planar configuration 129
- stacked membrane reactor design 1046
- π – π staking interactions 1187
- stannylation reactions 892
- stereoblock
- copolymer 169
- polypropylene 218
- polystyrenes 202
- stereoregular
 - alkene 164
 - polybutadienes 249
 - structure 205
- stereoselectivity 198, 236, 973, 1319
 - catalysts 198, 199, 1526
 - C_s -symmetric metallocenes 217
 - β -elimination 975
 - hydroformylations, chiral ligands 39
 - oxidations 1122
 - polymerization 199, 213, 215
- steric factors 1527, 1535
- steric hindrance 106, 360, 1536
- stirred tank reactor 110
- cis/trans*-stilbenes
 - mechanistic interpretation, roles 976
- stoichiometric and catalytic version of directed dihydroxylation 1512
- stoichiometric oxidants 1486
- stoichiometric reaction 491
- strain-promoted azide–alkyne click reaction (SPAAC) 1551
- Strecker method 904
- Streptomyces lividans* 851
- styrene 192, 194, 202, 427, 731
 - asymmetric hydroformylation 59
 - formation 964
 - hydrogenation 1244, 1279
 - stereospecific polymerization 200
 - syndiospecific polymerization 243
 - yield 1017
- substituted (hetero)arenes, synthesis of 411
- substituted cycloalkanones
 - kinetic resolution 1469, 1477, 1489, 1494
- substituted tetrahydrofuran synthesis 1206
- sugars
 - conversions of 1619–1621
- sulfates 1583
- N*-sulfinyl-based chiral sulfur-alkene ligands 1566
- sulfonamide-amide 637
- sulfonated ligands 36
- sulfonated phosphine ligand (TPPTS) 31
- sulfoxantphos (SX) 870, 1021, 1022
- sulfur 1557, 1569
 - bridged bis(phenolato)-ligands 194
 - carbonylation reactions 1560
 - hydrogenation/isomerization 1563
 - push effect 1567
 - thiacrowns, catalytic synthesis 1568

sunflower oil 1581, 1582
 superabsorbent polymers 1610
 supercritical CO₂ 1050, 1343
 supercritical fluids 1000
 supported aqueous phase 1020
 supported hybrid ionic liquid (SMNP)
 materials 1057
 supported ionic liquid phase 1030
 supported liquid phase (SLP) catalysis 1002
 – catalytic performance of 1010
 – hydroformylation plant, flow-scheme 1012
 supramolecular
 – catalysts 857
 – ligands 847, 1077
 – photocatalysts 1664
 surface coating 1000
 surface hydrogen 1070
 surface organometallic chemistry 1000, 1079
 surface organometallic complexes 1076
 surfactants 1582, 1583
 Suzuki–Miyaura coupling reactions 412, 420,
 421, 422, 426, 822, 890, 897, 1094, 1566
 – aryl halides 541
 – carboxylic anhydrides 532
 switchable catalysis 877, 882
 – photochemical switching of 885
 – pressure switching 885
 – self-separating catalyst 881
 – solubility with acid–base chemistry 887
 – solvent switchable catalysts 883
 symmetrical dialkyl alkynes,
 hydroformylation 58
 symmetric phenanthrolines 1269
syn-acetoxypalladation 507
syn-anti isomerization 357
 syndioselective polymerization 199
 syndiotactic copolymers 164
 syndiotacticity 201
 syndiotactic 1,2 polybutadiene 251, 255
 syndiotactic polyketone 175
 syndiotactic polypropylene 194, 196, 212
 syndiotactic polystyrene (sPS) 200, 202, 242,
 244
Synechococcus leopoliensis 1677
Synechococcus lividus 1677
syn-selectivity 1511
 synthesis gas (syngas) 40, 94
 – Fischer–Tropsch conversion 347
 – hydroformylation 40
 synthetic Fe₂S₂ mimics 1151
 synthetic mesoporous Mg 1503
 syringyl alcohol
 – with O₂ catalyzed 544

t

TACN ligands 711
 tactic homopolymers 218
 tandem catalysis processes 227
 tandem hydroformylation/indole Fischer
 synthesis 1201
 tantalum hydride 1313
 tautomerization 1323
 tazarotene 431
 telomerization 343, 372, 1583, 1594
 – of 1,3-butadiene 343, 350, 361, 362
 – with formic acid 374
 temperature stability 226, 247
 – Ni(II) catalysts 241
 terbinafin 431
 terephthalic acid 465, 483
 – production 1624
 terminal olefins
 – hydroformylation 92, 1201
 β-terminal selectivity 973
 terpenes 1581
 terphenyl-substituted diimines 241
tert-butyl hydroperoxide (TBHP) 467, 504,
 549, 851, 1443
 tertiary phosphines 955
 tethered bis(ureate) zirconium complex 1395
 tetraamido macrocyclic ligands (TAML) 712
 tetra-anionic tetradentate amide
 ligands 1145
 tetraarylporphyrinatoiron(III) chlorides 716
 tetrabutylammonium borohydride 177
 tetrabutylammonium bromide 820
 tetrabutylammonium iodide (Bu₄NI)
 catalyst 1442
 tetrafluoroborato Pd(II)-η₂-η₃-octadienyl
 analog 370
 tetrahedral intermediate 1279
 tetrahydroazulene derivative 1103
 tetrahydroisoquinolines 1470
 tetraamine macrocyclic cobalt complexes 1157
 tetrakis(pentafluorophenyl)borate 211
 tetrakis(triphenylphosphine)platinum 529
 tetrametallic complex 854
 2,3,5,6-tetramethylbenzoic acid 1273
 tetramethylcyclopentadienyl 227
 tetramethyldivinyldisiloxane (dvds) 359
N,N,N',N'-tetramethylethylenediamine
 (TMEDA) 1413
 1,1,3,3-tetramethylguanidinium lactate
 (TMGL) 1032
 2,2,6,6-tetramethylpiperidine-oxy
 (TEMPO) 717, 1550
 tetranuclear catalyst 711

- tetraphos 121, 124
 tetrapropylammonium perruthenate (TRAP) 1517
 [tetra(*p*-sulfonato)]-(tetra-*n*-butoxy)-calix[4]arene 855
 tetrapyridyl-uniamine cobalt(III) complex 1169
 tetrasubstituted olefins – hydrogenation 628, 629
 1,3,4,5-tetrasubstituted pyrazoles – one-pot four-step synthesis 1475
 TFSA. *see* trifluorosulfonic acid (TFSA)
 theaflavin–model, for tea stains 520
 thermal cracking 1262
 thermal thiol-ene reaction 1550
 thermodynamically-controlled approach 913
 thermodynamic endo-cyclization 1414
 thermomorphic strategy 879
 thermoplastic material 200
 thermoregulated catalysis 881
 thietane – rhodium-catalyzed trimerization 1569
 thin film coating materials 1003
 thioanisoles – derivatives 1123 – sulfoxidation of 850
 thioethers 1341
 thiolato-bridged dirhodium complexes 1559
 thiophene derivatives 739
 thiophosphine ligands 1561
 thymine 1-acetate (THA) 719
 TiO₂ nanoparticles – H₂-evolving rate of 1678
 titanium 204, 235 – carbon bond 207 – catalysts 192, 251, 252, 1293, 1294 – complexes 194, 200, 210, 242, 336 – Ti–C σ bonds 1294 – Ti–C bond strengths 1309 – Ti(III) compounds 201, 243 – Ti(IV) catalyst precursors 201, 243 – Ti(IV) isopropoxide (Ti(OⁱPr)₄), 1427 titanium dioxide supported gold catalyst (Au/TiO₂) 1446
 titanocene 252 – catalyzed addition, of amines to alkynes 1390
 Tolman electronic parameter (TEP) 352, 809, 836
 toluene 483
 toluene diisocyanate 1261
 Topas® cycloolefin copolymers 245
 tosylamides 1415
 tosylate 1399 – Pd-catalyzed amidation 441
 TPP. *see* triphenylphosphine (TPP)
 transamidation 1433–1437
 transaminases 920
 α-transaminases (TAs) 920
 transamination 1088
 transesterification 277, 1583, 1593
 transfer hydrogenation – catalyst 1442 – non-classical iron trihydride complex 730
 transformation 1521, 1525, 1583, 1584
 transition metal 213 – catalysis 238, 758, 1196, 1372, 1463 – in BV reaction 1487 – complexes 233, 1031, 1337, 1525 – insertion polymerization 242 – ketimide complexes 231 – pincer complexes 889–896
 transition-metal elements 1307
 transition metal polypyridine catalysts 1167
 transition state 1528 – ligand-free 966 – proposed stereo-model 1388
 transmetalating agent 1209
 transmission electron microscopy (TEM) 223
 transoid butadiene molecules 371
 trans-1,4 polybutadiene 254
 trans-1,4-polyisoprene 771
 trans-spanning ligands 835
 transvinylation 507
 trialkylaluminium 208
 trialkylamines 1314
 trialkylphosphine ligand 451
 trialkylsilyl isonitriles (R²₃SiNC) 1294
 1,2,4-triazoles 1469
 1,2,4-triazolyl carbenes 1545
 tributylphosphine sulfide 1288
 1,3,5-tricarboxybenzene 474
 tri-coordinated insertion complex 968
 tricyclic enones 1287
 tricyclic intermediate 1105
 tricyclodecanedialdehyde (TCD-dialdehyde) 50
 tricyclopentadiene 1349
 tridentate ligands 638, 708
 tridentate pyridinediimine ligand 721
 triesters 118
 triethanolamine (TEOA) 1668
 triethoxy-silane 1002, 1592
 triethylaluminium (TEA) 325

- triflate (OTf^-) 1399
 trifluoroacetate (Tfa^-) 1399
 trifluoroacetic acid 727, 729
 trifluoromethylated indole 757
 trifluoromethylations 1120
 trifluoromethylbenzylboronic acid 1430
 trifluoromethyl nucleophiles 537
 trifluorosulfonic acid (TFSA) 1275
 triglycerides 1582
 – common fatty acid residues 1637
 β -triketimine cobalt complexes 268
 trimer (2,4-dimethyl-1-heptene) 214
 trimeric iron hydride [$\text{HFe}_3(\text{CO})_{11}$][–]
 1663
 trimerization reaction 340
 2,2,2-trimethylacetamide 1433
 trimethylaluminium 207
 trimethylamine *N*-oxide 728
 2,4,5-trimethylbenzaldehyde 486
 trimethyl-1,4-benzoquinone (TMBQ) 544
 trimethylphenol (TMP) 544
 trimethyl phosphite 844
 2,3,6-trimethylquinone 716
 1,4,7-trimethyl-1,4,7-triazacyclononane
 521
 N,N,N' -trimethyl-1,3,7-
 triazacyclononane 1520
 triphenylphosphine (TPP) 57, 350, 356, 731,
 755, 1011, 1638
 – concentration 1086
 – derivatives 373, 1010
 triphenylphosphine trisulfonate (TPPTS) 71,
 1595
 triphosphine borane 721
 TriPhos^{Ph} ligand 646
 TriPhos^{Ph} ruthenium complexes 651
 tripropylene 26
 tris[3,5-bis(trifluoromethyl)phenyl]phosphine
 ($\text{P}[\text{C}_6\text{H}_3(\text{CF}_3)_2]_3$) 1663
 tris(carboxyethyl)phosphine 1546
 tris(β -diketonato)vanadium complexes 195
 tris(2,4-di-*tert*-butylphenyl)phosphite 44
 tris(m-sulfonylphenyl)phosphane (TPPTS)
 1560
 tris(*N*-pyrrolyl)phosphine ($\text{P}(\text{Pyr})_3$) 1659
 tris-*o*-tolylphosphine 373
 tris(2-*tert*-butyl-4-methylphenyl)phosphite
 (TTBMP) 1638
 trisubstituted pyridines 1479
 trisubstituted triazoles
 – four-component synthesis 1215, 1548
 Triton X-100 855
 Triton-X305 1018
 trivalent phosphorus compounds 829, 842
 trivalent phosphorus protection 844
 TS. *see* transition state (TS)
 TsOH, bulk electrolysis 1157
 Tsuji-Trost reaction 1565
 TTBMP. *see* tris(2-*tert*-butyl-4-
 methylphenyl)phosphite (TTBMP)
 tungsten 1338
 – carbene 1105
 – catalysts 1339
 – hexacarbonyl 1103, 1104, 1105
 – hydrides 1071, 1072
 turnover frequency (TOF) 622, 763, 1137
 turnover number (TON) 622, 647, 763, 821,
 1137
 two-component ring expansion reaction 1200
 L-tyrosine 904
- u**
- Ugi reaction 1195
 Ullmann coupling reaction 437, 455
 Ullmann–Goldberg cross-coupling
 reactions 754
 ultrahigh molecular weight polyethylene
 (UHMWPE) 237
 unactivated methyl esters
 – hydrogenation of 1644
 un-protected indole
 – aminocarbonylation 1452
 α,β -unsaturated acid derivatives
 – Rh catalyzed hydrogenation of 635
 α,β -unsaturated aldehydes 45, 48, 1298
 γ -unsaturated carbonyl compound 1102
 α,β -unsaturated carboxylates 1510
 α,β -unsaturated esters 639
 unsaturated fatty acid
 – double bond modifications 1639
 – modifications of the double bonds 1638
 – selective Fe catalyzed oxidative cleavage to
 aldehydes 1645
 ω -unsaturated fatty acid
 – hydrocyanation 1640
 unsaturated fatty acid methyl ester (FAME)
 – isomerizing methoxycarbonylation 1640
 α,β -unsaturated β -iminoamines preparation
 – titanium-catalyzed three-component
 route 1214
 unsaturated ketone 1092
 α,β -unsaturated ketones 730, 739, 1467
 – cycloaddition of 1116
 β -unsaturated ketones 851
 unsaturated lactam
 – diastereoselective hydroformylation 63

α,β-unsaturated nitriles
 – hydroformylation 1197
 unsaturated Pd⁰L₂ type complexes 955
 unsymmetrical bidentate ligands 163
 unsymmetric alkynes
 – hydroamination of 1391
 unsymmetric phenanthrolines 1269
 UpJohn conditions 1511
 urea-H₂O₂ adduct 1490
 ureas
 – selenium catalyst, use of 1279

v

valence electron number 197
 valeraldehyde 46
 γ-valerolactone 1487, 1626
 valuable rubbers 1349
 vanadium
 – catalysts 245, 254
 – compounds 205, 1000
 van der Waals forces 846
 vanillin
 – production 1634
 varenicline 420
 vaulted BINOL (VANOL) 1489
 vegetable oils 1582
 Vemurafenib 426, 431
Vibrio fluvialis 921
 vic-diol 1521
 vicinal silanols 1070
 vinyl acetate 60
 – asymmetric hydroformylation 60
 vinyl addition homopolymerization 245
 vinyl arenes
 – hydroformylation 53
 vinyl bromides
 – first coupling 452
 4-vinylcyclohexene (VCH) 350
 vinylcyclopropyl derivative 1102
 vinyl-1,1-diarenes
 – Rh-catalyzed hydroformylation 53, 54
 vinyl esters
 – of long-chain carboxylic acids 506
 vinyl ethers 1338
 vinyl halides 426
 vinylic oxidative addition 1310
 vinyl monomers 170, 199
 – copolymerization 171
 vinyl norbornene
 – isomerization of 1369
 2-vinylpyridine 233
 vinyl terminated polymer chains 227
 vinyl transfer 134

vitamin B_{12a} 1109
 vitreous carbon sponge (VCS) 1141
 vulcanization 251

w

Wacker oxidation 98, 415, 490, 502, 1645
 – PdCl₂/dimethylacetamide catalyzed 1645
 – of terminal alkenes 505
 Wacker product 497
 Wacker-type reactions 506, 507
 water
 – adsorption capacity 1051
 – concentration in acetic acid 476
 – diiron-based catalyst systems function 1664
 water-gas shift reaction 98, 1058
 water immiscible solvents 902
 water mediated pathway 1435
 water-miscible solvents 902
 water oxidation catalyst (WOC) 1137
 water (proton) reduction 1656
 water soluble catalysis 1276
 water soluble cobalt diimine-dioxime complexes 1156
 water soluble ionic cobalt porphyrin complexes 1172
 water splitting reaction 1135, 1656
 Weinreb amides 1453
 western pine beetle 1110
 WGS activity 1059
 Wilkinson's catalyst (RhCl(PPh₃)₃) 526, 1044
 windshield wiper effect 832
 Woodward-Hoffmann rules 1106

x

xanthenes 362
 – ring, with sulfur 1674
 xantphos ligand 1440
 X-ray crystallography 1080
 XyLBINAP containing complex 659
 o-xylene 478
 – gas phase aerobic oxidation 471
 – liquid-phase oxidation of 479
 D-xylose
 – without acetylation 372

y

(R,S)-YANPHOS 59
 yttrium complex 771

z

zeolite 1000
 – catalysts 118

zero-order rate kinetics 1381
zero oxidation states 113
Ziegler catalysts 205, 247, 334
Ziegler–Natta catalysis 191, 196, 203, 204, 205,
 217, 218, 225, 232, 248
– heterogeneous 202
zinc metal 738
zinc porphyrin 1665, 1681
zirconacyclopentenes 1293
zirconium 209
– alkyl cations 1394
– catalysts 195, 210
– titanium salan and salalen complexes,
 structures of 236

zirconium complex $[\text{Zr}(\text{NMe}_2)_4]$ 194, 233,
 1393,
– with phosphinimide ligands 230
– zirconium(III) complexes 194
– zirconium(IV) chloride (ZrCl_4) 1427, 1490
zirconium *tert*-butoxide 1437
zirconocenes 209, 212
– catalysts 191, 197, 208, 1427
 Zn/H-Beta 1409
 Zn(II) -porphyrins 859
(Z)-selective Ru catalysts
– application of 1642
zwitterionic zirconium complex 1395
Zymomonas mobilis 922

