

## Index

### **a**

accumulation 325, 340  
 accuracy, parameter 359, 363, 368, 369, 373, 379, 397  
 activated carbon 48  
 adsorbent 8, 9, 326, 359, 379  
   – activity parameter 137  
   – classification 47  
   – customized 48  
   – designed 48  
   – generic 48  
   – low affinity 341, 346  
   – morphology 95  
   – storage 108  
 adsorption 9  
   – chemical 10  
   – competitive 136, 388, 402  
   – enthalpy 10  
   – equilibrium 15, 136, 325, 329, 331, 335, 337, 341, 359  
   – kinetic 325, 329, 337, 338, 339, 340, 346, 365  
   – model 134  
   – physical 9  
   – rate 329, 341  
 adsorption-desorption method 384, 386  
 advanced process control 237, 497  
 affinity selector sorbents 57  
 affinity sorbent 54  
   – protein A 54  
   – protein G 57  
   – protein L 57  
 agarose 73  
 alkylsilica 66, 153, 159, 167  
 analysis, moment 360, 361, 362, 370, 375, 376, 377, 382  
 analytical chromatography 110, 154

analytical solution 335, 336, 345, 360, 369, 370, 391  
 anion exchangers 77  
 annular chromatography 283  
 approach, model 322, 346  
 asynchronous shifting 233  
 at-column-dilution 130  
 automatized screening 177  
 axial  
   – compression 19  
   – diffusion 27  
   – dispersion 18, 228, 327, 334, 338, 340, 348, 359, 360, 361, 365, 377, 431, 434

### **b**

back mixing 227  
 balance 321, 325, 405  
   – differential 331, 337, 338, 340, 341, 349, 408  
   – overall 336, 345, 385  
 band broadening 18, 20, 334, 335, 336, 345, 350, 365, 461  
   – artificial 354  
 baseline 363  
   – separation 274, 443  
 batch chromatography 442  
 batch method 382  
 bioprocess, economics 200  
 bio-separation 215, 220  
 boundary  
   – conditions 329, 335, 342, 343, 349, 350, 351, 405  
   – layer 328, 339  
 breakthrough 333, 374, 390  
   – curves 346, 359, 385  
 brush type adsorbent 153  
 bubble formation 226  
 buffer, systems 123

- c**
- calibration 359, 362, 374, 390, 391, 393, 396
  - detector 359, 362, 374
  - capacity factors 12, 28
  - capacity scenarios 204
  - capture step 298
  - catalyst 344
    - distribution of 281
  - cation exchangers 77
  - cavitation 226
  - cGMP 201
  - chiral selector 89, 92
  - chiral separation 167
    - enantioselectivity 169
  - optimization 171
  - practical hints 172
  - racemization 172
  - chiral stationary phases 85, 168
  - chromatogram 15, 361, 370, 375
  - chromatographic batch reactor 281
    - application 282
  - chromatographic reactor 281
    - Hashimoto process 302
    - modeling 344
    - simulated moving bed reactor 301
  - chromatographic separation
    - development of 113
    - goal 110
    - working area 183
  - chromatography systems 8, 109, 358
    - analytical 110, 154
    - batch 438, 442
    - column switching 283
    - construction material 219
    - FDA Code 219
    - flash 115
    - membranes 267
    - normal phase 100, 132
    - optimization 181
    - preparative 110
    - properties 117
    - requirements 218
    - selection 109, 125, 282
    - supercritical-fluid 8
    - thin layer 8, 134, 139, 149
    - USP test 219
  - circulation method 384, 386
  - cleaning in place 103, 215, 220
    - ion exchange resins 105
    - protein A-resins 105
  - clinical phase 202
  - closed loop recycling chromatography 276, 457
  - coefficient
  - effective mass transfer 366
  - film mass transfer 365
  - coherence condition 334, 393
  - collocation 356
  - column 9, 446
    - chemical resistance 211
    - cleanability 216
    - combined stall (DAC packing) 250
    - dead time 12, 363, 377
    - efficiency 24, 256, 346
    - equilibration 254
    - flow packing 246
    - high pressure 210
    - lifting pistons 235
    - low pressure 210, 214
    - maintenance 103
    - model 322, 394, 401, 405
    - mover 235
    - packing 243
    - parameter 350
    - permeability 21
    - pre-packed 266
    - preparation 246
    - pressure drop 21
    - rating 102
    - regeneration 103
    - sanitary design 215
    - semi-preparative 379
    - stainless steel 210
    - stall packing 250
    - storage 108, 257
    - testing 254
    - vacuum packing 252
    - vibration packing 253
  - column design 207, 208
  - column efficiency 28
  - column porosity 12
  - competitive, adsorption 388, 402
  - component 9
  - compression
    - dynamic axial 209
    - radial 209
  - computerized process model 203
  - concentration
    - average 326
    - distribution 326, 340
    - plateau 374, 385, 392
    - pore 326, 329, 331, 339
    - profile 302, 362
    - shock 387
  - conceptual design 203
  - condition, boundary 349, 405
  - conditioning, silica surfaces 106
  - continuously stirred tank 345, 352, 375

- control
  - advanced 237
  - robustness 238
  - standard 236
- convection 325, 327, 330, 337, 340, 348, 408
- correlation 360, 378, 398
- corrosion requirements 203
- costs 358, 379
  - annual depreciation 428
  - annual operating 428
  - fixed 428, 446
  - hardware 200
  - mobile phase 201
  - stationary phase 200
  - total separation 428, 446, 452
  - variable 428, 444
- cross-linked polymer 47, 153
- crystallization 115
- C18 silica 159
- CSP (chiral stationary phase)
  - amylose-based 89
  - antibiotic 91
  - brush-type 93
  - cellulose-based 89
  - monolithic 95
  - preparative 85
  - selectivity range 169
  - synthetic polymeric 91
- curves
  - breakthrough 346, 359, 385
  - fitting 370, 395, 397
- customized adsorbent 62
- cut strategy 442
- cycle time 288
- CycloJet 278
  
- d**
- DAC packing 249
- Darcy equation 21, 378, 446, 472
- dead time 331, 360
  - column 12, 363, 377
  - plant 12, 333, 352, 363, 375, 386
  - total 11
- dead volume 228, 375, 404
  - plant 375, 404
  - simulated moving-bed 407, 410
- deconvolution 371
- degasser 227
- designed adsorbent 54
- detector 240, 350, 386, 411
  - calibration 359, 362, 374, 390, 391, 393, 396
  - limit 122, 240
  - mass spectrometry 157
  - model 352
- noise 240, 363, 365, 369, 393, 396
- polarimetry 387
- refractive index 122
- ultra violet 387
- determination, parameter 357, 359, 397
- differential
  - balance 331, 337, 338, 340, 341, 349, 408
  - equation 349, 353
  - total 334
  - volume element 322, 325
- diffusion 207
  - coefficients 496
  - eddy 20, 377, 433, 436
  - Fickian 23, 341
  - film 23
    - pore 398
  - intraparticle 327, 342, 399
  - macro 327
  - molecular 377, 433
  - pore 23, 325, 327, 340, 346, 365
  - surface 23, 325, 327, 340, 346
- Dirac pulse 345, 364, 365
- direct optimizing control 503
- discretization 354
- disperse front 333, 390, 393
- dispersion 325
  - axial 327, 334, 338, 340, 348, 359, 360, 361, 365
  - coefficient
    - apparent 336, 366
    - axial 335, 338, 358, 367, 377, 398
  - numerical 354
- displacement effect 42, 117, 183, 332, 387, 402
- distortion, peak 350
- divinylbenzene 76
- downstream processing 115
  - of Mabs 174
- driving force 328, 344
- Dyax phage display technology 63
- dynamic methods 385
  
- e**
- economic criteria 428, 429
- eddy diffusion 20, 27, 377
- effect, extra column 350, 359
- efficiency, column 346
- effusion, molecular 399
- eluent 451
  - consumption 479
  - specific consumption 427, 451
- eluotropic series 136
- elution 298
  - gradient 43, 131, 156, 279

– isocratic 43, 157, 274, 279  
 – order 117, 154, 156, 171  
 – profile 336, 345, 363, 397, 402  
 endcapping 68, 167  
 equation, differential 343, 353  
 equilibrium 331, 382, 384  
 – adsorption 359  
 – dispersive model 334, 346, 366, 367  
 – model, ideal 330  
 – stage model 495  
 – theory 332, 390, 392  
 Ergun equation 21  
 estimation  
 – of column parameters 509  
 – parameter 360, 369, 375, 377, 394, 398  
 explosion requirements 202  
 exponential-modified-Gauss function 370  
 extended model 415  
 extra column 350, 364, 375, 404, 407  
 – effects 18, 350, 359, 361, 391

**f**

factor, loading 431, 435, 447  
 feedback control 236  
 fermentation processes 199  
 FF-SMB 294, 482  
 Fickian diffusion 23  
 filter 235  
 fine chemicals 201  
 finite difference method 355  
 first, moment 377  
 fitting, peak 361, 369, 370  
 flash, chromatography 115  
 flip-flop chromatography 275  
 flow  
 – dispersive 352  
 – ideal plug 352  
 – packing 246  
 – rate ratio 435  
 – rate ratio  $m_j$  464  
 flowsheet, simulation 350  
 fluid distribution 19, 20, 213  
 forced elution step 184  
 fractionation-feedback 293  
 fractionation mode (cut strategy) 442  
 fraction collection 386  
 frits design 211  
 frontal analysis 393

**g**

Galerkin method 357  
 Gaussian distribution 25  
 Gaussian equation 336, 346, 370  
 general rate model 340, 365, 504

gradient  
 – chromatography 222  
 – generic 131, 157  
 – mixing 224  
 gradient elution 43, 131, 156, 279, 280  
 – linear gradient 280  
 – step gradient 279  
 gradient SMB  
 – chromatography 295, 415, 490  
 – hold-up vessel 494  
 – with open loop 494  
 guidelines for process concepts 305

**h**

Hashimoto process 302  
 Henry constant 349, 360, 365, 367, 379, 382,  
 391, 397, 410  
 HETP 24, 336, 361, 362, 367, 368, 371, 398,  
 433  
 high pressure injection 225  
 high-throughput screening 178  
 His-tagged protein 59  
 hold up, piping 221  
 HPLC chromatography 207  
 HPLC pumps 226  
 HPLC systems 218, 224  
 – feed injection 224  
 – pipes 227  
 – valves 227  
 hydrophilicity 48, 65  
 hydrophobic interaction  
 – chromatography 416  
 hydrophobicity 48, 64, 66, 70, 153, 167  
 hygienic requirements 203

**i**

ideal adsorbed solution theory 395, 402  
 ideal adsorbed solution (IAS) theory 35  
 ideal model 330, 346, 365  
 IgM isolation 64  
 immobilized metal affinity  
 – chromatography 57  
 improved SMB 293  
 inflection point 386, 387, 393  
 initial, condition 335, 343  
 injection 343, 345, 363  
 – amount 129, 336  
 – high pressure 225  
 – loop 225  
 – low pressure 225  
 – solvent 129  
 – system 350, 351  
 – time 333, 343, 349, 351, 447  
 – dimensionless 432

- inorganic oxide 51  
 integrated process, partial deintegration 302  
 intraparticle diffusion 83  
 ion exchange 77, 416  
   – chromatography 176  
 ion-exchange  
   – separation 496  
 ISMB 288  
 isocratic elution 43, 274, 280  
 isomerisation of glucose 504  
 isotherm 15, 32, 329, 358, 379, 396  
   – concave 394  
   – convex 386  
   – effect on elution profile 333, 390, 397  
   – Langmuir 33, 388, 402, 431  
   -- anti-Langmuir 389  
   -- multicomponent 35, 329, 334, 349, 388,  
     395, 402  
   – linear 329, 335, 339, 345, 364, 382, 397  
   – peak 359  
   – steric mass action (SMA) 38  
   – Toth model 34  
 isotherm determination 360, 379  
   accuracy 379, 390, 394, 396  
   adsorption-desorption method 382, 386  
   analysis of disperse fronts 390, 393  
   batch method 382  
   circulation method 386  
   curve fitting of the chromatogram 394  
   dynamic methods 385, 396  
   frontal analysis 385, 393  
   minor disturbance method 391  
   neural networks 399  
   peak-maximum method 391  
   perturbation method 391  
   pulse response 385  
   static method 382  
   step response 385
- k**  
 kinetic, adsorption 339, 365
- l**  
 large scale manufacturing 202  
 linear driving force 338, 344  
 linear gradient 79  
 lipophilicity(lipophobicity 48  
 lipophobicity 133  
 loading 15, 326, 329, 331, 339, 382  
   – ability 127, 128  
   – average 326  
   – distribution 326, 340  
   – factor 431, 435, 447  
   – solid 31  
   – total 31  
 low pressure injection 225  
 LPC system 218, 220  
   – chromatography 207  
   – piping systems 220  
   – valves 220  
 lumped rate model 338, 346, 365, 366
- m**  
 macropores 73, 100  
 mass balance, differential 344  
 mass loadability 101  
 mass spectrometry 156  
 mass transfer 22, 27, 325, 328, 336, 338, 340,  
   342, 347, 349, 361, 365, 398, 400, 431, 434,  
   436, 447  
 MCSGP  
   – advanced control 504  
   – process 299, 496  
 membranes  
   – disposable 267  
   – single use 267  
   – technologies 269  
 mercury intrusion 100  
 mesopores 100  
 method development 8  
 micropores 73, 100  
 minor disturbance method 392  
 mixed recycle 454  
 mobile phase 8, 118  
   – detection property 121  
   – selection of 127  
   – water content 133  
 model 321  
   – approach 322, 346  
   – classification of 322  
   – column 346, 394, 401, 405  
   – equilibrium dispersive 334, 346, 366, 367  
   – general rate 340, 346, 365  
   – ideal 330, 346, 365  
   – lumped rate 338, 346, 365, 366  
   – parameter 321, 347, 348, 358, 359, 365, 375,  
     395, 398, 410  
   – plant 350, 375, 394  
   – pore diffusion 341  
   – reaction 337, 346  
   -- dispersive 339  
   – stage 344, 346  
   – theoretical plate 344  
   – transport 336  
   -- dispersive 338, 347, 358, 359, 366, 367,  
     407, 410, 413, 438, 440  
   – validation 401  
 ModiCon 294, 407, 482, 484

- moment
  - analysis 360, 361, 362, 370, 375, 376, 377, 382, 398
  - first 25, 336, 345, 364, 377
  - second 26, 336, 345, 364, 373, 377
- monoclonal antibodies 496
  - purification 174
- monoclonal antibody production 203
- monolithic column 96
- MR-SSR processes 454
- multicolumn bioseparations 298
- multicolumn countercurrent solvent gradient
  - purification (MCSGP) 299
- multicomponent SMB separations 296
- multiport switching valve
  - chromatography 284
- multipurpose flexibility 202
- multi-rate controller 504
  
- n**
- neural networks 400
- nitrogen sorption 100
- noise, detector 363
- nonlinear optimization 498
- normal phase chromatography, practical
  - hints 106
- normal phase silica 106
- normal phase system
  - gradient 132, 148
  - optimization 139, 145
  - practical hints 128, 136
  - retention 134
  - selectivity 138, 145
  - solvent strength 146
  - water content 136
- number of stages 336, 345, 346, 367, 371, 433, 435, 446, 447
- numerical simulation 321, 344, 353, 369, 401, 413
  
- o**
- objective function 369, 397, 429
- online optimization 499
- online parameter estimation 499
- open-loop SMB 295
- operating parameter 472
- optimization 360, 369, 396, 440, 442
  - batch process 444
  - FFSQP algorithm 482
  - genetic algorithm 482
  - genetic algorithms, jumping genes 482
  - MINLP 483
  - model-based 437
  - multiobjective 482, 484
- multiple shooting 482
- simulated moving bed 462
- overload 40
  - concentration 40
  - mass 40
  - volume 40
  
- p**
- packing 9, 19, 47
  - characterization factor 377
- column 243
  - non-ideality 19
  - procedure 19, 410
  - properties 95, 335, 338, 347, 350, 376
  - technology 243
- parameter
  - accuracy 359, 363, 368, 369, 373, 379, 397
  - column 350
  - design 357
  - determination 357, 359, 397
  - dimensionless 431
  - estimation 360, 369, 375, 377, 394, 398
  - model 321, 347, 348, 358, 359, 365, 375, 395, 398, 410
  - operating 358
  - optimization 430
  - plant 358
- Pareto optimal results 486
- partial-feed 292
- particle size 96
- peak 11
  - asymmetry 17, 336, 339, 370
  - distortion 164, 350, 391
  - fitting 361, 369, 370
  - isotherm 359
  - maximum 391
  - resolution 25, 42
  - shape 130
  - shaving 276, 457
- Péclet number 348, 433
- performance criteria 426, 429, 435
- permeability 21
- perturbation method 392
- phase system 125
  - selection 127
- physisorption 10
- PID-controller 236
- piston, electrically or hydraulically moved 209
- piston, manually moved 209
- plant
  - dead time 333, 352, 363, 375
  - dead volume 375, 404
  - model 350, 375
  - parameter 358

- plateau, concentration 374  
 plate height 24  
 plate number 24  
 polyacrylamide packing 73  
 polymeric packing, polymerization 75  
 polymerization 75  
 polymers  
   – artificial 65  
   – hydrophilic 76, 77  
   – hydrophobic 76  
   – natural 65  
   – organic 72  
   – porous 72  
   – synthetic 91  
 polysaccharide-type packing 73  
 pores 326  
   – connectivity 100  
   – diffusion 347  
   – model 341  
   – interparticle 98  
   – intraparticle 98  
   – macro 73, 100, 341  
   – meso 100, 327  
   – micro 73, 100, 327, 341  
   – structural parameters 99  
   – texture 97  
 porogens 47  
 porosity 358, 359, 367, 396  
   – column 12  
   – particle 15  
   – solid phase 13  
   – total 13, 15, 331, 367, 376  
 porous glass 51  
 porous oxide 51  
 porous silica 51, 68  
 PowerFeed 291, 482, 484  
 practical hints 164  
 pre-column 275  
 prediction models 504  
 pre-packed columns 266  
 preparative chromatography 110  
 preparative column 208  
 pre-purification  
   – crystallization 115  
   – extraction 115  
 pressure drop 19, 21, 213, 243, 324, 359, 378,  
   446, 447, 472  
   – maximum allowable 453, 472  
 PRISMA model 139  
   – selectivity optimization 142  
 procedure, packing 410  
 process design 201  
 process development 111  
 process scheduling 204  
 production rate 426, 447  
 productivity 427, 451, 479  
   – cross-section specific 427  
   – volume specific 427  
 profile, concentration 362  
 protein A affinity sorbent 54  
 protein binding 215  
 protein separation 416, 492, 493, 495  
 protein titers 199  
 pumps 350  
   – diaphragm 221  
   – membrane (PTFE) 226  
   – peristaltic 222  
   – piston 226  
   – positive-displacement 221  
   – slurry 234  
   – working range 226  
 purification costs 200  
 purity 427
- r**
- rate, adsorption 341  
 reaction dispersive model 339  
 reaction model 337, 346  
 reciprocal design approach 92  
 recycle pumps 288  
 recycling chromatography 453  
 regeneration 103, 295, 298  
 regulatory exigencies 203  
 resolution 27, 181  
 retardation factor 134  
 retention factor 12, 306, 365  
 retention time 11, 12, 16, 332, 366, 375, 390,  
   392  
   – linear isotherm 333, 345  
 retention-time method 391  
 reversed phase system 155, 164  
   – chromatography 153  
   – gradient 132, 157, 161  
   – optimization 157, 163  
   – practical hints 128, 157  
   – retention 154  
   – selectivity 154, 160  
   – silica 66, 153  
 robotic system 178  
 robust performance 489
- s**
- salt gradient 416  
 sample  
   – characterization 114  
   – purity 130  
 sanitization 215  
   – in place 108

- saturation capacity 32, 329, 341, 379
- scale
  - laboratory 111, 125, 305
  - production 111, 127, 305
  - technical 111, 125, 148, 150
- scale-up 202, 321, 351, 457
- batch chromatography 461
- CLCR processes 458
- scheduling logistic software 202
- second, moment 373
- section 286
- selectivity point 141
- selectivity range 169
- self-displacement effect 42
- separation factor 12
- separation scenario 116
- sequential multicolumn chromatography 298
- SFC
  - feed injection 230
  - mobile phases 230
  - piping 231
  - pumps 231
- SFC-SMB 295
- shape selectivity 70
- shifting
  - asynchronous 407, 413
  - interval 288, 411
  - time 288, 404, 407, 408, 410, 432
- dimensionless 432
- silanisation 67
- silanol activity 70, 165
- simulated moving bed 286, 301
  - advanced control 501
  - configuration 476
  - dead volume 407, 410, 413
  - direct optimizing control 503
  - improved 293
  - isocratic 461
  - model 336, 405, 409, 413
  - validation 410, 413
  - optimal axial profile 462
  - optimization 440, 462, 472
  - of column geometry 477
  - of configuration 480
  - periodic steady state 463
  - process 231
  - profile 410, 413
  - purity control 502
  - reactor 301, 302
    - application 302
    - design 302
    - step gradient 304
    - recycling strategy 232
  - robustness 483
  - short-cut for Langmuir Isotherms 469
  - solvent gradient 490
  - solvent-gradient
    - TMB short cut 491
  - start-up 414
  - supercritical fluid 296
  - three-section process 289, 494
  - valves 233
- simulation 413
- size distribution 96
- size exclusion 179
  - chromatography 72
  - matrices 181
- slurry
  - preparation 244
  - tank 234
  - stirrer 246
  - ultrasonification 246
  - volume 245
- sol-gel process 51
- solubility 127
  - limitation 128, 130
- solute 117, 363, 364, 367, 368
- solvent
  - flammability 118
  - miscibility 121
  - mixture 123, 127
  - optimization 118
  - removal 456
  - RI detection 122
  - stability 118
  - strength 44, 136, 137
  - toxicity 121
  - UV detection 121
  - viscosity 121, 123
- specific surface area 100, 328
- stage model 344, 346, 486
- stall packing 250
- Stanton number 349
- static method 382
- steady state recycling chromatography 278, 454
- steam cleaning 220
- step gradient 490
- stereoisomer separation 127, 133, 143
- steric mass action (SMA)
  - isotherms 38
  - model 492
- stirred tank continuously 345
- styrene 76
- supercritical fluid 8
  - chromatography 228
- surface chemistry 100, 133

surface group 133

switching

– interval 288

– time 288

synthetic zeolites 50

#### **t**

tag-along effect 42, 117, 183, 332

tailing 23, 336

targeted selector design 92

temperature

– gradients 296

– influence of 123, 156

tentacular structure 84

theory, equilibrium 390, 392

time

– injection 349

– shifting 404

tortuosity 377, 399

touching band 453

tracer 12, 363, 364, 365, 367, 368, 375, 376

transfer

– coefficient 398

-- effective 338, 358, 359, 366, 367, 395

-- film 328, 365, 398

-- lumped film 338

transport model 336

– transport dispersive model 338, 347, 358, 359, 366, 367, 401, 407, 410, 413, 497

-- dimensionless 349

triangle method 494

triangle theory 464, 472

troubleshooting 257

– column stability 265

– loss of column efficiency 262

– loss of performance 259

– loss of purity/yield 264

– pressure increrase 259

– technical failures 258

– variation of elution profile 263

true moving bed 286, 463

– model 407, 409

– profile 410

two-step gradient SMB 295

#### **u**

uncertainties 488

UV cut-off 121

UV detection 121

#### **v**

vacuum packing 252

van Deemter equation 26, 368

van der Waals forces 9

variable, costs 444

variance 26, 345

Varicol process 233, 288, 290, 407,

481, 483

velocity

– effective 331, 335

– interstitial 13, 327, 331, 335, 348, 408

– superficial 21

vibration packing 253

viscosity 123

voidage 20

void fraction 12, 13, 15, 326, 358, 359, 361, 367, 376, 396

volume element, differential 322

#### **w**

washing 298

waste fraction 443, 447

water content 134, 136

#### **y**

yield 426, 451

