

## Index

### a

ABT-719 186  
 acidic isostere 39  
 acidity 222  
 active pharmaceutical ingredient (API) 75  
 activity 63  
   – BIOSTER 62  
 ADMET (absorption, distribution, metabolism, excretion, and toxicity) property 93  
 $\alpha$ -adrenergic receptor agonist 23  
 $\beta$ -adrenergic agonist 23  
 $\beta$ -adrenoceptor antagonist  
   – cardioselective 31  
   – nonselective 31  
 alignment 206  
 aminoheterocycle 32f.  
 amide/anilide bioisostere 32  
 analgesics 26  
 analogue database 58  
 (+)-anatoxin-a 26  
 angiotensin antagonist 146  
 angiotensin II inhibitor  
   – selective 37  
 antihistamine H<sub>1</sub> 146  
 antihypertensive drug 17, 70  
 antineoplastic drug 17  
 antiseptics 146  
 antiulcer drug 25  
 API, *see* active pharmaceutical ingredient  
 area under the receiver operating characteristic curve (AUC) 161  
 aromatase (CYP19) inhibitor 23f.  
 aromatic atom 148  
 aromaticity 222  
 arylamine *N*-acetyltransferase family (hNAT1) 163  
 arylideno-imidazolinonoyl-glycine 74  
 AT1 receptor 39  
 atenolol 31ff.

### atom

  – aromatic 148  
   – bivalent 17  
   – conjugated 148  
   – monovalent 17  
   – positively charged 148  
   – tetravalent 19  
   – trivalent 18  
 atom description 148  
 atom environment (AE) 98  
 atom environment descriptor 98, 124  
 atom pair descriptor 148  
 atom type 222  
 atomic property information 226  
 atorastatin 143  
 attachment point 90, 148  
 AUC, *see* area under the receiver operating characteristic curve

### b

BB3 (G-protein-coupled receptor bombesin receptor subtype-3) inhibitor 21  
 benzazepine D<sub>1</sub>/D<sub>5</sub> antagonist 22  
 benzodioxole 65  
 1,2,3-benzothiadiazole 65  
 binding pocket superposition 175  
 bioanalogue 55  
   – database 55  
 bioavailability 33  
 bioisostere 188, 221  
   – Cambridge Structural Database (CSD) 61  
   – classical 15ff.  
   – conformational aspect 70  
   – context-specific 177  
   – drug discovery 219  
   – finding in the CSD 77  
   – generation of ideas 173  
   – historical background 15  
   – identification 176

- nonbonded interaction 72
  - nonclassical 20
  - structure-based 174
  - bioisostere approach 201
  - bioisostere prediction 221
  - quantum chemistry 221
  - bioisostere replacement 220
  - medicinal chemistry 219
  - bioisosteric analogue
  - method for identification 132
  - bioisosteric fragment 64
  - bioisosteric fragment replacement 137
  - bioisosteric group
  - identification 136f.
  - bioisosteric groupings
  - lower intrinsic clearance 40
  - bioisosteric replacement 79, 131, 178, 223
  - consequences 31ff.
  - context-sensitive 89
  - bioisosteric substituent 136
  - bioisosterism 6ff., 16, 55
  - classical 16
  - Drug Guru project 188
  - Friedman's definition 7
  - lead optimization 9
  - medicinal chemistry 3ff.
  - nonclassical 16
  - Thornber's parameter 8
  - University of Sheffield 224
  - BIOSTER 33ff.
  - activity 63
  - application 69
  - citation 62
  - component molecule 64
  - coverage 59
  - database record 60
  - description 59
  - development 56
  - fragment 63
  - historical overview 56
  - ID code 61
  - selection criteria 59
  - BIOSTER database 225
  - BIRB-796 19
  - bivalent atom 17
  - bivalent group 17
  - BLAST 171
  - blood platelet aggregation inhibitor 218
  - BMS-488043 19f.
  - bond cleavage rule 145
  - bond distance 148
  - bradykinin B receptor antagonist 42
  - bradykinin B1 receptor antagonist 219
  - BROOD program 79, 223
- c**
- Cambridge Crystallographic Data Centre (CCDC) 62
  - Cambridge Structural Database (CSD) 61ff.
  - drug discovery 69
  - knowledge-based library 66
  - cAMP phosphodiesterase III isozyme 217
  - captopril 70f.
  - Carbó index 156f.
  - carbonyl group 20
  - carboxylate 185
  - carboxylic acid 21, 36ff., 80
  - replacement strategies to aid permeability 35
  - catechol 22
  - catechol transformation 189ff.
  - catecholamine 22f.
  - cathepsin K inhibitor 25
  - CATS (chemically advanced template search) 146
  - CATS descriptor 146f.
  - CAVEAT program 58, 77, 220
  - cavity generation 170
  - CCR5 antagonist 33f.
  - CDK2 174ff.
  - centroid connecting path (CCP) 225
  - chart 98
  - ChEMBL database 145
  - chemical database
  - mining for context-sensitive bioisosteric replacement 89
  - chemical transformation
  - reaction database 56
  - cholesterol 18
  - cholesterol biosynthesis inhibitor 18
  - CIF, *see* crystallographic information file
  - cimetidine 25
  - ciprofloxacin 186
  - citation
  - BIOSTER 62
  - clearance
  - intrinsic 40
  - CNS disorder 26
  - color force field 202
  - component molecule
  - BIOSTER 64
  - computational approach
  - rational 221
  - statistical method 221
  - conductor-like screening model (COSMO) 69
  - conformational aspect 70
  - bioisostere 70
  - conformational mimicry 80

- conjugated atom 148
- ConQuest 64ff.
- context descriptor 94ff.
- corticotropin-releasing factor-1 (CRF1) receptor antagonist 42
- Craig plot 135
- CREDO 161
- Cresset FieldPoint description 210
- Cresset FieldPoint representation 205
- Cresset FieldScreen technology 203
- Cresset representation 204
- crystallographic information file (CIF) 62
- CRYSTALS package 67
- CSD 168
- cyclic system 27
- cyclopentane 143
- CYP19 inhibitor 23
- cytochrome P450 inhibitor 63, 195
  
- d**
- DABE scheme 147
- darunavir 168
- data analysis module 65
- data mining 144
- data preprocessing 95
- database
  - BIOSTER 45ff.
  - ligand–protein complex 168
  - mining for context-sensitive bioisosteric replacement 89ff.
- database molecule preparation 206
- database record 60
  - BIOSTER 60
- Daylight Chemical Information System 187
- Daylight fingerprints 149, 171
- Daylight Toolkit 92
- descriptor 133f., 146ff., 223
  - atom pair 148
  - CATS 146f.
  - context 94ff.
  - molecule 97
  - properties of substituents and spacers 132
  - shape 143
  - Similog 147
  - whole molecule 97
- developability optimization 211
- 20,25-diazacholesterol 18
- trans*-diethylstilbestrol 27
- 3,5-dihydroimidazo[2,1-*b*]quinazolin-2(1*H*)-one 217f.
- distributed multipole analysis (DMA) 222
- dopamine 178, 183
- drug design 137
  - random strategy 185
  - rational strategy 185
  - structure-based 9
- drug discovery
  - bioisostere 219
  - CSD 69
- Drug Guru (drug generation using rules)
  - computer program 186ff.
  - Abbott experience 197
  - application 194
  - bioisosterism 188
  - implementation 187
  - quantitative assessment of transformation 195
- Drug Guru input 193
- Drug Guru output 193
  
- e**
- eccentricity 143
- edge 142
  - incident 142
  - weighted 142
- edge density 142
- EDULISS (Edinburgh University Ligand Selection System) 161
- electrostatic interaction 222
- EMIL (example-mediated innovation for lead evolution) 57
- end point 94
- Endcap group 149
- EON 202
- epoxide hydrolase inhibitor 33
- ErG (extended reduced graph)
  - representation 149f.
- estradiol 27
- EXP7711 38
- extraction of ligand 168
  
- f**
- FASTA sequence file 171
- FBSS (field-based similarity search) 146, 225
- FieldPoint 203ff.
- FieldPoint pattern 204f.
- FieldScreen 207
- 2D fingerprints 226
- flip-flop flag 149
- 5-fluoro-2'-deoxyuridylic acid (5-fluoro-dUMP) 17
- 5-fluorouracil 17
- FPL 55712 39
- fragment
  - BIOSTER 62
- fragment linking 78
- fragmentation method 145

- fungicide 146
- fuzziness 141
- g**
- G-protein-coupled receptor (GPCR) 162
- G-protein-coupled receptor bombesin receptor subtype-3 (BB3) inhibitor 21
- Gaussian density 157
- Gaussian description 157
- Gaussian method 157
- graph
  - reduced 149
  - graph matching 144
  - graph theory 142
  - Grimm’s hydride displacement law 5, 15
- group
  - bivalent 17
  - monovalent 17
  - trivalent 18
- h**
- halogen 23
- HCV NS3 protease inhibitor 218
- hERG 212
- hERG binding 195f.
- Hert–Willett data set 149
- high-throughput screening (HTS) 155
- HIV protease 177f.
- HIVprotease inhibitor 178
- HIV-1 inhibitor 19
- human microsomal metabolic stability 95
- hydride displacement law 5, 15
- hydrogen bond (HB) 133f.
- hydrogen bond acceptor 148
- hydrogen bond donor 148
- hydrogen bonding 222
- hydrophobicity 180
- hydroxy-to-methoxy transformation 188
- hydroxyl group 22
- 11 $\beta$ -hydroxysteroid dehydrogenase 1 (h11 $\beta$ -HSD1) 163
- i**
- IBIS* drug discovery software 69
- ICI 204219 40
- ID code 60
  - BIOSTER 60
- IDODEL 78
- imatinib 143
- indole 74
- interaction hot spot 69
- intermolecular interaction 80, 172
  - identification 172
- isopentane 143
- isoproterenol 22
- IsoStar* 67ff.
- IsoStar* library 69
- ISOSTAR knowledge base 225
- isostere 16
  - based on Grimm’s hydride displacement law 16
  - defined by Erlenmeyer 16
  - defined by Langmuir 5, 16
- isosteric quality 193
- isosterism 3ff., 55
  - Erlenmeyer’s addition 6
  - Grimm’s hydride displacement law 5
  - Langmuir definition 4f.
- j**
- Jmol viewer 65
- k**
- ketoamide 66
- KNIME workflow environment 95
- knowledge-based library
  - CSD 66
- kynurenic acid 74
- l**
- L-006235 25
- L-873724 25
- lead optimization
  - bioisosterism 9
- LeadIT 220
- LeadIT platform 79
- leukotriene antagonist 146
- liarozole 24
- ligand
  - assessment 169
  - extraction 168
- ligand-based topological pharmacophore 146
- ligand–protein complex 172
  - database 168
- LINGO 69
- lipophilicity
  - effective 37
  - intrinsic 37
- local environment descriptor 98
- losartan 37, 80f.
- m**
- MACCS 160
- Maestro 205
- Maestro conformation-derived library 207
- matched molecular pair (MMP) 59, 90
  - context-sensitive analysis 95
  - generation 96

- method 89
- matched molecular pair analysis (MMPA) 91ff., 226
- materials module 65
- maximum common subgraph (MCS) isomorphism algorithm 226
- maximum common substructure (MCS) 144
- maximum common substructure (MCS) extraction 91
- MDL Drug Data Report (MDDR) database 91, 144, 226
- medicinal chemistry
  - bioisostere replacement 219
  - bioisosterism 3ff.
  - perspectives 217ff.
- melanin concentrating hormone receptor 1 (MCHr1) antagonist 162
- Mercury program 64
- metabolic stability 118ff.
  - beneficial transformation 119ff.
  - detrimental transformation 119ff.
  - neutral transformation 116f.
- metabolic stability data set 114
- metabolism 8
- N-methyl D-aspartate (NMDA) receptor inhibitor 74
- metiamide 25
- MK-05577 199
- MMP, *see* matched molecular pair
- MMPA, *see* matched molecular pair analysis
- modafinil 20
- MOE (molecular operating environment) 201, 220
- MOE-derived library 207
- Mogul* 66ff.
- molecular graph 142f.
  - example 143
  - undirected 142
- molecular shape 155ff.
- molecular shape complementarity 155
- molecular shape similarity 156
  - method 156
- molecular similarity 222
- molecular topology 141ff.
- molecular transformation 90
- molecule descriptor 97
- monomer selection 207
- monovalent atom 17
- monovalent group 17
- MSI 168
- multiobjective optimization (MOOP) 12
- multiparameter optimization (MPO) 12
- Murcko framework 97, 124

**n**

- NAADP EON discovered (Ned) hit 163
- NAADP ROCS discovered (Nrd) hit 163
- naturally drug-like compound 223
- neopentane 143
- neuropeptide Y (NPY) 199f.
  - bioisosteres of an NPY-Y5 antagonist 199ff.
- nicotinic acetylcholine receptor (nAChR) 26
  - ( $\alpha 4$ )<sub>2</sub>( $\beta 2$ )<sub>3</sub> nicotinic acetylcholine receptor inhibitor 26
- nicotinic acid adenine dinucleotide phosphate (NAADP) 163
- node 142
  - adjacent 142
  - colored 142
- nonbonded interaction 72
  - bioisostere 72
  - intermolecular 75
  - intramolecular 75
- noncyclic system 27
- nonhydrogen atom 148
- nonsteroidal aromatase inhibitor (NSAI) drug 23f.
- norepinephrine 22
- NPY-Y5 receptor 199ff.
- NPY-Y5 receptor antagonist 200
- Nrd hit, *see* NAADP ROCS discovered hit
- nuclear receptor (NR) family 162

**o**

- odanacatib 25
- olefin-to-amide transformation 195
- olefin-to-*o*-phenyl transformation 195
- Open Babel molecular toolkit module 98
- OpenAstexViewer 65
- optimization
  - multiobjective 12
- oral absorption 38
- oxazole 74

**p**

- $\Delta P$  distribution
  - global 99ff.
- $\Delta P$  value 98ff.
- p38 MAP kinase inhibitor 19
- P450 inhibition 63, 195
- PDB, *see* Protein Data Bank
- PDB ligand database 169
- pentane 143
- permeability 32ff.
  - replacement strategies for carboxylic acids 36

- peroxisome proliferator-activated receptor (PPAR) 162
  - PPAR- $\gamma$  79
  - Pfizer metabolism index parameter, *see* PMI parameter
  - pharmacokinetics 8, 34
  - pharmacophore 158
  - ligand-based topological 146
  - 3D pharmacophore searching 201
  - phenol bioisosteres 64
  - phenyl/pyridine bioisosteric replacement 20
  - PHT (( $\pm$ )-pyrido[3,4-*b*]homotropane) 26
  - piperonyl butoxide 65
  - PMI (Pfizer metabolism index) parameter 94
  - polar surface area (PSA) 200f.
  - positively charged atom 148
  - PPAR (peroxisome proliferator-activated receptor) 162
  - PPAR- $\gamma$  (peroxisome proliferator-activated receptor gamma) 79
  - practolol 31f.
  - precedence rules 151
  - propranolol 31
  - protein criteria 169
  - Protein Data Bank (PDB) 71ff., 167ff.
  - pocket 179
  - protein structure 167ff.
  - PSA, *see* polar surface area
  - pseudoatom 5
  - Pub3D 161
  - pyridine 26
  - ( $\pm$ )-pyrido[3,4-*b*]homotropane, *see* PHT
- q**
- QSAR (quantitative structure–activity relationship) 91
  - quantum chemical topology (QCT) 222
  - quantum chemistry
  - bioisostere prediction 221
  - Quantum Isostere Database (QID) 137, 222
- r**
- R-group descriptor 69
  - rapid overlay of chemical structures, *see* ROCS
  - RCSB web site 168
  - RDKit molecular toolkit 96
  - reaction database 56
  - chemical transformation 56
  - RECAP, *see* retrosynthetic combinatorial analysis procedure
  - receptor interaction 8
  - ReCore 77, 220f.
  - reduced graph 149
  - reduced graph node 151
  - ReLiBase 168
  - remove–Cl transformation 195f.
  - replacement 10
  - bioisosteric, *see* bioisosteric replacement
  - consequences of bioisosteric replacement 31ff.
  - retrosynthetic combinatorial analysis procedure (RECAP) 93, 145
  - RG generation algorithm 150
  - rilmnidine 17f.
  - ring equivalent 19
  - ring system 149
  - ROCS (rapid overlay of chemical structures) 148ff., 192, 200f.
  - ROCS shape searching 202
- s**
- SAR, *see* structure–activity relationship
  - scaffold hopping 77, 224f.
  - SCH 23390 22
  - SCH 39166 22
  - SciFinder database 162
  - scoring 206
  - screening 208
  - 3D SD format 168
  - $\gamma$ -secretase inhibitor 42
  - sequence search 175
  - SFK 38393 22
  - shape descriptor 143
  - shape similarity method
  - choosing 160
  - superposition-based 156
  - superposition-free 158
  - shape similarity tool 158
  - sigma profile 137
  - sildenafil 143, 186
  - silicon bioisosteric replacement 19
  - similarity
  - tools to identify bioisosteric group 136
  - Similog descriptor 147
  - simplified molecular input line entry system (SMILES) 95f., 168, 187, 206
  - SMARTS pattern 187
  - SMILES string
  - generation and validation 170
  - SMIRKS system 187ff.
  - spacer 132
  - spirocarbamate 209
  - SPLICE 77
  - structural moiety 8
  - structure–activity relationship (SAR) 124, 158, 211
  - structure-based drug design 9

subpocket hydrophobicity 180  
 substituent space  
 – classical method for navigation  
 135  
 substructure search 173  
 sulfonamide groupings 40  
 SuMo 168  
*SuperStar* 67ff.  
 surface property 137  
 SURFNET algorithm 170

**t**

T-ANALYZE 91  
 T-MORPH 91  
 Tanimoto similarity coefficient 171  
 template molecule preparation 204  
 tetravalent atom 19  
 tetrazolate 82f.  
 tetrazole 36, 158, 169f., 175  
 1*H*-tetrazole 80ff.  
 thiourea 25  
 thrombin inhibitor 41  
 topological descriptor 142  
 topological pharmacophore 146  
 – ligand-based 146  
 topological representation 141  
 torsional barrier 222  
 transformation 90ff., 193  
 – beneficial 119ff.  
 – context-sensitive 122  
 – detrimental 119ff.  
 – metabolic stability 116ff.  
 – neutral 116  
 – quantitative assessment of Drug Guru  
 transformation 195  
 Tripos SYBYL atom type 98

trivalent atom 18  
 trivalent group 18

**u**

UFSRAT (ultrafast shape recognition with  
 atom types) 160ff.  
 ultrafast shape recognition (USR)  
 159ff.  
 UNITY 2D fingerprints 146  
 USR::OptIso 160

**v**

vardenafil 186  
 velneperit 199  
 vertices 142  
 VLA-4 antagonist 33  
 vorozole 24

**w**

WebCSD 65  
 WENDI (web engine for non-obvious drug  
 information) 161  
 WOMBAT *database* 69, 226

**x**

XED 203  
 XED force field 206  
 XedView software 207

**z**

zafirlukast 40  
 Zagreb index 144  
 – first 144  
 – second 144  
 zero-order Gaussians 158  
 ZINC 163

