

Index

a

- Abegg's law 77
ab initio framework 95
ab initio methods 12
 accurate dispersion coefficients 7
 accurate dispersion-corrected density functionals
 – B2PLYP-D, mechanistic study 10, 11
 – double-hybrid density functionals 4–6
 – excited states, double-hybrids for 11, 12
 – for general chemistry applications 3
 – GMTKN30 8–10
 – London-dispersion-corrected DFT 6, 7
 acetyl carbonyl CO_{Ac} 325
 acetylsalicylic acid 273
 acid–base catalysis 257
 active site score (ASS) 251
 activity coefficients 18
 ADC framework 73
 Ahlrichs–Heinzmann population analysis 459
 Alamos effective core potential 209
 algebraic diagrammatic construction (ADC) scheme 32, 69
 alkaloids 365–367, 374, 386
 alkynoyl *ortho*-iodo anilides 228
 alkynoyl *ortho*-iodo phenolesters 228
 alkynylation 228
 allenol derivative analogs 227
 allenyl allyl ethers 230
 allenyl trityl Claisen rearrangement 231
 allenyl trityl ethers 231
 allyl allenyl Claisen rearrangement 230
 allyl complexes 194
 π -allyl complexes 195
 – charge analysis of complexes 196, 197
 – frontier orbital analysis 197, 198
 – geometries of calculations 195, 196
 – allylic substitution
 – minimal catalytic cycle 192
 – negatively charged soft nucleophiles 194
 – palladium-catalyzed 191
 – regioselectivity 193
 – at substrates with selected set of terminal substituents 193
 – allyloxy enallenes 231
 – (π -allyl)palladium cations 194
 – allyl substituted oxo dienes 231
 – alatebate anion 471
 – alatebate diastereomers with D₂ symmetry 470
 – aluminate 469
 – aluminate ester salts 470
 – AM1* datasets 93
 – amides 247
 – amino acid histidine 277
 – 1-amino-1'-carboxyferrocene H-Fca-OH 325
 – angular overlap model (AOM) 109, 127
 – anionic ligands 167
 – anisotropic exchange matrix 116
 – *ansa*-ferrocenes 325
 – antibond orbital 80
 – apparent rate constant 20, 22–24
 – approximate density functionals 141
 – approximate statistical mechanics techniques 18
 – *Archangium gephyra* 399
 – ArKr₂ trimer, single/double-ionization spectra 72
 – asymmetric hydroacylation, unactivated olefins 10
 – atomic structure theory 77
 – atom-pair wise London-dispersion correction scheme 3, 5–7
 – DFT-D/DFT-D3 3
 – azole-containing macrocyclic peptides 366
 – calculated energy profiles 379
 – conformational flexibility 366

- conformation energies of cyclooctapeptides 385
 - C₂-symmetric cyclohexapeptide platforms 381
 - CD spectra 382
 - comparison of structural parameters 382
 - C₃-symmetric oxazole-containing pseudopeptide 374
 - DFT-optimizations 379
 - structural comparison 378
 - naturally occurring 367–370
 - optimized structures
 - ascidacyclamide 373
 - *cis,cis*-ceratospongamide 372
 - C₃-symmetric platforms 377
 - lissoclinamide 372
 - nostocyclamide 371
 - westiellamide 371
 - origin from 366
 - oxazole-containing planar cyclohexapeptides 376
 - reference compounds for DFT-calculation 378
 - secondary structures 384
 - strain energies 380
 - structural formulae 367
 - azole-containing pseudopeptide platforms 377
 - structural optimization
 - of *Lissoclinum*-derived cyclopeptides 367, 368
 - synthetic approach 366
 - thiazole-containing planar cyclohexapeptides 375, 376
 - azoles
 - containing pesticides 366
 - in nature and civilization 365
 - pharmaceutical agents containing aza-heterocycles 366
 - synthetic organic compounds 365
- b**
- backbiting of growing polymer chain 182
 - bacterial mercury resistance 312
 - Bent's rule 83, 349, 362
 - benzofuranones 231
 - B₂H₅⁺
 - electron density distribution of 449
 - structure of 446
 - B₂H₃(hpp)₂⁺
 - Brønsted acids 449
 - decomposition of 449
 - electron density distribution of 449
 - IR spectra of 448
 - properties of 447
 - B₂H₃(μ-hpp)₂⁺I⁻
 - molecular structure of 447
 - in toluene 448
 - bioinorganic modeling
 - emergence 135
 - biomacromolecules 281
 - application of rigidity analysis to 289
 - allosteric signal transmission 291–294
 - coarse-graining for simulating conformational transitions 289, 290
 - flexibility of antibiotics binding sites 291–294
 - themostabilization 290, 291
 - modeling as constraint networks 284
 - simulating folded–unfolded transitions in 284, 285
 - statics 281, 282
 - rigidity analysis 289–294
 - rigidity theory and analysis 282–288
 - biphenolate ligands 469
 - bisguanidine-based chelating ligand 63
 - bisphenoidal gallium 460
 - black-box approach 32
 - blue dimer 144
 - B3LYP hybrid density functional technique 92
 - Bohr magneton (BM) 50, 125
 - Boltzmann distribution 51
 - bond-bending networks 283
 - σ-bonding-only ligands 127, 128
 - borane adducts H₃B-hppH 431
 - borane clusters
 - compounds 413
 - eleven-vertex nido-cluster 416–418
 - six-vertex nido-cluster 414, 415
 - skeletal electron-counting principle to derive cluster structure 414
 - ten-vertex nido-cluster 416
 - twelve-vertex closo-cluster 418, 419
 - borane precursor, synthesis 430
 - borate ester 469
 - borinium cation [B(NH₂)₂]⁺ 451
 - boron cluster compounds 455
 - bortebates
 - lipophilicity 470
 - synthesis 469
 - boundary conditions 17
 - B2PLYP-D application 14
 - bpp ligand 145
 - BP86/TZVP restricted Kohn–Sham structure optimizations 150

- tert*-butyl groups
 – steric repulsion of 470
tert-butyl peroxide 219
- c**
- CAMMAG program 125
 canonical molecular orbitals (CMOs) 82
 carboxylic acid 209
 carbyne/carbene isomerism 168
 carbyne hydride complexes 167
 cascade reactions 221
 catalysis 25–28
 catalyst libraries 225
 catalytic atom map (CAM) 251
 catalytic cycles 25, 26
 catalytic site atlas (CSA) 245
 catalytic system 27
 catalytic water splitting 144
 – binuclear ruthenium 144–147
 catalyzed reactions
 – investigation 218–220
 – with on-column reaction
 chromatography 220–224
 – perspectives 224, 225
 cationic carbene complexes 170, 171
 – carbene *vs.* carbyne hydride isomers 171
 – chloride abstraction with a Lewis acid 170
 – DFT calculations 171–175
 – olefin metathesis 175
 – direct comparison of active species 182
 – gas-phase study 176–179
 – mechanistic results 180–182
 – proposed mechanism 176
 – screening results 179, 180
 – synthesis 170
 cationic carbyne hydrido complexes 168
 cationic eigenfunctions 68
 cationic ruthenium carbene complexes
 – dinuclear dicationic 185
 – monomeric 175
 CDCl₃
 – experimental data 331
 – paramagnetic ¹H NMR spectrum in 52
 charge migration processes
 – role in 65
 – theoretical considerations 68–70
 charge transfer (CT)
 – characteristics of 37
 – excited states 43, 44
 charge transfer concept, *see* charge migration processes
cis-chelating bisphosphines 168
 chelating diphosphines 191
cis-chelating ligands 168
 chelating oxygen 167
 chemical accuracy 11, 12, 97
 chemical reaction mechanisms/kinetics 17–19
 – catalysis 25–28
 – competing reactions 24, 25
 – elementary reactions 19, 20
 – multiple consecutive steps 23, 24
 – two consecutive steps 20–23
para-chlorophenyl ring 275
 chromophores 11, 12, 14, 32, 43, 257, 381
 circular dichroism (CD) spectroscopy 328
 CIR–Diels–Alder sequence
 – to indolones 229
 – to spirocyclic benzofuranones 229
 Claisen rearrangements 229–231
 click reactions, *see* CuAAC catalysts
closo-boranates [B_nH_n]²⁻ 459
 – cluster 466
closo-cluster [E_nH_n]²⁻ 462
 cluster compounds
 – of indium 455
 – polyhedral boranates [B_nH_n]²⁻ 455
 C–N bond formation 212
 coarse-graining 289, 290
 collinear constraints 282
 competing reactions 26
 complete active space self-consistent field (CASSCF) method 32
 computational electronic structure methods 17
 computational thermochemistry 3
 computations
 – excitation energies of polyenes with 42
 – gas-phase 234
 – of molecules 31
 – result in higher energy for 420
 – using hybrid Becke functional 195
 computer-assisted drug design
 – cyclooxygenase inhibitors 273–279
 – neuraminidase inhibitors 267–273
 configuration-interaction (CI) expansions 30, 69
 configuration interaction singles (CIS) 31
 conformational adaptation 281
 conformational analysis 108
 conformational selection 281
 constancy condition 141
 constraint network analysis (CNA) program 285–287
 contact relaxation 56
 contact shift, *see* Fermi contact shift
 continuous symmetry measure (CSM) 111
 copper blue proteins

- copper chemistry 77–83
 - and localized bonds 86–88
 - natural bond orbitals 77
 - polyatomic Cu complexes
 - and molecular geometries 83–85
 - copper NHC acetylide complex 208
 - copper triazolide 208
 - Cotton effect 328, 334, 392
 - Coulomb force 471
 - Coulomb repulsion 71, 344
 - coupled-cluster (CC) expansions 30
 - coupled-cluster singles plus doubles (CCSD) 31
 - coupling–isomerization (CI)–Claisen domino reactions 229
 - dichotomies in 230
 - coupling–isomerization conditions 228
 - coupling–isomerization reaction 227, 228
 - dielectric heating 229
 - mechanistic scenario 228
 - Cp-quinolyl chromium complexes
 - experimental hyperfine shifts 62
 - cryoelectron microscopy 281
 - C₃-symmetric tripodal 8-hydroxyquinoline ligands
 - structural formula of 392
 - CuAAC catalysts 209–212
 - based on quantum-mechanical model 207
 - dicopper(I) bis-NHC model complex 209
 - facile μ -acetylide π - σ rearrangement 210
 - proposed dicopper mechanism 208
 - theoretical methods 209
 - Curie relaxation 57
 - Curie-type temperature behavior 53
 - cyclic (alkyl)-(amino) carbenes (CAACs) 425
 - cycloaddition 141
 - (4 + 2)-cycloaddition 228, 230, 231, 233, 235
 - Huisgen's 1,3-dipolar cycloaddition of phenylacetylene 208
 - cyclohexadienyl proton 238
 - cyclohexane 219
 - cyclohexyl chloride 219
 - 1,5-cyclooctadiene (COD) 183
 - cyclooctene (COE) 183, 184
 - cyclooxygenase inhibitors 273–279
 - Cox-1 and Cox-2
 - molecular structure, selective inhibitors 277–279
 - physiological functions 274, 275
 - structural comparison 275, 276
 - cyclopentadienyl – cyclopentadienyl distance 326
- d**
- degenerate system 142
 - dehydrogenation channel
 - intramolecular vs. intermolecular 440
 - delocalization error 139, 140
 - de novo* design 130
 - density-based method 45
 - density functionals
 - comparison of 147, 148
 - experimental data 148, 149
 - reactive [Ru₂O₂]³⁺ species 149–153
 - solvation of 153, 154
 - [Ru₂(OH₂)O₂]³⁺ intermediate 154–158
 - strategies for construction 142–144
 - density functional theory (DFT) 78, 108, 124, 139, 248
 - calculations using 231
 - error in 139
 - Fe(II)–amine complexes 127, 128, 129
 - Fe(II) complexes 124–126
 - full potential 123, 124
 - ligand field molecular mechanics 126–129
 - light-induced excited spin-state trapping 132–135
 - methods 43, 59
 - of spin-densities 59
 - SCO complexes 129–132
 - deprotonation 207–210, 212, 229, 237, 238, 258, 421
 - detachment/attachment densities 44
 - plots 36, 40
 - DFT, *see* density functional theory (DFT)
 - DFT-cluster
 - In₈-cluster 459, 460
 - dianionic species 459, 460
 - neutral disphenoidal cluster 461
 - DFT-D correction scheme 14
 - diagonalization process 69
 - diamagnetic shielding 50
 - dianionic disphenoidal cluster 460
 - dicopper (II) complex [(Cu(L¹))₂(CN)](BF₄)₃ · 1.35 H₂O
 - spectroscopic data 114
 - Diels–Alder enzymes 257
 - Diels–Alder reaction 8, 141, 142, 218, 229, 248, 259, 260
 - diene-type H₂BN(H)C(NH₂)NH
 - dimerization of 441
 - dihydrogen bonding 433
 - dihydroindolones 231
 - dimer Ga₂ stabilization 426
 - dimethylpolysiloxane (GESE 30) 220
 - dimethylsulfoxide (DMSO) 328

- dinuclear boron
 – dihydrogen activation 425, 426
 – quantum chemical calculations 426–429
 dinuclear $[\text{H}_2\text{B}(\mu\text{-hpp})_2]$ hydride
 – molecular structure of 434
 dinuclear hydride $[\text{H}_2\text{B}(\mu\text{-tbn})_2]$
 – dinuclear hydride 436
 dinuclear Ru clusters 144
 dipolar coupling 53
 dipolar interaction 61
 dipolar relaxation 56
 direct/polarized spin-density
 delocalization 59
 dispersion forces 139
 dithiothreitol (DTT) 303
 DNA shuffling 262
 double-base-stabilized diborane 443
 double-hybrid density functionals
 (DHDFs) 3, 4–6
 – fock-exchange in 4, 5
 drug design project 272
 duodectet theory 77
 dye benchmark set 13
 dynamic gas chromatography 215
 dynamic NMR (DNMR) 215, 216
- e**
- EDGE scores 254
 electron density 36, 140
 – calculation 140
 electronegative ligands 83
 electronic spectroscopy 65
 electronic wave function 140, 141
 electron paramagnetic resonance (EPR)
 spectroscopy 54, 55, 111, 115
 electron relaxation rate 56
 electron spin relaxation 55, 56
 electron spin resonance (ESR) 95
 electron transfer-mediated decay (ETMD) 70
 – pictorial representation 70, 71
 – theoretical description 70
 electrophiles 208
 electrostatic interactions 128
 element-rich clusters $[\text{E}_n\text{R}_m]^x$ 455
 empirical force-field-based methods 108
 empirical force field calculations 116
 enantiomerization 216
 enantioselective processes
 – optimization of 215
 endo-dicyclopentadiene 218
 energies of stationary points 199
 energy gap 151
 energy-related technologies 225
 $[\text{E}_n\text{H}_n]^2-$ cluster
 – averaged relative energy per EH unit 463
 – bond length, deviations 463
 – NICS values 464
 – and closo-Wade cluster 464, 465
 – for polyhedral cluster molecules 466
 enzymatic catalysis 303
 enzyme design geometry evaluation (EDGE)
 program 253
 enzyme design process 255
 enzymes 243
 equilibrium constant 20, 22
Escherichia coli 243
 ethyne and acetylide complexes 211
 etnangien 399, 406, 407
 evaluation tools 216
 – approximation function 216
 – continuous-flow model 216
 – empirical fitting procedures 216
 – stochastic model 216
 – theoretical plate model 216
 exchange–correlation functionals 139
 excited electronic states 41–43
 excited-state methods 30
 – application 44
 – development 44
 explicit modeling techniques 101
 extended X-ray absorption fine structure
 (EXAFS) 95
 extrapolation method 92
 Eyring equation 22
- f**
- facile μ -acetylide π - σ rearrangement 210
 fast flexible processes 60
 fast motion limit 55
 FDA, *see* force distribution analysis (FDA)
 Fe(II) thermal spin crossover complex 126
 Fermi contact shift 51, 52
 ferrocene 338, 341, 345
 ferrocene amino acid 326
 – conformational freedom of
 (bio)conjugates of 328
 ferrocene amino acid (bio)conjugates 328
 – Aufbau principle 334
 – conformations of anion receptor F 333
 – Cotton effect 334
 – negative 334
 – positive 334
 – DFT calculations 330, 336
 – hydrogen bonds 329
 – lowest-energy conformations 331,
 332, 335
 – modeling responses to external
 stimuli 341–344

- DFT-derived conformation 343
 - finite element analysis (FEA) 309
 - first-generation Grubbs catalysts 166
 - FIRST software package 282, 283, 284
 - flame ionization detection (FID) 220
 - floppy modes 282
 - force distribution analysis (FDA)
 - 303, 304
 - applications 306, 307
 - MetJ repressor 308
 - silk protein 308
 - titin immunoglobulin 307
 - von Willebrand factor 308
 - concept 304–306
 - classical mechanical description 304
 - force-field parameterization
 - developments in 109
 - force fields 94
 - fractional charges 142
 - free-energy surfaces 17–19
 - catalysis 25–28
 - competing reactions 24, 25
 - elementary reactions 19, 20
 - multiple consecutive steps 23, 24
 - two consecutive steps 20–23
 - free Gibbs energies 210
 - free induction decay (FID) 57
 - back-prediction 58
 - frontier orbitals 198
 - analysis 197, 198
 - frustrated Lewis pairs (FLPs) 425
- g**
- gallium hydrides
 - dihydrogen activation 425, 426
 - quantum chemical calculations 426–429
 - Ga₄N₄ cubane-type core 431
 - gas-phase proton affinities 96
 - GAUSSIAN 03 software package 195
 - generalized gradient approximation (GGA)
 - functional 143
 - geometric descriptors 249
 - geometry score (GS) 251
 - GESS program 250–252
 - giant protein titin 307
 - Gibbs energy 328
 - Gibbs free energy 440, 442
 - GMTKN24 database 8
 - 1GOR scaffold protein 261
 - Green's function techniques 66
 - Grubbs I type systems 165
 - Grubbs-type carbene complexes
 - via protonation of ruthenium vinylidene hydrido precursors 167
 - Grubbs-type complexes
 - formation of catalytically active 14-valence electron ruthenium carbenes for 167
 - metathesis with 167
 - Grubbs-type precatalysts 167
 - guanidine–borane adducts
 - decomposition route of 443
- h**
- halide-free lipophilic borate 470
 - Hamilton operator 32
 - hard and soft acids and bases (HSAB)
 - principle 111
 - Hartree-Fock (HF) calculation 32, 66
 - Hartree-Fock exchange 40
 - in density functional 147
 - Hartree-Fock ground state calculation 30
 - Hartree-Fock orbitals 34
 - Hartree-Fock reference 5
 - Hartree-Fock theory 142
 - Hartree-Fock wavefunction 91
 - [HB(μ-hpp)]₂
 - molecular structure of 439
 - H₃B-hppH
 - B–N distances 433
 - catalytic dehydrogenation of 439
 - dihedral angle C–N–B–H 431
 - H₃B-htbn, dehydrogenation 436
 - H₃B-htbo, dehydrogenation 435
 - [HB(μ-guanidinate)]₂
 - vs. [HGa(μ-guanidinate)]₂ 429
 - [HB(μ-guanidinate)]₂ species
 - ΔG⁰ for hydrogenation of 428
 - [HB(μ-hpp)]₂
 - double-base-stabilized diborane 444
 - molecular structure of 445
 - oxidative addition of sulfur to 445
 - with Ph₂S₂ 445
 - with Ph₂S₂/Bn₂S₂ 443
 - protonation of 446
 - with R₂S₂ 445
 - [H₂B(μ-tbn)]₂
 - isomers of 436
 - [H₂B(μ-tbo)]₂
 - molecular structure of 435
 - H₃B-NMe₃ 430
 - heats of formation (HOFs) 4
 - H₃EEH₃ dinuclear 427
 - 1-(hetero)aryl propargyl alcohols 227
 - heterobimetallic ruthenium(II)
 - alkylidenes 165
 - heteroboranes 413, 414
 - 1,3,4,6,7,8-hexahydro-2H-pyrimido [1,2-a]
 - pyrimidine (hppH) 427

- H_3Ga :guanidine 430
 $[\text{H}_2\text{Ga}(\mu\text{-tbo})_2]$
 – dehydrogenation 437
 – molecular structure of 438
 – structure of 437
 – vs. $[\text{H}_2\text{B}(\mu\text{-tbo})_2]$ 429
 $\text{H}_3\text{Ga}\cdot\text{N}(\text{H})\text{C}(\text{NMe}_2)_2$
 – dimeric assembly of 432
 – Ga_7 cluster 432
 $\text{Hg}\text{--}\text{C}$ bond cleavage 318
 – catalyzed by MerB 318–320
 – DFT calculations, methods 320
 – calculated DFT activation barriers 320
 – DFT total energy as a function of 322
 – experimental reaction rates 320
 – NPA partial charges 321
 highest occupied MO (HOMO) 34–36, 356, 357, 359
 high-throughput techniques
 – fluorimetry 257
 – UV/visible spectrometry 257
 hole occupation numbers 69
 homodinuclear system 113
 hybrid density functional 147
 hydramination reactions 425
 hydrogen bonds 154, 157, 255, 284, 286, 290, 325, 326, 329–331, 334, 336, 341, 373, 387
 hydrogen fluoride (HF) 79
 hydrophobic interactions 284, 286, 289, 292
 hydroxo/hydroperoxy species [(terpy) (HO)Ru (bpp)Ru(O₂H)(terpy)]³⁺ 146
 4-hydroxy-4-(6-methoxy-2-naphthyl)-2-butanone
 – retro-aldol reaction 258
 hyperfine shift
 – contact shift (*see* Fermi contact shift)
 – origin 50–54
 – pseudocontact shift 52–54
 hypoprecloso cluster 456
- i**
- icosahedral *closo*-boranate $[\text{B}_{12}\text{H}_{12}]^{2-}$ 456
 imidazolinyldene ligands 208
 immune system receptor 267
 indices, to characterize flexibility and rigidity 287
 – global indices 287
 – local indices 287, 288
 indium cluster 455
 – polyhedral indium clusters 456–458
 – quantum chemical calculations
 – $[\text{E}_8\text{H}_8]^{n+}$ clusters 459, 460
 – $[\text{E}_n\text{H}_n]^{2-}$ clusters 460–462
 – methods 459
- spherical aromaticity 455–466
 – subvalent compounds 457
 indomethacin
 – bonding geometries 276
 – volume 276
 inside-out design philosophy 253
 inside-out design program
 – Phoenix 261
 $[\text{In}_8(\text{SiMe}_3)_8]^{n+}$ cluster compounds 460
 $\text{In}_8(\text{SiPh}_3)_8$, molecular structure 458
 interatomic (intermolecular) Coulombic decay (ICD) 70, 73
 – theoretical considerations 73, 74
 interconverting stereoisomers 224
 intramolecular Diels–Alder (IMDA) reaction 230
 inverse protein folding 244
cis/trans isomerization 170, 171
 isomerization–Claisen sequence 238
 isostatically rigid 283
 isotope effects 180
 – secondary 181
 isotropic *g*-tensors 59
 isotropic hyperfine coupling constant 56
- j**
- Jacob's ladder 8
 – Perdew's scheme of 4
 Jaguar program package 209
 Jahn–Teller concepts 88
 Jahn–Teller distortions 109, 123, 457
 Jahn–Teller isomer 113, 114
- k**
- Kemp elimination 248, 256, 258, 259
 – inside-out enzyme design protocol 245
 Keper's geometric model 109
 knowledge-based modeling 101
 Kohn–Sham density functional theory 3, 33
 – orbitals 34
 Kohn–Sham limit 9
 Kohn–Sham orbitals 4
 Kohn–Sham system 33
 Koopmans ionization energies 66
 Koopmans' theorem 67
- l**
- Laman's theorem 283
 Langmuir–Hinshelwood mechanism 220
 lanthanide ions complexes 60
 large molecular systems
 – charge-transfer excited states 42–44
 – dark states 41–44
 – density-based methods 33, 34

- electronic transitions analysis 34–37
 - excited electronic states
 - – with large double excitation character 40–42
 - medium-sized and large molecules, excited-state methods 30–34
 - quantum chemical excited-state method 29, 30
 - static absorption 37–40
 - wavefunction-based *ab initio* methods 31–33
 - Lehmann representation 73
 - Lewis acid 59, 165, 170, 425
 - Lewis-like structures 84
 - Lewis model 77
 - ligand-field-augmented MM (LFMM) model 109
 - ligand-field-based molecular mechanics 114
 - ligand-field-based quantum-chemical model 112
 - ligand field molecular dynamics (LFMD) 131
 - ligand field molecular mechanics (LFMM) 123
 - applications 128
 - root mean square deviation (RMSD) 129
 - ligand field theory (LFT)-based studies 107, 111, 112, 126
 - ligand field theory with DFT (LFDFT) 112
 - ligand–ligand repulsion 128
 - light-induced excited spin-state trapping (LIESST) 130, 132–135
 - linear correlation 203
 - linear polyenes
 - lowest excited states 42
 - molecular structure 41
 - lipophilic anions 469–472
 - lipophilic cations 469
 - liquid chromatography–mass spectrometry (LCMS) 257
 - Lissoclinum*-derived cyclopeptides 367, 368, 381
 - Lissoclinum*-related macrocyclic peptides
 - achiral applications 386, 387
 - as chiral tools 387–393
 - lithium albebate 471
 - lithium bortebate 471
 - solubility of 471
 - local density approximation (LDA) 144
 - localized bonding model 84
 - local spin distributions 152
 - lowest unoccupied MO (LUMO) 35, 36, 193, 356, 357, 425
 - β -LUMO coefficients 82
 - lysozyme 284
- m**
- macropolyhedra 420, 421
 - cluster fragment for 421
 - most stable 421, 422
 - macropolyhedral boranes 419, 420
 - magnetic field 50
 - Marcus theory 134
 - mass spectrometry (MS) 220
 - matrix-isolated metal-atom dimer Ga₂
 - and H₂ 426
 - mean absolute deviations (MADs) 8, 12, 14
 - mean deviations (MDs) 12, 14
 - [(Me₂(H)N)B(μ -hpp)]₂²⁺ 450
 - [(Me₂(H)N)B(μ -hpp)]₂Cl₂
 - molecular structure of 451
 - membrane-bound proteins 311
 - MerB catalysis 312
 - mercury
 - biotransformation 312
 - toxicity 311
 - mer operon 311
 - MerR transcription 312
 - meta-GGA functional 143
 - 2 π -metalloaromatic ring 456
 - metalloproteins
 - catalyzed reactions 111
 - complex ligation environments 77
 - electrostatic fields in 110
 - metathesis 167
 - methylmercury 311, 312, 318–322
 - miniaturization 225
 - minimum energy crossing point (MECP) 133
 - modern propagator approaches
 - charge migration processes 65–70
 - ICD 73, 74
 - noble gas clusters 70–74
 - tracing ultrafast electron dynamic 65
 - molecular cations, plots 113
 - molecular dynamics (MD) 281
 - simulations 100, 255, 261, 281, 286, 290, 304, 311, 313, 314, 316, 317, 322
 - molecular frameworks 283
 - molecular mechanics (MM) 108, 123
 - based structural modeling 108
 - drawback 108
 - efficiency 108
 - molecular orbitals (MOs) 34
 - theory 77
 - molecular systems 41
 - molecules
 - strained rings 302, 303
 - strain in 301, 302
 - under tensile forces 303
 - Møller-Plesset partition 32

- Møller–Plesset second-order perturbation (MP2) 143
- Møller–Plesset (MP2)-type treatment 4
- mononuclear copper triazolide complex 208
- Monte Carlo sequence selection 252
- Monte-Carlo simulations 94, 306
- $[M(\text{THF})_n]^+_2[\text{In}_8(\text{SiPh}_3)_8]^{2-}$
- molecular structure of 458
 - myxobacterial polyketides 397–399
 - case studies with archazolids 399
 - *J*-based configurational methods 399–403
 - molecular mechanics studies 399–403
 - RDCs, calculation and determination 403–406
 - restrained molecular modeling 403
 - stereochemistry and MMFFs-AM1 solution structure 402
 - planar structures 398
- n**
- natural atomic orbitals (NAOs) 78
- energies 79
- natural bond charges 471
- natural bond orbital (NBO) analysis 78
- principal bonding interactions in 80
- natural bond orbital (NBO) charge 446
- natural hybrid orbital (NHO)
- coefficients 80
- naturalistic active sites 245
- natural population analyses (NPA) 78, 195
- N–C bond formation 207
- N–C–N angle, *see* N-heterocyclic carbene (NHC)
- Network representations of molecules 284
- neuraminidase inhibitors
- orally active agent oseltamivir 270–272
 - physiological function 267, 268
 - substrate, sialic acid 268, 269
 - zanamivir, development 269, 270
- neutral disphenoidal cluster
- reduction of 460
- new constraint network parameterization for RNA structures 291, 292
- new protein catalysts
- catalyst selection and catalytic unit 244–246
 - computational design 243, 244
 - *de novo* enzyme design 260–262
 - Diels–Alder cycloaddition 259, 260
 - evaluating matches and designs 253–257
 - experiments 257
 - inside-out approach 244
 - KE70 directed evolution 262, 263
 - Kemp elimination 257, 259
 - Retro-Aldol reaction 257, 258
 - Rosetta design 252, 253
 - scaffold selection and theozyme incorporation 249–252
 - theozymes 246–248
- N-heterocyclic carbene (NHC) 10, 349, 353, 354, 356, 359, 361, 425
- changes in
 - frontier orbital energies 357
 - orbital energies of a carbon atom 358
 - σ -orbital energies and π^* -orbital energies 358
 - ^{13}C NMR chemical shift–NCN angle correlation 349
 - method validation 350, 351
 - within various carbene types 351–353
 - correlations in 359–362
 - NCN angle
 - and HOMO-LUMO gap ΔE 356–359
 - relationship of orbital energies 359
 - shielding tensor correlations 353–356
- N-heterocyclic carbene (NHC) copper complexes 208, *see also* CuAAC catalysts
- NH proton resonance 326
- NH_{ureylene} 325
- NICS values 461
- N,N*-diallyltrifluoroacetamide 221
- N*-trifluoroacetylpyrrolidine 224
- nuclear gyromagnetic ratio 50
- nuclear magnetic resonance (NMR) 248
- chemical shifts 95
 - measurement 54
 - nucleus 56
 - spectroscopy 49, 55, 147, 281, 306
 - spectrum 51
- nuclear Overhauser effect (NOE) 326
- nuclear Overhauser spectroscopy 326
- nucleophile 194
- nucleus–electron interaction 49
- nucleus-independent chemical shifts (NICSs) 455
- o**
- octaindane cluster compounds 456
- octet theory 77
- olefin complexes 202, 203, *see also* transition states
- destabilization 194
 - energetic penalty, calculations 202, 203
 - linear correlation between transition states 203
- olefin metathesis 165
- catalysts 166
- olefin metathesis ruthenium(II)carbene catalysts 165

- olefin π -complexation 181
 - pre-equilibrium 181
 - transition to metallacyclobutane 181
 - olefin polymerization 167
 - oligomeric/polymeric amino boranes 442
 - on-column reaction chromatography
 - catalytic studies with 220–224
 - on-column RCM, selected results 223
 - O1–O2 bond length 152
 - O–O stretching vibration 158
 - open-shell radical species 81
 - organoazide 207, 208
 - coordination 212
 - organomercurial lyase 318
 - oseltamivir
 - bonding interaction 273
 - lipophilicity potential 272
 - structure 272
 - oxygen donor 472
 - oxygen evolving complex (OEC) 144
- p**
- palladium-catalyzed allylic substitutions 191
 - with chelating P,P-ligands 191
 - palladium-copper (Pd/Cu)-catalyzed
 - alkynylation reaction 227
 - paramagnetic metal complexes
 - aim and scope 49
 - assigning and understanding NMR shifts 49
 - case studies 61–63
 - hyperfine shift, origin 50–54
 - nickel complexes 62
 - organochromium complexes 61, 62
 - paramagnetic NMR 50–58
 - recording paramagnetic NMR spectra 56
 - relaxation and line widths 54–56
 - signal assignments 58–60
 - paramagnetic NMR
 - acquisition and processing parameters for 57
 - basic theory 50–58
 - optimal recording 56
 - spectrum
 - – ^1H - ^{13}C correlated 62
 - parameterized density functional theory (PDFT) 93–95, 100, 101
 - p*-coumaric acid (pCA) 34
 - densities of states 36
 - detachment/attachment density plots 36
 - Kohn–Sham molecular orbitals 35
 - molecular structure 35
 - simulated absorption spectra 39
 - transition densities 37
 - vertical excitation energies 38
 - Pd-catalyzed allylic alkylations, regioselectivity 192
 - Pd-catalyzed allylic substitution reactions 192
 - pebble games 283
 - peptidyl transferase center (PTC) 293
 - Perdew–Wang (PW) GGA-exchange 5
 - pericyclic bifurcation 231
 - perturbation theory 41
 - perturbation treatment (PT2) 4
 - 2-phenylethyl-*N,N*-dimethylamine (PENNA) molecule 65, 66, 68
 - equilibrium structure 67
 - final states 66
 - ionized states 67
 - PHOENIX program 252
 - phosphine 165, 167
 - photosystem II (PSII) 144
 - points-on-a-sphere (POS) model 109
 - polarizable continuum method 18
 - polarizable continuum models 95
 - polarization coefficients 79
 - polarized continuum model (PCM) 195
 - polymer chemistry 166
 - Pople–Pariser–Parr (PPP) method 94
 - population shift model 281
 - predictive modeling
 - force fields, docking 99, 100
 - gas-phase properties 94, 95
 - models, and modeling 91–93
 - molecular properties 91
 - parameterized classical 93, 94
 - predictive energies and structures 94
 - reaction selectivity 96, 97
 - SAR modeling 98, 99
 - solvent effects 95, 96
 - principal component analysis (PCA) 313
 - ProFlex 283
 - propargyl allyl ethers 228
 - propargyl tritylethers
 - computation of pericyclic dichotomies 231–238
 - mechanistic rationale 237
 - relative computed DFT energies 236
 - relative energies 235
 - structures and relative energies 233
 - propyne-allene isomerization–Claisen rearrangement 238
 - prostanoids biosynthesis 273
 - Protein Data Bank (PDB) 244, 275
 - protein engineering 290, 291
 - proteins
 - coarse-graining 289, 290
 - themostabilization 290, 291

- protonation 208
 proton-coupled electron transfer (PCET)
 reaction 146
 pseudo first-order reaction 145
- q**
 Q2MM method 124
 qualitative molecular orbital 107
 quantitative structure–activity relationships
 (QSARs) 92, 93, 98, 99, 248
 quantitative structure-property relationships
 (QSPRs) 91–93, 98–100, 111
 – communities 92
 – models 91
 quantum chemical calculations 141, 231
 – bicyclic guanidines
 -- boranes/gallanes 430–434
 – density functional theory (DFT) method 433
 – dinuclear $[\text{H}_2\text{E}(\mu\text{-guanidinate})_2]$ hydride
 -- dehydrogenation to 434–437
 – double-base-stabilized diborane
 -- alternative access routes 450–452
 -- dehydrogenation to 437–439
 – electronic structure 116
 – oxidative insertion reactions 443
 -- B–B bond protonation 446–449
 – on reaction mechanism 440–443
 – sulfuration with disulfides 443–446
 – thermodynamic properties of 428
 quantum-chemical methods 112
 quantum mechanical (QM) calculations
 – applications 244
- r**
 Racah parameters 125
 radius of gyration (RG) values 314
 range-separated functionals 12
 redox potentials 111
 reference interaction site model (RISM)
 model 96
 regioselectivity 203
 – dependent on ligand 192
 – effects of substituents on 191
 – geometry preorganization analysis 198
 – influence of the hydrogen-bonded
 associates on 199
 – of Pd-catalyzed allylic alkylations 192
 – predictions based on 199
 – theoretical investigations 193
 relative energies 233
 residual dipolar couplings 281, 399, 403,
 405, 410
 restricted Hartree–Fock (RHF)
 calculations 450
 retention increments 215
 Retro-Aldol reaction 257, 258
 rhizopodin 408–410
 ribosomal exit tunnel, derived
 parameterization applied to analyze
 292–294
 rigidity analysis, applications 289–294
 rigidity theory 282–288
 – antibiotics binding sites 291–294
 – application 289–294
 – coarse-graining, for simulating 289, 290
 – constraint network analysis 285–287
 – indices to characterize flexibility and
 rigidity 287–289
 – modeling as constraint networks 284
 – proteins 290, 291
 – simulating folded–unfolded
 transitions 284, 285
 rigid rotor-harmonic oscillator
 approximation 18
 rigid rotor–harmonic oscillator statistical
 mechanics, accuracy 18
 rigorously octahedral system 134
 ring-closing metathesis (RCM) 220
 ring-opening metathesis polymerization
 (ROMP) 166
 – activities of neutral complexes 170
 – activity of neutral systems 170
 – backbiting of growing polymer chain 185,
 186
 – of 1,5-cyclooctadiene 186
 – of cyclooctene 183, 184
 – formation of active species in the dicationic
 precursors 185
 – kinetics in solution 183
 -- bite angle influence on 183, 184
 -- vs. first- and second-generation Grubbs
 systems in solution 184–186
 – polymer production by 166
 RosettaDesign program 252, 253
 – algorithm 252
 RosettaMatch program 249, 250
 – construction stages 249, 250
 Ru atoms 145
 Ru catalyst 166
 Ru–ligand bond lengths 149
 $[\text{Ru}_2(\text{m-OAc})(\text{bpp})(\text{terpy})_2]^{2+}$ complex 145
 Ru1–N1–N2–Ru2 bridge 145
 $[\text{Ru}_2(\text{OH}_2)_2]^{3+}$ cluster 146
 ruthenacyclobutanes 167
 ruthenium carbene complexes 168
 – with chelating bisphosphines via dinuclear
 dihydrides 169
 – with a *cis*-dichloro arrangement 168

- S**
- S-adenosyl methionine (SAM) 308
 - SAR modeling 98, 99
 - Schiff bases 165
 - Schrödinger equation 30
 - SCO complex 131
 - second-generation catalysts 165
 - second-order perturbation 147
 - self-interaction-corrected functionals 142
 - self-interaction error 140
 - self-interaction-error (SIE) 3, 10
 - shared electron numbers (SENs) 459
 - Shigella flexneri* 313
 - sialic acid 268, 269
 - binding geometry 271
 - bonding interaction 269
 - structural formulae 270
 - [3,3]-sigmatropic rearrangements 231
 - silk protein 308
 - simplest model complex 86
 - simulation force fields 99
 - single-molecule fluorescence 281
 - single-molecule force spectroscopy 303
 - single-molecule magnetism (SMM) 112
 - single occupied molecular orbital (SOMO) 52, 53
 - single-point self-consistent reaction field (SCRf) calculations 195
 - small-angle X-ray scattering (SAXS) 311, 312
 - sodium cation, ligands
 - binding strength of 471
 - solubility 469
 - solvation free energies 96
 - solvent accessible surface area (SASA) 253, 254
 - solvent effects 95, 96
 - solvent models 97
 - Sonogashira coupling conditions 227
 - Sorangium cellulosum* 406
 - spectra-oriented configuration interaction (SORCI) 112
 - spherically averaged density 141
 - β -spin 141
 - spin-crossover (SCO) point 125
 - spin-pairing energy 124
 - spin-polarization 141
 - error 139
 - spiro-benzofuranones 228
 - spirocycles 228, 229, 231
 - spiro-indolones 228
 - standard density functionals 139
 - static-correlation 139
 - error 141
 - Stokes shifts 228
 - strain, in molecules 301, 302
 - molecules under tensile forces 303
 - strained rings 302, 303
 - stronger ligand fields 129
 - structure–activity relationships (SARs) 98
 - structure–property relationships (SPRs) 98
 - superconducting quantum interference device (SQUID) magnetometry 115
 - superoxo structure 146
 - Swart's DFT protocol 127
 - symmetry-adapted cluster configuration interaction (SAC-CI) approach 32
 - symmetry-based degeneracy 248
 - syn-syn* stereoisomers 203
 - synthetic processes 243
- t**
- Tamm–Dancoff approximation (TDA) 33
 - Tanabe–Sugano diagram 125, 127, 129, 134
 - TD-DHDF theory 11, 12
 - tetrahydrobenzofurans 231
 - tetrahydrofuran (THF) 469
 - tetrahydroisobenzofuran 228
 - tetramethylguanidine-borane 434
 - thermostabilization 290, 291
 - theoretical plate of chromatographic reactor, *see also* evaluation tools
 - calculation process 218
 - equilibria in 218
 - theozymes 246–248
 - applications 248
 - background 246
 - based catalytic constraints 250
 - catalytic groups selection 247, 248
 - definition 247
 - theozyme diversity 248
 - thermostability 282
 - time-dependent density functional theory (TDDFT) 33, 34, 43, 95, 112
 - accuracy 44
 - reliability 43
 - transcription activation, of MerOP 312, 313
 - Hg(II)-MerR
 - global dynamics 314
 - opening-and-closing dynamics 315, 316
 - MD and SAXS 314
 - MD simulations 317, 318
 - transition metal (TM)
 - bonding 77
 - duodectet rule for 87
 - rationalizations of 88
 - systems 123
 - transition metal carbenes 166
 - transition metal coordination compounds

- cyano-bridged homodinuclear copper(II) complexes 112–116
 - interpretation and prediction of properties 107
 - molecular properties 111, 112
 - molecular structure optimization 108–110
 - molecular structures and properties 110, 111
 - 3d-transition metals 10
 - transition states (TS) 19, 194, 195
 - analysis 199–202
 - *anti-exo* transition state 228
 - calculations 198, 199
 - linear correlation 203
 - properties 200
 - transition-state stabilization 247
 - transition state theory (TST) 17
 - transmission electron microscopy (TEM) 220
 - transmit spin density 52
 - 1,5,7-triazabicyclo[4.3.0]non-6-ene (Htbn) 427
 - 1,4,6-triazabicyclo[3.3.0]oct-4-ene (Htbo) 427
 - bicyclic guanidines 430
 - 1,2,3-triazole 213
 - triazolide formation 212
 - triazolide ligand protonation 213
 - triethylamine 228
 - trifluoroacetate (TFA) 166, 167
 - triple- ζ valence polarization (TZVP) 148
 - TURBOMOLE's Moloch tool 159
 - turnover frequency (TOF) 185
 - two-step on-column cascade reaction 224
- u**
- Ullmann-type C–C cross-coupling 221
 - understanding allostery 282
 - unified equation 216, 218, 221, 223
 - ureylene carbonyl CO_{ureylene} 325
- v**
- valerate carboxylate groups 209
 - van Deemter data 215
 - van der Waals interactions 471
 - van der Waals surface 270
 - V-ATPase inhibitor 403
 - vinyl allenes 228
 - vinyl allenyl allyl ethers 230
 - vinyl allyloxy allene 231
 - vinyl propargyl allyl ether 228
 - viral membrane protein hemagglutinin 267
 - von Willebrand factor (VWF) 308
- w**
- Wade's rule 414, 455
 - Wade-type clusters 414
 - Wade–William–Rudolph rules 455
 - Wanzlick–Arduengo-type carbenes 165
 - water-splitting dinuclear ruthenium catalyst 139
 - wavefunction 141
 - weighted total mean absolute deviation (WTMAD) 8, 9
 - Wiberg bond analysis 446
- x**
- X-ray crystallography 114, 132, 259, 281
 - X-ray crystal structures 244, 261
 - X-ray diffraction (XRD) 367, 368, 371, 433
 - in crystalline phase and electron diffraction 433
 - X-ray structures 250
 - protein–ligand complexes 100
- z**
- zanamivir
 - bonding interaction 270
 - development 269
 - lipophilicity potential 271
 - zanamivir–neuraminidase complex 271
 - zero energy reference 153
 - zero-field splitting 112
 - zero-point energy corrections 195
 - Ziegler–Natta polymerizations 166
 - Zintl ions 456

