

Contents

Preface *XV*

List of Contributors *XIX*

| | | |
|----------|---|-----------|
| 1 | Containerless Undercooling of Drops and Droplets | 1 |
| | <i>Dieter M. Herlach</i> | |
| 1.1 | Introduction | 1 |
| 1.2 | Drop Tubes | 3 |
| 1.2.1 | Short Drop Tubes | 4 |
| 1.2.2 | Long Drop Tubes | 5 |
| 1.3 | Containerless Processing Through Levitation | 8 |
| 1.3.1 | Electromagnetic Levitation | 9 |
| 1.3.2 | Electrostatic Levitation | 16 |
| 1.3.3 | Electromagnetic Levitation in Reduced Gravity | 23 |
| 1.4 | Summary and Conclusions | 26 |
| | References | 27 |
| | | |
| 2 | Computer-Aided Experiments in Containerless Processing of Materials | 31 |
| | <i>Robert W. Hyers</i> | |
| 2.1 | Introduction | 31 |
| 2.1.1 | Nomenclature | 32 |
| 2.2 | Planning Experiments | 33 |
| 2.2.1 | Example: Feasible Range of Conditions to Test Theory of Coupled-Flux Nucleation | 33 |
| 2.2.2 | Example: The Effect of Fluid Flow on Phase Selection | 37 |
| 2.3 | Operating Experiments | 40 |
| 2.4 | Data Reduction, Analysis, Visualization, and Interpretation | 41 |
| 2.4.1 | Example: Noncontact Measurement of Density and Thermal Expansion | 42 |
| 2.4.2 | Example: Noncontact Measurement of Creep | 45 |
| 2.5 | Conclusion | 47 |
| | References | 47 |

| | | |
|----------|--|-----------|
| 3 | Demixing of Cu–Co Alloys Showing a Metastable Miscibility Gap | 51 |
| | <i>Matthias Kolbe</i> | |
| 3.1 | Introduction | 51 |
| 3.2 | Mechanism of Demixing | 52 |
| 3.3 | Demixing Experiments in Terrestrial EML and in Low Gravity | 54 |
| 3.4 | Demixing Experiments in a Drop Tube | 56 |
| 3.5 | Spinodal Decomposition in Cu–Co Melts | 62 |
| 3.6 | Conclusions | 64 |
| | References | 66 |
| | | |
| 4 | Short-Range Order in Undercooled Melts | 69 |
| | <i>Dirk Holland- Moritz</i> | |
| 4.1 | Introduction | 69 |
| 4.2 | Experiments on the Short-Range Order of Undercooled Melts | 71 |
| 4.2.1 | Experimental Techniques | 72 |
| 4.2.2 | Structure of Monatomic Melts | 73 |
| 4.2.3 | Structure of Alloy Melts | 77 |
| 4.3 | Conclusions | 83 |
| | References | 84 |
| | | |
| 5 | Ordering and Crystal Nucleation in Undercooled Melts | 87 |
| | <i>Kenneth F. Kelton and A. Lindsay Greer</i> | |
| 5.1 | Introduction | 87 |
| 5.2 | Nucleation Theory—Some Background | 88 |
| 5.2.1 | Classical Nucleation Theory | 88 |
| 5.2.1.1 | Homogeneous Steady-State Nucleation | 88 |
| 5.2.1.2 | Heterogeneous Nucleation | 90 |
| 5.2.2 | Nucleation Models that Take Account of Ordering | 93 |
| 5.2.2.1 | Diffuse-Interface Model | 94 |
| 5.2.2.2 | Density-Functional Models | 95 |
| 5.3 | Liquid Metal Undercooling Studies | 97 |
| 5.3.1 | Experimental Techniques | 97 |
| 5.3.2 | Selected Experimental Results | 98 |
| 5.3.2.1 | Maximum-Undercooling Data | 98 |
| 5.3.2.2 | Nucleation Rate Measurements | 99 |
| 5.4 | Coupling of Ordering in the Liquid to the Nucleation Barrier | 101 |
| 5.4.1 | Icosahedral Ordering | 101 |
| 5.4.2 | Coupling of Ordering and Nucleation Barrier | 102 |
| 5.4.3 | Ordering in the Liquid Adjacent to a Heterogeneity | 106 |
| 5.5 | Conclusions | 107 |
| | References | 108 |

| | | |
|----------|---|------------|
| 6 | Phase-Field Crystal Modeling of Homogeneous and Heterogeneous Crystal Nucleation | 113 |
| | <i>Gyula I. Tóth, Tamás Pusztai, György Tegze, and László Gránásy</i> | |
| 6.1 | Introduction | 113 |
| 6.2 | Phase-Field Crystal Models | 114 |
| 6.2.1 | Free Energy Functionals | 115 |
| 6.2.2 | Euler–Lagrange Equation and the Equation of Motion | 117 |
| 6.3 | Homogeneous Nucleation | 118 |
| 6.3.1 | Solution of the Euler–Lagrange Equation | 118 |
| 6.3.2 | Solution of the Equation of Motion | 120 |
| 6.4 | PFC Modeling of Heterogeneous Nucleation | 129 |
| 6.5 | Summary | 134 |
| | References | 135 |
| | | |
| 7 | Effects of Transient Heat and Mass Transfer on Competitive Nucleation and Phase Selection in Drop Tube Processing of Multicomponent Alloys | 139 |
| | <i>M. Krivilyov and Jan Fransaer</i> | |
| 7.1 | Introduction | 139 |
| 7.2 | Model | 140 |
| 7.2.1 | Equations of Time-Dependent Motion, Fluid Flow, and Heat Transfer | 141 |
| 7.2.2 | Equations of Nucleation Kinetics and Crystal Growth | 143 |
| 7.2.3 | Coupling of the Models and Experiment Data | 144 |
| 7.3 | Effect of Transient Heat and Mass Transfer on Nucleation and Crystal Growth | 145 |
| 7.3.1 | Transients in the Internal Flow | 145 |
| 7.3.2 | Heat Transfer, Cooling Rates, and Temperature Distribution | 146 |
| 7.4 | Competitive Nucleation and Phase Selection in Nd–Fe–B Droplets | 148 |
| 7.4.1 | Calculation of the Temperature–Time Profiles | 148 |
| 7.4.2 | Critical Undercooling as a Function of the Drop Size | 151 |
| 7.4.3 | Delay Time as a Function of the Convection Intensity | 152 |
| 7.5 | Summary | 153 |
| | Appendix 7.A: Extended Model of Nonstationary Heterogeneous Nucleation | 154 |
| | References | 157 |
| | | |
| 8 | Containerless Solidification of Magnetic Materials Using the ISAS/JAXA 26-Meter Drop Tube | 161 |
| | <i>Shumpei Ozawa</i> | |
| 8.1 | Introduction | 161 |
| 8.2 | Drop Tube Process | 162 |
| 8.2.1 | Experimental Procedure | 162 |
| 8.2.2 | Undercooling Level and Cooling Rate of the Droplet during the Drop Tube Process | 163 |

| | | |
|-----------|--|------------|
| 8.3 | Undercooling Solidification of Fe–Rare Earth (RE) Magnetostriction Alloys | 165 |
| 8.3.1 | Fe ₆₇ Nd ₃₃ Alloy | 167 |
| 8.3.2 | Fe ₆₇ Tb ₃₃ and Fe ₆₇ Dy ₃₃ Alloys | 168 |
| 8.3.3 | Fe ₆₇ Nd _{16.5} Tb _{16.5} and Fe ₆₇ Nd _{16.5} Dy _{16.5} Alloys | 170 |
| 8.4 | Undercooling Solidification of Nd–Fe–B Magnet Alloys | 173 |
| 8.4.1 | Phase Selection and Microstructure Evolution of Nd–Fe–B Alloys Solidified from Undercooled Melt | 174 |
| 8.4.2 | Magnetic Property of the Metastable Phase | 177 |
| 8.4.3 | Mechanism of Transformation of the Nd ₂ Fe ₁₇ B _x Metastable Phase | 178 |
| 8.5 | Concluding Remarks | 183 |
| | References | 184 |
| 9 | Nucleation and Solidification Kinetics of Metastable Phases in Undercooled Melts | 187 |
| | <i>Wolfgang Löser and Olga Shuleshova</i> | |
| 9.1 | Introduction | 187 |
| 9.2 | Thermodynamic Aspects and Nucleation of Metastable Phases | 188 |
| 9.3 | Metastable Phase Formation from Undercooled Melts in Various Alloy Systems | 190 |
| 9.3.1 | The Metastable Supersaturated Solid Solution Phases | 190 |
| 9.3.2 | The Metastable Phase Formation for Refractory Metals | 192 |
| 9.3.3 | The Metastable bcc Phase Formation in Fe-Based Alloys | 193 |
| 9.3.4 | The Metastable Phase Formation in Peritectic Systems with Ordered Intermetallic Compounds | 198 |
| 9.3.5 | The Metastable Phase Formation in Eutectic Systems with Ordered Intermetallic Compounds | 203 |
| 9.3.6 | The Formation of Metastable Quasicrystalline Phases | 204 |
| 9.3.7 | The Formation of Amorphous Phases | 206 |
| 9.4 | Summary and Conclusions | 207 |
| | References | 208 |
| 10 | Nucleation Within the Mushy Zone | 213 |
| | <i>Douglas M. Matson</i> | |
| 10.1 | Introduction | 213 |
| 10.1.1 | Double Recalescence | 213 |
| 10.1.2 | Solidification Path | 217 |
| 10.2 | Incubation Time | 218 |
| 10.3 | Cluster Formation | 219 |
| 10.3.1 | Homogeneous Nucleation of a Spherical Cluster | 219 |
| 10.3.2 | Heterogeneous Nucleation of a Spherical Cap on a Flat Surface | 221 |
| 10.4 | Transient Development of Heterogeneous Sites | 224 |
| 10.4.1 | Dendrite Fragmentation | 225 |
| 10.4.2 | Crack Formation | 225 |
| 10.4.3 | Dendrite Collision | 227 |

| | | |
|-----------|---|------------|
| 10.4.4 | Internal Grain Boundary Formation | 229 |
| 10.4.5 | Heterogeneous Nucleation Within a Crevice | 230 |
| 10.5 | Comparing Critical Nucleus Development Mechanisms | 235 |
| 10.6 | Concluding Remarks | 236 |
| | References | 237 |
| 11 | Measurements of Crystal Growth Velocities in Undercooled Melts of Metals | 239 |
| | <i>Thomas Volkman</i> | |
| 11.1 | Introduction | 239 |
| 11.2 | Experimental Methods | 241 |
| 11.3 | Summary and Conclusions | 256 |
| | References | 257 |
| 12 | Containerless Crystallization of Semiconductors | 261 |
| | <i>Kazuhiko Kuribayashi</i> | |
| 12.1 | Introduction | 261 |
| 12.2 | Status of Research on Facetted Dendrite Growth | 262 |
| 12.3 | Twin-Related Lateral Growth and Twin-free Continuous Growth | 264 |
| 12.3.1 | Twin-Related $\langle 211 \rangle$ and $\langle 110 \rangle$ Facetted Dendrites | 264 |
| 12.3.2 | Twin-Free $\langle 100 \rangle$ Facet Dendrites | 266 |
| 12.3.3 | Transition from Twin-Related Facet Dendrites to Twin-Free Facet Dendrites | 267 |
| 12.3.4 | Rate-Determining Process for Crystallization into Undercooled Melts | 268 |
| 12.4 | Containerless Crystallization of Si | 270 |
| 12.4.1 | Experimental | 270 |
| 12.4.2 | Application to Drop-Tube Process | 275 |
| 12.5 | Summary and Conclusion | 276 |
| 12.6 | Appendix 12.A: LKT Model | 276 |
| 12.A.1 | Wilson–Frenkel Model | 277 |
| | References | 278 |
| 13 | Measurements of Crystal Growth Dynamics in Glass-Fluxed Melts | 281 |
| | <i>Jianrong Gao, Zongning Zhang, Yikun Zhang, and Chao Yang</i> | |
| 13.1 | Introduction | 281 |
| 13.2 | Methods and Experimental Set-Up | 282 |
| 13.2.1 | Access to Large Undercoolings | 282 |
| 13.2.2 | <i>In-Situ</i> Observations | 283 |
| 13.2.3 | Data Processing | 283 |
| 13.2.4 | Experimental Set-Up and Procedures | 284 |
| 13.3 | Growth Velocities in Pure Ni | 286 |
| 13.3.1 | Overview of Literature Data | 286 |
| 13.3.2 | Recalescence Characteristic | 287 |
| 13.3.3 | Dendritic Growth Velocities | 289 |

| | | |
|-----------|---|------------|
| 13.4 | Growth Velocities in Ni ₃ Sn ₂ Compound | 291 |
| 13.4.1 | Peculiarities of Intermetallic Compounds | 291 |
| 13.4.2 | Novel Data of Growth Velocities | 291 |
| 13.5 | Crystal Growth Dynamics in Ni–Sn Eutectic Alloys | 293 |
| 13.5.1 | Background | 293 |
| 13.5.2 | Recalescence Behavior and Growth Velocities | 293 |
| 13.5.3 | Microstructure | 295 |
| 13.6 | Opportunities with High Magnetic Fields | 295 |
| 13.6.1 | Motivation | 295 |
| 13.6.2 | Opportunities with High Magnetic Fields | 296 |
| 13.6.3 | Effects of Static Magnetic Fields on Undercooling Behavior | 297 |
| 13.6.4 | Measured Growth Velocities of Pure Ni | 298 |
| 13.7 | Summary | 300 |
| | References | 301 |
| 14 | Influence of Convection on Dendrite Growth by the AC+DC Levitation Technique | 305 |
| | <i>Hideyuki Yasuda</i> | |
| 14.1 | Convection in a Levitated Melt | 305 |
| 14.1.1 | Challenges in Conventional Levitation | 305 |
| 14.1.2 | Influence of Convection | 306 |
| 14.2 | Static Levitation Using the Alternating and Static Magnetic Field (AC + DC Levitation) | 307 |
| 14.2.1 | Simultaneous Imposition of AC + DC Magnetic Fields | 307 |
| 14.2.2 | Setup of the AC + DC Levitator | 309 |
| 14.2.3 | Dynamics of a Droplet Under AC + DC Fields | 309 |
| 14.2.4 | Effect of the Static Magnetic Field on Flow Velocity | 312 |
| 14.3 | Effect of Convection on Nucleation and Solidification | 313 |
| 14.3.1 | Nucleation Undercooling | 313 |
| 14.3.2 | Solidification Structure | 314 |
| 14.3.3 | Growth Velocity of Dendrite | 317 |
| | References | 319 |
| 15 | Modeling the Fluid Dynamics and Dendritic Solidification in EM-Levitated Alloy Melts | 321 |
| | <i>Valdis Bojarevics, Andrew Kao, and Koulis Pericleous</i> | |
| 15.1 | Introduction | 321 |
| 15.2 | Mathematical Models for Levitation Thermofluid Dynamics | 322 |
| 15.2.1 | Thermofluid Equations | 326 |
| 15.2.2 | Simulations of Droplet Levitation | 327 |
| 15.2.3 | DC Field Stabilization | 330 |
| 15.2.4 | Levitating Large Masses | 332 |
| 15.2.5 | Impurity Separation | 335 |
| 15.3 | Thermoelectric Magneto hydrodynamics in Levitated Droplets | 336 |
| 15.3.1 | Thermoelectricity | 337 |

| | | |
|-----------|--|------------|
| 15.3.2 | Solidification by the Enthalpy Method | 338 |
| 15.3.3 | TEMHD in Dendritic Solidification | 339 |
| 15.3.4 | Solidification of an Externally Cooled Droplet | 345 |
| 15.4 | Concluding Remarks | 346 |
| | References | 346 |
| 16 | Forced Flow Effect on Dendritic Growth Kinetics in a Binary Nonisothermal System | 349 |
| | <i>P.K. Galenko, S. Binder, and G.J. Ehlen</i> | |
| 16.1 | Introduction | 349 |
| 16.2 | Convective Flow in Droplets Processed in Electromagnetic Levitation | 350 |
| 16.3 | The Model Equations | 351 |
| 16.4 | Predictions of the Model | 355 |
| 16.4.1 | Dendrite Growth in a Pure (One-Component) System | 355 |
| 16.4.2 | Dendrite Growth in a Binary Stagnant System | 356 |
| 16.5 | Quantitative Evaluations | 356 |
| 16.5.1 | Modified Ivantsov Function | 356 |
| 16.5.2 | Dendrite Growth Velocity and Tip Radius | 357 |
| 16.6 | Summary and Conclusions | 360 |
| | References | 361 |
| 17 | Atomistic Simulations of Solute Trapping and Solute Drag | 363 |
| | <i>J.J. Hoyt, M. Asta and A. Karma</i> | |
| 17.1 | Introduction | 363 |
| 17.2 | Models of Solute Trapping | 364 |
| 17.3 | Solute Drag | 367 |
| 17.4 | MD Simulations | 368 |
| 17.4.1 | The LJ System | 369 |
| 17.4.2 | The Ni–Cu System | 371 |
| 17.5 | Implications for Dendrite Growth | 376 |
| | References | 379 |
| 18 | Particle-Based Computer Simulation of Crystal Nucleation and Growth Kinetics in Undercooled Melts | 381 |
| | <i>Roberto E. Rozas, Philipp Kuhn, and Jürgen Horbach</i> | |
| 18.1 | Introduction | 381 |
| 18.2 | Solid–Liquid Interfaces in Nickel | 383 |
| 18.3 | Homogeneous Nucleation in Nickel | 389 |
| 18.4 | Crystal Growth | 393 |
| 18.5 | Conclusions | 398 |
| | References | 399 |

| | |
|-----------|--|
| 19 | Solidification Modeling: From Electromagnetic Levitation to Atomization Processing 403 |
| | <i>Ch.-A. Gandin, D. Turrett, T. Volkman, D.M. Herlach, A. Ilbagi, and H. Henein</i> |
| 19.1 | Introduction 403 |
| 19.2 | Electromagnetic Levitation 404 |
| 19.3 | Impulse Atomization 405 |
| 19.4 | Modeling 406 |
| 19.4.1 | General Assumptions 407 |
| 19.4.2 | Mass Conservations 407 |
| 19.4.3 | Specific Surfaces 408 |
| 19.4.4 | Diffusion Lengths 409 |
| 19.4.5 | Nucleation 410 |
| 19.4.6 | Heat Balance 410 |
| 19.4.7 | Thermodynamics Data 410 |
| 19.4.8 | Growth Kinetics 411 |
| 19.4.9 | Numerical Solution 412 |
| 19.5 | EML Sample 413 |
| 19.6 | IA Particles 418 |
| 19.6.1 | Regime of Distinct Successive Growth 419 |
| 19.6.2 | Regime of Shortcut of the Primary Growth 421 |
| 19.7 | Conclusion 422 |
| | References 423 |
| | |
| 20 | Properties of p-Si-Ge Thermoelectrical Material Solidified from Undercooled Melt Levitated by Simultaneous Imposition of Static and Alternating Magnetic Fields 425 |
| | <i>Takeshi Okutani, Tsuyoshi Hamada, Yuko Inatomi, and Hideaki Nagai</i> |
| 20.1 | Introduction 425 |
| 20.2 | Simultaneous Imposition of Static and Alternating Magnetic Fields 427 |
| 20.3 | Experimental 429 |
| 20.3.1 | Si-Ge Alloy Preparation 429 |
| 20.3.2 | Synthesis of $\text{Si}_{0.8}\text{Ge}_{0.2}$ with 1 at% B by Electromagnetic Levitation with Simultaneous Imposition of Static and Alternating Magnetic Fields 429 |
| 20.3.3 | Evaluation 431 |
| 20.4 | Results and Discussion 432 |
| 20.4.1 | Temperature and Solidification Behavior 432 |
| 20.4.2 | Crystalline Orientation of Solidified Product from Undercooled Melt by EML with SMF 436 |
| 20.4.3 | Microstructure and Si and Ge Distributions of $\text{Si}_{0.8}\text{Ge}_{0.2}$ -1at% B Solidified from Undercooled Melts by EML with SMF 439 |
| 20.4.4 | Thermoelectrical Properties of $\text{Si}_{0.8}\text{Ge}_{0.2}$ -1at% B Solidified from Undercooled Melts by EML with SMF 442 |

| | | |
|-----------|--|------------|
| 20.4.4.1 | Thermal Conductivity | 442 |
| 20.4.4.2 | Electrical Conductivity | 443 |
| 20.4.4.3 | Seebeck Coefficient | 446 |
| 20.4.4.4 | Figure of Merit | 446 |
| 20.5 | Summary and Conclusions | 448 |
| | References | 448 |
| 21 | Quantitative Analysis of Alloy Structures Solidified Under Limited Diffusion Conditions | 451 |
| | <i>Hani Henein, Arash Ilbagi, and Charles-André Gandin</i> | |
| 21.1 | The Need for an Instrumented Drop Tube | 451 |
| 21.2 | Description of IA | 454 |
| 21.3 | Powder Characteristics | 455 |
| 21.4 | Quantification of Microstructure | 459 |
| 21.4.1 | Secondary Dendrite Arm Spacing | 459 |
| 21.4.2 | X-Ray Microtomography | 461 |
| 21.4.3 | Neutron Diffraction | 467 |
| 21.5 | Modeling | 469 |
| 21.5.1 | Cooling Rate | 469 |
| 21.5.2 | Eutectic Undercooling | 473 |
| 21.5.3 | Peritectic Systems | 477 |
| | References | 480 |
| 22 | Coupled Growth Structures in Univariant and Invariant Eutectic Solidification | 483 |
| | <i>Ralph E. Napolitano</i> | |
| 22.1 | Introduction | 483 |
| 22.2 | Historical Perspective and Background | 484 |
| 22.3 | Basic Theory of Eutectic Solidification | 490 |
| 22.4 | Eutectic Solidification Theory for Ternary Systems | 493 |
| 22.5 | Solidification Paths and Competitive Growth Considerations | 496 |
| 22.6 | Recent Developments, Emerging Issues, and Critical Research Needs | 499 |
| | References | 504 |
| 23 | Solidification of Peritectic Alloys | 509 |
| | <i>Krishanu Biswas and Sumanta Samal</i> | |
| 23.1 | Introduction | 509 |
| 23.2 | Peritectic Equilibrium and Transformation | 510 |
| 23.3 | Peritectic Reactions in the Ternary System | 512 |
| 23.4 | Nucleation Studies | 514 |
| 23.4.1 | Solidification of Peritectic Alloys at Low Undercooling | 515 |
| 23.4.2 | Solidification of Peritectic Alloys at High Undercooling | 518 |
| 23.5 | Growth | 522 |
| 23.5.1 | Peritectic Reaction | 524 |

XIV | *Contents*

| | | |
|--------|--|-----|
| 23.5.2 | Peritectic Transformation | 526 |
| 23.5.3 | Direct Solidification of the Peritectic Phase | 528 |
| 23.5.4 | Peritectic Reaction in Ternary Systems | 529 |
| 23.5.5 | Peritectic Solidification Under Reduced Gravity Conditions | 536 |
| 23.6 | Conclusions | 539 |
| | References | 539 |

| | |
|--------------|-----|
| Index | 543 |
|--------------|-----|