

Index

a

- acetic acid 26, 254, 279, 289, 290, 316, 425, 446
 acetonitrile 47, 93, 101, 114, 266, 267, 272, 280, 389, 412
 acetylated carbohydroxylation product 403
 1-acetylcyclopropanecarboxamides 119
 acetylene carboxylates 351
 acylenedicarboxylates 351
 acetylenes 333, 351, 368, 374
 achiral and racemic multicomponent reactions 111
 – involving four reactive sites 139–142
 – involving one pronucleophilic reactive site 111–115
 – involving three reactive sites 134–138
 – involving two reactive sites 115–134
 acid chlorides 215, 343, 344, 354, 357
 – catalytic transformation of 342
 Acm-S-protected cysteines 244
 acrolein 116, 149
 acrylate 184, 411, 419
 acyclic alkanes 423
 acyclic allenes 305
 acyclic analogs 232
 acyclic anhydrides 395–398
 acyclic/cyclic benzylamines 274
 acylamino-1,3-butadiene 26
 acylhydrazine 422
 acyl iodide 421
 1-acyloxy-1,3-butadiene derivatives 396
N-acyloxyphthalimide 412
 5-acylpyrid-2-ones
 – coupling–amination–aza-annulation four-component synthesis 345
 – four-component synthesis of 345
 acyl radicals, nucleophilic reactivity 423
o-acyl-substituted cyclohexenes 26
 α -adduct intermediate 275
 alcohols 346, 429, 433, 460–462
 – four-component reaction 462
 – primordial electrophilic activation of 346
 aldehyde–indole condensation 352
 aldehydes 19, 26, 34, 42, 80, 87, 90, 92, 112, 130, 133, 167, 225, 283, 293, 357, 415, 416, 429, 444, 458
 – 1,3-dipolar cycloaddition of 454
 – DMSO, oxidation *in situ* 384
 – four-component reaction 462
 – lithium bis(trimethylsilyl)amide 326
 – three-component cycloaddition of 455
 – three-component reaction of 443
 – trimethylsilylimines 326
 aldol condensation 367, 368, 383
 aldol reaction 115, 188, 195, 197
 – three-component aldol-type reaction 463
 aldol-type product 416
 alicyclic ketones 429
 aliphatic amines 90
 aliphatic ketones 79
 alkaline Boc deprotection 339
 alkaloid-like polycyclic moieties 29
 alkaloids 29, 121, 146, 162, 164, 176, 404, 446, 455
 alkaloid-type polycycles 162
 alkane carbonylation 421
 alkenol partner, trapping of 417
 alkenylidene oxazolidinones
 – A^3 -carboxylative cyclization 337
 – four-component synthesis 337
 alkenynes carbocyclization 416
 alkoxyallenes 324, 326, 327
 – three-component reaction 327
 1-(alkoxyarylmethyl)indole-3-carboxyl esters 293
 α -alkoxy- β -hydroxy esters 188
 2-alkoxyfuro[2,3-*c*]quinolines 286
 alkoxyoxazoles 444
 – three-component synthesis of 444

- alkoxy radical 426
- 2-alkoxy-substituted 2,5-dihydropyrroles 326
- 6-alkoxy-tetrahydropyridines 122
- α -alkyl- α -diazoacetates 186
- N*-alkyl amines, oxidation of 266
- 2-alkylamino-3-arylquinoxalines 288
 - synthesis, postulated mechanism 288
- 2-[1-alkyl-5,6-bis(alkoxycarbonyl)-1,2,3,4-tetrahydro-2-oxopyridin-3-yl]acetic acid derivatives 390
- α -alkyl diazoacetates 189
- alkyl halides 117, 429
 - abstract halogens 431
 - carbonylation 419
- N*-alkyl hydroxylamine 279
- alkylidenecyclopropanes 424
- alkylidene malonates 112
- alkyl iodides 420
 - one-carbon homologation of 419
- 2-(3-alkyl-4-oxo-2-thioxo-1,3-thiazinan-5-yl)acetic acids
 - generation of 389
 - three-component synthesis 389
- alkyl radical 422
- alkyne 370, 422
 - 1,3-dipolar cycloaddition 357
 - titanium-catalyzed four-component reaction of 370
- alkyne–imine MCRs 160
- alkynes 343
 - in cycloadditions 356
 - in Cu(I)-catalyzed 1,3-dipolar azide–alkyne cycloaddition 358–366
 - dienophiles in MCRs 366–370
 - as dipolarophiles 356–358
 - electrophiles, conversion 341–345
 - as electrophilic partners 351–356
 - as nucleophilic, electrophilic, dipolarophilic, and dienophilic reaction partners 334
 - as nucleophilic, exemplified reactivity patterns of 334
 - π -nucleophilic reactivity 345–351
 - σ -nucleophilic reactivity 335
 - alkyne–aldehyde–amine condensation– A^3 -coupling 335–337
 - alkyne–(hetero)aryl halide (sonogashira) coupling 337–341
 - electrophiles, acetylide additions 335
 - organometallic MCRs, reaction partners 370–373
 - radical-mediated Cu-catalyzed three-component 366
 - terminal alkynyl C-H bonds 335
 - three-component synthesis of 364, 365
 - transition metal-catalyzed processes 333
- alkynols 464
- alkynones 342
 - catalytic generation of 341, 342
- 2-(1-alkynyl)-2-alken-1-ones 208
- 2-alkynylanilines 293
- 3-alkynylated β -amino acid ethyl esters
 - three-component synthesis 352
- γ,δ -alkynyl- β -amino acid esters
 - Cu(II)-catalyzed three-component synthesis of 352
- alkynyl benzaldehyde hydrazine
 - Fischer carbene mediates a cyclization of 369
- 2-alkynylbenzaldehydes 283
- ortho*-alkynyl benzaldehydes 349
- 2-alkynyl benzaldehyde substrate 346
- 2-alkynylbiaryls 67, 68
- α -alkynyl enaminy Pd species 339
- α -alkynyl indoles 337
 - three-component synthesis of 338
- ortho*-alkynyl phenyl isonitrile 348
- alkynyl sulfones 404
- allene reaction 322
- allenes
 - in heterocycles synthesis 301
 - intramolecular Michael addition 303
 - multicomponent reactions of 314
 - palladium-catalyzed reactions 307, 308
 - reactions with acceptor-substituted allenes 301
 - catalyzed multicomponent reactions 316–318
 - uncatalyzed multicomponent reactions 318–323
 - reactions with donor-substituted allenes 301, 323–328
 - reactions with 1,2-propadiene 302
 - copper-, nickel-, and rhodium-promoted multicomponent reactions 310–314
 - multicomponent reactions without transition metals 314, 315
 - palladium-catalyzed multicomponent reactions 302–310
- α -allenyl sulfonamides 306
- allenyl *p*-toluenesulfonamides
 - palladium-catalyzed carbonylation–coupling–cyclization of 306
- rac*-2,3-allenoates 455
 - 1,3-dipolar cycloaddition and kinetic resolution 456
- allenoic acids 316
- allenyl alcohols

- copper-mediated carbomagnesiation of 311
- allenyl amidine 365
- α -allenyl amines
 - allenyl imine intermediates 310
 - palladium-catalyzed three-component cascade reaction 307
- allenyl imidothioate 324, 326
- allenyl imines 327
- 1,2-allenyl ketones
 - palladium-catalyzed carbonylative dimerization of 316
- allenyl phosphonates 317
- allenylsilane 315
 - treatment 315
- allyl acetoacetate 98
- allyl chloride–aryne–alkyne coupling 60, 63
- 3-allyl *N*-cyanoindoles 348
- allylic alcohols 208
- allyl isocyanide 80
- π -allylpalladium species
 - cyclization of 310
 - iodobenzene derivative, carbopalladation of 303
- N*-allylpyrimidines 103
- allyl-substituted hydroxypyrimidines 97
- allyl sulfone 406
- allyl-tributylstannane 406
- allyltrimethylsilane 395
- Alternaria alternata* 232
- alumina-promoted hydrolysis 287
- amide 277
- amidines
 - addition 423
 - formation 366
 - palladium-catalyzed synthesis 34
- amidinyl-substituted radicals 366
- α -amido lactams
 - oxidation–dehydration–Ugi reaction 273
- amidomethyl-substituted 1,2,3-triazoles
 - three-component synthesis of 362, 363
- amido-substituted cyclohexadienes 367
 - substituted cyclohexadienes, pseudo-four-component synthesis of 367
- amines 26, 34, 36, 73, 90, 126, 222, 257, 305, 389, 429, 430, 431, 432, 442
 - to 4CR products 387
 - four-component reaction 462
 - four-component reaction (4CR) 379
 - Michael addition of 352
- syn*- β -amino- α -alkoxy esters 461
- aminoacetaldehyde dimethoxyacetal 96
- syn*- β -amino- α -hydroxy esters 461
- 1,2-amino alcohols 429
 - 2-(1-aminoalkyl)-5-alkoxyoxazoles
 - Ugi-type three-component synthesis of 444
 - 2-(1-aminoalkyl)-5-aminooxazoles 443
 - α -amino amides 277, 412, 428
 - quaternary centers 429
 - 4-aminobenzo[*b*] [1,4]oxazepines
 - three-component synthesis of 354, 355
 - amino carbonyl compounds 273
 - anti*- β -amino carbonyls 440
 - 2-amino-3,5-dicarbonitrile-6-thiopyridines 296
 - 3-amino-3,4-dihydropyridinones 465
 - amino esters
 - 1,3-dipolar cycloaddition of 454
 - three-component cycloaddition of 455
 - amino-functionalized ionic liquids 117
 - 2-amino-4-(5-hydroxy-3-methyl-1*H*-pyrazol-4-yl)-4*H*-chromene-3-carbonitrile derivatives 138
 - α -amino imides
 - Ugi-type three-component reaction 277
 - β -amino iso(thio)cyanates 17
 - α -aminomalonate 144
 - 5-aminooxazoles 244, 245
 - 3-amino oxindoles 462
 - 6-aminopenicillanic acid 4
 - ortho*-amino phenol 354
 - three-component synthesis of 354
 - ortho*-aminophenylacetylenes 368
 - 4-amino-phthalazin-1(2*H*)-ones (APOs) 36
 - one-pot palladium-catalyzed MCR toward 35, 36
 - 5-aminopyrazole 21, 22
 - 2-aminopyridines 292
 - 4-aminopyridines 84
 - 4-aminoquinolines 84
 - α -amino-substituted alkoxyallenes 327
 - 4-amino-1,2,3,4-tetrahydroquinolines 447
 - aminyl radicals 366
 - ammonia 79, 94, 95, 109, 123, 126, 147, 386, 458
 - ammonium acetate 118
 - catalyzed, Hantzsch condensation reaction of 459
 - amphiphilic functionality, *in situ* generation 343
 - analgesic 393
 - AnchorQueryTM 7
 - 2- and 4-nitrophenols 78
 - annelated azepines 357
 - annelated 4*H*-thiochromen-4-ones
 - three-component synthesis 343
 - annelated isoquinolinium salts 346

- angularly annulated furoquinolines
 - three-component synthesis of 369
- anhydride-based multicomponent reactions 379
- anhydride used, in MCRs
 - structures of 380
- anilines 188, 196, 464
 - aldol-type reaction of 462
 - as amino substrates 335
 - aza-Diels-Alder reaction of 453
 - Michael addition of 352
 - three-component cycloaddition of 455
 - three-component reaction of 443
- annulated cyclohexadiene 372
- annulated furoquinolines
 - *ortho*-aminophenylacetylenes 368
- annulated hydroquinone 371, 372
- annulation reactions
 - cyclic anhydrides, MCRs of 392
 - phthalic anhydrides 393–395
 - succinic anhydrides 393–395
- 4,5-*anti*-substituted lactam
 - radical reductive desulfurization 387
- aromatic aldehydes 22, 188, 293
 - Hantzsch condensation reaction of 459
- aromatic spiroacetals 464
- aromatization 167
- aryl aldehyde 131, 311, 318, 368
- arylalkynes 434
- arylamine 402
- aryl and heteroaryl pyridines
 - from “dual heterogeneous catalyzed” 3CR 290
- 3-arylbenzoquinoline derivatives 125
- 3-arylbenzo[*f*]quinolinyl-1,2-dicarboxylates 368
 - benzoquinolines, three-component synthesis of 368
- aryl diazoacetates 188, 189, 196
 - rhodium(II)-catalyzed aziridination 187
- aryl diazonium 402
- α -arylglycine ester 458
- aryl halides 60, 131
 - one-carbon homologation of 419
- arylidene cyclopentanes 348
- aryl iodides 200, 306, 419, 420
 - NHC-boranes 419
 - palladium-catalyzed three-component cascade reaction 307
 - secondary amines of 303
 - silver phosphate 307
- β -aryl isoserine derivatives 189
- N*-arylmaleimides 186
 - Diels–Alder adducts 390
- β -aryloximes 403
- arylpalladium species 305
- 1-aryl-4-(2-phenylethynyl)[1,2,4]triazolo[4,3-*a*]quinoxalines
 - four-component synthesis 339
- N*-aryl proline amides 30
- N*-aryl-pyrrolidine-2-carboxamide 90, 91
- N*-arylpyrrolidine-2-thiocarboxamides 91
- N*-aryl thiocarboxamides 96
- arynes 39
 - based multicomponent reactions 41
 - 2,3-didehydrobenzofuran 39
 - transition metal-catalyzed multicomponent reactions 60
 - annulations 60, 61, 63–65
 - cross-coupling-type reactions 65, 66
 - insertion into σ -bond 65–68
 - Mizoroki–Heck-type reactions 65, 67
- Asinger reaction 4
- anti*- α -substituted α,β -diamino acid derivatives 462
- atom-transfer radical carbonylation (ATC) 421
- Au(I)-Cu(I) cocatalytic system 66
- azabicyclo[3.3.1]nonanones 115
- aza-Darzens reaction
 - three-component synthesis 442
- aza-Diels-Alder reaction 447
 - enantioselective inverse electron demand (IED) 450
 - five-component 447
- 1-azadiene 167
- aza-ene reaction 440
- azaindolines 102
- azasteroids 164
- azatitanacycle 370
- azide
 - 1,3-dipolar cycloaddition 323
 - α -insertion of 348
- azidoacetone 360
- azido sulfones 404
- aziridines
 - derivatives 441
 - enantioselective one-pot synthesis of 441, 442
 - synthesis of 441
- azlactones 465
- 1,1'-azobis(cyclohexane-1-carbonitrile) (V-40) 409
- azodicarboxylates 187, 188
- azomethine 144, 184, 225
- azomethine imine 1,3-dipole 134

- azomethine ylide 184, 185, 225, 456
- copper-catalyzed three-component reaction 185
 - rhodium-catalyzed three-component reaction 186
 - ruthenium-catalyzed asymmetric three-component reaction 185
- azomethine ylides 225
- cycloaddition of 356
 - 1,3-dipolar cycloaddition of 454
 - dipole 357
- b**
- Barton carbonate PTOC-OMe 408
- Barton reaction 426
- Beller's cataCXium[®] ligand 345
- benzaldehydes 102, 140, 431
- 4CR of 386
- benzamidine hydrochloride 98
- benzenoids 168
- benzimidazoles 95
- synthesis 95
- benzimidazolopiperazine 96
- benzo-annulated cycloalkanones 372, 373
- three-component synthesis of 373
- benzo[*a*]quinolizidine derivatives 467
- benzodiazepine 103
- 1,5-benzodiazepine derivatives 125
- benzo[*f*]quinolones 125
- benzofurans 118
- benzofused heterocycles 304
- *exo-trig*-cyclization–allenylation–amination sequence 303
- benzoquinolines 131
- benzoquinone 316, 432
- benzoquinoxaline 98
- benzothiazole 175
- benzotriazole 95
- benzylamines 95
- acyclic 274
 - biomimetic three-component 1,3-dipolar cycloaddition 459
 - imine intermediate from 304
- benzylation 448
- benzylic alcohols 271, 272
- benzylic carbocation 417
- benzylidene acetone 143
- 4-benzylpiperidine
- oxidation of 275
 - Ugi-Smiles reaction of 275
- biaryl ether–cyclopeptoid macrocycles 254
- bicyclic system 425
- bidirectional Ugi-MiB 247
- Biginelli reactions 165, 280, 444
- acyclic/cyclic ketones 440, 445
 - asymmetric 445
 - chiral phosphoric acid-catalyzed 445
 - cyclic ketones 445
 - enantioselective, organocatalysts for 149
 - mechanism 130
 - preparation of heterocycles, variations in 131
 - for preparation of other heterocycles 131
 - trifluoromethylated ketones 130
- bimacrocycles
- igloo-shaped, synthesis of 260
 - by threefold Ugi-4CR-based macrocyclizations
 - – syntheses of 258
- biocatalysis 15, 23, 25, 26, 30, 32, 33
- biology-oriented synthesis (BIOS) design strategies
- biotransformation 8, 25, 34
- 2,2'-bipyridines 290
- bis(α -isocyanoacetamide) 248
- bisallenes palladium-catalyzed coupling-cyclization of 307
- 1,5-bisallenes, palladium-catalyzed reaction of 316
- rac*-2,4-bis(diphenylphosphino)pentane (bdpp) 313
- bispropargylamine 373
- 3,5-bis(trifluoromethyl)benzyl bromide 448
- 2,2'-bis(trimethylstannyl)biaryls 65
- Boc derivatives 326
- BODIPY dyes 10
- Bohlmann–Rahtz reaction 124
- borane 408
- boron derivatives 415
- boronic acids 316
- boronoacrolein 167
- boryl enamine 416
- bromine atom-transfer process 410
- 1-bromoalkynes 354
- electron-deficient alkynes 354
 - three-component synthesis of 354
- bromobenzene 34
- 3-bromobenzofuran 39
- bromodimethyl-sulfonium bromide 125
- bromomalonate 410
- Brønsted acids 19, 148, 456
- chiral 161, 439
 - combination of with transition metals 192–196
 - ionic liquid (1-methylimidazolium hydrogen sulfate [Hmim]HSO₄) 280

- Buchwald–Hartwig amination 337
t-BuOK 22, 212, 221, 315, 419, 420
 2,3-butadienoates 318
t-butyl hydroperoxide (TBHP) 277
tert-butyl isocyanide 26, 34
- c**
- calixarenes 232
 CAN-catalyzed synthesis of 1,
 4-dihydropyridines 296
Candida antarctica lipase B (CAL-B)-catalyzed
 aminolysis 362
 carbalkoxy piperidone 116
 carbamate component 315
 carboallylation, of electron-poor olefins
 406, 407
 carboaminohydroxylation product 402
 carbodiazenylation product 402
 carbon disulfide 95
 carbonitrosation 403
 carbonylative four-component heterocycle
 synthesis 216
 carbonyl ylides 185–187, 225
 carbopalladation– β -hydride elimination– 6π -
 electrocycloization–oxidative aromatization
 sequence 310
 carbopalladation–*exo*-cyclization
 sequence 323
 carboxylic acids 81, 277, 278
 – Ugi-type reaction 277
 – – surrogates in 74–76
 cascade Mannich-type reaction 440
 Castro–Stevens coupling 335
 – Pd-catalyzed variation of 335
 catalyzed multicomponent reactions 316–318
 C-centered radicals 404
 cerium ammonium nitrate (CAN) 120, 295,
 296, 387
 cerium(III) triflate catalyzes 337
 cerium(IV) sulfate 394
 CF₃ radical 422
 chemoinformatics 261
 C–H functionalization in multicomponent
 reactions 218–221
 chiral amines 286
 chiral dirhodium(ii) catalysis 190
 chiral HPLC analysis 269
 chiral imidazolidines 455
 chiral 8-phenylmenthol diazoacetate 185
 chiral phosphoric acid-catalyzed asymmetric
 multicomponent reactions 439, 441, 445,
 453, 457
 – aryl ethylamine derivatives 466
 – aza-Diels–Alder reaction 446–453
 – azlactones 465
 – Biginelli reaction 444–446
 – 1,3-dipolar cycloaddition 454–458
 – Friedel–Craft alkylation of indoles 465
 – hantzsch dihydropyridine synthesis 458, 459
 – Mannich reaction 439–442
 – metal/chiral phosphoric acid 459–465
 – Ugi four-component reaction (U-4CR)
 442–444
 chiral reagent induction 190
 5-chloro- and 5-trifluoromethyl-
 2-hydroxypyridines 84
p-chlorobenzylamine 77
 chloroquine 97
N-chlorosuccinimide (NCS)
 – 4-benzylpiperidine, oxidation of 275
 cinchona 146
 cinnamyl bromide 80
 3,4-*cis*-substituted *meso*-amines 91
 clam-shaped bimaocycles 260
 click–Goldberg amidation–Camps cyclization
 sequence. 361
 π -C=N bonds 427
 – free-radical Strecker process 427–429
 – Mannich-type processes 429–431
 cobalt-catalyzed reaction, of acetonitrile 114
 C,*O*-bis-nucleophilic reactivity 139
 cocrystal structures
 – of MCR molecules bound to biological
 receptors 7
 combinatorial library, of small molecules 2
 combinatorial synthesis
 – of natural product-inspired biaryl ether–
 cyclopeptoid macrocycles 254
 – steroid–peptoid hybrid macrocycles 255
 condition-based divergence (CBD) 15, 18, 21
 4,5-*cis*-configured dihydropyrrole derivatives
 – BF₃–etherate in propionitrile 315
 copper-catalyzed synthesis 278
 – of pyrroles from primary amines 226
 copper-promoted multicomponent
 reactions 310
 coumarins 164
 coupling–amination–aza-annulation–
 Pictet–Spengler sequence 343
 coupling–isomerization–Stetter–Paal–Knorr
 synthesis 345
 coupling reagent (CR) 234, 235, 241
 cross-coupling transformations 200
 crown ethers 232
 C4-substituted 1,4-dihydropyridines 458
 Cu-carbenoid 357

- Cu–ferrite nanoparticles 117
 1,4-cuprate addition–alkylation tandem process 406
 Cu-sulfonyl ketenimines 363
 – nitrogen extrusion 362
 N-cyano-3-allylindoles
 – insertion-[1,2]-shift-insertion-allylation synthesis, mechanistic rationale 350
 – three-component synthesis 350
 N-(cyanomethyl)amides 19
 cyanomethyl-1,2,3-triazole 360
 cyclic acyliminium ion 344
 cyclic anhydrides 393
 cyclic (D,L)- α -peptide 233
 cyclic β -keto esters 116
 cyclic 1,3-dicarbonyl 141
 cyclic 1,3-diketones 21, 22
 cyclic enamines 396
 cyclic enethiourea derivative 449
 cyclic imines 276
 – nucleophilic isocyanide 276
 cyclic ketones 429
 – Biginelli-like reaction 445
 cyclic olefins 187, 426
 cyclic tertiary enecarbamate 449
exo-trig-cyclization–allynylation–amination sequence 303
 cyclization reaction
 – on biological activity 232, 233
 – of cross-coupling reaction products 216–218
 – of peptide, silver-mediated 233
 – via palladium–allyl complexes 210
 – via three-component coupling 466
 cycloaddition reactions 132, 166, 169, 184, 185, 235, 356, 366, 398, 457
 cycloadduct 184–186, 282, 364, 365, 370, 455
 cyclocarbonylation reaction 305
 cyclocondensation 165, 216, 280, 281, 335, 342, 360, 371
 cyclodehydration 120, 125
 cyclodextrins 126, 232
 cyclodimerization 233
 cycloheptane 422
 cycloheptatrien-1-ones 90
 cycloheptene carboxylic acids 136
 cyclohexadienes 135
 1,3-cyclohexadiones 128
 cyclohexane 422
 cyclohexane-1,3-dione 123
 cyclohexanols 135
 cyclohexenedione moiety 372
 – tautomerization 372
 cyclohex-2-ene-1-ols 396
 cyclohexenols 26
 cyclohexenone 149, 446
 cyclohexyl isonitrile 77, 238, 250, 287
 cyclooctane 422
 cyclo-oligomerization 241
 cyclopentanone derivatives 136, 292
 cyclopeptides
 – biaryl ether–cyclopeptide macrocycles 250, 253, 254
 – containing, photoswitching unit 253
 – RGD cyclopeptide 239
 cyclophanes 232
 – synthesis 249
 cyclopropenes 187
 cyclopropyl fragmentation 101
- d**
 decarboxylation 291
 9-deoxy-9-aminoquinine 148
 diacids 250, 254
 dialcohols 257
 dialkyl acetylenedicarboxylates 367, 393, 398
 – *p*-dimethylaminopyridine 353
 dialkylzinc reagents 416, 431
 diamine 97, 390
 diamine/diisocyanide combination 251
 1,3-diamines
 – chiral 441
 – three-component synthesis of 442
 2,5-diaminofuran derivatives 397
 2,3-diarylpyrroles 127
anti-diastereomer 382
endo-diastereomer 446
syn-diastereomer 381, 382
 diastereoselectivities 26, 29, 90, 113, 134, 135, 145, 150, 190, 195, 225, 241, 311, 386, 387, 416, 451, 462
 2,6-diazabicyclo[2.2.2]octane (2,6-DABCO) core 135
trans-diazadecalines 122
 diazaheterocyclic structures 390
 1,4-diazepanes 125
 diazirine aldehyde, isolation 270
 diazirine-modified α -acyloxyamides 270
 – synthesis of 270
 diazoacetates 184, 200
 – chiral phosphoric acid-catalyzed aza-Darzens reactions of 442
 diazo compounds
 – alcohol, Mannich-type reaction 461
 – four-component reaction 462
 – three-component reaction 462

- 2-diazo-1,3-diketone 134
- diazindan-1,3-dione 185
- diazonium salt 402
- carbodiazenylation reaction 402
- 3-diazo oxindoles 462
- dibenzylamines 274, 276
- dibenzyl azodicarboxylate (DBAD) 311
- β,β' -dibromo-*ortho*-bromostyrenes 337
- 1,3-dicarbonyls 109, 127, 135
- compounds 110, 111, 116, 117, 149, 317
- – as bis-nucleophiles in MCRs 115
- derivatives 128
- potential reaction sites 110
- β -dicarbonyls 109
- chemistry 164
- 2,3-dichloro-5,6-dicyanobenzoquinone (DDQ) 432
- 1,2-dichloroethane (DCE) 283
- 2,3-didehydrobenzofuran 40
- Diels–Alder adducts 390
- Diels–Alder cycloaddition 391
- with isoprene 390
- stereoselectively 453
- Diels–Alder products 322
- Diels–Alder reaction 26, 28, 353, 368, 444
- dihydropyrans via a hetero reaction 118
- MCR of anhydrides, aldehydes, and dienophiles involving 28
- retro 357
- dienes 426
- dienophiles 26
- acylating agents 379
- dienophilic reaction partners, exemplified reactivity patterns 334
- diester 421
- 1,3-diester derivatives 130–132
- diethyl α -aminomalonate 144
- diethyl acetylene-dicarboxylate 356
- diethyl maleate 422
- difuranyl ketones 316
- trans*-dihydrofuran 118
- dihydrofurans 118
- ring 117
- dihydrofuroquinoline 369
- 2,5-dihydro-5-imino-2-methylfuran-3,4-dicarboxylates 397
- 1,6-dihydronaphthyridines 116
- dihydro-1,3-oxazines 315
- 9,10-dihydrophenanthrenes 60
- dihydropyridines (DHPs) 171, 288, 324, 324, 458
- derivatives 459
- 1,4-dihydropyridines (1,4-DHPs) 115, 116, 283
- – plausible reaction mechanism for synthesis 285
- – synthesis from aldehydes, anilines, and alkenes 284
- 1,6-dihydropyridines 122
- 2,3-dihydropyridines 324
- 3,4-dihydropyrimidin-2(1*H*)-ones 280, 444
- three-component cyclization 460
- dihydropyrimidinethiones 446
- dihydropyrimidinones 165
- 2,5-dihydropyrroles 327
- derivatives 458
- 2,5-dihydroxy-1,4-benzoquinone 139
- 2,2-dihydroxyindene-1,3-dione 396
- diisocyanide 80
- diisonitrile 254, 257
- 1,4-diketones 345
- diketopiperazines 241
- dimedone
- 5,5-dimethylcyclohexane-1,3-dione 394
- Hantzsch condensation reaction of 459
- dimethyl acetylenedicarboxylate (DMAD) 123, 184, 186
- dipolar MCRs 175, 176
- dimethyl allenedicarboxylate 320
- N,N*-dimethylamino nitrene 370
- N,N*-dimethylformamide (DMF) 28, 49, 77, 96, 101, 102, 219, 324, 341, 383, 406
- dimethyl malonate 143
- dimethyl 3-oxo-pentanedioate 149
- dimethyl sulfomycinamate 124
- dimethyl sulfoxide (DMSO) 35, 77, 86, 143, 238, 273, 367, 384, 426
- 1,3-dioxane derivatives
- *N*-heterocyclic carbene (NHC)-catalyzed annulation 318
- 1,3-dioxan-4-ylidene acetates, synthesis 318
- 4*H*-1,3-dioxin-6-yl propanoates
- bicyclic guanidine-catalyzed synthesis of 318
- 2,4-dioxo-benzodiazepines 137
- dioxolane, bismuth-catalyzed allylation 395
- dioxygen–copper system 292
- 3,3'-diphenyl H₈-BINOL 445
- 1,6-dipolar cyclization 353
- 1,3-dipolar cycloadditions 184–186, 269, 304, 356, 358, 454
- catalyzed by (*R,R*)-bisphosphoric acid catalyst 454
- dipolarophiles 133, 175, 185
- electron-deficient 455

- dipolarophilic exemplified reactivity patterns of 334
- 1,3-dipole 357
- 1,4-dipole 353
- dipole-mediated processes 175, 176
- directionality in Ugi-MiB reactions 247
- dirhodium(II) catalyst 188
- dispirooxindole annellated heterocycles
- pseudo-four-component synthesis of 353
- dispirooxindole-annulated tetrahydroquinolizidines
- pseudo-four-component synthesis of 353
- 1,3-disubstituted allenes
- palladium-catalyzed three-component coupling of 316
- N,N*-disubstituted anilines 277, 278
- 2,4-disubstituted ethyl thiophene-5-carboxylates
- three-component synthesis 342
- cis*-disubstituted tetrahydroquinolines 450
- 2,4-disubstituted thiophene ethyl carboxylates
- three-component synthesis of 342
- disulfide-bridged peptidomimetic macrocycle 244
- dithiocarbamates 389
- diversity-oriented synthesis (DOS) design strategies 14
- 1,4-diyne, pseudo-four-component synthesis 354
- docking, of Ugi ligand 9
- domino oxidation, Ugi-type reaction 274
- donor-substituted allenes 323
- droplet-based microfluidic technique 242
- drug discovery 5, 7, 8, 173, 252, 254, 380, 396
- drugs under (pre)clinical development, and incorporating MCR chemistry 5
- e**
- electrocatalysis 117
- electron-deficient olefins 458
- electron-poor alkene 401
- electron-poor olefins 422
- electron-rich indolyl moiety 344
- electron-rich olefins 432
- electron-rich organo-Pd species 350
- electrophiles 345
- electrophilic acyliminium ion 357
- Pd-catalyzed carbonylative cyclization of 357
- electrophilic, exemplified reactivity patterns of 334
- electrophilic nitrilium ion 412
- electrophilic radical 404
- enamides 327
- enamine 283, 327
- oxidation of 417
- β -enamino ester 352
- enaminone 344
- enantioenriched allene (R_a) 314
- rhodium-catalyzed intramolecular reaction 313
- enantioenriched allenylsilane 314
- enantioenriched spiroacetals
- catalytic three-component reaction 464
- enantioselective MCRs 142, 143
- involving one reactive site 143–145
 - involving three reactive sites 149, 150
 - involving two reactive sites 146–149
- enantioselective palladium(II) phosphate-catalyzed three-component reaction
- of diazoacetates, pyrroles, and imines 200
- enantioselective synergistic catalysis 190, 191
- enantioselectivity 147, 148, 150, 396, 443, 447, 450, 456, 462, 465
- enecarbamate 410, 449
- enoates 414
- enolate 432
- enolizable ketones 212, 445
- enones 407, 412, 414
- system 406
- enoximes, carbhydroxylation of 416
- enynes 416, 423, 426
- enzyme-catalyzed hydrolysis 28
- optically pure tertiary alcohol acetates, synthesis of 28
- epimerization 234, 286, 382, 388
- epoxidation reaction 188
- epoxide 65, 171, 188
- epoxy-tetrahydropyrrolo[3,4-*b*]pyridin-5-ones 444
- esters 419
- *t*-BuOK 420
- ethanol (EtOH) 22, 24, 97, 110, 112, 120, 127, 141, 343, 385, 389, 410, 441, 442
- ethoxide 22, 39
- ethoxycarbonylation 448
- 5-ethoxy oxazole
- three-component formation of 369
- ethyl α -aryl- α -isocyanacetate
- with pivalaldehyde/cyclohexanecarboxaldehyde and anilines 444
- ethyl acetate 276
- ethyl acetoacetate 138, 147, 459
- ethyl allenates 319
- N*-ethylaniline 142

- ethyl 2,3-butadienoate 316, 318
 – [2+2+1]-cycloaddition reaction 319
 ethyl 4-chloroacetoacetate 138
 ethyl diazoacetate 186, 189, 202, 203, 357
 ethyl esters 390
 ethyl glyoxylate 304
 ethyl 2,3-pentadienoate 318
 ethyl radical 432
 – Et₃B, decomposition of 432
 ethynyl triflone 422
 Et₄NOTs salt 425
 ETPO (4-ethyl-2,6,7-trioxa-1-phosphabicyclo
 [2.2.2]octane) 65
exo-cyclized pyrrolidines 307
 5-*exo-trig* cyclization 417
- f**
- facile manganese(III)-catalyzed photochemical
 reaction 318
 4-ferrocenyl quinolines 338
 – three-component synthesis of 338
 Fischer carbenes 369
 five-membered heterocycles
 – from nucleophile-tethered alkenes or
 alkyne 209
 five-membered ring hydroxy heteroaromatic
 – and related mercaptans 88, 89
s-cis fixed diamino diene 353
 fluorescent pharmacophores 10
 fluoride ions 117
 fluorinated compounds 413
 – olefins, light irradiation 412
 fluorobenzaldehyde 101
p-fluorobenzaldehyde 101
 formaldehyde 142, 250
 2-formyl benzoic acid 384
 four-component reaction. *see* Ugi four-
 component reaction (U-4CR)
 free-radical carbonylation
 – alkane carbonylation 421–423
 – alkyl halide carbonylation 419, 420
 – allyl moiety, radical addition of
 424
 – metal-mediated atom-transfer radical
 carbonylation 420, 421
 – nucleophilic reactivity of acyl
 radicals 423
 free-radical multicomponent reactions
 401
 – alkynes 433
 – donor and acceptor radical species
 402
 – ethyl radical 432
 – free-radical carbonylation
 – – alkane carbonylation 421–423
 – – alkyl halide carbonylation 419, 420
 – – allyl moiety, radical addition of 424
 – – metal-mediated atom-transfer radical
 carbonylation 420, 421
 – – nucleophilic reactivity of acyl
 radicals 423
 – free-radical oxygenation 424–427
 – olefin C=C bonds
 – – aryl radicals, addition 402, 403
 – – carbhydroxylation/sulfenylation/
 phosphorylation 407–410
 – – electron-poor olefins, carballylation
 of 406, 407
 – – photoredox catalysis 410–414
 – – radical–polar crossover processes
 414–418
 – – sulfonyl derivatives as terminal trap
 404–406
 – π -C=N bonds 427
 – – free-radical Strecker process 427–429
 – – Mannich-type processes 429–431
 – PhSeSePh 434
 – polar effects 406
 – zwitterionic hydroquinone-fused [1,4]-
 oxaziniums 432, 433
 free-radical oxygenation 424–427
 Friedel-Crafts reaction 450
 – acylation 394
 – alkylation 111
 – cyclization 451
 functionalized cyclohex-2-ene-1-ols 397
 furans
 – coupling–isomerization–Stetter–Paal–
 Knorr synthesis 345
 – multicomponent approach toward 397
 – polyfunctionalized 397
 – polysubstituted 208
 – substituted, palladium-catalyzed synthesis
 of 209
 – three-component synthesis of 346
 furo[3,2-*c*]coumarins
 – “green” synthesis 291
 furocoumarin
 – adduct 291
 – synthesis by a one-pot oxidative pseudo-3C
 condensation 291
 furopyridines 328
cis-fused bicyclic nitrogen products 309
 fused-ring heterocycles
 – for *ortho*-substituted arene building
 blocks 211–214

g

- Garner's aldehyde 272
- GBB-3CR-derived fluorescent pharmacophores 9
- glycocyclodepsipeptides 246
- glyco-macrocycle 253
- glycosyl bromides 411
- glyoxylates 462
- Goldberg amidation 361
- Grignard reagents 53, 311
- Gruebke–Blackburn–Bienaymé MCR reactions 10, 36, 173, 346
- postcondensation 174

h

- 4H-anellated thiochromen-4-ones 343
- Hantzsch dihydropyridine synthesis 165, 458
- Hantzsch ester 411, 412
- Hantzsch-like, MCR 165
- Hantzsch product 22
- Hantzsch reactions involving enamino derivatives 121
- Hantzsch's pyrrole synthesis 126
- Hantzsch synthesis of dihydropyridines 129
- Hantzsch-type reaction 460
- Hayashi–Jørgensen catalyst 146
- HCV protease inhibitor 8
- Heck-type approach 98
- heteroaryl Heck-type process 99
- N*-heteroaryl thiocarboxamides 87
- heterocycle–isocyanide MCRs 171
- heterocycles 126, 184
 - eight-membered ring 384
 - in MCRs, role of 160
 - syntheses with allenes 210
 - synthesis via münchnones 226
- N*-heterocyclic carbene (NHC)-catalyzed annulation
 - [2+2+2]-annulation 318
 - 1,3-dioxane derivatives 318
- Hetero-Diels–Alder/allylboration protocol 167
- hetero-Diels–Alder cycloadditions 164, 166
 - and related processes 166
- hetero-Diels–Alder MCRs 167, 446
- hexahydrocoumarins 142
 - derivatives 141
- hexahydroisindolyl benzoic acids 390
- hexahydropyrrolo[3,2-*c*]quinolines 449
- high-throughput screening (HTS) 7
- 1H-3-indenamines
 - three-component synthesis 351

- 2-(1H-indol-3-yl)arylmethyl-3-arylamino acrylates 351
- homoallyl azide 102
- homoallyl esters 396
- homoallyl ethers 395
- homoallylic alcohols 316
- homophthalic anhydrides
 - dual electrophilic and nucleophilic reactivity 381
 - imine–anhydride reactions of 380, 381
 - MCRs employing 382, 383
 - quinolones 380
- Hoveyda–Grubbs second-generation catalyst 98
- H*-pyrazolo[5,1- α]isoquinoline 283
- Huisgen reaction 360
- Hünig base 305
- hydrazine hydrate 393
 - 4CR by Mosaddegh 394
- hydrazines 36, 128, 137, 167, 370, 371
 - homophthalic anhydride 383
 - titanium-catalyzed four-component reaction of 370
- hydrazone 134
- hydrogen
 - abstraction 422
 - atom donor 417
 - bonding interactions 447, 449, 450
 - selenide 17, 75
- hydrogenolysis 94
- hydroiodic acid 346
- hydroperoxides 427
 - C-centered radical species 424
- hydroquinone 372
- hydroxamic acid 426, 427
- N*-(hydroxyalkyl)formamides 273
- α -hydroxyalkylpiperidine derivative 167
- α -hydroxyamides 19, 279
- 2-hydroxybenzaldehydes 140
- 2-hydroxybenzoate 82
- 3-hydroxy- β -lactam derivatives 189
- α -hydroxy hydroxamate 427
- hydroxyl ether 432
- hydroxymethylation product 419
- 4-hydroxy-6-methyl-2H-pyran-2-one 119, 138
- 4-hydroxy-3-nitrobenzoic acid 80
- hydroxypyrimidines 85
 - 2-hydroxypyridines 84
 - 4-hydroxypyridines 84
 - 2-hydroxypyrimidine 85
 - 4-hydroxypyrimidines 85
- 3-hydroxypyrrroles 126

- hydroxyquinoline 97
 4-hydroxyquinolines 84
 hydroxyquinoxalines 85
 hydroxysulfonylation product 416
 α -hydroxytrifluoromethyl radical 413
- i*
- IBX/TBAB-mediated oxidative Strecker reaction 285
- IMCR-based protocols 236
- imidazo[2,1-*a*]phthalazin-6-one 36
- imidazole formation
 – ytterbium triflate catalysis for 346
- imidazole formation–cycloaddition sequence
 – imidazotriazolobenzodiazepines
 – four-component synthesis of 362
- imidazoles 227
 – ketenimine formation-addition-cyclization synthesis of 365
 – three-component synthesis of 365
 – trifluoromethanesulfonic acid, in dichloromethane 327
- imidazolidinone derivatives, highly functionalized 307
- imidazolidin-4-ones
 – three-component synthesis 364
- imidazolo heterocycles 97
- imidazolyl dipole 365
- imidazopyridine derivatives 292
- imidazotriazolobenzodiazepines
 – four-component synthesis of 361, 362
- imides 277, 412
 – copper-catalyzed synthesis 278
 – isocyanide nitrogen 277
 – products cyclization 391
- imines 273, 357
 – from dibenzylamine 275
 – NXN-7, synthesis of 381
 – with singlet oxygen 275
 – *in situ* forming 429
 – three-component reaction 462
 – Ugi-Smiles reaction 276
- iminium ions 277, 337, 350
 – alkynyl copper species, formation of 353
 – nucleophilic attack on 350
 – proposed mechanism for synthesis 278
- α -iminonitriles 285, 286
- iminospiro- γ -lactones 392
- iminoyl-Pd species 356
- immunoglobulins (Igs) 10
- 2*H*-indazolo[2,1-*b*] phthalazine-1,6,11(13*H*)-triones 394
- 1*H*-3-indenamines 349, 350
- indium-mediated 3CR 396
- indoles 432
 – aza-Diels-Alder reaction of 453
 – derivatives, heterocycles of 396
 – propargylation–iodocyclization synthesis
 – mechanistic rationale of 347
 – three-component aza-Diels–Alder reaction 453
- indoline derivative 366
- indol-2-yl carboxamides 346
- in situ* oxidation, multicomponent reactions 266
 – intermediate reaction 284
 – mediated by transition metal catalysis 292–295
 – without transition metal-mediated oxidation 285–292
 – isocyanide-based multicomponent reactions 266
 – Passerini reactions 266–271
 – synthesis of derivatives 279, 280
 – Ugi reactions with alcohols 271–273
 – Ugi reactions with secondary amines 273–275
 – Ugi smiles reaction with secondary amines 275, 276
 – Ugi smiles reaction with tertiary amines 277–279
 – as Lewis acids 295–297
 – Wittig olefination–Diels–Alder multicomponent reaction 281
 – MnO₂/PCC-mediated multicomponent oxidation 282
- in situ* oxidative aromatization 288
- intramolecular cyclization 161
- intramolecular H-bonding 81
- inverse electron demand (IED) 450
- iodide reaction 419
- iodinated 2,5-dihydropyrroles, formation 327
- iodine 291, 346
 – NHC-boranes 419
 – transfer reaction 419
 – tributyltin radical 404
- iodoanilines 99
 – Pd(0), oxidative addition of 305
- 2-iodoanilines, cyclocarbonylation reaction 305
- iodobenzene derivative 302
 – carbopalladation of 303
- iodoester 402
- iodo(het)aryl aldehydes 304
 – synthesis of 304
- 2-iodo(het)aryloxallenes 323

- iodoheterocycles 168
 4-iodoindolazepinones
 – three-component synthesis of 346, 347
 iodonium species 346
o-iodopyrimidinols 101
 iodosobenzoic acid (IBA) 267
 iodovinyl-substituted dihydroimidazole
 derivatives 327
 iron porphyrins 188
 isatins 188, 384
 – [2+2+1]-cycloaddition reaction 319
 – derivatives 117, 144
 – nucleophilic addition to 319
 isatoic anhydrides 384
 – dual electrophilic and nucleophilic
 reactivity 381
 – imine–anhydride reactions of 383–385
 – MCRs of 388–390
 – quinolones 380
 isatoic anhydrides, form quinazolinones 383
 isatylidene malononitriles 319
 isocyanacetamide 80
 isocyanates 176, 210, 307, 391
 isocyanide–azine MCRs 172
 isocyanides 34, 80, 90, 254, 267, 273, 278, 280,
 393, 412
 – based reactions 171–175
 – cyclic imines react with 275
 – MCRs with oxiranes, aziridines, oxazolidines,
 and imines 172
 – Ugi-type reaction 277
N-isocyaniminotriphenylphosphorane 132
 α -isocynoacetamides 244, 245
 – three-component reaction of 443
 isoeugenol derivatives 450
 isoindolines
 – derivatives 455
 – pseudo-six-component synthesis of 373
 – rhodium-copper-catalyzed pseudo-six-
 component synthesis 372
 – synthesis, 1,3-dipolar cycloaddition 456
 isoindolinone 103
 isonitriles 128, 140, 236, 257, 370, 383
 – [2+2]-cycloaddition 370
 – [2+2+1]-cycloaddition reaction 319
 – four-component cycloaddition of 319
 – three-component synthesis of 354
 – titanium-catalyzed four-component reaction
 of 370
 isoprene 390, 391
 isopropyl 2,3-butadienoate
 – trimethylphosphine-catalyzed annulation
 of 318
 isopyrrole 313
 isoquinoline 176, 320
 isoquinolinium-2-ylamide 283
 isoquinolinone 103
 isoxazoles 89
 itaconic anhydride 388, 389, 390
- j**
 Joullié–Smiles coupling 90, 91
 Joullié–Ugi coupling reaction 171
 Julia–Kocienski olefination reactions 89
 julolidine derivatives 463
- k**
 Kabachnik–Fields reaction
 – three-component 466
 Keck’s procedure 234
 ketoamides 102, 119, 125, 279
 keto esters 109, 125, 135, 137, 280, 422, 458
 – aza-Diels–Alder reaction of 447
 – biomimetic three-component 1,3-dipolar
 cycloaddition 459
 – 1,3-dipolar cycloaddition 458
 – formation 419
 – products 200
 ketones 87, 167, 427
 γ -keto ynoate 354
 ketyl radicals 429
 Knoevenagel adduct 130
 – from 1,3-indanedione and the aldehyde 112
 Knoevenagel condensation 112, 296
 – 1,3-dicarbonyls with arylglyoxals 112
 Knoevenagel–hetero-Diels–Alder
 reaction 110, 164
 Kobayashi’s silylaryl triflates 41
- l**
 lactamizations 173, 234, 235
 γ -lactams
 – multicomponent assembly 386
 – NH, synthesis of 386, 387
 – Shaw’s diastereoselective total synthesis 387
 – synthesis of 386
 – tetra- and pentasubstituted 385
 lactones 421
 – synthesis of 311
 – yields 317
 lactonization 432
 Langlois’s reagent 413
 lanthanide triflates 161
 Lewis acids 19, 142, 148, 207, 345
 – catalyst 394, 439
 – combination with transition metals 192

- Et₃B 432
 - mediated annulation reactions 314
 - multicomponent reactions involving oxidants as 295–297
 - Lewis base 449, 456
 - library members, for diacid/diisocyanide combinations 248
 - lipase-catalyzed acylation, followed by Ugi-4CR 27
 - lipases 26
 - lipid peroxidation inhibition 396
 - Lipinski's rule 231
 - lithiated methoxyallene 326
 - lithium bis(trimethylsilyl)amide 326
 - lithium bromide 316
 - luminescent pyrroles 345
 - luminescent symmetrical terthiophenes 342
- m**
- macrocyclic drugs 231, 232, 235
 - macrocyclization 232, 233, 235
 - chemoselectivity of peptide 233
 - comparison of methodologies 235
 - IMCR-based 237
 - – macrocyclizations of trifunctionalized building blocks (MiB-3D) 256–259
 - – sequential, of multiple bifunctional building blocks 259, 260
 - – of single bifunctional building blocks 237–245
 - multiple MCR-based, bifunctional building blocks 245–256
 - parameters significant role in 234
 - Ugi-4CR-based of single bifunctional building blocks 237
 - utilizing Ugi reaction pass through a tethered α -adduct 236
 - macrocyclodepsipeptide 245
 - macrolactonization 235
 - of linear precursor 234
 - magnetic nanoparticle-supported TEMPO catalyst
 - separation of 272
 - maleates 454
 - maleic anhydride 390
 - 4CR of 386
 - one-pot 3CR-Diels-Alder cycloaddition reaction of 391
 - maleimide
 - alkyl radical 406
 - cyclohexene 407
 - malonate 145
 - malononitrile radical 418
 - malonyl coenzyme A 109
 - mandipropamide 6
 - Mannich products 461
 - Mannich reactions 429, 439–442, 450, 458, 465
 - *anti/syn*-selective enantioselective 463
 - double 136
 - ethyl oxaloacetate with primary amines and 113
 - leading to spirocyclic product 114
 - nucleophilic component 440
 - phosphoric acid-catalyzed 451
 - and related processes 160–164
 - sequential vinylogous 450
 - three-component 440
 - MAO–Ugi–Smiles sequence 30
 - MARDi cascade 136
 - materials science, application of MCRs in 10
 - matrix metalloproteinase 232
 - MMP-8 inhibitor peptide 233
 - MCRs. *see* multicomponent reactions
 - Meerwein reaction 402
 - Meldal–Sharpless click reaction 339, 360
 - Meldal–Sharpless Cu(I)-catalyzed 1,3-dipolar azide–alkyne cycloaddition (CuAAC) 358
 - Meldrum's acid 132, 137, 140, 141, 164
 - MeO radical 408
 - 3-mercapto-4-alkyl-1,2,4-triazoles 89
 - β -mercaptoamides 287
 - one-pot synthesis from α,β -unsaturated aldehydes, amines, and thiols 288
 - mercapto benzimidazole 95
 - 2-mercapto imidazoles 89
 - 5-mercapto pyrazoles 89
 - 4-mercapto pyridine 87
 - 4-mercaptoquinolines 97
 - mercapto triazines 87
 - mesityl acridinium 413
 - Me₃Sn radical 409
 - metalated alkoxyallenes 323
 - organic synthesis 323
 - metal carbene 184
 - metallacycles, in multicomponent reactions 221–223
 - metal–ligand complexes 170
 - metallocatalyzed cycloisomerization 128
 - metal-mediated processes 168–170
 - methanol 77, 276
 - methoxy alkenyl *N*-dimethylamino isoindole 370
 - p*-methoxybenzaldehyde 102, 386
 - p*-methoxybenzylamine 387
 - methyl acrylate 284
 - methyl benzoates 36

- methylbenzylamine 80
 (*R*)- α -methylbenzylamine 302
 methyl carbamate 315
 α -methylene- β -lactone derivatives 312
 4-methylene-3,4-dihydro-1(2*H*)-isoquinolin-1-ones
 – facile synthesis of 302
 2-methyleneindanones 61
 methyleneindolinone 456
 3-methylenepyrrolidine derivative 455
 4-methylene-tetrahydroisoquinolines 302
 methyl 2-iodobenzoate 302
 methyl isocyanacetate 26
 methyl 2-methylbut-3-yn-2-yl carbonate 309
 methyl-4-nitro-2-benzoate 103
 methyl pyruvates 188
 methyl thioisocyanate 326
 Mg/La mixed oxide 117
 Michael acceptor functionality
 – in *ortho*-position 302
 Michael acceptors 53, 112, 115, 124, 289, 303, 352, 379
 Michael addition 53, 110, 112, 124, 126, 197, 289, 344, 352, 353, 416, 446
 – based three-component access to pyrroles 127
 – cyclizing carbocupration–cross-coupling sequence 349
 – initiated three-component synthesis of pyridines 124
 – thiols onto enones 416
 Michael/aldol (dehydration) sequences 136
 Michael–aldol-type reaction 197
 Michael-initiated MCRs 166
 Michael–Michael–cyclization–Diels–Alder sequence 353
 Michael reaction 143, 318
 – decarboxylative 412
 – intramolecular 318
 – reflexive ynones 143
 microwave heating
 – aldehyde with IBX 270
 Mizoroki–Heck-type multicomponent reactions 65
 MnO₂/PCC-mediated multicomponent oxidation–Wittig olefination–Diels–Alder reactions 282
 modular reaction sequences (MRS) 17–19
 monoamine oxidase N (MAO-N) 91
 monocarbonylation product 421
 monoclonal antibodies (mAbs) 10
 monosubstituted triazoles, synthesis 323
 monoterpene 425
 Morita–Baylis–Hillman reactions 318
 morpholine 429
 – derivative 322
 morpholinoethyl isocyanide 19
 multicomponent cross-coupling and carbonylation reactions 208
 – cyclization with alkyne- or alkene-containing nucleophiles 208
 multicomponent cyclocarbonylations 214–216
 multicomponent reactions 1, 4, 5, 14, 439
 – of arynes, β -ketosulfones and electron-deficient alkenes 53
 – of arynes via electrophilic coupling 41, 42
 – based computational methods 6
 – under basic conditions 53, 58–62
 – and biocatalysis 23, 25
 – catalytic enantioselective 449
 – chemistry for easy/cheap synthesis and process improvement of marketed drug 8
 – complex chromanone products 383
 – copper-, nickel-, and rhodium-promoted 310–314
 – developed by Hantzsch and Biginelli 110
 – with 1,3-diester derivatives 132
 – and (dynamic) enzymatic kinetic resolution 26
 – and enzymatic desymmetrization 29–31
 – general concept 15
 – homophthalic anhydride 383
 – involving α -oxoketene generated by Wolff rearrangement for 134
 – involving α -oxoketene generated from Meldrum's acid 132
 – involving β -keto esters in Michael/aldol sequences 137
 – involving *in situ* generated enamino esters as bis-nucleophiles in 136
 – isatoic anhydrides 384, 385
 – isonitriles and 1,3-dicarbonyls for synthesis of pyrrole 128
 – maleic anhydride 385
 – in material chemistry 9
 – microwave-assisted 34
 – under neutral conditions 42
 – – amine-based multicomponent reactions 47, 48
 – – carbonyl compound-based 49, 50
 – – ether-based multicomponent reactions 50, 52
 – – imine-based multicomponent reactions 46, 47

- isocyanide-based multicomponent reactions 42–46
 - nickel-promoted 310
 - palladium-catalyzed MCR
 - of aryl iodides, diazoacetates, CO, and triethylsilane via a carbonylation/acyl migratory insertion process 201 (*see also* palladium-catalyzed reactions)
 - of *N*-substituted *o*-iodoanilines, diazo compounds, and CO via 202
 - photoredox 278
 - Povarov MCRs (*see* Povarov reaction)
 - Reissert-type 164
 - rhodium-promoted 310
 - Sonogashira-initiated 169
 - synthesis of bis-pyranobenzoquinones and ZD0947 141
 - uncatalyzed 318–323
 - union 18, 23
 - based on 2-imidazoline and *N*-(cyanomethyl)amide MCRs 24
 - via 1,3-dipolar cycloaddition 223–227
 - via metal carbene migratory insertion 199–201
 - without transition metals 314, 315
 - multicomponent synthesis of substituted pyrrolidines and tetrahydrofurans 209
 - multimacrocycles
 - sequential MiBs applied to the synthesis of 260
 - multiple bond-forming transformations (MBFTs) 109
 - multiple multicomponent macrocyclization 245
 - Mumm rearrangement 80, 273, 277
 - münchnones 226
- n**
- nanozeolite catalyst 117
 - naphthalenes 369
 - 2-naphthol 129
 - 2-naphthylamine 368
 - natural product-inspired biaryl ether–cyclopeptoid macrocycles 253
 - natural product, use of MCR in total synthesis of 4
 - NHC-boranes 419
 - NH γ -lactam 386, 387
 - Ni-catalyzed [2 +2+2]-cycloaddition 373
 - nickelacyclopentadiene 372
 - nifedipine 5
 - β -nitrate 425
 - nitrilium intermediate 279
 - β -nitro alcohol 425
 - nitroalkenes 144, 167
 - 3-nitro-2-arylimidazo[1,2-*a*]pyridines 293
 - derivatives from aminopyridines, aromatic aldehydes, and nitromethane 293
 - p*-nitrobenzaldehyde 95
 - nitrogen-containing heterocycles 306
 - synthesis 310
 - nitrogen-substituted allenes 323
 - nitroketene dithioacetal 390
 - nitromethane 293
 - nitrones 274, 315, 364
 - three-component synthesis 364
 - nitroolefin 145
 - 2-nitrophenol 77, 81, 96
 - 3-nitrophenylpropynoic acid 270
 - nitrosation 95
 - β -nitrostyrenes 185
 - nitrothiophenols 83
 - NO addition product
 - tautomerization of 403
 - nonrepetitive macrocyclic architectures 232
 - norbornene, enantioselective rhodium-catalyzed hydroboration of 408
 - nucleophile (NuH) 380, 421
 - acylating agents 379
 - nucleophilic
 - aromatic substitution 343
 - pivaloyloxymethyl radical 431
 - radical 407
 - species 428
 - reaction 351
- o**
- octyl iodide 421
 - olefins 402, 416, 421, 426
 - biomimetic three-component 1,3-dipolar cycloaddition 459
 - carboazidation 404
 - carbodiazenylation reaction 402
 - C=C bonds
 - aryl radicals, addition 402, 403
 - carbohydroxylation/sulfonylation/phosphorylation 407–410
 - electron-poor olefins, carballylation of 406, 407
 - photoredox catalysis 410–414
 - radical–polar crossover processes 414–418
 - sulfonyl derivatives as terminal trap 404–406
 - electron-deficient 406
 - electron-poor 455

- excellent diastereocontrol 406
- ketoxygenation of 427
- oxidative nitration of 425
- radical alkylphosphanylation of 409
- oligomerization 233
- one-pot oxidative Biginelli reaction, plausible mechanism 281
- one-pot palladium-catalyzed MCR toward APOs 35
- o*-phenylenediamines 125
- optically pure tertiary alcohol acetates, synthesis of 28
- organoborane
 - alkyl radical 406
 - precursor 407
- organoboronic acids 65
- organocatalysts 148
 - for enantioselective Biginelli reactions 149
- organolithium 53
- ortho*-phenylenediamine 94
- ortho*-(trifluoromethyl)aryl iodides 53
- ortho*-(trifluoromethyl)arylsilver species 53
- oxadiazolidine 365
- oxaloacetic acid 109
- oxanickelacycle 312
- [1,4]-oxazinium 433
- oxazinones 133
- 1,3-oxazin-4-ones 133
- oxazoles
 - moiety 443
 - synthesis of heterocycles 328
- oxazolidinones 335
- 1,3-oxazolium-5-oxides (Münchnones) 226, 227, 357
- 2-(3-oxetanyl)benzaldehydes 453
- oxidative aromatization 128, 372
- oxidative Biginelli-3CR, catalyzed by acidic ionic liquid 281
- oxidative domino cross-coupling reaction
 - between indoles, β -keto esters, and aryl boronates 294
- oxidative multicomponent annulation 292
- oxime 416
 - electron-rich radical species 406
 - sequential multicomponent reaction 406
- 8-oxo-bicyclo[3.2.1]octane derivatives 136
- 4-oxo-enoates 196
- 2-oxo-1*H*-indol-3-ylidenes 320
- 4-oxo-1,3-thiazinan-5-yl acetic acids 388
- N*-oxyl radical 407
- oxypalladation–carbonylation sequence 316
- oxytocin receptor antagonists 5

p

- palladacyclopentadiene 66, 67
- palladium acetate 102
- palladium-catalyzed reactions 34, 168, 304, 421
 - carbonylation, of aryl iodide 200
 - [2 +2 +2]-cycloaddition of arynes 39
 - enolates 102
 - iminoacylation 34
 - multicomponent reactions 26, 29, 34, 302–310
 - allene dipolar cascades 170
 - of allenes, aryl iodides, and diazoacetates via a carbopalladation/allyl migratory insertion process 203
 - with heterocyclic reactants 168
 - to synthesize amidines 34
 - oxidative *5-endo-dig* cyclization–alkoxycarbonylation 293
 - Pd–Cu catalysis 101, 340
 - Pd-cyanamide 348
 - Pd-iminoyl azide 348
- paraformaldehyde 292
- Parikh–Doering (Pyr SO₃/DMSO) conditions 273
- Passerini adducts 267, 268, 270
- Passerini condensation
 - under aerobic oxidation 270
- Passerini product 28
- Passerini reactions 265, 266–271. *see also* P-3CR
 - alcohols and *N*-alkyl amines 266
 - derived acrylic acid monomers 9
 - postulated mechanism for 271
 - aerobic oxidative catalytic conditions 271
- Passerini–Smiles reaction 91–94
- Passerini three-component reaction (P-3CR) 10, 236, 379
 - with alcohols 266
 - β -azido alcohols 269
 - dihydrooxazinones, synthesis of 269
 - MiB approach 255
 - oxidative 267
 - building blocks 267
 - multiple multicomponent macrocyclization 268
 - with phenylethanol, benzyl isocyanide, and benzoic acid 266
- Passerini–Zhu protocol 267–269
- PEG-diamine 250
- penicillin 4
- pentacyclic products

- [1,3]-hydrogen shift 321
- peptide-based compounds 6
- peptide nucleic acid (PNA) 10
- peptidomimetics 31
- perhydrofurofurans 140
 - derivatives 141
- pericyclic reactions 356
- Petasis reaction 304
 - using hetarylboronic acids 304
- pharmaceutical production
 - *E*-factors 31
 - standard guidelines 31
- 3-phenacylideneoxindoles 126
- phenanthrenes 60
- phenols 81
 - nucleophilic addition of 354
 - Ugi-type reaction with 276
- phenoxy radical, irradiation 433
- phenylacetylene 101
- phenylethynyl iodide 53
- phenyl isocyanate 391
- phosphine ligand 277
- phosphoric acid
 - azomethine ylides catalyzed 455
 - catalyzed Biginelli reaction 148
- phosphorus 409
- photoaffinity-labeled peptoids 270
- photoinduced electron transfer (PET) 410
- photosensitizer 274
- PhSeSePh 433, 434
- o*-phthalaldehyde 119
- phthalazinones 393, 395
- phthalic anhydride
 - 4CR by Mosaddegh 394
- picolinamide–nicotinamide hybrids 290
- Pictet–Spengler reactions 8, 122, 160, 173, 344, 466
- piperidine 117, 118
 - access via Mannich-type reaction/cyclization cascade reactions 441
 - *trans*-isomer 441
- piperidine derivatives 441
- piperidines 307
- piperidinones 406
- PNA synthesis, using sequential Ugi reaction 9
- polar effects 401
- polycyclic benzimidazoles 128, 129
- polycyclic products 453
- polyfunctionalized furans 397
- polyfunctional substrate 424
- polyheterocyclic scaffold 353
- polyheterocyclic systems 175
- polyheterocyclic zwitterions 173
- polymerization 233
- polymer-supported triphenylphosphine (PSTPP) 268
- polysubstituted
 - acrylates, four-component synthesis of 352
 - furans and pyrroles 208
 - pyrazolidin-3-ones 134
 - pyrroles 226
 - – four-component synthesis, mechanistic rationale of 358
 - pyrrolidines 145
 - tetrahydrofurans 208
- postcondensation 2. *see also* Ugi–Smiles postcondensations
- potassium carbonate 102
- potassium persulfate 291
- potassium *tert*-butoxide 22
- Povarov–oxidation sequence 368
- Povarov reaction 451, 462
 - adducts 161
 - with β -substituted (E)-enecarbamates 449
 - chiral phosphoric acid-catalyzed
 - – aniline with methyl pyruvate 451
 - cyclic enethioureas as dienophiles 449
 - dihydropyridines and unsaturated lactams in 162
 - with 2-hydroxystyrenes 451
 - – as dienophiles 450
 - indoles 163
 - involving isatin
 - – four-component, anilines with methyl pyruvates 452
 - – three-component 448, 452
 - mechanistic variations 163
 - reaction involving cyclic enol ethers and esters. 162–166
 - total synthesis of martinelline by 162
 - using enecarbamates 447
- praziquantel, three-step synthesis involving 8
- primary amine
 - Ti precursor complex 370
 - titanium-catalyzed four-component reaction of 370
- proline-derived secondary amines 148
- pronucleophilic reactive site 111
- 1,2-propadiene
 - secondary amines of 303
 - three-component reaction 302
- n*-propanol 429
- propargyl alcohols 346
- propargyl amidine 365
- propargylamines 103, 335
 - A³-coupling for synthesis 336

- furnishing propargylamides 362
 - synthesis 336
 - three-component synthesis of 365
 - propargyl bromide 67, 68
 - propargyl carbonates 307
 - propionic acids
 - 1,3-dipolar cycloaddition 269
 - propionaldehyde 77, 102
 - 2-(2-propynyl)aniline derivatives 463
 - protein–protein interactions 7, 232
 - protons
 - primordial electrophilic activation of 346
 - transfer process 197
 - N*-pyrazinyl derivatives 84
 - pyrazoles
 - four-component synthesis of 371
 - Ti-catalyzed vinamidine formation-cyclocondensation synthesis of 371
 - pyrazolidine derivatives 311
 - diastereoisomers (3*R*,5*R*) 311
 - pyrazolidinones 133
 - 1*H*-pyrazolo[1,2-*b*]phthalazine-1,2-dicarboxylates 393, 394
 - pyrazolones 137
 - 1*H*-pyrazolo[1,2-*a*]pyridazine-1,2-dicarboxylates 393
 - pyridazinones 393, 395
 - synthesis of 393
 - pyridines 97, 98, 123, 124, 288
 - containing structures, generation of 390
 - heterocycles 309
 - – synthesis of 327
 - MCR synthesis of 289
 - mechanism proposed for three-component synthesis 289
 - pyrido[1,2-*a*]pyrimidin-4-imines 364
 - three-component synthesis 364
 - pyrido[1,2-*a*]-fused 1,3-diazaheterocycles 389
 - pyrido[2',1':2,3]imidazo[5,1-*a*]isoquinolinium triflates 347
 - pyridoxal phosphate (PLP)-dependent enzymes 458
 - pyridyl-stabilized carbanion 357
 - pyrimidine-*N*-oxides
 - oxygen substituents 328
 - synthesis of heterocycles 328
 - pyrimidines 97, 98
 - synthesis of heterocycles 328
 - N*-pyrimidinyl carboxamides 85
 - pyroles 127, 128, 225, 318, 325
 - derivatives 313, 315, 318, 326
 - – synthesis 312, 317
 - four-component synthesis of 346, 357
 - pyrrolidine-2,3-diones 113
 - pyrrolidines 138, 208, 454
 - derivatives 454, 458
 - Ugi-Smiles reaction of 276
 - yielding multisubstituted, 1,3-dipolar cycloaddition of 454
 - pyrrolines 225
 - 3-pyrrolines
 - 3-pyrrolines, three-component synthesis of 356, 357
 - pyrrolo[3,4-*b*]pyridin-5-ones, synthesis 392
 - pyrrololpiperazines 122
 - pyrrolopyrimidines 103
 - pyrroloquinoline library 162
- q**
- quinolines 87, 99, 175
 - ferrocenyl-substituted 337
 - quinolinyl moieties, as antimalarial pharmacophore 337
 - quinones 185, 455
 - quinoxaline derivatives 339
 - quinquethiophenes 342
- r**
- racemic esters 396
 - racemization 302
 - radical–polar crossover processes 414
 - reaction design concept 15–17
 - regiodivergent reaction 315
 - regioisomers 306, 307
 - Rh₂(OAc)₄ 461
 - rhodium- and ruthenium-catalyzed synthesis
 - of heterocycles from azomethine and carbonyl ylides 225
 - rhodium carbenes 188
 - rhodium catalysis, usages 313
 - rhodium-catalyzed three-component reactions
 - of alcohols, aryl diazoacetates
 - – and aromatic aldehydes 189
 - – and *N*-(*tert*-butylsulfinyl)imines 190
 - of aryl diazoacetates, anilines, and 4-oxo-enoates via switchable reaction pathways 197
 - of diazo compounds with anilines and β,γ-unsaturated α-keto esters and subsequent cyclizations 196
 - intramolecular cascade Michael–aldoltype reaction 197
 - rhodium(II) chiral, catalyzed reaction of anilines, diazophosphonates, and electron-deficient aromatic aldehydes 191

- via trapping of ammonium ylides with imines 188
 - of water, diazo compounds, and aryl imines 189
 - ring-closing metathesis (RCM) 97, 235
 - Ritter reaction 163, 327, 412
 - Robinson–Schöpf synthesis 109
 - Ru-based metathesis 97, 98
 - ruthenium carbene 184
 - ruthenium carbonyl-catalyzed pseudo-four-component reaction 371
- S**
- (*S_a*)-allenylsilane
 - with aldehyde and *tert*-butyl carbamate 315
 - sacrificial reagent 279
 - salicylaldehydes 464
 - salicylaldehydimines 465
 - salicylic aldehyde 360
 - samarium diiodide complex
 - with HMPA reacts 432
 - saponification 245
 - scandium triflate 120
 - Schiff bases 254
 - secondary amine 431
 - Sepharose solid support-bound Ugi products 9
 - sequence-specific polymer synthesis 9, 10
 - sequential palladium-catalyzed cyclization–azide 323
 - S–H bond dissociation enthalpy 413
 - [1,5]-sigmatropic rearrangement 325
 - single-component two-center reaction (SCR)-based approach 235
 - single-electron transfer (SET) 402
 - oxidation 278
 - single reactant replacement 17–19
 - strategy 15
 - replacing aldehyde/ketone for an imine 19
 - six-membered ring hydroxy
 - heteroaromatics 84
 - Smiles rearrangements 76, 77
 - sodium ethoxide 22
 - sodium 2-iodobenzenesulfonate 272
 - sodium methoxide 85
 - sodium nitrite, removal of 271
 - solubility problems 85
 - SOMO catalysis 417
 - Sonogashira coupling 101, 335, 337, 342
 - at *E*-configured bromostyrene position 337
 - of heteroaromatic halides 339
 - Sonogashira–Glaser reaction 340
 - cyclization synthesis
 - pseudo-five-component 341
 - SPINOL-phosphoric acid 148, 448
 - spiroannellated dihydrofuran 357
 - spirocyclic oxindole-butenolides
 - [2+2+1]-cycloaddition reaction 319
 - spirocyclic oxindoles
 - one-pot synthesis of 320
 - spirocyclohexanones 144
 - spirodihydrofurans 118
 - 4-spiro-3,5-disubstituted cyclohexanones 143
 - spiroheterocycles 113
 - spiroheterocyclic systems 165
 - spiro[indolin-3,2'-quinolines] 451
 - spirolactones 244, 393
 - spiro[4,6]-lactones 115, 116
 - synthesis 117
 - spirooxindoles 146, 353, 384
 - derivatives 144, 456, 457
 - pyranochromenediones 142
 - skeletons 456
 - spiropyranoxindoles 146
 - spiropyrazolidin-3-one 134
 - spiro[pyrrolidin-3,3'-oxindole] ring system 455
 - spiro[pyrrolidin-3,2'-oxindoles] synthesis
 - 1,3-dipolar cycloaddition 457
 - spiro[pyrrolidin-3,3'-oxindoles] synthesis
 - 1,3-dipolar cycloaddition 457
 - spiropyrrinoxindoles 145
 - 3-spiro-1,2,3,4-tetrahydroquinolines 114
 - spiro-type polyheterocycles 122
 - Staudinger–aza-Wittig step 268
 - stereomeric oxazolines 269
 - steroid–peptoid hybrid macrocycles 249
 - with hydrophilic and lipophilic moieties 252
 - steroid–peptoid hybrid macrocycles, by Ugi-4CRs 251
 - Strecker reaction 427, 429
 - structure–activity relationships (SARs) 1
 - styrenes 412, 417, 426
 - hydroxytrifluoromethylation of 413
 - N*-substituted *o*-iodoanilines 201
 - N*-substituted 3-pyrrolines 357
 - imine and dimethyl acetylenedicarboxylate 357
 - succinic anhydrides 380
 - sulfones 422
 - cyclic enecarbamates and enamides 404
 - sulfonohydrazide 283
 - sulfonyl azides 362
 - radical-mediated Cu-catalyzed three-component 366
 - radical-mediated Cu-catalyzed three-component reaction of 366

- three-component synthesis 364
 - three-component synthesis of 365
 - N*-sulfonyl-*N,N*-disubstituted amidines 366
 - three-component synthesis 366
 - sulfonyl group, fragmentation 423
 - 2-(*N*-sulfonylimino)indolines 366
 - three-component synthesis of 367
 - sulfonyl ketenimines 362, 364, 365, 366
 - formation 365
 - intermediate, [3+2]-cycloaddition of 364
 - nitrogen extrusion 362
 - sulfur-based binucleophiles 342
 - sulfur nucleophiles 342
 - Suzuki-type coupling reaction 309
 - symmetrical 2,5-di(hetero)arylthiophenes
 - pseudo-five-component 341
 - synthetic organic chemistry 13
- t**
- tandem oxidation–Wittig olefination–Diels–Alder reaction with α -hydroxy ketones 281
 - tautomerization 17, 117, 125
 - TBHP/Cu(I) oxidizes amine 277
 - telaprevir 8
 - using two MCRs and biocatalysis 33
 - TEMPO (2,2,6,6-tetramethylpiperidine-1-oxyl) 270
 - tentoxin acyclic precursor 232
 - terminal alkynes 360, 362
 - terpene 136
 - tertiary alcohol acetates, optically pure 28
 - tertiary alcoholate 354
 - tertiary amines 283
 - radical-mediated Cu-catalyzed three-component 366
 - Ugi-type reaction 277
 - tetrabutylammonium bromide (TBAB) 280
 - tetrabutylammonium decatungstate (TBADT) 422
 - tetrabutylammonium tribromide 135
 - tetracyclic chromenes
 - isonitriles and acetylenedicarboxylates 383
 - tetracyclic compounds 304
 - tetracyclic indeno[1,2-*b*]indole 396
 - tetracyclic products 384
 - tetrahydro- β -carboline 343
 - coupling-addition-aza-annulation-Pictet–Spengler synthesis of 344
 - diastereoselective formation of 343
 - four-component synthesis 344
 - tetrahydrobenzoxanthenes 128, 129
 - tetrahydrofuran (THF) 266
 - multicomponent synthesis of 417
 - products 187
 - tetrahydroisindolo[1,2-*a*]isoquinoline amides 391, 392
 - tetrahydroisoquinoline 273
 - domino oxidation/Ugi-type reaction of 274
 - tetrahydroisoquinoline-containing peptidomimetics 274
 - 1,2,3,4-tetrahydropyrazine 96
 - tetrahydropyridines 447
 - tetrahydroquinolines 451
 - with chiral quaternary stereogenic centers 450
 - tetramethylammonium hydroxide 117
 - meso*-tetraphenylporphyrin 274
 - tetrasubstituted pyrroles 127
 - 2,3,4,6-tetrasubstituted pyridines 289
 - exploiting dual catalysis by activated carbon 290
 - tetrazoles 17
 - thiazoles 89
 - thiazolium salt deprotonation 345
 - thioamides 97
 - adducts 97
 - thiocresol 386
 - thioether 408
 - electron-rich radical species 406
 - thiol–monoterpene co-oxygenation reaction (TOCO) 425
 - thiols 416
 - thiophenes 168
 - thiophosphinylation 434
 - thiosalicylate derivatives 84
 - thiourea 148
 - three-component reactions (3CRs) 7, 30, 236, 269, 382, 397, 402
 - 2-alkynylbenzaldehydes, sulfonohydrazide, and tertiary amines 282
 - anilines predominate 382
 - catalysts and mediators 382
 - tuning by adapting reaction conditions 22
 - Ugi-3CR adduct 392
 - of vinyl iodides, ethyl diazoacetate, and amines 203
 - water 462
 - Ti-imino species 370
 - Ti(IV)/Et₃N systems 111
 - TiO₂ catalyst 278
 - Togni's reagents 407, 412
 - toluene 77
 - p*-toluene sulfonic acid 125
 - N*-tosyl benzodiazepine 292

- N*-tosyl imine 227
 - tosylimines 322
 - N*-tosyl-substituted imines 226
 - 1-tosyl-1,2,3-triazoles 312
 - transformations, involving metal carbene
 - migratory insertion 200
 - transition metal catalysis 41, 207, 208
 - trialkylamines 410
 - trialkylboranes 415, 416
 - triazine 97
 - 1,2,4-triazine 167
 - triazoles 313, 360
 - derivatives 362
 - retro-Diels-Alder step furnished 323
 - triazolo-fused dihydrooxazinones 269
 - 3-triazolyl-2-iminochromenes
 - three-component synthesis of 360
 - triazol-1-yl-quinolin-2(1*H*)-ones 361
 - three-component synthesis of 360, 361
 - 3-triazolyl-substituted *N*-heterocycles
 - three-component synthesis 340
 - tributylstannyl(diethyl)amine 34
 - tributyltin radical 404
 - 2,4,6-trichlorobenzoyl chloride 234
 - tricyclic anellated azepines 359
 - tricyclic pyridines, obtained with 3CR
 - approach 289
 - trifluoroacetic anhydride (TFAA) 397
 - trifluoroborane 466
 - 1,1,1-trifluoro-2-butanone 26
 - trifluoroethanol (TFE) 413
 - trifluoromethanesulfonic acid 327
 - trifluoromethylating agent 413
 - trifluoromethylation–iodination, of
 - arynes 53
 - trifluoromethyl-containing compounds
 - three-component reaction 465
 - trifluoromethyl-ketones 318
 - trifluoromethylsilver 53
 - 3,4,5-trimethoxyaniline 465
 - trimethylsilyl azide 348
 - trimethylsilyl cyanide 285
 - trimethylsilyldiazomethane (TMSCHN₂) 202
 - trimethylsilyl triflate 315
 - triphenylene derivatives 39
 - tris(2-aminoethyl)amine (TREN) 257
 - 2,3,4-trisubstituted 4-aryl
 - tetrahydroquinolines 450
 - 1,4,5-trisubstituted pyrazoles 370
 - titanium-catalyzed four-component reaction of 370
 - 2,3,4-trisubstituted 1,2,3,4-tetrahydroquinolines 448
 - tropolone 90
 - Truce–Smiles rearrangement 103
 - tryptamine derivatives 343
 - tryptophyl derivatives 164, 165
 - tungstophosphoric acid 113
 - two-dimensional multicomponent
 - sequence 295
 - tyrosine 233
- u**
- Ugi-5C-4CR variation 3
 - Ugi-deprotection–cyclization (UDC) 2
 - Ugi diketopiperazines 6
 - Ugi four-component reaction (U-4CR)
 - 236, 442
 - based approach to RGD cyclopeptides 239
 - sequential elongation/cyclization 239
 - macrocyclization of glycine oligomers 238
 - stoichiometric and catalytic oxidative 272
 - Ugi–intramolecular Diels–Alder MCRs 175
 - Ugi-MiB-based quenching approach
 - of macrocyclic oligoimine-based dynamic combinatorial libraries 256
 - Ugi-MiB combinatorial approach 255
 - biaryl ether bisisonitriles in 253
 - Ugi-modified stationary phases 10
 - Ugi postcondensations 94
 - Ugi reactions 74
 - with alcohols 271–273
 - alcohols and *N*-alkyl amines 266
 - with hydrazines 74
 - in organic synthesis 73
 - with secondary amines 74, 273–275
 - variation of 4
 - Ugi reagents 272
 - Ugi–Smiles couplings
 - of 2-nitrophenols. 78
 - Ugi–Smiles postcondensations 94
 - cycloaddition 103–105
 - involving reduction of nitro group 94–96
 - involving transition metal-catalyzed processes 97
 - palladium-catalyzed processes 98–101
 - Ru-based metathesis 97, 98
 - radical reactions 103
 - reactivity of peptidyl unit 101–103
 - Ugi–Smiles thioamides, transformations 96, 97
 - Ugi–Smiles reaction
 - adduct 80
 - based strategies 74
 - energy profile

- in methanol 82, 83
- in toluene 82, 83
- mechanism 275
- with secondary amines 275, 276
- with tertiary amines 277-279
- Ugi-type reaction involving tertiary amines, isocyanides, and carboxylic acids or water 277
- Ullmann coupling 98, 366
- Umemoto's reagents 412
- 1,2-undecadiene 313
- unidirectional Ugi-MiB 247, 251
- α,β -unsaturated acid chlorides 343, 344
- α,β -unsaturated aldehyde 391
- α,β -unsaturated cyclic anhydrides
 - Diels-Alder reactions 390-392
 - isatoic anhydrides
 - MCRs of 388-390
 - maleic anhydride MCRs 385-388
- α,β -unsaturated esters 416
- 5,6-unsubstituted 1,4-DHPs 122
- v**
- vabicaserin 292
- vinamidine 371
- vinylazide 318
- vinyl bromophenol ether 354
- vinyl copper specie, transmetalation 348
- vinyl pivalate 406
- vinyl sulfones 404
- vinyl zinc 417
- w**
- Wittig-type olefination 120
- Wolff rearrangement 134
 - cyclic 2-diazo-1,3-diketones 133
- x**
- xanthate 406
- xylocaine 2
- y**
- Yamaguchi's conditions 234
- Yb(III)-catalyzed, synthesis of fully substituted pyrazoles 129
- Yonemitsu reaction 111, 164, 165
- z**
- Zhu-3CR-[4+2]-cycloaddition-[4+2]-cycloreversion-oxidation sequence 369
- Z-protected glycine 257
- zwitterionic acid fluorides 397, 398
- zwitterionic hydroquinone-fused [1,4]-oxaziniums 432, 433
- Zwitterionic intermediates 198
 - MCRs via electrophilic trapping of 198, 199
- zwitterions 319, 320, 354

