

## Index

### a

- AAV/phage (AAVP) 658  
 acceptor peptide (AP) 596  
 AcGly(thio)ester 103  
 acids, active esters of 15–17  
 acid-labile hydrazone bond 582  
 acridon-2-ylalanine (Acd) 274  
 activity-based probes (ABPs) 305, 321  
 activity-based protein profiling (ABPP)  
 199–201, 280, 305, 309  
   azides and alkynes cycloaddition  
   309–320  
   bioorthogonal chemistry 307  
   click chemistry 310  
   Diels–Alder ligation 320–321  
   gel-based analysis technique 305  
   Staudinger reaction 307–309  
   tandem 307  
 acyl carrier protein (ACP) 179  
 adeno-associated virus (AAV) 174,  
 658, 670  
 adenosine-5'-triphosphate (ATP) 281  
 affinity-guided DMAP (AGD) 160  
 Alexa Fluor 488 (AF488) 279  
 aldehydes and ketones 15, 24  
 alkaline phosphatase (AP) 177  
 O<sup>6</sup>-alkylguanine alkyltransferase (AGT)  
 190, 473  
 alkyl nitriles 79  
 alkyne-phosphonites 106  
 alkynes (Pd, Cu), cross-coupling  
 247–251  
 allylselenides 256  
 2-aminoethyl methacrylate (AEMA)  
 645  
 amino-PEG-azide crosslinker 570  
*p*-aminophenylalanine (pAF) 640  
 amphiphile nanoparticles 550–551  
 AMPylation 281  
 anandamide 339  
 anionic chain polymerizations 120  
 anionic natural polymers 497  
 anthrax epitope (ANTXR2) 639  
 antibody drug conjugates (ADCs) 382,  
 448  
 anti-EGFR 574  
 antifreeze proteins (AFP) 294  
 anti-FLAG antibody assay 54  
 antigen presenting cells (APCs) 665  
 anti-GST antibody 172  
 anti-HER2 antibodies 577  
 anti-HLA antibody 174  
 aqueous bromine 11  
 aqueous olefin metathesis 254  
 aryl azide photocrosslinker 323  
 aryl iodide amino acid 246  
 atomic force microscopy (AFM) 482,  
 557  
 atom transfer radical polymerization  
 (ATRP) 644  
 autophagy 391, 393–397  
 avian pancreatic polypeptide (aPP)  
 276  
 avidin 166, 367  
 aza-dibenzocyclooctyne (DIBAC) 429  
 azide-alkyne cycloaddition 290, 309,  
 502, 569  
 azide-labeled cells 54  
 azide phosphoramidite monomers 339

- azido alanine (AAL) 108  
azidohomoalanine (AHA) 108, 571  
azidosugar delivery method 436  
azobisisobutyronitrile (AIBN) 124  
azo coupling 637
- b**
- Bacillus subtilis* 179  
bacterial glycan labeling 382–383  
baculovirus-based expression systems 635  
ball-and-stick model 11  
Barbier conditions 235  
bathophenanthrolinedisulfonate disodium salt (BPS) 44  
benzophenone photocrosslinker 323  
O<sup>2</sup>-benzylcytosine (BC) 191, 474  
O<sup>6</sup>-benzylguanine (BG) 191, 292, 473, 594  
benzylguanine thiol (BGT) 195  
biarylazacyclooctynone (BARAC) 55, 429  
bicyclo[6.1.0]nonyne (BCN) 352  
bioconjugation, NPs  
  challenges 556  
  characterization 557–558  
  intricacies 554–556  
  method 241  
  opportunities 556  
  purification 556–557  
  sites for 553  
  techniques 637  
biomineralization 640  
biomolecules  
  carbohydrates 7–10  
  lipids 12–13  
  nucleic acids 10–12  
  peptides 4–7  
  proteins 4–7  
bioorthogonal prodrugs 446  
bioorthogonal reactions 67, 503  
  Diels–Alder cycloaddition 469–470  
  metabolic modifications 469  
  protein immobilization 470  
  Staudinger ligation 469  
bioorthogonal techniques 179, 504, 514  
biotin acceptor peptide (BAP) 166, 177  
biotin ligase (BirA) 166–170, 473, 596  
biotin-phosphine probe 99, 107  
biotin protein ligase (BPL) 166  
biotin-(strept)avidin 566–568  
biotinylation 107  
bis(acetoxy)iodo]benzene (BAIB) 58  
bismuth ferrite (BFO) 677  
*bis*(tert-butyltriazolyl) (BTES) 425  
*p*-boronophenylalanine 251  
BPL/BAP system 168, 169  
brome mosaic virus (BMV) 633  
*N*-bromosuccinimide 11  
BTES-Cu(I) click technique 426
- c**
- calmodulin (CaM) 277, 655  
carbodiimide chemistry 29, 559–563, 568, 570  
carbon allotropes 548–550  
carbon dots (C-dots) 548  
carbon nanotubes (CNTs) 548  
catalytic cycle 42, 246  
catecholaminergic polymorphic ventricular arrhythmia (CPVT) 652  
CD19<sup>+</sup> cells (B cells) 293  
CD20 antigen, B-cells 433  
cellular proteins  
  ACP domain 179  
  biarsenical dyes 201–203  
  bioorthogonal 165  
  LAP tag 175  
  PPTases 181  
cellular retinoic acid binding protein I (CRABP I) 275  
cellulose nanocrystals (CNCs) 596  
cerium (IV) ammonium nitrate (CAN) 234  
chemoenzymatic methods 369, 371  
chemoselective and bioorthogonal chemistries  
  affinity and coordinate interactions 596–599  
  azide-alkyne and related cycloaddition reactions 569–576

- Diels–Alder (DA) reactions
  - 576–578
- enzymatic ligation 593–596
- hydrazine 582–586
- intein-assisted conjugation 589–593
- native chemical ligation (NCL)
  - 589–593
- oxime ligation 582–586
- prospective chemistries 599
- Staudinger ligation 578–582
- thiol-ene chemistry 586–589
- chemoselective ligation techniques
  - 520
- chemoselectivity and side reactions
  - odor and shelf stability 131–132
  - reaction with oxygen 129–131
- chimeric virus technology 636
- chitin-binding protein (CBP) 472
- chitosan nanoparticle (CNP) 436
- chlorotoxin (CTX) 566
- chymotrypsin inhibitor 2 (CI2) 274
- chymotrypsinogen A 244
- ciliary neurotrophic factor (CNTF)
  - 172
- circular dichroism (CD) 275, 401, 481
- cis*-cyclooctene (CCO) 443
- click chemistry 285, 316, 337, 347, 369
- click DNA labelling reaction 339
- click sulfonamide reaction (CSR)
  - applications 49–50
  - benefits 49–50
  - limitations 49–50
  - mechanism 48–49
- CMP-sialic acid synthetase (CSS) 591
- colon cancer tumors 440
- complementary DNA (cDNA) 440, 633
- concanavalin A (Con A) 283, 588
- copper acetylides 40
- copper-catalyzed azide-alkyne
  - cycloaddition (CuAAC) 38, 281, 288, 341, 356, 376, 377, 383, 417, 569, 591, 637
  - applications 42–46
  - benefits 42–46
  - limitations 42–46
  - mechanism of 40–42
- copper-free click chemistry 275, 417
  - in *C. elegans* 431
- Cu(I) ligands to reduce toxicity
  - 424–425
- cyclooctynes, background reactivity
  - of 436–437
- DNA strand ligation 351
  - in mice 431–436
  - Sonogashira reaction 248, 249
  - in zebrafish 425–427
- coulombic effects 103
- cowpea chlorotic mottle virus (CCMV)
  - 633, 636, 683
- cowpea mosaic virus (CPMV) 633, 636, 655, 659
- coxsackie adenovirus receptor (CAR)
  - 650
- cross-coupling reactions 248
- cross-linked
  - acrylate photopolymerizable hydrogels 506
  - biotin–avidin 25–27
  - cyclooctyne 521
  - density 500, 509, 516
  - diallyl-PEG polymers 520
  - functional group conversion 24–25
  - glutaraldehyde 508
  - heterobifunctional linkers 22–24
  - homobifunctional linkers 22–24
  - hydrogel network 506
  - methods 234, 503
  - monomers 516
  - of polymer chains 497, 499, 503
  - PEG hydrogels 512
  - Schiff base 507
  - thiol-ene 515
  - zero-length crosslinking 21–22
- cryogelation 523
- p*-cyanophenylalanine (Cnf) 274, 277
- cucumber mosaic virus (CMV) 669
- cyan fluorescent protein (CFP) 189
- 1-cyano-4-dimethylaminopyridinium tetrafluoroborate (CDAP) 10
- cycloaddition
  - mechanism 51–54
  - reactions 52
- cyclooctyne 51

- Cy5-lipo (no DIBAC) 435  
 cystamine 24  
 cysteine 49  
   selective alkylation of 238  
 cysteine alkylation (Au, Rh) 237–241  
 cysteine residue (C213) 315  
 cytotoxic  
   dinuclear ruthenium drug 446  
   effects 566
- d**
- dabcyI azides 349  
 Davis catalyst 253  
 deglycosylating antibodies 189  
 degree of conjugation 28  
 dendrimers 550  
 dendritic cells (DCs) 665  
 2'-deoxyribonucleoside triphosphates (dNTPs) 341  
   enzymatic incorporation of 345  
 Dess–Martin periodinane 237  
 DIBAC-Cy5-lipo 435, 436  
 dibenzocyclooctyne (DBCO) 352, 510  
 Diels–Alder (DA) reaction 576–578  
   chemoselectivity 71–72  
   cycloadditions 602  
   electron-deficient dienophiles 70  
   electron-rich dienes 70  
   fast reaction rates 70–71  
   immobilization 72–75  
   ligation 320, 321, 519  
   mechanism 68  
   molecular orbitals 69  
   peptide-oligonucleotide conjugation 75–76  
   protein labelling 72–75  
   reactivity 68–69  
   regioselectivity 71–72  
   stereoselectivity 71–72  
 diene-derivatized ABPs 320  
 differential scanning calorimetry (DSC) 558  
 difluorinated cyclooctyne (DIFO) 428  
 DIFO-biotin 436  
 dihydrolipoic acid (DHLA) 559, 599  
 dihydropyridazines (DHPyz) 77  
 2,2-dimethoxy-2-phenylacetophenone (DMPA) 586  
*N*-(3-dimethylaminopropyl)-*N'*-ethylcarbodiimide (EDC) 15  
 1,2-dipalmitoyl-*sn*-glycero-3-phosphoethanolamine (DPPE) 395  
 dipolar cycloadditions 52  
 distortion/interaction model 52, 53, 57  
 disuccinimidyl glutarate (DSG) 22  
 dithiol-PEG linker 582  
 dithiothreitol (DTT) 6, 149, 251  
 DNA  
   artificial triazole 346–347  
   cellular environment 341–342  
   click reaction 336  
   hybridization 171  
   immobilization 460  
   microarrays 460, 681  
   nanostructures 356  
   polymerases 341, 346  
   SPAAC reaction 351–356  
   synthesis 341  
 dodecyl phosphocholine (DPC) 400  
 DOTA-decalysine 189  
 DPPC/DPPG liposomes 570  
 dropcast method 679  
 dual emitting DNA probes 337  
 dual protein labeling 273, 275  
   calmodulin 275  
   CI2 274  
 dye sensitized solar cell (DSSC) 675  
 dynamic light scattering (DLS) 558
- e**
- E. coli* 61, 200, 249, 250, 253, 468, 633–635  
 EDC/NHS method 284  
 elastin 177  
 electron microscopy (EM) 367  
 emerald green fluorescent protein (EmGFP) 276  
 emulsion  
   precipitation/nanoprecipitation methods 551

- encapsulation  
 constrained materials synthesis 642  
 gating mechanism 642  
 self-assembly 643  
 small molecules, infusion of 642  
 VNP/VLP-polymer hybrids  
 643-645  
 endoglucanase (EGPh) 294  
 enhanced cyan fluorescent protein  
 (ECFP) 582  
 enhanced green fluorescent protein  
 (EGFP) 177, 294  
 enhanced permeability and retention  
 (EPR) effect 434, 574, 655  
 enzymatic labeling 166  
 biotin ligase 166-170  
 farnesyl transferase (FTase)  
 170-172  
 formylglycine generating enzyme  
 172-174  
 lipoi acid ligase (LpIA) 174-177  
 methods 165  
 peroxidase 177-179  
 phosphopantetheinyl transferase  
 (PPtase) 179-181  
 sortase 181-185  
 transglutaminases (TGases)  
 185-190  
 enzyme-generated electrophiles 316  
 enzyme-linked immunosorbent assay  
 (ELISA) 284, 293, 464, 681  
 epidermal growth factor receptor  
 (EGFR) 283, 522, 574, 578  
 expressed protein ligation (EPL) 109,  
 294, 468, 589  
 extracellular matrix (ECM) 498, 659
- f**  
 farnesyl transferase (FTase) 170-172  
 fatty acid amide hydrolase (FAAH) 323  
 F exchange spectroscopy (F EXSY) 154  
 FKBP-rapamycin binding protein 168  
 Flory-Stockmayer equation 120  
 flow cytometry 109, 293  
 fluorescein (FAM) 349  
 fluorescein arsenical helix binder  
 (FIAsh) 202, 275  
 fluorescein isothiocyanate (FITC) 17  
 fluorescence correlation spectroscopy  
 (FCS) 558  
 fluorescence microscopy 306  
 fluorescence resonance energy transfer  
 (FRET) 153, 480  
 fluorine-doped tin oxide (FTO) 675  
 fluorophosphonate (FP) probe 313  
 4-formylbenzamide (4-FB) 584  
 folate receptor (FR) 159  
 negative cells 583  
 4-formylbenzene diazonium  
 hexafluorophosphate (FBDP)  
 283  
 formylglycine generating enzyme (FGE)  
 172-174, 473  
 Förster resonance energy transfer  
 (FRET) 274, 548, 558  
 Fourier transform infrared (FTIR) 558  
 Fourier transform infrared attenuated  
 total reflection (FTIR-ATR)  
 481  
 FRET-phosphine label 108  
 Freund's complete adjuvant (FCA) 667  
 Freund's incomplete adjuvant (FIA)  
 667  
 frontier molecular orbital (FMO) theory  
 52, 69
- g**  
 G3-AlexaFluor 488 (G3-Alexa) 184  
 G3-biotin (G3-Bt) 184  
 G3-enhance green fluorescent protein  
 (G3-EGFP) 184  
 galactose oxidase and aniline-catalyzed  
 oxime ligation (GAL) 365,  
 367-368  
 $\beta$ 1-4-galactosyltransferase (GalT) 368  
 GalT(Y289L) 369  
 ganciclovir (GCV) 658  
 GDP dissociation inhibitor (GDI) 405,  
 406  
 genetically encodable protein (GEP)  
 147  
 genetically modified  
 glycosyltransferases 365  
 glucocerebrosidase (GBA) 318

- glucosamine–inositol
  - pseudodisaccharide 401
- glucuronic acid (GlcA) 8
- glutathione (GSH) 471, 472
- glutathione S-transferase (GST) 172, 234, 471, 472
- glycan labeling
  - hydrazone and oxime ligations to ketones 372–374
  - methods 382
  - orthogonal to azide labeling reactions 380
  - Staudinger and “click” chemistries 374–379
  - structures 364
  - tetrazine cycloadditions 379–381
  - thiol chemistry 381–382
- glycine cleavage system 174
- glycoproteins, labeling of 282
- glycosaminoglycan (GAG) 431
- glycosylation patterns 174
- glycosylphosphatidylinositol (GPI) 391, 394
  - anchor mimics 397
  - NCL reactions 398
  - PrP aggregation 407
- gold nanoparticles (Au NPs) 545–546
- graphene oxide (GO) 548
- graphene quantum dots (GQDs) 548
- green fluorescent protein (GFP) 363
- Grubbs–Hoveyda II catalyst 257
- guanine nucleotide exchange factors (GEFs) 407
  
- h**
- haloalkane dehalogenases 195
- HaloTag–cutinase (HC) 293
- Halotags 195–199, 284, 474
- HeLa cell 169, 308
- hemagglutinating virus of Japan envelopes (HVJ-E) 658
- hepatitis B virus (HBV) 637, 666
- herpes simplex virus thymidine kinase (HSVtk) 658
  
- highest occupied molecular orbital (HOMO) 69
- high performance liquid chromatography (HPLC) 558
- high-throughput screening (HTS) 306
- histone deacetylases (HDACs) 317
- HOMO-LUMO energy pairings 57
- homopropargylglycine (HPG) 249, 571
- horseradish peroxidase (HRP) 177, 293
- Houk’s distortion/interaction model 57
- H. pylori* FucT 370
- human AGT (hAGT) 190
- human carbonic anhydrase II (hCAII) 149, 292
- human growth hormone (hGH) 187, 288
- human IgG (hIgG) 291
- human immunodeficiency virus (HIV-1) 667
- human interleukin-2 (hIL-2) 187
- human leukocyte antigen (HLA) 174
- human lipoprotein lipase (HLPL) 650
- human papilloma virus (HPV) 635, 666
- huntingtin (Htt) 279
- hydrazine/formamidine acetate 80
- 6-hydrazinonicotinamide (HyNIC) 584
- hydrazone/oxime
  - exchange reaction 150
  - ligations 369, 582–586
- hydrogel
  - composites 178
  - ligation reactions 501–514
  - mechanisms of 499–501
  - natural polymer dextran 500
  - networks 497, 523
  - polymers, classes of 497–499
  - synthetic polymer 502
- hydrophobic effect 479
- hydroxymethylene bisphosphonate (HMBP) 570
- hyperthermophilic cellulase 294

**i**

- immobilized metal affinity
  - chromatography (IMAC) 597
- immobilizer amino *vs.* maleic anhydride 479
- immunoglobulin E (IgE) 279
- indium mediated ligations 235–237
- intein-assisted conjugation 589–593
- interleukin-2 (IL-2) 288
- intraperitoneal (IP) injection 418
- intravenous (IV) injection 433
- inverse Diels–Alder (DA<sub>inv</sub>) reaction 67
  - bioorthogonality 84
  - with “click” reactions, mutual orthogonality 84–85
  - DNA/RNA modification and genetic encoding 87–88
  - electron-deficient dienes, tetrazines 80–81
  - electron-rich dienophiles 81–83
  - fast kinetics 83–84
  - mechanism 77–78
  - molecular orbitals 79–80
  - pretargeted probes 86–87
  - radiolabeled biomarkers 85–86
  - reactivity 78–79
- in vivo* bioorthogonal chemistry
  - bioorthogonal prodrugs 446–448
  - self-assembling drugs 445–446
- iron oxide NPs (IO NPs) 547
- isothiocyanates 17

**k**

- ketone-EGPh 294
- kinetics reaction 74
- Kirmse–Doyle reaction 240

**l**

- lanthanide NPs 548
- LC–MS/MS methods 323
- less complex lipidations 397
- ligand directed acyl imidazole (LDAI) chemistry

- applications of 158–160
- in vitro*, fundamental properties of 156–158

## ligand-directed tosyl (LDT) chemistry 150

- applications of 153–155
  - FKBP12 labeling 153
  - in vitro* fundamental properties of 150–153
  - natural proteins, affinity labeling of 148–150
  - one-step traceless labeling 150
- ligase acceptor peptide (LAP) 595
- ligation reactions, hydrogel formation
- azide-alkyne/Diels Alder cycloaddition ligations 510–513
  - native chemical ligations (NCL) 509
  - oxime ligation 513–514
  - Schiff base formation 507–509
  - Staudinger Ligation, use of 514
  - thiol-ene derived hydrogels 504–506

- light chain 3 (LC3) protein 394
- li-ion microbatteries 677
- lipoic acid ligase (LplA) 174–177, 473
- lipopolysaccharide (LPS) 383
- liposomes 550
- live attenuated vaccines 666
- localized surface plasmon (LSP) 545
- lower critical solution temperature (LCST) 499
- lowest unoccupied molecular orbital (LUMO) 69
- lysine (Ir) 237
- lysine-targeting crosslinker 591

**m**

- macrophagocytotic system (MPS) 670
- magnetic resonance imaging (MRI) 547, 657, 672
- major histocompatibility complex (MHC) 293
- maleimide-doxorubicin (Dox) 577

- maleimides 18
  - maltose-binding protein (MBP) 207, 274, 395, 472
  - mass spectrometry (MS) 305, 369
  - matrixmetalloproteinase-2 (MMP-2) 574
  - mercaptoacetic acid ligands 561
  - 3-mercaptopropanoic acid 251
  - mesomeric effects 98
  - mesoporous silica nanoparticles (MSNs) 434
  - metabolic glycan engineering 372, 418–420
  - metal-mediated bioconjugation
    - alkynes, cross-coupling 247–251
    - cysteine alkylation (Au, Rh) 237–241
    - indium mediated ligations 235–237
    - ligations 257–258
    - lysine (Ir) 237
    - Mizoroki–Heck reaction (Pd) 245–247
    - olefin metathesis (Ru) 254–257
    - organometallics 231–232
    - rhodium carbenoids 241–244
    - Suzuki–Miyaura cross-coupling (Pd) 251–254
    - tyrosine (Pd), Tsuji–Trost alkylation of 244
    - tyrosine, oxidative ligations at 232–235
  - metallopeptide catalysts, development of 242
  - methacrylate-thiol-yne systems 135
  - 7-methoxycoumarin-4-ylalanine (Mcm) 274
  - 1-methyl-2-diphenyl-phosphino-terephthalate (MDT) 514, 517
  - microbial transglutaminase (mTGase) 288
  - microRNA-21 (miR-21) 586
  - minimum inhibitory concentration (MIC) 315
  - Mizoroki–Heck reaction (Pd) 245–247
  - monoamine oxidase (MAO) 317
  - monoclonal antibody (mAb) 420
  - monomethoxy-PEG-acrylates 287
  - mouse serum albumin (MSA) 436
  - multi-walled carbon nanotubes (MWCNTs) 549
  - multifunctional nanoparticles (MFN) 285
  - multiple sclerosis (MS) 657
  - multiple sulfatase deficiency (MSD) 172
  - murine dihydrofolatereductase (mDHFR) 107, 109
  - murine tumor model 639
  - mutagenesis techniques 277
  - mutant lipoic acid ligase 86
  - Myers reagents 246
  - myoglobin 241
- n**
- nanoparticles (NPs) 543
    - amphiphile nanoparticles 550–551
    - bioconjugation of 543
    - biological applications 546
    - carbon allotropes 548–550
    - carbodiimide coupling 544
    - chemoselective reactions 543
    - gold nanoparticles (Au NPs) 545–546
    - lanthanide NPs 548
    - oxide nanoparticles 546–547
    - physical properties of 553
    - polymer nanoparticles 550–551
    - semiconductor quantum dots (QDs) 547–548
    - silver nanoparticles (Ag NPs) 545–546
    - synthetic methods 551
    - upconversion luminescence 548
  - nanoreactors 682–684
  - nanoscale 675, 684
  - nanosensors 680
  - native chemical ligation (NCL) 274, 468, 509, 589
  - natural proteins, affinity labeling of 148–150
  - natural sugars, chemoselective tagging of
    - GAL 367–368
    - PAL 366–367



- natural/synthetic polymer precursors 497
- nematode growth medium (NGM) 431
- neural progenitor cells (NPCs) 663
- neutron reflectometry 482
- N*-hydroxysuccinimide (NHS) 559, 636
- nitrioloacetic acid (NTA) 471
- non-specific protein immobilization  
   covalent immobilization 465–467  
   encapsulation 464–465  
   noncovalent immobilization 461–464
- nontraceless Staudinger ligation 99–100
- N*-terminal PEGylation methods 288
- nuclear magnetic resonance (NMR) 207, 558
- nuclear tomographic imaging 306
- nucleophilic amino acids 4, 157
- nucleoprotein (NP) 668
- O**
- olefin metathesis(Ru) 254–257
- olfactory cyclic nucleotide-gated ion channel (pOCNC) 277
- oligo(ethylene glycol) methacrylate (OEGMA) 644
- oligonucleotides  
   applications of 335  
   deprotection 352  
   labeling methods 335  
   TOF mass spectra of 344
- optical imaging techniques 283
- oriented CD (OCD) 481
- orthogonal ligation techniques 523
- osteoclast differentiation factor (ODF) 184
- oxide nanoparticles 546–547
- oxime ligation 367, 582–586
- P**
- palladium porphyrin 233
- papaya mosaic virus (PaPMV) 669
- Parkinson's disease 274
- pathogen-associated molecular pattern (PAMP) 665
- pattern recognition receptors (PRRs) 666
- PEG maleimide (PEGm) 286
- PEGylation technique 286
- PEG/zwitterionic coatings 559
- pentafluorophenyl (Pfp) ester 395
- peptide vinyl sulfone 200
- periodate oxidation and  
   aniline-catalyzed oxime ligation (PAL) 365–367
- peroxidase 177–179
- phosphatidylcholine (PC) 12
- phosphatidylethanolamine (PE) 12, 393
- phosphatidylglycerol (PG) 12
- phosphatidylserine (PS) 12
- phosphine catalyst 121
- phosphine-biotin probe 107
- phosphine FLAG-tag 109
- phosphite/phosphine 514
- phosphoethanolamine (PE) 391, 395
- phosphopantetheinyl transferase (PPTase) 171–181, 473, 596
- phosphoramidite chemistry 12
- phosphoramidite monomers 337, 353
- photocrosslinking probes 317
- photodynamic therapy (PDT) 574, 583
- photoinduced electron transfer (PET) 274
- photoluminescence (PL) 547
- $\pi$ -allylpalladium electrophiles 244, 245
- “ping pong” reaction 183
- planar slide microarrays 460
- plant-based expression systems 633
- PNA oligomers 347
- poly(acrylic acid) (PAA) 561
- poly(A) polymerase (PAP) 348, 350
- poly(diallyldimethylammonium chloride) (PDDA) 659
- poly(ethylene glycol) (PEG) 235, 237, 286, 499, 552, 639
- poly(hydroxyethyl methacrylate) 500
- poly(lactic-co-glycolic)acid (PLGA) 289
- poly(methyl methacrylate) 499

- poly(vinyl alcohol) 502
  - polyamidoamine (PAMAM) 550
  - polydimethylsiloxane (PDMS) 466
  - polyethylene (PE) 466
  - polyethylene glycol (PEG) 177, 183
    - monomers 509, 515
    - polymer 237
  - polyethylene glycol-poly(lactic acid) (PEG-PLA) 550
  - polyethyleneimine (PEI) 566, 653
  - polyhistidine tags 598
  - polymer crosslinking 136
  - polymer dots (Pdots) 551
  - polymer nanoparticles 550–551
  - polymerase chain reaction (PCR) 341
  - polysaccharide polymers 507
  - polytetrafluoroethylene (PTFE) 466
  - porous alginate hydrogel (PAH) 663
  - positron emission tomography (PET) 85, 285, 658
  - post-synthetic oligonucleotide labelling 337
  - potato virus X (PVX) 633, 655, 668, 684
  - potato virus Y (PTY) 669
  - prion protein (PrP) 275, 397
  - probe-enzyme complexes,
    - functionalization of
      - click ABPs with enzyme-generated electrophiles 316–317
      - electrophile containing click ABPs 310–315
      - non-directed/reactivity probes 309–310
      - photocrosslinking click probes 317–318
      - probing 318–320
        - strain-promoted click ABPP 320
    - proteasome-targeting ABP 320
    - protective antigen (PA) 639
    - protein 53 (p53) 276
    - protein *trans*-splicing (PTS) 468
    - protein farnesyltransferase (PFTase) 288
  - protein immobilization
    - methods 461
    - microarray applications 459
    - techniques 459, 461
  - protein labeling
    - biarsenical dyes 201–203
    - bioorthogonal 166
    - biosensing 291–293
    - cell membrane staining and tumor detection 281–286
    - FTase 171
    - intramolecular conformational changes 273–276
    - monitoring intermolecular protein interactions 276–280
    - post-translational protein modifications 280–281
    - smart materials 293–295
    - split inteins 206–208
    - split proteins 208–211
    - spycatcher/spytag 203–206
    - therapeutic applications 286–291
  - protein ligation
    - complex buffer systems 391
    - maleimide ligation 402–404
    - perspective 407–408
    - system 203
    - Ras proteins 404–407
    - Ras S-Palmitoylation 402–404
  - protein modification 231, 232, 236
  - protein nanocage 644
  - protein/peptide microarrays 459–460
  - protein-protein cross-linking 293
  - protein transduction domain (PTD) 208
  - PrP- $\alpha$ -thioester 400
  - pseudaminic acid (Pse) 383
  - purified enzymes 306
  - pyridazines (Pyz) 77
  - pyridoxal-5'-phosphate (PLP) 639
  - pyrrolysyl tRNA/tRNA synthetase 250
- q**
- quantitative polymerase chain reaction (qPCR) 46
  - quantum confinement effects 547
  - quantum dots (QDs) 169, 175, 285, 547
  - quartz crystal microbalance (QCM) 482

- quenched LDT (Q-LDT) 154  
 quencher-tethered LDT (Q-LDT) 153
- r**
- Rab escort protein (REP) 406  
 Rab proteins 401  
 Rab thioesters 401  
 radical polymerization 503  
 radioimmunotherapy 282, 439  
 Raman scattering 558  
 Ras protein 394  
 reactive oxygen species (ROS) 39, 43, 424, 583  
 reactivity probes' (RPs) 310  
 recombinant human thyroid stimulating hormone (rhTSH) 288  
 red clover necrotic mosaic virus (RCNMV) 633, 642  
 rhodium carbenoids 241–244  
 ribonuclease A (RNase A) 109  
 ribonuclease S' (RNase S') 469  
 ribonucleoside 5-ethynyluridine 342  
 ribozymes 347  
 ring strained cyclooctynes 510  
 Rituximab-TCO 440  
 RNA  
   artificial triazole 346–347  
   cellular environment 341–342  
   click reaction 336  
   oligonucleotides 336  
   polymerases 346  
   SPAAC reaction 351–356  
 RNA-induced silencing complex (RISC) 650  
 robust ligation technique 505
- s**
- salmon calcitonin (sCT) 136, 187  
 scanning electron microscopy (SEM) 522  
 scanning probe nanolithography (SPN) 675  
 scanning tunnel microscopy (STM) 482  
 Schiff base formation 15, 503, 507  
 selective cross-linking (S-CROSS) technique 277  
 self-assembled monolayers (SAMs) 475  
 self-labeling proteins and peptides  
   activity-based protein profiling (ABPP) 199–201  
   halotag 195–199  
   SNAP/CLIP-tags 190–195  
 7-azatryptophan (7Aw) 274  
 severe acute respiratory syndrome (SARS) 568  
 silica NPs 553, 563  
 silicon QDs 586  
 silver nanoparticles (Ag NPs) 545–546  
 single-chain fragment variable (scFv) 282, 283, 561  
 single domain antibody (sdAb) 167, 590  
 single-molecule FRET (smFRET) 274  
 single-walled carbon nanotubes (SWCNTs) 549, 677  
 site-directed mutagenesis 6  
 site-specific protein immobilization  
   bioorthogonal reactions 469–470  
   chemoenzymatic 472–474  
   chemoselective cysteine modification reactions 467  
   native chemical ligation 468–469  
   unique peptide sequences and affinity tags 470–472  
 small alkynyl nucleoside 342  
 small GTPases  
   lipidation of 401–407  
   Ras and Rab families 393  
 small interfering RNAs (siRNA) 339, 649  
 small scFvs/AFPs 296  
 SNAP/CLIP-tags 190–195  
 sodium dodecyl sulphate  
   polyacrylamide gel electrophoresis (SDS-PAGE) 109  
 solid-phase peptide synthesis (SPPS) 109  
 solvation effects 559  
 Sonogashira coupling 250  
 sortase A (srtA) 181–185  
 space-filling model 13

- spherical nanoparticles (SNPs) 657
  - sphingolipids 13
  - split inteins 206–208
  - split proteins 208–211
  - Spodoptera frugiperda* (Sf) 635
  - staple peptide 255
  - Staudinger ligation 97, 99, 578
    - applications of 107–111
    - aza-Wittig reaction 101
    - bioorthogonal reactions 417
    - in mice 421–424
    - nontraceless, methodology and mechanism of 99–100
    - protein synthesis 104
    - traceless, methodology and mechanism of 100–104, 107
  - Staudinger reaction
    - CuAAC 106
    - mechanism of 97–99
    - methodology and mechanism of 104–107
  - Staudinger–Bertozzi ligation 320
  - Staudinger-phosphite reaction 109–111
  - Stöber method 551
  - strain promoted alkyne azide cycloaddition (SPAAC) reaction 335, 351, 356
    - applications 54–57
    - benefits 54–57
    - limitations 54–57
    - mechanism of 51–54
  - strain-promoted alkyne diazocarbonyl cycloaddition (SPADC) 601
  - strain-promoted alkyne-nitrile oxide cycloaddition (SPANOC) 601
  - strain-promoted alkyne-nitrone cycloaddition (SPANC) 574
  - strain-promoted azide-alkyne cycloaddition (SPAAC) 281, 569
  - strain-promoted click chemistry 320
  - strain promoted cycloaddition
    - applications 57–59
    - benefits 57–59
    - limitations 57–59
    - mechanism 57
  - strain-promoted nitrile oxide–alkyne cycloaddition (SPNOAC) 352
  - strained cyclooctynes 637
  - streptavidin (SA) 25, 166, 309, 478, 566
    - labeling of 74
    - QDs 574
  - streptavidin-horseradish peroxidase conjugate (SAv–HRP) 155
  - succinic anhydride 24, 563
  - succinimidyl ester coupling 559–563
  - succinimidyl 6-hydrazinonicotinamide acetone hydrazine (SANH) 174
  - succinimidyl iodoacetate crosslinker 583
  - succinimidyl 4-(*N*-maleimidomethyl) cyclohexane-1-carboxylate (SMCC) 23, 564, 576
  - superparamagnetic iron oxide (SPIO) 285
  - surface parameters, immobilized proteins
    - accessibility 477–479
    - protein orientation 477–479
    - secondary structure/conformation 479
    - surface chemistry 474–476
    - surface density 477
    - surface morphology 476–477
  - surface plasmon resonance (SPR) 481
  - surface plasmon resonance enhanced ellipsometry (SPREE) 481
  - surface vimentin 657
  - surfactin synthesis 179
  - Suzuki–Miyaura cross-coupling (Pd) 248, 251–254
  - swelling ratio 515–518, *see also* hydrogels
  - synthesise oligonucleotide probes 338
- t**
- tandem ABPP
    - cleavable linkers 323–325
    - multiple reactive groups 321–323
  - tandem mass spectrometry (MS) methods 306
  - tandem orthogonal proteolysis (TOP) 325

- target selective synergism 445
- tartrate click-cleavable linker 324
- terbium-anti-His antibody (Tb-Ab) 279
- N*-(*tert*-butyl)hydroxylamine 241
- N,N,N',N'*-tetramethylene-diamine (TEMED) 500
- tetramethylrhodamine isothiocyanate (TRITC) 17
- tetrazines (Tz) 77
- cycloadditions
- alkenes and cyclopropenes 379–380
- isonitrile 380–381
- ligation
- FBS 438
- in mice 439–444
- pre-targeting technique 439
- thiol 381–382
- activated disulfides 19–20
- alkyl halides 19
- anti-Markovnikov addition 119
- haloacetamides 19
- ene monomers 117, 118
- maleimides 18
- thiol-ene 586
- application of 132–133
- bioconjugation 135–136
- chemoselectivity and side reactions 129–132
- dental materials 134–135
- initiation technique 122–124
- homogeneous networks 133
- hydrogels and drug delivery 136–137
- mechanism 119–127
- polymer cross-linking 136
- polymer functionalization 135–136
- polymerizations 117, 118
- propagation 119, 124–125
- reaction kinetics 127–129
- reactions effect 504
- shrinkage stress 134–135
- stereochemistry 119–127
- stoichiometric reaction mixture 117
- surface grafting 135–136
- termination 125
- thiol-Michael 120–122
- thiol-yne 125–127
- thiol-Michael 120–122
- addition reaction 119, 135, 136
- electron deficient double bonds 118
- nucleophile catalyzed 121
- thiol-yne 125–127
- tobacco mosaic virus (TMV) 633, 669, 673
- traceless Staudinger ligation 100–104, 107–109
- traditional bioconjugate chemistries
- adsorption 558–559
- bioconjugate reactions 3, 4
- biotin-(strept)avidin 566–568
- carbodiimide 559–563
- homobifunctional and heterobifunctional crosslinkers 563–566
- succinimidyl ester coupling 559–563
- trans*-cyclooctene (TCO) 439
- transferrin receptor (TfR) 572
- transglutaminase (TGase) 274
- mechanisms of 185
- protein-protein crosslinking 186
- transglutaminases (TGs) 185–190, 473
- transition metal mediated reaction 231, 232
- translational repression (TR) 643
- transmission electron microscopy (TEM) 557
- triazole-phosphonites 106
- 2,4,6-trimethylbenzoyl-diphenylphosphineoxide (TPO) 123
- triphenylphosphinetris-(sulfonate) (TPPTS) 244
- tris(benzyltriazolylmethyl)amine (TBTA) 424
- tris(2-carboxyethyl)phosphine (TCEP) 6, 435
- tris-hydroxypropyl triazolylamine (THPTA) 569
- T7 RNA polymerase 348
- tryptophan (Trp) 243, 274
- Tsuji–Trost reactions 244

- tumor-inducing plasmid (Ti-plasmid) 633
- two dimensional differential gel electrophoresis (2D-DIGE) 313
- two dimensional gel electrophoresis (2D-GE) 313
- tyrosine (Pd), Tsuji–Trost alkylation of 244
- tyrosine (Tyr) 274
- u**
- UDP-Gal binding pocket (Y289L) 369
- urokinase-type plasminogen activator (uPA) 592
- UV/Vis spectroscopy 81
- v**
- variant surface glycoprotein (VSG) 397
- vascular endothelial growth factor receptor-1 (VEGFR1) 639
- vesicular stomatitis virus (VSV) 643
- virial nanoparticles (VNPs) 632, 646
  - battery electrodes and energy applications 675–680
  - chimeric vaccines 666–670
  - clinical translation, safety considerations for 670–672
  - CPMV-vimentin 658
  - drug delivery with 645–649
  - ELISA assay 682
  - gene delivery with 649–653
  - liquid crystals and mesoscale assemblies 672–675
  - manufacturing 632–635
  - nanopatterning 661, 673
  - PVX 668
  - scaffolds 641
  - sensing applications 680–682
  - virus and protein cage 682–684
- tissue engineering applications 659–664
- tissue-specific imaging 653–659
- vaccine development 664–670
- virus
  - bioconjugation 636–640
  - chimeric virus technology 635–636
  - encapsulation 642
  - mineralization 640–641
  - production and principles of 632–645
  - shape and structure of 631–632
  - VNP/VLP manufacturing 632–635
  - VNP/VLP-polymer hybrids 643–645
- virus capsid proteins 294
- virus-like particle (VLP) 632
  - chimeric vaccines 666–670
  - clinical translation, safety considerations for 670–672
  - drug delivery with 645–649
  - gene delivery with 649–653
  - manufacturing 632–635
  - nanoreactors 683, 684
  - nanoscale reaction vessel 642
  - scaffolds 641
  - self-assembly of 635
  - siRNA delivery 651
  - vaccine development 664–670
- y**
- yeast expression systems 635
- z**
- zebrafish model 370
- zero-length crosslinking 21