

Index

a

- A β peptide formation 478–480
- Abl inhibitor lapatinib 47
- acetazolamide 255
- acetylcholinesterase inhibitors (AChEI) 256
- Acquired immune deficiency syndrome (AIDS) 15
- active pharmaceutical ingredients (APIs) 104–105
- activity-based protein profiling (ABPP) 317
- activity landscape modeling (ALM) 19, 166
- adenosine A_{2A} receptor and adenosine transporter 292–295
- adenylosuccinate lyase (ASL/ADSL) 317
- adverse drug reactions (ADRs) 8
- afatinib 48
- affinity purification-based MS (AP-MS) approach 317
- aldose reductase-related protein 2, 317
- allosteric SMKIs 47–48
- α -carbonic anhydrase (CA) 161, 255
- Alzheimer's disease 259
 - amyloid cascade hypothesis 480–481
 - amyloid plaques 478–480
 - metal toxicity 481–483
 - neurofibrillary tangles 481, 482
 - neuroinflammation 481–483
 - oxidative stress 481–483
- AMI-5 11
- 4-(aminoalkoxy)benzylamines 262
- aminobenzimidazoles 295–298
- 2-(4-aminophenoxy)naphthalene-1,4-dione 140
- 3-aminoquinazoliniones 7 core scaffold 438
- amoxapine 62–63
- amyloid cascade hypothesis 480
- amyloid plaques
 - A β peptide formation 478–480
 - aggregation 480
- amyloid precursor protein (APP) 183
- ANAVEX1–41 498
- ANAVEX2–73 498
- ANAVEX3–71 (AF710B) 501
- angiotensin converting enzyme (ACE) 262, 415
- angiotensin II (AII) 369
- angiotensin II type 1 (AT₁) receptor
 - activity pathway 387–388
 - antagonist/PPAR γ 377
 - antagonists 372, 377 *see also*
 - angiotensin receptor blockers (ARBs)
 - antioxidant agents 384–386
 - endothelins (ET) 372
 - NO agents 382
 - structure of 370–372
- angiotensin receptor blockers (ARBs) 369, 372
 - antihypertensive effects of 382
 - AT₁ receptor 370
 - binding mode, AT₁ 372
 - telmisartan 377

- angiotensin II receptor blockers (ARBs)
 PPAR γ agonists 415
 6-anilinoauracils (6-AUs) 461
 animal-based screening 80
 antagonist *see* proliferator-activated
 receptor- γ (PPAR γ)
 AT $_1$ 377–382
 ET $_A$ receptor 373
 antibacterial drugs 464–465
 antibody/protein drug conjugates
 brentuximab vedotin 219
 chances and challenges 218–219
 coltuximab ravtansine 222
 effective therapeutic options 223
 glembatumumab vedotin 221
 indatuximab ravtansine 222
 inotuzumab ozogamicin 221
 lorvotuzumab mertansine 222
 trastuzumab emtansine 220
 antidepressant drugs 340–347
 antinociceptive multitarget
 drugs 188
 antioxidant agents 384–386, 485
 antitarget receptors 10
 anti-trypanosomatid MTDL
 combined target/targeting approach
 149–151
 drug targeting approach 146–149
 phenotypic approach 138–141
 target-based approach 141, 143, 146
 AP5346 (Pro-Lindac) 228
 approved kinase inhibitors 36, 43–45,
 48
 3-AQD scaffold 439
 arylboronic acids 301–304
 AT $_1$ /ET $_A$ receptor 374, 375
 automated patch clamping 318
 7-azaindole scaffold 165
- b**
- BACE1 inhibitors/metal chelators
 497–498
 bacterial β -glucuronidase (GUS) enzyme
 62
 bacterial topoisomerases inhibitors 435
 benextramine 491
 β -amyloid (A β) peptides 483
- 11 β -hydroxysteroid dehydrogenase
 type 1 (11 β -HSD1) 423
 β -ketoacyl-acyl carrier protein
 (ACP) 454
 β -lactam antibiotic 434
 β -lactam-fluoroquinolone hybrid
 molecules 458
 bicyclic diamines 450
 Bio Assay Ontology (BAO) 248
 bioactivity data sources 248
 Bio-Plex Pro magnetic cell signaling
 assays 318
 blood–brain barrier (BBB) 60
 boronic acid-based
 penicillin-binding-protein
 inhibitors 452
 bradykinin B $_1$ and B $_2$ receptors
 290–292
 breast cancer brain metastasis 59–62
 brentuximab vedotin 219
- c**
- cancer proteins 60
 cancer signaling bridge (CSB) 60
 caproctamine 491
 cardiovascular diseases 262–264
 catechol-O-methyltransferase (COMT)
 inhibitors 258
 cathepsin-L (CatL) inhibitor 254
 Cavbase 162
 celecoxib 162
 cell-based screening 80–81
 cell phenotypic assays
 high content imaging assays
 323–324
 label-free cell phenotypic assays
 324–326
 reporter gene assays 322
 cellular assays
 automated patch clamping 318
 chemogenomics-based assays
 320–321
 chemoproteomics-based assays
 315–317
 drug discovery 314–321
 high content imaging assays
 323–324

- label-free cell phenotypic assays 324–326
 - ligand binding assays 314–315
 - miniaturization 313
 - perspectives 326, 327
 - protein–protein interaction assays 319
 - protein trafficking assays 319–320
 - reporter gene assays 322
 - signaling assays 317–318
 - 3D organotypic culture 313
 - cell viability assays 80
 - cephalosporin-based hybrid molecules 457–459
 - cephalosporin-fluoroquinolones hybrid molecules 457
 - cerulenin 454
 - Chagas' disease 137
 - ChEMBL 248
 - chemical proteomics approach 140
 - chemogenomics 16–18
 - chemogenomics-based assays 320–321
 - chemoinformatics 83–84
 - chemoproteomics-based assays 315–317
 - chiral drugs 111
 - 8-(3-chlorostyryl) caffeine 259
 - chronic myelogenous leukemia (CML) 112
 - ciprofloxacin 437, 445, 460
 - cleavable linkers 231
 - cobimetinib 47
 - coltuximab ravtansine 222
 - combinations of drugs 12
 - competent patient 116
 - compound promiscuity 4
 - computational and systematic drug repositioning
 - methods based on genome-wide association study 66
 - methods based on knowledge of side effects 64–65
 - methods based on transcriptomics data 65–66
 - Computational Conformer Selection (CSS) approach 84
 - Connectivity Map (cMap) 88
 - covalent inhibitors 48
 - covalent SMKIs 49
 - COX inhibitors 421–422
 - COX-2/sEH dual inhibitors 269
 - Critical Path initiative 107
 - crystallography/SAR 166–168
 - cyclic guanosine monophosphate (cGMP) 382
 - cyclic nucleotide phosphodiesterases (PDEs) 163
 - cyclooxygenase 2 (COX-2) 216
- d**
- dabrafenib 45
 - Danish University Antidepressant Group (DUAG) 337
 - dapoxetine 57–58
 - dasatinib 59–62
 - depression 261–262
 - diabetes and related metabolic diseases 264–267
 - 1,4-disubstituted aromatic piperidines 172
 - disulfide linked drug conjugates 232
 - DNA-dependent protein kinase (DNA-PK) 173
 - DNA gyrase 435
 - DNA topoisomerase inhibitors 435
 - DNA topoisomerase IV 435
 - docking 82–83
 - doctor and patient 115–116
 - donecopride 486
 - dopamine type 2 (D2) antagonist 249
 - dopamine type 4 (D4) antagonist 249
 - drug conjugates
 - antibody/protein 217–223
 - enhanced permeation and retention 234
 - linker chemistry 229–233
 - polymer 223–229
 - preclinical and clinical development 208
 - small molecule 209
 - targeted delivery 209, 233
 - therapeutic efficacy 233
 - therapeutic opportunities 235

- drug discovery
 - anti-trypanosomatid MTDL, *see* anti-trypanosomatid MTDL
 - concept of selectivity 151
 - GPCRs 135
 - neglected tropical diseases (NTDs) 136–138, 143
 - one-molecule-one-target paradigm 136
 - drug repositioning
 - amoxapine 62–63
 - computational and systematic 64–68
 - dapoxetine 57–58
 - dasatinib 59–62
 - duloxetine 58–59
 - list of repositioned drug 56, 57
 - perspective 68, 73
 - sildenafil 58
 - sunitinib 59–62
 - thalidomide 59
 - drug repurposing 11
 - animal-based screening 80
 - cell-based screening 80–81
 - chemoinformatics 83–84
 - docking 82–83
 - drug-and protein-centric approach 86
 - mining of big data 88–89
 - network pharmacology 86–88
 - protein binding site 84–86
 - target-based screening 81–82
 - drug selectivity 113–114
 - drug targeting 146–149
 - druggable enzymes 434
 - DrugMap Central 87
 - DU-125530 351
 - dual A_{2A} and MAO-B inhibitor 260
 - dual acetylcholinesterase
 - inhibitors-histamine H3 receptor antagonists 297–299
 - dual AChE and MAO-B inhibitors 258
 - dual AChEI and AChEI-induced beta-amyloid aggregation 257
 - dual-action receptor antagonist (DARAs) 373, 375
 - dual aromatase–STS inhibitor 252
 - dual COX-2/LTA₄H inhibitor 268
 - dual FMS/KIT kinase inhibitors 165
 - dual GPR119 and DPP-IV MML 267
 - dual H₃ and SERT modulator 263
 - dual HDAC and IMPDH inhibitors 253
 - dual MMP-1/CatL inhibitors 254
 - dual MMP-2/CA IX inhibitors 255
 - dual NK₁ receptor antagonist 262
 - dual pharmacophores
 - cephalosporin-based hybrid molecules 457–459
 - fluoroquinolizine–rifamycin hybrid drugs 462
 - fluoroquinolone–aminouracil hybrid drugs 461–462
 - fluoroquinolone–oxazolidinone hybrid drugs 459–461
 - limitations and perspectives 463–464
 - dual phosphoinositide 3-kinase (PI3K)/mammalian target of rapamycin (mTOR) inhibitor 43
 - dual PI3K/Tyr kinase inhibitors 167
 - dual SERT and 5-HT_{1A} modulator 261
 - dual TS/DHFR inhibitors 179
 - duloxetine 58–59
- e**
- EC0746 211
 - electroconvulsive therapy (ECT) 337
 - electronic health 115
 - electronic medical records (EMRs) 82
 - endothelial dysfunction 384
 - endothelial growth factor (EGFR) inhibitor imatinib 46, 47
 - endothelin-A receptor (ET_A) antagonists 264
 - endothelin (ET) receptor 372
 - AT₁ receptor 373
 - Merck AII antagonist 372
 - SHR 375
 - DARAs 373, 374
 - enzymatically cleavable linkers 232
 - E-pharmacophore based virtual screening 299–301

- epigenetic relevant chemical space (ERCS) 14–15
- epigenetics 13–14
- erythema nodosum laprosum (ENL) 59
- eukaryotic SMKIs 38
- EZN-2208 228
- f**
- farnesoid X receptor (FXR) 299
- FDA-approved inhibitors 44
- flibanserin 347
- fluoroquinolizine–rifamycin hybrid drugs 462
- fluoroquinolone–aminouracil hybrid drugs 461–462
- fluoroquinolone–oxazolidinone hybrid drugs 459–461
- fluoxetine (Prozac) 58
- folate receptor (FR) positive cells 211
- form fits function 83
- forward pharmacology 79
- fragment-based drug design 250
- frequently used linkers 231
- g**
- γ -secretase and PPAR γ 496–497
- GAPDH 143
- gefitinib 46
- gene surgery 109
- gene therapy 108–110
- Generally Recognized as Safe (GRAS)
- compounds 14
- molecules 14
- glembatumumab vedotin 221
- glufosfamide 214
- glycopeptide- β -lactam hybrid molecules 458
- glycosomal glyceraldehyde-3-phosphate dehydrogenase (*Tb*GAPDH) 140
- glycosomal glycerol kinase (*Tb*GK) 140
- G protein-coupled receptors (GPCRs) 135, 315, 349
- Gram-negative ParE 449
- green fluorescent protein (GFP) 319
- GSK2140944 444
- GyrA amino acids 443
- GyrA/ParC antibacterials 445
- GyrB/ParE inhibitors 446
- Gyrase/topoIV ATPase inhibition and antibacterial activity 447
- h**
- haptophore 147
- h*CB₂R ligands 295–297
- high confidence protein pathways (HCPP) 60
- high content imaging assays 323, 324
- high content screening (HCS) 323
- histamine H₃ receptor antagonists 262
- histone deacetylases (HDACs) 252
- HLA20 485
- HLA20A 485
- 5-HT_{1F} receptor 356
- 5-HT_{2A} receptors 345
- antagonist 349
- inhibition 345
- 5-HT₆ receptor 356
- human acetylcholinesterase (hAChE) 485
- human African trypanosomiasis (HAT) 136
- human AT₁ receptor 370
- human butyrylcholinesterase (huBChE) 485
- human dihydrofolate reductase (hDHFR) 250
- human ether-a-go-go related gene (*hERG*) 349
- human immunodeficiency virus (HIV) 15
- human thymidylate synthase (hTS) 250
- hydrazone based linkers 231
- hydrophobic interactions 372
- hydroxyisoquinolone 437
- 3-hydroxyquinazoline-2,4-dione scaffold 438
- 5-hydroxytryptamine (5-HT) 339

i

ibrutinib 48
 idebenone 493
 idelalisib 48
 imatinib 46, 161
 imidazopyridone 379
in vitro receptor 346
in vivo testing 12–13
 indatuximab ravtansine 222
 individualized medicines 110–112
 inflammation and pain 267–269
 Innovative Medicines Initiative (IMI)
 107
 inosine monophosphate dehydrogenase
 (IMPDH) inhibitors 252
 inotuzumab ozogamicin 221
 irinotecan (CPT-11) 62
 isoniazid 454
 isothiazoloquinolones (ITQs) 436, 437

k

Kaplan–Meier survival analysis 60
 kinase inhibitors 8, 9
 kinase profiling 38–40

l

label-free biosensor techniques 324
 label-free cell phenotypic assays
 324–326
 ladostigil (TV-3,326) 495
 lapachol 139
 lapatinib 46
 leishmaniasis 137
 ligand-based approaches
 fragment-based approach 180
 fragment-based drug discovery
 strategy 170–171
 machine learning 171–173
 mining literature data 183–186
 pharmacophore-based approach
 176–180, 181
 SAR around a lead 173–176
 ligand-based pharmacophore modelling
 276–278
 ligand binding assays 314–315
 ligand binding domain (LBD) 378
 linezolid 460

linked fluoroquinolone-flavonoid
 hybrids 285, 286

linker chemistry
 demands 229–231
 types 231–233

lipid kinase inhibitor 48
 lorvotuzumab mertansine 222
 lovastatin 323
 L-type calcium channel 387

m

machine learning 171–173
 macrolide kinase inhibitors 33
 major depressive disorder (MDD) 337
 MANTRA 88
 MAO-B inhibitor rasagiline 258
 MAO inhibitors 486
 mass spectrometry-based proteomics
 techniques 316
 master key compound 5–8, 10
 matrix metalloproteases (MMPs) 254
 MC 1095, 486
 medium level innovation 114, 115
 melanin-concentrating hormone
 receptor 1 (MCH1 receptor) 162
 melarsoprol 137
 merged multiple-ligands (MMLs)
 Alzheimer's disease 259
 bioactivity data sources 248
 cardiovascular diseases 262–264
 depression 261–262
 diabetes and related metabolic
 diseases 264–267
 fragment-based drug design 250
 inflammation and pain 267–269
 network pharmacology 247
 neurodegenerative diseases 255–256
 oncology 251–255
 Parkinson's disease 260
 polypharmacology 248–249
 protein crystal structures 250–251
 QSAR models 249–250
 rational design of 247
 meta-chlorophenylpiperazine (m-CPP)
 345
 metal chelators 485–486
 metal toxicity 481–483

- mianserin 346
 - miltefosine 137
 - mining literature data 183–186
 - mirtazapine 346, 347
 - mitogen-activated protein kinase 2 (MAP4K2) 304–306
 - M2 muscarinic receptor inhibitors 491–492
 - molecular docking 167–169
 - monoamine oxidase (MAO) inhibitors 256
 - monoamine oxidase inhibitors (MAOIs) 337
 - moxifloxacin 435, 436
 - multi-drug resistance (MDR) proteins 215
 - multi-inhibitors 40
 - multiple ligands 283–285
 - multiple myeloma 59
 - multiplicity of action 433
 - multitarget antiinflammatory drugs 169
 - multi-target directed ligands (MTDLs) 138, 478
 - acetylcholinesterase (AChE) inhibition
 - antioxidants 485
 - catalytic active site 483
 - complex pharmacological profile 492–496
 - MAO inhibitors 486
 - metal chelators 485–486
 - M2 muscarinic receptor inhibitors 491–492
 - NP-61 483
 - peripheral anionic site 483
 - serotonin 5-HT₄ receptor agonist 486–491
 - treatment of AD
 - BACE1 inhibitors/metal chelators 497–498
 - γ -secretase and PPAR γ 496–497
 - muscarinic and σ 1 receptors 498–501
 - multi-target vs. target-specific drugs
 - master key compound 5–8, 10
 - safety panels 8–10
 - multitarget drug design
 - advanced clinical trials 190
 - crystallography/SAR 166–168
 - ligand-based approaches, *see* ligand-based approaches
 - fragment-based approach 163–166
 - molecular docking 167–169
 - phenotypic assays 186–189
 - multitarget 5-HT_{1A}/SERT inhibitors 182
 - multitarget MCH-1 antagonist/DPP-IV inhibitors 181
 - MurD and MurE ligases 453
 - Mur ligase inhibitors 453
 - muscarinic and σ 1 receptors 498–501
 - mycophenolic acid (MPA) 252
- n**
- N-acetylglucosamine poly-ethylene glycol 227
 - N-linked aminopiperidine inhibitors 444
 - N-phenylquinazolin-4-amine hybrids 286–287
 - N¹,N⁸-bisglutathionylspermidine 144
 - NAD(P)H:quinone oxidoreductase 162
 - NanoLuc luciferase 315
 - naphthoquinones 139
 - naphthoquinone- and anthraquinone-derived library 140
 - Natural Language Processing (NLP) techniques 89
 - NBTI 5463, 445
 - neglected tropical diseases (NTDs) 136–138
 - neprilysin *see* neutral endopeptidase (NEP) 387
 - network pharmacology 86–88
 - neurodegenerative diseases 255–256
 - neurofibrillary tangles 481, 482
 - neuroinflammation 481–483
 - neurokinin-1 292, 293
 - neurokinin NK-1 receptor antagonists 261
 - neutral endopeptidase (NEP) 262, 387
 - new chemical entities (NCEs) 348–349
 - new molecular entities (NMEs) 82

- nifurtimox 137
 nilotinib 161
^{99m}Tc based conjugate 214
 nitric oxide (NO) agents
 AT₁ receptor 382–384
 cGMP 382, 383
 vasorelaxing effects 383
 non-benzodiazepine alternative 345
 non-cleavable linkers 233
 non-covalent type I and type II SMKIs
 42, 45–47
 (non-fluoroquinolone) dual inhibitors
 439–445
 non-selective cytochrome P450
 inhibitor 345
 non-serotonin transporter (non-SERT)
 338
 non-SERT, phase 2/3 355–356
 non-steroidal anti-inflammatory drugs
 (NSAIDs) 421
 norepinephrine transporter (NET) 340
 norfloxacin 216
 novobiocin 446
- O**
 obsessive compulsive disorder (OCD)
 345
 omapatrilat 263
 oncology 251–255
 one-molecule-one-target paradigm 136
 osimertinib 48
 oxazolidinone–fluoroquinolone hybrid
 molecules 461
 oxidative stress 384, 481–483
- P**
 paclitaxel poliglumex 226
 pan assay interference compounds
 (PAINS) 4
 pan-inhibitors 40
 Parkinson's disease 260, 501–502
 pathological chaperone 256
 penicillin-binding proteins (PBPs) 451,
 457
 peptidoglycan biosynthesis 451–454
 peripheral dopa decarboxylase
 inhibitors 258
 peroxisome proliferator-activated
 receptors (PPARs) 377
 activities 415
 approved drugs 415, 416
 ARBs 415
 11β-HSD1 423
 COX inhibitors 421
 dual agonists 404–414
 nuclear receptor 397
 PPARα 399
 PPARδ 400
 PPARγ 400
 PTP1B 423
 subtypes 399, 404, 405
 personalized medicine
 APIs 104–105
 competent patient 116
 doctor and patient 115–116
 drug selectivity 113–114
 electronic health 115
 gene therapy 108–110
 individualized medicines 110–112
 medium level innovation 114, 115
 patient in the focus of research 107
 personalized therapy 107–108
 regenerative medicine 110
 roots of 103
 stratified medicines 112–113
 systems pharmacology 105–106
 personalized therapy 107–108
 pharmacophore
 adenosine A_{2A} receptor and
 adenosine transporter
 292–295
 aminobenzimidazoles 295–298
 arylboronic acids 301–304
 basic framework 276
 bradykinin B₁ and B₂ receptors,
 290–292
 computational chemistry 275
 definition 275
 de novo design 280–281
 discovery of multiple ligands
 283–285
 dual acetylcholinesterase inhibitors-
 histamine H₃ receptor
 antagonists 297–299

- E-pharmacophore based virtual screening 299
- ligand-based method 275–278
- limitations 282–283
- linked fluoroquinolone-flavonoid hybrids 285, 286
- mitogen-activated protein kinase 2 (MAP4K2) 304–306
- N*-phenylquinazolin-4-amine hybrids 286–287
- neurokinin-1 292, 293
- phospholipase A2 and human leucotriene A4 hydrolase 287–290
- structure-based method 275, 278–279
- TGF β -activated kinase 1, 304–306
- virtual screening 84, 279–280
- pharmacophore-based approach 176–181
- phenotypic assays 186–189
- 2-phenoxy-1,4-naphtoquinone 139
- phosphodiesterase-5 (PDE5) inhibitor 58
- phosphoinositide-3-kinase(PI3K)/tyrosine kinases dual inhibitors 166
- phospholipase A2 and human leucotriene A4 hydrolase 287–290
- photosensitizers 216
- PI103 175
- PI3K/mTOR dual inhibitors 175
- PI3Kinase-related kinase (PIKK) 173
- pimavanserin 355
- platelet-derived growth factor receptor (PDGFR) 38
- platencin 454
- platensimycin 456
- Plexikon kinase inhibitors 165
- poly-L-glutamate camptothecin 227
- polymer-drug conjugates
 - chances and challenges 223–225
 - examples 226–229
- polypharmacology 248, 249, 315
 - charting the epigenetic relevant chemical space 14–15
 - chemical wilderness 4
 - chemogenomics 16–18
 - combinations of drugs 12
 - compound promiscuity 4
 - data mining 20
 - description 3
 - drug repurposing 11, 20
 - dual-face 5
 - epigenetics 13–14
 - fingerprints 21
 - HIV-infections 15
 - in vivo* testing 12–13
 - PAINS 4
 - polypharmacy 4
 - promiscuity 4
 - proteochemometric modeling 19
 - structure multiple-activity relationships 17–19
 - systems pharmacology 21
 - target fishing 19–20
- polypharmacy 4
- polysomnographic (PSG) effects 347
- post-biotech pharma 112
- PPAR α 399, 401
- PPAR δ 400
- PPAR δ/β 400
- PPAR γ 400, 401
- prokaryotic kinase inhibitors 38
- proliferator-activated receptor- γ (PPAR γ)
 - antagonism 377
 - AT₁ antagonist 378
 - AT₁ receptor 377
 - crystal structure of 379
 - imidazopyridone 379
 - LBD 378
 - ZDF 379
- promiscuity 4
- promiscuous inhibitors 40
- prostate specific membrane antigen (PSMA) 214
- protein binding site 84–86
- protein crystal structures 250–251
- protein data bank (PDB) 248
- protein–protein interactions (PPIs) 88, 319
- protein traffic disorders 319
- protein trafficking assays 319–320
- protein translocation 320

protein tyrosine phosphatase 1B
(PTP1B) 423
 proteochemometric (PCM) modeling
19
 PSN-602 267
 PubChem BioAssay 248
 Pyrazolopyridine 380
 pyrimidoindoles 451
 pyrrolopyrimidines 449

q

quantitative structure activity
relationships (QSAR) models
249–250
 quercetin 174
 quinolones 435
 quinolyl propyl piperidine (QPP)
scaffold 439, 440
 quinone-coumarin hybrids 146

r

radioisotope-labeled ATP 40
 receptor antagonists 372
 reduced folate carrier (RFC) 211
 regenerative medicine 110
 renal antihypertensive rats (RHR)
376
 renin-angiotensin-aldosterone system
(RAAS) 369
 renin/angiotensin system (RAS) 415
 reporter gene assays 322
 representative GSK NBTIs 442
 rhinovirus (RHV) coat protein 85
 rifamycin 462
 Robalzotan 261, 351
 ruxolitinib 47

s

safety panels 8–10
 Sartans 415
 selective MAO-B inhibitors 258
 selective optimization of side activities
(SOSA) 162
 selective serotonin reuptake inhibitors
(SSRIs) 337–339
 DUAG comparisons of clomipramine
338

selumetinib 43
 serotonergic antidepressants
clinical experiments
5-HT transporter-based multiple
ligands 337
 SSRIs and 5-HT_{1A}
agonists/antagonists 350–352
 SSRIs and 5-HT_{2A} receptor
352–355
 multiple serotonergic mechanisms
trazodone 343
 vilazodone 343
 vortioxetine 343
 NET 340
 non-SERT, phase 2/3 355–356
 serotonergic compounds 347–348
 SERT 339–340
 SSRI improvement 338–339
 serotonin antagonist-reuptake inhibitor
(SARI) 343
 serotonin 5-HT₄ receptor agonist
486–491
 serotonin-reuptake inhibitor (SSRI) 57
 serotonin transporter (SERT) *see*
selective serotonin reuptake
inhibitors (SSRIs)
 signaling assays 317–318
 sildenafil 58
 similarity ensemble approach (SEA)
249
 single pharmacophore molecules
bacterial DNA gyrase and
topoisomerase IV 434–451
 peptidoglycan biosynthesis 451–454
 type II fatty acid synthases 454–456
 small molecule drug conjugates
chances and challenges 209–210
 examples 210–217
 small-molecule kinase inhibitors
(SMKIs)
approved, 36, 43–45 48
 definition and quantification of
selectivity levels,
40–43
 kinase profiling, 38–40
 macrolide 33
 prokaryotic 38

- selective 40
 - unexplored chemical spaces 49
 - small molecule STAT-3 SH2 inhibitors 162
 - soluble Epoxide Hydrolase (sEH) 250
 - sorafenib 170
 - S. pneumoniae* ParC 439
 - S. pneumoniae* topoIV 438
 - spontaneously hypertensive rat (SHR) model 375
 - staurosporine 41, 43
 - steroid sulfatase (STS) enzyme 251
 - STI-571 165
 - 3D stochastic optical reconstruction microscopy (3D STORM) 319
 - stratified medicines 112–113
 - stress urinary incontinence (SUI) 58–59
 - structure-activity similarity (SAS) maps 19
 - structure-based pharmacophore modelling 278–279
 - sunitinib 59–62
 - synthetic flavone LY294002 173
 - systems pharmacology 21, 105–106
- t**
- Takeda G-protein coupled receptor-5 (TGR-5) 299
 - target-based screening 81–82
 - targeted drugs 138
 - target fishing 19–20
 - TCA clomipramine 340
 - T-cell lymphoma. Topoisomerase I (TopoI) 252
 - telmisartan 377, 415
 - tetrahydropyran (THP)-based dual topoisomerase inhibitors 442
 - TGF β -activated kinase 1 (TAK1) 304–306
 - thalidomide 59
 - thiolactomycin 454
 - thymidylate synthase (TS)/dihydrofolate reductase (DHFR) dual inhibitors 177
 - tofacitinib 47
 - toxophores 147
 - trametinib 47
 - trastuzumab emtansine 220
 - trazodone 343
 - triclosan 454
 - tricyclic antidepressants (TCAs) 337, 340
 - TriTryp genome 142
 - trivalent drug conjugate EC0225 211
 - TROLOXTM 485
 - Trypanosomatidae* 147
 - trypanosomatid enzymes 142
 - type II fatty acid synthases 454–456
 - type II inhibitor gefitinib 45
 - type II inhibitor imatinib 45
 - type III allosteric mitogen-activated protein kinase (MAPK)/extracellular signal-regulated kinase (ERK) kinase 43
 - tyrosine kinase inhibitors (TKIs) 112, 161
- u**
- UDP-MurNAc 452
 - UDP-*N*-acetylmuramoyl (UDP-MurNAc)-pentapeptide (Park's nucleotide) 452
 - United States Food and Drug Administration (FDA) 337
- v**
- vancomycin 458
 - vandetanib 186
 - vemurafenib 45, 165
 - vilazodone 343
 - Vintafolide 211
 - virtual screening 279–280
 - VisANT 87
 - vortioxetine 343
- w**
- whole-cell patch-clamp electrophysiology 318
- z**
- Zucker diabetic fatty rat (ZDF) model 379

