

Index

a

- ABL1 non-receptor tyrosine kinase 381
- N-acetylglucosamine (GlcNAc)* 40
- actin 10
- ActiveModules 18
- active relocation sensors 296, 303–304
- adaptor proteins 267
- aerobically and anaerobically grown *E. coli*
- Ageing Gene Database (GenAge) 250
- aging
 - antagonistic pleiotropy theory 246
 - bioinformatics approach 261
 - biological theories 245
 - biotechnological capacity 245
 - by-product of life 246
 - carbonylated proteins 248
 - *Caulobacter crescentus* 246
 - cell death 257
 - cell division 257
 - cell growth 256
 - cellular manifestation of 244
 - components 247
 - damage accumulation 247
 - damaged proteins 248
 - Darwin's evolutionary theory 245
 - databases 249
 - definition 244
 - disposable soma theory 246
 - ERCs 247
 - Error Catastrophe theory 248
 - *Escherichia coli* 246
 - hazardous by-products 247
 - inherent stochasticity of the process 244
 - kinetic rate constant 261
 - lack of comprehensiveness 244
 - mathematical modeling 249
 - model organisms 244
 - mutation accumulation theory 246

36

- radical free theory 248
- reactive oxygen species 247
- single-celled eukaryote baker's yeast
Saccharomyces cerevisiae 246
- aI1 and aI2 encode reverse transcriptases 368
- aI1 and aI2 self-splicing introns 368
- Akaike Information Criterion (AIC) 330
- AKDGm 156
- aldehyde dehydrogenases (ALDH) 102
- amino acid production 41
- anaplerotic pyruvate carboxylase flux 33
- Animal Ageing and Longevity Database (AnAge) 250
- animal disease models 379
- antagonistic pleiotropy theory 246
- antibiotic(s) 201
- antibiotic adjuvants 150
- anti-cancer prodrug CPT-11 206
- antigen-specific effector 282
- antimicrobial peptides (AMPs) 202
- application programming interface (API) 330
- Arivis 327
- ArtPathDesign 128
- Ashbya gossypii* 41
- Atlas of Gene Expression in Mouse Aging Project (AGEMAP) 251
- autocrine signaling 346
- autoimmune disorders 197
- autoimmune encephalitis 281

b

- bacterial quorum-sensing signal (AI-3) 202
- bacteriocin Abp118 202
- B-cell activating factors (BAFF) 267
- bcr-abl fusion gene 381
- BCR-ABL1 fusion protein 381
- BigDataViewer 327
- bile acids 203

- bile salt hydrolase (BSH) 204
 bi-level MOMA (BiMOMA) 127
 bimolecular fluorescence complementation 305–306
 binning 9
 bioassays 2
 biofilm production 147, 148
 biomass production 111
 BLAST 75
 bleomycin 368
 branching morphogenesis – image-based model selection 331–333
 – key signaling proteins 331
 – kidney 331
 – mouse lung development 331
 BRENDAs 110
 (E)-5-(2-bromovinyl)-uracil 206
Burkholderia cenocepacia 197
Burkholderia dolosa 197
 1,4-butanediol (BDO) 102–103
- c**
 C16G2 202
 Calvin–Benson–Bassham cycle 38
 cameleon 300
 cancer genome atlas 18
 carbonylated proteins 248
 cardiovascular diseases 196
 CASINO toolbox 181–182
 Cas-OFFinder 375
 Cas9 proteins 372
 CATMAID 327
 Cb11b^+ Gr1 $^+$ myeloid cells 348
 ^{13}C -bicarbonate labeling experiments 38
 $^{12}\text{C}/^{13}\text{C}$ possesses 2^N isotopomers 30
 CD4 $^+$ T-cells 346
C. elegans' genome 352
 cell circuits 353
 cell division 259
 Centers for Disease Control and Prevention (CDC) 146
 $^{13}\text{CFLUX}$ 30
 $[1\text{-}^{13}\text{C}]$ glucose 32
 $[1,2\text{-}^{13}\text{C}_2]$ glucose 33
 ChEBI database 219
 Chinese hamster ovary (CHO) cells 39
 ChIP-seq 375
 chronic inflammatory processes 266
 ^{13}C INST-MFA 35
 cipher of evolutionary design (CiED) 127
 the citric acid cycle (CAC) 39
Clostridium difficile (CDAD) 194
 cofactor modification analysis (CMA) 98
 cofactor specificity engineering (CSE) 128
- collective bacterial resistance 345
 combinatorial complexity 237
 Community And Systems-level Interactive Optimization (CASINO) toolbox 181
 computation of microbial ecosystems in time and space (COMETS) 178
 conditional essentiality 144
 confocal fluorescent microscopy 324, 325
 conjugated bile acids (CBAs) 203
 constraint-based reconstruction and analysis (COBRA) 110, 173
 contextualised reactions 224
Corynebacterium glutamicum 36
 CRISPR activation 378–379
 CRISPR-Cas gene editing tool arsenal 379
 CRISPR-Cas9 system 370
 CRISPR interference 378
 CRISPR nuclease genome-wide loss-of-function screens (CRISPRn) 377–378
 cryptic genetic risk factors 156
 cyclic Adenosine Mono-Phosphate (cAMP) 343, 348, 357
 cytokines 275
 Cytoscape plugin BinGO 16
- d**
Dehalococcoides ethenogenes 39
 deuterated water strategy 45
 Dietary Restriction Gene Database (GenDR) 250
 Digenome-seq method 375
 Digital Ageing Atlas (DAA) 250
 dimerization dependent FP 306–307
 disease psoriatic arthritis (PsA) 197
 disposable soma theory 246
 DNA alterations 367–368
 d-OptCom 181
 double stranded oligonucleotide (dsODN) 376
 DrugBank 146
 drug combination treatments 149
 drug development pipeline – cancer 152
 – capital investment 140
 – drug combination treatments 149
 – drug off-target binding 145
 – eukaryotic community models 156
 – flux balance analysis 141–142
 – flux variability analysis 142
 – genome-scale metabolic network reconstructions 140–141
 – host-pathogen community models 155–156

- human metabolic network reconstruction 152
- metabolic diseases 153
- metabolic network reconstructions 140
- metabolic reconstructions 147
- microbial reconstructions 146–147
- negative side-effects 145
- personalized medicine 156–157
- sensitivity to antibiotics 150
- stages 140
- target identification 143–145
- toxicity and other side effects 145, 154–155
- toxicity screens 150–151
- virtual drug screens 149
- drug off-target binding 145
- drug toxicity 206
- dually phosphorylated proteins 223
- dynamical quorum sensing 348
- dynamic multispecies metabolic modeling (DMMM) 178
- DySScO 103

- e**
- EcoCyc–18.0 database 114
- EcoCyc-18.0-GEM* 114
- E. coli*, *see* *Escherichia coli* (*E. coli*) 109
- E. coli* cell factories
 - cofactor specificity engineering 128
 - flux response analysis 128
 - GEM-guided metabolic engineering approach 115, 116
 - gene deletions 127
 - gene insertions 128
 - gene insertions tab2 117
 - gene up-/down-regulation 127
 - model-guided strain designs 115–117
 - multiple genetic interventions 115
- E. coli* GEMs and network characteristics 112, 113
- E. coli* metabolic modeling
 - genome-scale model 112
 - pre-genomic era models 111
- E. coli* metabolic phenotype 111
- ecological models
 - additional dimensions 171
 - advantages and disadvantages 171
 - evolutionary game theory 170
 - generalized predator-prey equations 169
- electrophoretic mobility shift assay (EMSA) 268
- elemental reactions 224

- elementary flux mode analysis 111
- elementary metabolite unit (EMU) 30
- Emden–Meyerhof–Parnas* pathway (EMP) 36
- EMFilter 148
- EMILiO 92
- EMU basis vector (EMU-BV) 33
- endogenous relocation sensors 301–302
- endonuclease Fok1 369
- enhancing metabolism with iterative linear optimization (EMILiO) 127
- Enterotoxigenic Bacteroides fragilis* 196
- Entner–Doudoroff* (ED) pathway 36
- entropy of population 358
- ENZYME 110
- epidermal growth factor (EGF) 276
- epi-fluorescence microscopy 294
- Error Catastrophe theory 248
- Escherichia coli* 109
- Escherichia coli* strain NC101 196
- eukaryotic community models 156
- evolutionary game theory (EGT) 170
- extrachromosomal ribosomal DNA circles (ERCs) 247, 252, 254
- extreme pathway analysis 111

- f**
- FastPros 127
- FASTX toolkit 9
- Feasible space constraint (FaceCon) 99
- FGF10 signaling 331
- FitzHugh–Nagumo (FHN) model 356, 357
- flow cytometry 291
- fluorescence cross-correlation spectroscopy (FCCS) 324
- fluorescence lifetime imaging (FLIM) 300
- fluorescence recovery after photobleaching (FRAP) 324
- fluorescent fusion proteins 269
- fluorescently-tagged protein 324
- fluorescent proteins 295
- flux balance analysis (FBA) 78, 111, 141–142, 173
- flux balance analysis with molecular crowding (FBAwMC) 130
- flux uncertainty analysis 31
- flux variability analysis (FVA) 79, 142
- Förster Resonance Energy Transfer (FRET) 298, 299
- French Flag model 319
- FRET biosensors 304
- fuel oxidation and anaplerosis 48
- Fusobacterium nucleatum* 196

g

- GABAergic neurons 156
- GC-combustion-isotope ratio mass spectrometry (GC-C-IRMS) 54
- GDBB 92
- GEM-Path 128
- gene editing nuclease technologies
 - nuclease-induced DNA damage repair 372–373
 - nuclease specificity 373–376
- Gene Ontology (GO) 13
- gene–protein-reaction (GPR) relationships 141, 172
- gene/reaction essentiality 143
- gene set(s) 18
- gene set analysis (GSA) 12
- gene set overenrichment tests 16
- gene therapy 379–380
- genetic design by local search (GDLS) 127
- genetic design through branch and bound (GDBB) 127
- genetic design through multi-objective optimization (GDMO) 127
- genome databases 18
- genome-engineering nucleases
 - chromosomal rearrangements using CRISPR-Cas 383–384
 - first disease-related translocation 380–382
 - mechanism of chromosomal rearrangements 382
- genome resequencing 11
- genome-scale 13C MFA 51
- genome-scale metabolic (GSM) models 14, 220
 - advantages and disadvantages 182
 - applications 172–174
 - bilevel optimization 179–183
 - chemostat co-culture 177
 - community mass balance 177
 - constraint-based model 77–79
 - current challenges and future directions 182–183
 - draft metabolic network curation 73, 75
 - draft metabolic network generation 74, 75
 - genetic manipulations 81–83
 - microbial communities 174
 - mixed integer linear programming 176
 - multispecies models 177–178
 - Pareto optimality 176
 - predicting interactions using FBA 175
 - reconciliation 79–81
 - spatial and temporal modeling of communities 178–179

genome-scale metabolic reconstructions

- (GENReS) 14
- genome scale QlMs 220
- genome-wide CRISPRn screen 377
- Geobacter metallireducens* 39
- GEROPROTECTORS 251
- GiGa 18
- GlcNAc-6-phosphate 40
- GlcNAc productivity 40
- gluconeogenesis (GNG) 44
- glucose-stimulated insulin secretion (GSIS) 49

glycogenolysis (GLY) 44

- GORilla 17
- granulocyte colony-stimulating factor 275
- ‘growth-coupled’ strain designs 127
- growth-dependent biomass equation 111
- GUIDE-seq 376
- gut diseases 194

h

- Haemophilus influenza* 197
- HaplotypeCaller 11
- Hedgehog and Notch signaling pathways 290
- high fidelity homology-directed repair (HDR) 372
- high-throughput MFA 53
- histone H3K27 379
- host–pathogen community models 155–156
- Human Ageing Genomic Resources (HAGR) 250
- human microbiome 164
 - antibiotics 201
 - antimicrobial peptides 202
 - autoimmune disorders 197
 - bile acids 203
 - cardiovascular diseases 196
 - drug delivery and release 205–206
 - drug toxicity 206
 - gastrointestinal tract 192
 - gut diseases 194
 - host physiology 192
 - immune modulators 206
 - lung diseases 197
 - lung microbiome 194
 - metabolic disorders 196
 - metabolic enzymes 204–205
 - metabolite receptors 204
 - metagenomics 192
 - multi-omics analyses 192
 - nasal–sinus diseases 194
 - oral microbiome 193
 - prebiotics 198
 - probiotics 200

- short-chain fatty acids 203
- signaling inhibitors 202–203
- skin diseases 197
- synthetic commensal microbes 207
- urogenital microbiome 193
- vaginal microbiome 193
- Human Microbiome Project (HMP) 192
- human microbiota 164
- Huygens deconvolution 327
- 2-hydroxyglutarate (2-HG) 48

- i*
- iAF1260* 112
- iAF1260 GEM* 114
- iCA1273* 114
- iJE660* 112
- iJO1336* 114
- iJR904* 112
- IκB kinase complex 267
- IκB proteins 268
- IL-2 353
- IL6 and IL10 receptors 276
- Illumina sequencing technique 5
- image-based *in silico* models
 - biological systems 320
 - biological tissues 320
 - branching morphogenesis, *see* branching morphogenesis 331
 - computational simulations of models 328–329
 - embryonic domains 320
 - fine sub-structures 319
 - fluorescence cross-correlation spectroscopy 324
 - fluorescence recovery after photobleaching 324
 - fluorescently-tagged protein 324
 - French Flag model 319
 - growing organ imaging 324, 325
 - growing tissue 320
 - image analysis and quantification 326
 - image-based parameter estimation 329
 - indirect experiments 320
 - *in silico* model validation 329–330
 - *in situ* hybridization probes 323
 - literature-based generation and analysis 321
 - mammalian regulatory networks 323
 - mathematical modeling 320
 - mRNAs 323
 - organ morphogenesis 320
 - organogenesis 322–323
 - patterns and anisotropies 319
 - protein production rates 323
- SBML 330
- signal gradients 319
- symmetry breaking mechanism 319
- unstable fluorescent protein 323
- image-based parameter estimation 329
- imatinib 381
- immune modulators 206
- immune response
 - antiviral treatments 265
 - B-cell activating factors 267
 - chronic inflammatory processes 266
 - crosstalk with other immune pathways 279
 - damped harmonic oscillator 269
 - dynamics of T cells 265
 - feedback inhibition 269
 - fluorescent fusion proteins 269
 - IκB kinase complex 267
 - IκB proteins 268
 - immunobiology 274
 - interferons 274
 - intracellular signaling pathways 266
 - Janus Kinase protein family 274
 - lymphotoxin B 267
 - mathematical modeling 265
 - minimal models of STAT activation dynamics 277
 - modeling of STAT signaling 276
 - multiplicity and crosstalk in JAK/STAT signaling 275
 - NF-κB proteins 266
 - NF-κB regulatory modules 268
 - NF-κB signaling pathway 266
 - NF-κB transcriptional regulators 266
 - oscillatory behavior 265
 - population dynamics 281
 - quantitative RT-PCR analysis 272
 - regulation of the JAK/STAT pathway 274
 - relapse-remitting behavior 266
 - Rel protein 267
 - single cell nuclear-to-cytosolic ratio 271
 - STAT family 273
 - 3T3 mouse fibroblast cells 273
 - time-lapse confocal images 271
 - time-lapse live microscopy 273
 - time-lapse single-cell analysis 270
 - TNF-α pulses 268
 - transient activation 272
 - transient bacterial lipopolysaccharides 272
 - ubiquitin-editing activity 271
 - underdamped oscillations 270
 - virus-host interaction 265
 - zinc-finger protein A20 270
- immune system 265
- immunobiology 274

- inborn errors of metabolism (IEMs) 42
- indole-secreting bacterial system 346
- information transfer networks
 - accuracy 229
 - biotechnology and biomedicine 215
 - bipartite representation 227
 - bottom-up approach 215
 - cellular networks 215
 - complexity inflation 227
 - comprehensiveness 229
 - contextualised reactions 224
 - disjunct microstates 225, 226
 - elemental reactions 224, 227
 - elemental states 222
 - executable model 229
 - functional test 230
 - machine readable 229
 - mass transfer 225
 - mechanistically detailed network model 216
 - mechanistic information 227
 - mesoscopic states 223
 - microstate(s) 222
 - microstate models 225
 - network inference 216
 - network reconstruction 216
 - nondisjunct sets 227
 - nondisjunct state sets 225, 226, 229
 - physiological and genetic data 225
 - potential 219–222
 - protein (de)phosphorylation 222
 - qualitative network model 216, 218
 - quantitative analysis 234
 - reaction-contingency based approach 228, 229
 - reusability 229
 - rxncon language 230, 231
 - SBGN language 228
 - single state approximation 227
 - state variables 222
 - top-down approach 215
- in silico* drug target predictions 147
- in silico* experiments 329
- in silico* gene essentiality screens 147, 148
- integrative analysis 2
- interferons 275
- interleukin 6 (IL6) 275
- interleukin 10 (IL10) 275
- intron-encoded endonuclease 368
- IonTorrent platform 5
- isobutanol 115
- isobutanol tab2 117
- isocitrate dehydrogenase (IDH) 50
- isotope labeling experiments 32
- isotope tracers 27
- isotopically nonstationary MFA (INST MFA) 34
- isotopomer/cumomer variables 30
- j**
- JAK/STAT 274
- JAK/STAT3 274
- Janus Kinase (JAK) protein family 274
- JenAge Ageing Factor Database (AgeFactDB) 251
- juxtacrine signaling 347, 349
- k**
- K-12 MG1655 strain 114
- k-OptForce 129
- Krüppel-associated box (KRAB) domain 370
- Kyoto Encyclopedia of Genes and Genomes (KEGG) 13, 75, 110, 219
- l**
- Lactobacilli 200
- large-scale proteomics data 5
- leukemia inhibitory factor (LIF) 275
- light-sheet fluorescence microscopy (LSFM) 326
- linear programming (LP) techniques 111
- lipidomics 4
- live-cell imaging 292
- Longevity Map Database 250
- Lucy–Richardson algorithm 327
- lung microbiome 194
- lymphotoxin B 267
- m**
- macroscopic multicellular system 344
- malfunctioning proteins 254
- malic enzyme (ME) 38
- marine microbial communities 164
- mass cytometry 291
- mass spectrometry 292
- mass transfer networks (MTNs) 219, 237
- mechanistically detailed network model 216
- metabolic disorders 196
- metabolic enzymes 204–205
- ¹³C metabolic flux analysis (MFA)
 - bottleneck identification 41
 - cancer cell metabolism 47–48
 - elementary metabolite unit 30
 - flux determination 28–29
 - flux uncertainty analysis 31
 - genome-scale 51–52
 - high-throughput 53
 - host characterization 36–39

- industrial bioprocesses 53–54
 - isotope labeling experiments 32–34
 - isotope tracers 26–28
 - isotopically nonstationary MFA 34–35
 - liver glucose and oxidative metabolism 43–46
 - measurement strategy 52
 - metabolic flux 25–26
 - multiple tracers, co-culture MFA, dynamic MFA 50–51
 - omics measurements 54
 - pancreas, brain, muscle, adipose, and immune cells 49–50
 - yield losses and futile cycles 39–40
 - metabolic flux ratio (METAFoR) analysis 38
 - metabolic reconstruction facilitated rational drug target identification
 - biomass production 147
 - metabolite-centric targeting 148–149
 - virulence factors 147
 - metabolic transformation algorithm (MTA) 153
 - metabolite-centric targeting 148–149
 - metabolite essentiality 143
 - metabolite receptors 204
 - metabolomics 4
 - MetaCyc 75
 - MetaFluxNet 112
 - METAFoR analysis 53
 - metagenome-scale model (MetaGSM) 174
 - metagenomics 165, 192
 - MetaGSMs 174
 - Michaelis–Menten kinetics 235
 - microarray technology 6
 - microbial communities
 - definition 163
 - ecological models 168
 - genome-scale metabolic models 172
 - human microbiota 164
 - marine 164
 - model structures 165
 - quantitative approaches 166
 - soil 164
 - virtually omnipresent 164
 - microbial metabolism 173
 - microfluidic devices 311
 - minimization of metabolic adjustment (MOMA) 82, 111
 - Mitochondria, Aberrant proteins, Radicals and Scavengers (MARS) model 253
 - mitochondrial DNA (mtDNA) 256
 - mitochondrial pyruvate carrier (MPC) 48
 - Mitogen Activated Protein Kinase (MAPK) pathway 290
 - Mitointeractome Database 251
 - modularity 344
 - mRNA transcription 307–308
 - MS-based proteomics 6
 - multicellular systems
 - Avogadro number of gas particles 359
 - cell-cell interaction 346–349
 - cell populations 352–355
 - combinatorial possibilities 350–352
 - distinct functional and spatial modules 342–346
 - macroscopic parameters 359, 360
 - myriad connections 359
 - quantitative design principles 341–342
 - statistical biology 361
 - statistical mechanics 361
 - thermodynamics of gases 359
 - tuning multicellular behaviors 355–358
 - multimeric crRNA-Cas ribonucleoprotein complex 371
 - multi-omics analyses 192
 - mutation accumulation theory 246
 - myelin oligodendrocyte glycoprotein (MOG) 281
- n**
- National Center for Biotechnology Information (NCBI) 152
 - nasal-sinus diseases 194
 - network reconstruction 216
 - next generation sequencing (NGS) technology 5
 - NF-κB proteins 266
 - NF-κB regulatory modules 268
 - NF-κB signaling pathway 266
 - NGS QC Toolkit 9
 - Notch–Delta communication system 349
 - Notch–Delta signaling pathway 349
 - Notch–Hes1 crosstalk 281
 - N-terminal amino acids 275
 - Nuclear Export Sequence (NES) 296
 - Nuclear Factor-κB pathway (NF-κB) 290
 - Nuclear Localization Sequence (NLS) 296
 - nuclease-induced DNA damage repair 372–373
- o**
- oligonucleotides 368
 - omics data
 - biological information 3
 - biological systems 1
 - data integration 3
 - data processing 3
 - data reliability 18

- omics data (*contd.*)
 - data resources containing gene sets 13
 - gene ontology 13
 - gene set overenrichment tests 16
 - genome-scale metabolic reconstructions 14
 - integrative analysis 2
 - key methods for processing 7
 - Kyoto encyclopedia of genes and genomes 13
 - measurement platforms 5–6
 - networks and network topology 17–18
 - normalization 10
 - quality assessment 7
 - quantification 9
 - rank-based enrichment tests 16–17
 - standardization of databases 19
 - statistical analysis 11
 - transcriptomics 3
 - types 4–5
- oncometabolite 47
- OP-Synthetic 128
- OptCom 179
- OptForce 97
- OptGene 92, 127
- optical projection tomography (OPT) 324
- OptKnock 94
- OptORF 97
- OptReg 127
- OptSwap 98
- oral microbiome 193
- oxidative pentose phosphate pathway (OPPP) flux 33
- oxidative phosphorylation (OXPHOS) 39

- p**
- Pacific Bioscience (PacBio) 6
- paracrine signaling 348
- passive relocation sensors 296, 302
- PEP carboxylase (PEPC) 41
- personalized medicine 156–157
- phosphoenolpyruvate (PEP) 38
- phototrophic bacteria 38
- platelet-derived growth factor (PDGF) 276
- positive-feedback mediated secrete-and-sense cells 358
- prebiotics 198
- precursor CRISPR RNA (pre-crRNA) 370
- probabilistic regulation of metabolism (PROM) 129
- probiotics 200
- 1-propanol 115
- 1-propanol tab2 117

- s**
- protein inhibitors of activated stats (PIAS) 275
- protein (de)phosphorylation 222
- protein–protein interactions
 - bimolecular fluorescence complementation 305–306
 - FRET 305
- protein relocation 308, 311
- protein synthesis 308
- protein tyrosine phosphatases (PTPs) 275
- proteomics 5
- protospacer(s) 370
- protospacer adjacent motif (PAM) 372
- Pseudomonas aeruginosa* 197
- pSTAT1 and SOCS1 proteins 279
- pyruvate carboxylase (PYC) 41

- q**
- qualitative network model (QIM) 216, 218
- quorum sensing 348

- r**
- radical free theory 248
- rank-based enrichment tests 16–17
- Ras signaling 275
- ReacKnock 127
- reactive oxygen species (ROS) 247
- reconstruction language 219
- regulation of the JAK/STAT pathway 274
- regulatory on/off minimization (ROOM) 111
- Relative Change (RELATCH) 83
- relocation sensors 296
- Rel protein 267
- repeat variable diresidue (RVD) 369
- RetroPath 128
- riboflavin-producing *Bacillus subtilis* 36
- ribosomal proteins 10
- RobustKnock 127
- ruxolitinib 274
- RVD-to-protein code 369

- s**
- secrete-and-sense cells 356
- self-splicing introns 368
- sensitivity analysis algorithm 31
- sequence-based transcriptomics 10
- sgRNA Scorer 373
- Shewanella* spp. 39
- shikimate 115
- shikimate tab2 117
- short-chain fatty acids (SCFAs) 203
- signaling inhibitors 202–203

- signal transduction
 – description 289
 – enzymatic activity 301–304
 – epi-fluorescence microscopy 294
 – fluorescent proteins 295
 – FRET 298, 299
 – Hedgehog and Notch signaling pathways 290
 – MAP kinase kinase 290
 – (NF- κ B) 290
 – nutrient sensing 290
 – protein-protein interactions 304
 – protein synthesis measurement 307, 308
 – relocation sensors 296
 – single cell measurement techniques 291–293
 – small molecules 300
 – stress response pathways 290
 – surface proteins 289
- SimOptStrain 128
- simple multicellular systems 350
- single cell measurement techniques
 – flow cytometry 291
 – live-cell imaging 292
 – mass cytometry 291
 – mass spectrometry 292
 – single cell transcriptomics 292
- single cell transcriptomics 292
- single guide RNA (sgRNA) 372
- single-molecule real-time (SMRT) sequencing 374
- single nucleotide polymorphisms (SNPs) 4
- skin microbiota 197
- soil amoebae *Dictyostelium discoideum* 346
- soil microbial communities 164
- statistical biology 361
- stoichiometric matrix 110
- strain design algorithms
 – bilevel optimization 84, 92
 – chemical production 83
 – cofactor changes 98
 – gene additions 94, 96
 – gene over/under-expression 95–98
 – gene/reaction deletions 94
 – multiple design criteria 99
- strain-specific GEMs* 114–115
- strains co-utilizing sugars 100–102
- strains producing 1,4-butanediol 102–103
- strains producing lactate 100, 101
- suppressors of cytokine signaling (SOCS) 275
- synthetic commensal microbes 207
- synthetic lethality 143
- Systems Biology Graphical Notation (SBGN) 218
- Systems Biology Markup Language (SBML) 218, 330
- systems biology research methodology 1
- t**
- TALE DNA-binding domain (DBD) 369
- TAL effector nucleases (TALENs) 370
- thuricin CD 202
- time-lapse confocal images 271
- time-lapse microscopy 294
- time-lapse single-cell analysis 270
- TNF-neutralizing antibodies 274
- tofacitinib 274
- toxicity screens 150–151
- trans-activating crRNA (tracrRNA) 371
- transcription activator-like effectors (TALEs) 369
- transcriptomics 3, 5
- transient bacterial lipopolysaccharides (LPS) 272
- t(9;22)(q34;q11) translocation 381
- TRIF and MyD88 adaptor proteins 273
- turing mechanism 333, 334
- type I interferons 275
- type II CRISPR-Cas system 371
- u**
- [U- 13 C₆]glucose 32
- [U- 13 C₅]glutamine 33
- UnifiedGenoTyper 11
- unphosphorylated STAT1 277
- unstable fluorescent protein 323
- urogenital microbiome 193
- v**
- vaginal microbiome 193
- virtual drug screens 149
- virulence factors 147
- x**
- xylitol 115
- xylitol tab2 117
- y**
- yeast mobile group II introns 368
- z**
- zinc-finger nucleases 369
- zinc-finger protein A20 270

