

Index

a

- abrasion 213
- absorbance mode 400
- absorption wavelength 401
- acetylene formation 263, 280
- acid–base interactions 15, 48–50
- acid chlorides 137
- acrylic acid 105, 323, 325, 341
 - plasma polymerization with 303
- acrylonitrile-butadiene-styrene (ABS)
 - copolymers 20
 - chromic acid treatment of 21
 - interdiffusion of metal into 25
- addition reaction 343
- adhesion
 - defined 13
 - mechanism of 14
 - phenomena, interpretation of 13–72
 - of polymers 13
 - promoting plasma copolymers 6
 - theory 1
- adhesion promotion 287, 361
 - of thick layers 289
- adhesion-promoting effect
 - of aliphatic diol spacers 358
- adhesion-promoting polymer layers
 - 259–290
 - abnormal side-reactions 278–281
 - historical development of 261–263
 - plasma polymerization, mechanisms of 275–278
 - plasma polymers, structure of 281–286
 - plasma pulsed polymerization 267
 - plasma wattage influence in chemical structure 263–265
 - pressure-pulsed plasma 267–271
 - pulsed plasma copolymerization 271–274
- adhesives 59–69
- alanine 347
- aliphatic chains
 - bromination of 306
 - chemical bonds reaction during pretreatment 119–121
- aliphatic layers 412
- aliphatics
 - chlorination of 317
- aliphatic spacers 337
 - and adhesion strength of Al layers 337
 - peel strength of 339
- alkaline alkoxides 344
- alkanes
 - bromination of 306
- alkyl halides 151
- allophanate groups, formation of 63
- allyl alcohol 324, 341, 346
 - plasma polymerization with 303
- allylamine 325, 338, 341
 - plasma polymerization with 303
- allyl bromide 319
 - plasma deposition of 303, 312, 314
 - plasma polymerization of 324
- Al-polyethylene system
 - adhesion improvement of 337
- Al-polyolefin 366–367

- Al-polypropylene laminates
 - peel strengths of 339, 340
 - alumina
 - acid–base interactions 49
 - aluminum alkoxide 344
 - aluminum carbide 367
 - aluminum diacetate 357
 - aluminum layers
 - adhesion strength of 337
 - amines
 - and spacer/oligomer grafting 348
 - amino groups
 - formation by ESI 325
 - formation by plasma bromination 325
 - formation by plasma polymerization 325
 - metal atoms reaction with, on polymer surfaces 105
 - 3-aminopropyltriethoxysilane (APTES) 59
 - 3-aminopropyltrimethoxysilane 381, 383
 - aminosilanes 125, 346, 367, 375, 377, 381
 - ammonia 325
 - ammonia plasma 300, 320
 - ammonia plasma exposure 140
 - anchoring groups 368
 - anisotropic nuclear magnetic interactions 402
 - anisotropic orientation loss of polymers 34–35
 - ARGET–ATRP reaction 151
 - aromatic polyesters, synthesis of 66
 - aromatic polymers
 - reaction with transition metals 32–34
 - aromatics 398
 - atactic polymers
 - chemical bonds in 116
 - atmospheric dielectric barrier discharge 201
 - atmospheric pressure glow discharges (APGDs) 201, 288
 - atmospheric-pressure plasma chemical ionization (APCI) 91
 - atmospheric-pressure plasmas, surface oxidation by 201–203
 - atom transfer radical polymerization (ATRP) 145, 150–151, 351
 - atomic layer deposition (ALD) 90
 - atomic polymerization 263, 278
 - ATR, *see* attenuated total reflectance 413
 - ATR method, *see* attenuated total reflectance method 407
 - attenuated total reflectance infrared spectroscopy 199, 363, 407, 413
 - auto-oxidation reactions 300
 - azide group
 - formation by plasma bromination 325
 - azo-bis-isobutyronitrile 306
 - azomethine 57
- b**
- benzoylperoxide 306
 - B₂H₆ 303, 324
 - bidentate bonding 372
 - binding energies, of carbon bonds 408–409
 - biphenol A
 - synthesis of diglycidylether of 60
 - boehmite 367
 - bond dissociation energies 364, 366
 - bond scissions 301
 - Br₂ plasma
 - bromination of polyolefin surface by exposure to, 305–309
 - bromination 146–147, 301, 323, 324
 - amino group formation by 325
 - azide group formation by 325
 - bromoform as precursor 309–312
 - deposition of plasma polymers carrying C–Br groups 312–313
 - nitrile group formation by 324
 - plasma 159, 175, 301
 - plasma chemical 305
 - polymer surface 19
 - of polyolefins 303
 - of polyolefin surface by exposure to Br₂ plasma 305–309
 - to produce OH groups 346

- proposed mechanisms 307
- bromine (Br_2)
 - derivatization of C-radicals 345
 - groups, loss in wet-chemical processing 313–314
 - introduction onto polyolefins surfaces 323–324
- bromoform (CHBr_3) 305, 312, 315, 316, 319
 - molecule, dissociation of 309
 - plasma, electron energy in 317
 - plasma exposed 303
 - as precursor 309–312
- bromotrichloromethane 315, 316
- brush regime 152
- bulk analysis 395–406
- butadiene
 - Near-Edge X-ray Absorption Spectroscopy (NEXAFS) 284
- n*-butylamine 306
- tert*-butylbromide 312
- C**
- captive bubble method 40
- carbon bonds
 - binding energies of 408–409
- carbon–metal bonds, at interface 123–126
- carboxylic groups 325
 - as crosslinked polymer coating 325
 - fixation onto polymer surfaces 325
 - at polymer surfaces 143–146
 - thin film coating of 325
- 5-carboxy-X-rhodamine (ROX) 156
- 5-carboxytetramethylrhodamine (TAMRA) 156
- casing (crosslinking by activated species of inert gases) 37, 185, 192, 225–226, 332
- C-Br bonds
 - alkaline hydrolysis of 324
 - and bromination 307, 309
 - monotype surface functionalization 301, 303, 305
- C-Br groups 319, 321, 323
 - as anchoring point for grafting 319–323
- bromination 310–311
- deposition of plasma polymers
 - carrying 312–313
- functionalization, changing into NH_2
 - functionalization 319–321
- grafting of spacers and oligomers by
 - reaction with 347–349, 352
- grafting onto 322–323
- hydrolysis of 321
- loss during wet-chemical processing 313–314
- C–C bonds
 - aromatic bonds 116–117
 - conjugated bonds 116–117
 - covalent, in polymers 113–116
 - double bonds 116–117
 - triple bonds 116–117
- ceiling temperature 276
- chain length
 - effect on peel strength 339, 340
- chain propagation 266
- chain scissions 303
 - plasma interaction with polyolefins 299
- C–H bonds
 - and bromination 306
 - covalent, in polymers 113–116
- chemical bonds 113–130
 - at interface 122–130
 - in polymers 113–119
 - reactions during pretreatment 119–122
- chemical contribution to polymer
 - surface bromination 307–309
- chemical etching, polymer roughening by 21
- chemical fluorination
 - monosort functional groups 303
- chemical graft reactions 299, 301, 303, 305, 369
- chemical grafting 275
- chemical grafting, onto monosort
 - functionalized polyolefin surfaces 6, 7, 337–344
- grafting of spacers and oligomers by
 - reaction with C–Br groups 347–349

- chemical grafting, onto monosort functionalized polyolefin surfaces (*contd.*)
 - grafting of spacers and oligomers by reaction with C–OH groups 346–347
 - grafting of spacers onto radicals 344–346
 - grafting via click reaction 350–351
 - influence of spacers on metal-polymer adhesion 351–352
 - introduction of spacers with siloxane cages 349–350
- chemical radical chain growth polymerization 275
- chemical shifts, in organic compounds 402
- chemical vapor deposition (CVD) 90
 - plasma-enhanced 90
- chemisorption 15, 92–97
- chlorination
 - and monosort functional groups 315–317
- chloroform 315, 316, 309
- chromatography 405
- chromic acid 303
 - chemical treatment by 218–220
- chromium
 - coordinative bonds of 58
 - interaction with poly (2,6-dimethyl-1,4-phenylene oxide) 33–34
- chromo-sulfuric acid, chemical treatment by 218–220
- click chemistry 148–150, 321, 325
- click reaction
 - grafting via 350–351
- C NMR 401
- coating
 - polymer as 92
- C=O bonds 117–118
- C–O bonds 117–118
- cohesive failure 337, 338, 351, 352
- cohesive forces 38–52
- C–OH groups
 - grafting of spacers and oligomers by reaction with 346–347
- cold flow 366
- co-monomer fragmentation 275
- composites 89–90
- condensation reaction 343
- contact angle
 - advancing and receding 42–43
 - hysteresis 42–43
 - measurement, weak molecular interactions 39–42
- continuous-wave (cw) plasma polymerization 265
- conventional chemical copolymerization 273
- conventional chemical polymerization 290
- COOH groups
 - and adhesion 337, 339
- copolymerization 290
 - graft 344, 346
 - parameters 274
 - plasma-initiated 323, 332
- copper–polyimide interactions 32
- core level lines 408
- Coulomb explosion 404
- coupling agents 55–59
- coupling methods 405
- covalent bond
 - between polymer and organic coating 16, 17
 - dissociation enthalpies 18
- covalent bonding 360, 363, 385
- covalent metal-polymer bonds
 - protection of 367–368
- covalent metal-polymer bonds 367
- C radical sites 300, 304
- creep behavior 366
- cresols 65
- critical surface tension 44–46
- cryogenic blasting 214
- cucurbituril jacket
 - covalent linking of spacer bonded dye-sensors onto polyolefin surfaces 155–156
- cyanoacrylates 59
- cyclehexane
 - bromination of 306
- cyclic-olefin copolymers (COC) 151
- cysteine 347

d

Debye force 38
 dendrimers
 and peel strength 339
 density
 functional groups, variation of 332
 deposition rates 268, 270
 detectors 406
 diacrylic acid ester 59
 diblock copolymers, for interface
 adhesion promotion 23
 diborane 324
 dielectric barrier discharges (DBDs)
 201
 dielectric relaxation spectroscopy (DRS)
 285
 diffusion rate, water 363
 dihydroxybenzene 65
 diiodomethane 317
 diisocyanates 346
 dimethylformamide (DMF) 313, 314
 diols 348
 diphenylpicrylhydrazil (DPPH) 261,
 345
 dissociation energies in polyolefins
 400
 duty cycle ("dc") 265
 dynamic secondary ion mass
 spectrometry (DSIMS) 24, 407,
 410

e

electron beam evaporation 352
 electron energy distribution
 in selective reactions in plasma 300
 electron energy distribution function
 (EEDF) 281
 electron spectroscopy for chemical
 analysis (ESCA) 395
 electron spin resonance (ESR)
 spectroscopy 345
 electron systems 401
 electron temperature
 in haloform plasmas, measuring
 317–318
 electrophilic substitution by bromine
 306

electrospray ionization (ESI) 91, 135,
 159, 175, 261, 303, 324, 325, 332,
 369
 amino group formation by 325
 deposition 259, 290
 electrospray-ionization
 (ESI)-time-of-flight mass
 spectrometry (ESI-ToF-MS)
 404–405
 electrostatic attraction 52–54
 elemental bromine
 bromination with 303, 305, 306,
 308, 310, 311
 elemental iodine 310
 endothermic dehydrogenation 278
 energy gain 276
 entanglement model 25
 enthalpy
 bromination 301, 306–309, 311, 312
 entropy
 bromination 308
 epoxy resin adhesives 60–61
 Equation of State (EQS) 52
 equilibrium reactions 276
 ESCA, *see* electron spectroscopy for
 chemical analysis 395
 ESI-ToF-MS, *see* electrospray-ionization
 (ESI)-time-of-flight mass
 spectrometry 404
 ethane 308
 ethyl acetate 215
 ethylene
 near-edge X-ray absorption
 spectroscopy (NEXAFS) 284
 XPS valence band spectrum of 282
 ethylenediamine (EDA) 321
 ethylene glycol grafting 387
 EUV, *see* extreme UV 401
 exotic reactions, plasmas 281
 extreme UV (EUV) 401

f

FFF, *see* field flow fractionation 405
 Fick's laws 70
 field flow fractionation (FFF) 405
 of polymers 406

- film deposition, sputtering for
 - 223–224
 - Finkelstein reaction 310, 317
 - flame-retardation 311
 - flame treatment 204–205
 - flexibilization 337, 342, 343, 349
 - fluorescein 156
 - fluorescence radiation 400
 - fluorination
 - and monosort functional groups
 - 317
 - fluorine 348
 - fluorine-containing polymers, chemical
 - etching and functionalizing of
 - 220–221
 - fluoroform (CHF_3) 317
 - and bromination 309, 311
 - formaldehyde 26
 - formaldehyde–phenol interaction 64
 - formic acid 137
 - Fourier-transform infrared attenuated
 - total reflectance (FTIR-ATR)
 - 400, 406
 - Franck–Condon principle 401
 - free radical polymerization 277
 - friction welding 25
 - FTIR-ATR, *see* Fourier-Transform
 - InfraRed Attenuated Total
 - Reflectance 406
 - functional groups, at polymer surface
 - 135–165
 - atom transfer radical polymerization
 - 150–151
 - bromination 146–147
 - carboxylic groups 143–146
 - click chemistry 148, 150
 - grafting 152–162
 - molecular entanglement of
 - macromolecules of coating and
 - substrate 165
 - OH groups 135–140
 - polymers deposited onto silicon or
 - glass 162
 - primary amino groups 140–143
 - silane bonds 147–148
 - functional groups to polyolefin surfaces
 - 184
- g**
- gel permeation chromatography (GPC)
 - 198
 - polymer degradation by oxygen
 - plasma exposure 192
 - glass
 - polymers deposited onto 162
 - glow discharge electrolysis (GDE)
 - 323
 - glues 59–69
 - glutaraldehyde (GAH) 347, 373
 - reaction with amino groups, on
 - polymer surfaces 105
 - glycidethers
 - curing of 60
 - gradient layers 332
 - graft copolymerization 122, 304, 368
 - graft density 359
 - grafting 152–162, 185
 - complex molecules grafted onto
 - polyolefin surfaces 159,
 - 161–162
 - covalent linking of spacer bonded
 - dye-sensors onto polyolefin
 - surfaces 154–156
 - of fluorescence markers onto
 - functional groups at polyolefin
 - surfaces 153–154
 - “grafting-from” approach 152
 - “grafting-to” approach 152
 - of polyglycerols onto polyolefin
 - surfaces 156–159
 - graphene
 - chemical bonds in 119
 - grinding 213
 - G-values 263
- h**
- haloform plasmas
 - measuring electron temperature in
 - 317–318
 - halogenations 306, 307, 309, 314–319
 - halogen bonds
 - dissociation enthalpies 18
 - Hartree–Fock molecular orbital method
 - (HFMO) 104
 - Heitler–London forces 38, 115

- helium plasma 332
- Hess rule 308
- hexamethyldisiloxane (HMDSO) 289
- hexamethylene diisocyanate (HDI) 138
- hexamethylenetetramine 64
- high density polyethylene (HDPE) 306
- high-energy tail of electron energy distribution function 300
- high-performance metal polymer composites 1–10
 - adhesion-promoting plasma polymers 6
 - chemical grafting onto monosort functionalized polyolefin surfaces 6–7
 - comparison of interactions at interface 1–4
 - covalent bonds between polymer and polymer surfaces 4–5
 - functional groups onto polyolefin surfaces 5–6
 - monosort functional groups at polymer surfaces 6
 - new interface design 7–9
- high-resolution electron energy loss spectroscopy (HREELS) 407
- high-resolution spectra 403
- H-NMR of polymers 401
- homopolymerization 345, 346
- HREELS, *see* High-Resolution Electron Energy Loss Spectroscopy 407
- humidity
 - role in adhesion 54–55
- hydrogen bonds 115, 396
- hydroperoxides
 - and graft polymerization 346
- hydrophobic molecules, grafting of 352
- hydrophobic recovery 70–72, 289
- hydroxyethyl methacrylate (HEMA) 324
- i**
- indium tin oxide (ITO) 26
- inelastic electron tunneling spectroscopy (IETS) 98
- information depth 406–407
- infrared reflexion absorption spectroscopy (IRRAS) 407, 412
- infraRed (IR) spectroscopy 396–400
- interdiffusion
 - diblock copolymers for interface adhesion promotion 23
 - of metal into polymers 25, 28
 - and welding 23, 25
- interface adhesion promotion, diblock copolymers for 23
- interface-crossing interpenetrating network (IC-IPN) 23
- interfacial redox reactions 97, 99
- interpenetrating networks (IPNs) 14, 21, 164–165
 - interface-crossing 23
- interphase formation 28–38
 - anisotropic orientation loss of polymers 34–35
 - nanoparticle composites 29
 - polymer–polymer blends 28–29
 - interphase formation 29
- redox reactions across metal–polymer interface 30–32
- transcrystalline layers 29–30
- weak boundary layers 36–38
- interphase promotion
 - transition metals reaction with aromatic polymers 32–34
- inverse gas chromatography (IGC)
 - acid–base interactions 50
- iodination
 - and monosort functional groups 317
- iodine 310
- iodomethane
 - use in bromination 310
- ion beam assisted deposition (IBAD) 90
- ion beam surface modification 25
- ionic chain growth polymerization 263, 275
- ionization potential
 - and electron energy 311, 317–318
- ionized cluster beam (ICB) 90

ion milling 223
 ion-molecule reactions 261, 275
 ion-plating 90
 IR modes 395

IRRAS, *see* IR reflexion absorption spectroscopy 407, *see* IR reflection absorption spectroscopy 412

IR reflexion absorption spectroscopy (IRRAS) 182

isocyanate groups 62–64, 138

IR spectroscopy, *see* InfraRed spectroscopy 396

isocyanatosilane 377

j

Jablonski diagram 400

k

Keesom forces 38, 115

Kelvin probe technique 363

l

Lambert–Beer law 401

laminates 89–90

processing of 90–92

Langmuir probe 312, 317, 324

Larmor frequency 402

laser ablation 205–206

LiAlH_4 321, 324

liquid phase reduction 261

low density polyethylene (LDPE) 306

low-molecular weight matrix molecules 403

low-molecular weight oxidized material (LMWOM) 115, 181, 204, 369

m

macrocycles 404

MALDI mass spectra 404

MALDI-ToF-MS, *see* matrix-assisted laser desorption ionization-time-of-flight mass spectrometry (MALDI-ToF-MS) 403

maleic anhydride 371

mass spectrometric method 403

matrix-assisted laser desorption

ionization-time-of-flight mass spectrometry (MALDI-ToF-MS) 403–404

polymer degradation by oxygen

plasma exposure 193, 197

structural degradation of polymer on

oxygen plasma exposure 189

matrix molecules 403

Maxwell equation 317

McLafferty rearrangement 118

mechanical adhesion

on microscale 20–21

mechanical anchoring

on molecular scale 21–23

mechanical interlocking 372

in macroscopic scale 20

mechanical pretreatment of polyolefin

surfaces 213–214

melamine

surface

primary amino groups at 140

melamine resin coatings 341

mercapto silane, plasma polymerization of 140

metal atoms

reaction with amino groups on

polymer surfaces 105

reaction with O-functional groups at

polymer surfaces 97–105

reaction with polyolefins 97

metal coatings, bond strength of 180

metal deposition

requirements for 370–372

metal-polymer adhesion

influence of spacers on 351–352

metal-polymer interface 25–28

redox reactions across 30–32

metal-polymer laminate

interphase and interphase structure of 13

N,N'-methylenebis(acrylamide)

(MBAA) 323

methylene iodide 317

methylphenol 65

Michelson-interferometer 400

microdefects 363

- milling 213
- modified neglect of diatomic overlap (MNDO) 104
- molecular beam epitaxy (MBE) 90
- molecular debris 181
- molecular entanglement of
 - macromolecules, 162–165
- molecular forces 15
- molecular orbital theory (MO) 113
- molecular vapor deposition (MVD) 162
- molecular weight distributions (MWDs) 150
- monomer fragmentation 259
- monomer fragmentation-
 - poly-recombination 275
- monomers
 - for grafting of spacers onto radicals 345
- monosort functional groups 299–305, 368
 - gradient layers 332
 - at polymer surfaces 6
 - production processes 326
 - weakening/hardening of layers 332
- monosort functionalization of polymer surfaces
 - by classic organic chemistry 226–227
- monosort functionalized polyolefin surfaces
 - chemical grafting onto 6, 7, 337–344
- mushroom regime 152
- n**
- NaBH_4 303
- nanoparticle composites
 - interphase formation 29
- nanotubes
 - and bromination 311
- N-containing functional groups 118–119
 - polymer–transition metal interface 127
 - structural degradation of polymer on oxygen plasma exposure 189, 191
- negative redox potential, metals 360
- ninhydrine 345
- nitrile group
 - formation by plasma bromination 324
- NMR spectroscopy 401–402
- N-bromosuccinimide 306
- NO
 - derivatization of C-radicals 345
- noble gas plasmas
 - exposure of polymer surface to 304
- Norrish rearrangements 118, 122
- novolacs 64
- nucleophilic substitutions 301, 303, 343, 348
- nylon 66
- o**
- O=C=O bonds 117–118
- O=CO–O bonds 117–118
- octaaminophenyl POSS 347
- octadecyltrichlorosilane (OTS)
 - self-assembled monolayer of 181
- O-functional groups
 - metal atoms reaction with, at polymer surfaces 97–105
- O-functionalized polyolefin surface 303
- OH group production, post-plasma chemical treatment for 227–237
- OH groups 321, 323, 324
 - and adhesion 337, 339
 - equipment of polyolefin surfaces 324
 - formation by plasma bromination 324
 - generation by oxygen plasma treatment 324
 - at polymer surface 135–140
- olefins 398
- oligomers
 - grafting by reaction with C–Br groups 347–349
 - grafting by reaction with C–OH groups 346–347

- Olympic Rings 21
- organic compounds, chemical shifts in 402
- organosilanes 55
- oxalic acid 137
- oxides and polymers, covalent bond between 126
- oxyfluorination 221–222
- oxygen plasma 300, 303, 324, 346
 - etching of polymer on exposure to 35
- oxygen plasma exposure
 - monosort functionalization of polymer surfaces 227–237
 - polymer degradation by 192–198
 - polyolefin surfaces 186–187
 - polypropylene 184
 - surface degradation of polymer on 187–192
- ozonolysis 211–213
 - of olefinic double bonds 211
- p**
- palladium (II) chloride (PdCl_2) 26
- paraffins
 - chlorination of 317
- “peel-ply”-process 215
- peel strength 338, 359, 360, 381, 386
 - of Al-polypropylene laminates 339, 340
 - of aliphatic spacers 339
 - of aluminum layers 337
 - and dendrimers 339
 - effect of chain length variation on 339, 340
 - of flame-resistant coatings 341
- peel test 218
- phenol–formaldehyde interaction 64, 65
- photobromination 306
- photoelectric effect 408
- photoelectron emission 408
- photo-Fries rearrangement 118, 122
- physical vapor deposition (PVD) 90
- physisorption 94, 95
- plasma bromination 159, 375
- plasma chemical bromination 305
- plasmachemical fluorination
 - monosort functional groups 303
- plasma-emitted UV radiation
 - crosslinking of polymers by 198–200
- plasma-enhanced chemical vapor deposition (PECVD) 90
- plasma etching 215
- plasma exposure
 - ammonia 140
 - oxygen, *see* oxygen plasma exposure 184
 - to polymer surface 182
 - to polyolefin surfaces 174–175
- plasma gas
 - abstraction of H atoms through 299
 - substitution of H atoms through 299
- plasma-induced chain-growth polymerization 276
- plasma-initiated copolymerization 273
- plasma-off period 265–267, 270
- plasma polymerization 259, 303, 324
 - amino group formation 325
 - collision and radiation process 281
 - mechanisms of 275–278
 - of styrene 285
- plasma polymerization process
 - of allylamine 373
- plasma polymers
 - as adhesion-promoting layers 286–289, 340–342
 - advantage of 289
 - applications 288–289
 - chemical structure, plasma wattage influence on 263–265
 - dipoles, detection 285
 - grafting of spacer molecules onto 342–344
 - structures of 262–263, 281–286
 - thermal field flow fractionation of 284
- plasma pulsed polymerization 267
- plasma surface modification 185
- plasma wattage
 - influence on plasma polymer chemical structure 263, 265
- plastic industry 305

- poly(acrylic acid) (PAA) 126, 175, 303, 323, 325, 351
 - interaction with chromium 33–34
 - redox reaction of 30
 - surfaces
 - metal atoms reaction with
 - O-functional groups at 98
 - OH groups at 135
- poly(allyl alcohol) (PAAI) 175, 303, 324, 351
 - surfaces
 - OH groups at 135
- poly(allylamine) (PAAm) 303, 325, 338
 - surface
 - primary amino groups at 140
- poly(allyl bromide) 303
- poly(butadiene)
 - redox reaction of 30
- poly(carbonate) (PC) 193
- poly(2,6-dimethy-1,4-phenylene oxide) (PDMPO) 129
- poly(ethylene glycol) (PEG)
 - onto polyolefin surfaces, grafting of 158
- poly(ethylene imine) (PEI) 303, 325
 - surface
 - primary amino groups at 140
- poly(ethylene terephthalate) (PET) 26, 66, 126, 192, 367
 - anisotropic orientation loss 34
 - metal atoms reaction with
 - O-functional groups at 98
 - laser ablation of 205, 210
 - redox reaction of 30
 - roughening and etching of 215
 - self-assembled monolayer of 181
 - surfaces
 - OH groups at 137
- poly(hydroxyethyl methacrylate) (PHEMA) 303, 324
 - surfaces
 - OH groups at 135
- poly(methyl methacrylate) (PMMA)
 - zip length 174
- poly(phenylquinoxaline) (PPQ) 361
 - redox reaction of 31
 - surfaces
 - metal atoms reaction with
 - O-functional groups at 101
- poly(styrene) (PS) 193
- poly(tetrafluoroethylene) (PTFE) 126, 185
 - Na/NH₃ or Na/naphthalene etching of 21
 - redox reaction of 30
 - sputtering of 223
 - surfaces
 - carboxylic groups at 145–146
- poly(vinyl alcohol) (PVA)
 - surfaces
 - metal atoms reaction with
 - O-functional groups at 98
 - OH groups at 135
- poly(vinyl amine) (PVAm)
 - surface
 - primary amino groups at 140
- poly(vinyl chloride) (PVC) 215, 303
 - chlorination of 317
 - electrostatic attraction 53
 - surfaces
 - carboxylic groups at 145
- poly(vinylidene chloride) (PVdC)
 - surfaces
 - carboxylic groups at 145
- poly(vinylidene fluoride) (PVdF)
 - surfaces
 - carboxylic groups at 145
- poly-(α -methyl styrene
 - zip length 174
- polyamide (PA) 66
- polyamidoamine (PAMAM) dendrimers 374
- polyarylethersulfone (PAES) 69
- polybenzimidazole (PBI) 69
- polydimethylsiloxane (PDMS) 67
- polydispersity 284
- polyesters, unsaturated 67
- polyetheretherketone (PEEK)
 - adhesion pretreatment of 211
- polyethersulfone (PES) 69

- polyethylene (PE) 185, 306, 317, 342, 351
 - adhesion pretreatment of 211
 - Al system, adhesion improvement of 337
 - branched, C-H bonds in 19
 - C-H and C-C bonds in 114
 - chlorination of 317
 - fluorination of 317
 - iodination of 317
 - Near-Edge X-ray Absorption Spectroscopy (NEXAFS) 282
 - power-pulsed plasma polymerization 271
 - surfaces
 - metal atoms interaction with
 - O-functional groups at 101–102
 - metal atoms reaction with
 - O-functional groups at 101
 - XPS valence band spectrum of 282
 - polyglycerols 339
 - onto polyolefin surfaces, grafting of 156–159
 - polyhedral oligomers of silsesquioxanes (POSS) 106–107, 339, 347, 349–350, 352, 374, 377
 - polyimide (PI) 69
 - surfaces
 - metal atoms reaction with
 - O-functional groups at 101
 - polyimide–copper interactions 32
 - brushes 152, 153
 - polymer-forming intermediates, monomer conversion 275
 - polymer–polymer blends 29
 - interphase formation 28
 - polymer–polymer interdiffusion 165
 - polymer–polymer linking 122–123
 - polymers 396, 400
 - adhesion of 13, 372
 - anisotropic orientation loss of 34–35
 - brushes 152–153
 - C-H bonds towards halogen atoms 18
 - chemical bonds in 113–119
 - as coating 92
 - deposited onto silicon or glass 162
 - field-flow fractionation of 406
 - interdiffusion of metal into 25–28
 - and oxides, covalent bond between 126
 - roughening by chemical etching 21
 - as substrate 92
 - zip-lengths for 174
 - polymer–transition metal interface 127–130
 - polyolefin-Al laminates 366–367
 - polyolefins 31, 32, 126, 299, 404
 - bromination by exposure to Br₂ plasma 305–309
 - bromination of 303
 - bromoform as precursor 309–312
 - C-C and C-H bonds in 360
 - C-H and C-C bonds in 364
 - chemically bonding molecules onto 304–305
 - deposition of plasma polymers
 - carrying C-Br groups 312–313
 - dissociation energies in 400
 - functional groups introduction 363–364
 - halogen introduction into 318
 - inertness 357
 - interactions at interface 92
 - interfacial bonds 362
 - metal atoms reaction with 97
 - monosort functionalization, production processes of 326
 - monosort C-Br bonds at 305
 - O-functionalized 303
 - oxygen plasma introduction to 300
 - plasma fluorination 317
 - modification, variants of 301
 - surfaces
 - Br introduction onto 324
 - carboxylic groups at 143–146
 - complex molecules grafted onto 159, 161–162
 - covalent linking of spacer bonded dye-sensors onto 154–155
 - energies 359

- functional groups at 184–186, 338
- functionalization by use of
 - azides/nitrenes 150
- of fluorescence markers onto
 - functional groups at polyolefin surfaces 153–154
- grafting of polyglycerols onto 156–159
- metal atoms reaction with
 - O-functional groups at 101–104
- modification with functional groups, advantages and disadvantages of 176
- OH groups at 135
- OH group equipment of 324
- oxidation of 324
- physical and chemical attacks 173–179
- pretreatment of, *see* pretreatment of polyolefin surfaces 237
- primary amino groups at 140–143
- situation at 173
- polyphenylquinoxaline (PPQ) 69
- polypropylene (PP) 317, 342, 350, 351
 - Al laminates
 - peel strengths of 339, 340
 - amino acid sequences grafted to 155
 - bromination of 306, 311
 - C–H and C–C bonds in 116
 - chromic acid treatment of 21
 - crosslinking of 225
 - fluorination of 317
 - etching of 223
 - iodination of 317
 - oxygen plasma exposure 184
 - ozonolysis of 211
 - self-assembled monolayer of 181
 - surface contaminations 55
 - XPS valence band spectrum of 282
- polystyrene 342
- polysulfone (PSU) 69
- polytetrafluoroethylene (PTFE)
 - sputtering of 224
 - surfaces
 - metal atoms reaction with
 - O-functional groups at 97
- polyurethane (PU) 28, 61, 62
 - coatings onto stainless steel 21
- polyvinyl alcohol (PVA) 125, 126
- positron emission tomography (PET)
 - polymer degradation by oxygen
 - plasma exposure 197
- potassium cyanide
 - incorporation of nitrile (cyanide) groups with 321
- preformed degradation products 121–122
- pressure-pulsed plasma 267–271
- pretreatment of polyolefin surfaces 173–237
 - CASING (crosslinking by activated species of inert gases) 225–226
 - chromic and chromo-sulfuric acids, chemical treatment by 218–220
 - cross-linking of polymers by
 - plasma-emitted UV radiation 198–200
 - cryogenic blasting 214
 - flame treatment 204–205
 - fluorine-containing polymers, chemical etching and functionalizing of 220–221
 - laser ablation 205–206
 - mechanical pretreatment 213–214
 - monosort functionalization of
 - polymer surfaces
 - by classic organic chemistry 226–227
 - OH group production, post-plasma chemical treatment for 227–237
 - oxygen plasma exposure 227–237
 - oxyfluorination 221–222
 - oxygen plasma exposure 186–187
 - polymer degradation by 192–198
 - surface degradation of polymer on 187–192

pretreatment of polyolefin surfaces
(*contd.*)

- ozonolysis 211–213
- physical and chemical attacks of
polyolefin surfaces 173–179
- roughening for mechanical
interlocking 215
- silicoater process 205
- situation at polyolefin surfaces
173
- skeletonizing 214–215
- solvent cleaning 215–217
- solvent welding 217–218
- sputtering for film deposition
223–224
- sulfonation 222–223
- surface area increase by plasma and
sputter etching 215
- surface oxidation by
atmospheric-pressure plasmas
201–203
- UV irradiation with excimer lamps
206–210
- primary amino groups, at polymer
surface 140–143
- pulsed plasma copolymerization
271–274
- pulsed plasma polymerization 144
- pyridine
 - acid–base interactions 49
- pyromellitic-dianhydride-oxydianiline
(PMDA-ODA) polyimide
 - metal atoms reaction with
O-functional groups 104
- pyrosil 205
- pyruvic acid 137

q

- quartz mercury low-pressure discharge
lamp 206
- quasi-hydrogen plasma 278

r

- radical chain growth copolymerization
275
- radical reactions 18, 368
- radicals
 - grafting of spacers onto 344–346

- radical substitution, bormination
307
- reactive ion etching (RIE) 223
- reactive units 303
- real surfaces
 - weak molecular interactions 43–44
- recombination process, bormination
307, 309
- redox reactions 361, 363, 371
 - across metal–polymer interface
30–32
 - interfacial 97, 99
- resols 65
- resonance heating 25
- resorcinol 65
- reversible redox potentials 385
- rheological model
 - weak molecular interactions 51
- Rosenmund reduction 144, 145
- roughening
 - for mechanical interlocking
215

s

- sampling depth 406–407
- sand blasting 213
 - with transfer of coupling agents
213–214
- Schiff's base formation 343, 369
- SEC, *see* size exclusion chromatography
and gel permeation
chromatography (GPC) 405
- secondary ion mass spectrometry
(SIMS) 395, 410
 - sputtering for film deposition
223
- SEIRA, *see* surface-enhanced infrared
absorbance 412
- self-assembled monolayers (SAMs)
148, 153, 162, 181
- self excited electron resonance
spectroscopy (SEERS)
 - pressure-pulsed plasma 268
- semi-conductor industry 305
- sessile drop method 39, 40, 42
- silane bonds 147–148

- silanes 105–107
 - surface contaminations 55–57
- silanization 58, 137, 367
- silica
 - chemical bonds in 119
- silicoater process 205
- silicon
 - polymers deposited onto 162
- silicon resins 67
- siloxane adhesion-promoting agents 105–107
- siloxane cages
 - introduction of spacers with 349–350
- siloxane-like resin coatings 341
- SIMS, *see* secondary ion mass spectrometry 395, 410
- size-exclusion chromatography (SEC) 405
 - polymer degradation by oxygen plasma exposure 192
- skeletonizing 214, 215
- sodium 348
- sodium azide (NaN_3) 321, 325, 351
- sodium cyanate 324
- sodium cyanide 324, 325
- sol-gel processing 90
- solvent cleaning 215–217
- solvent extraction 364
- solvent welding 25, 217–218
- spacer molecules 301
 - chemical fixation of 369
 - grafting 368–369
- spacers 337
 - for adhesion 372–388
 - adhesion promotion by 337, 339, 340, 343, 344
 - adhesion strength 381–383
 - anchoring of 338
 - anchoring, C-Br groups 376
 - attachment onto NH_2 groups 372–375
 - functional groups at 338
 - grafting at polymer surface 375–376
 - grafting by reaction with C-Br groups 347–349
 - grafting by reaction with C-OH groups 346–347
 - grafting onto plasma polymers 342–343
 - grafting onto radicals 344–346
 - influence on metal-polymer adhesion 351–352
 - introduction with siloxane cages 349–350
 - silane attachment 376–377
 - silane hydrolysis and partial crosslinking 377–381
- spin coating deposition 303
- spray deposition 369
- spraying 90–91
- sputter etching 215
- sputtering 90
 - for film deposition 223–224
- stainless steel 305
- stannous chloride (SnCl_2) 26
- static secondary ion mass spectrometry (SSIMS) 37
- Static-SIMS (SSIMS) 410
- sterical hindrance 299
- Stöber process 148
- substrate
 - polymer as 92
- sulfonation 222–223
- surface chemical composition, and weak molecular interactions 39–40
- surface chemical modification 25
- surface contaminations 54–55
- surface dynamics, *see* hydrophobic recovery 70, 289
- surface-enhanced infrared absorption spectroscopy (SEIRA) 182, 407, 412
 - structural degradation of polymer on oxygen plasma exposure 189
- surface-enhanced internal reflection absorption IR mode (SEIRA)
- surface oxidation, by
 - atmospheric-pressure plasmas 201–203
- surface-sensitive methods 395

surface tension
 polar and dispersive components of 48
 surface tension theories 46–47
 surface topography 398

t

tert-butylbromide 309
 tetrachloromethane
 and bromination 311
 tetraethyleneglycoldimethacrylate (TEGMA) 59
 tetrafluoromethane (CF₄)
 and bromination 311
 tetrafluoromethane (CF₄) 317
 tetrahydrofuran (THF) 138, 306, 313, 314, 317
 thermal beam evaporation 352
 thermal expansion coefficients 365–366
 thermal field flow fractionation (ThFFF) 284, 405
 thermal or cross-flow field flow fractionation 199
 thermal vibrational welding 25
 thermodynamic adsorption
 and weak molecular interactions 38–39
 thermostable polymer adhesives 69
 thick layers, adhesion promotion of 289
 thin film deposition 259
 Tibbitt model 263
 tilting plate method 40
 time-of-flight secondary ion mass spectrometry (ToF-SIMS) 406
 ToF-SIMS, *see* time-of-flight secondary ion mass spectrometry 406
 toluenediisocyanate (TDI) 138
 top channel wall 405
 transcrystalline layers
 interphase formation 29–30
 transcrystallinity 29
 transition metal–polymer interface 127–130

transition metals reaction with aromatic polymers 32–34
 1,2,3 triazoles 321
 tributyltinhydride 306
 two-dimensional correlation spectroscopy 402

u

ultra-high molecular weight polyethylene (UHMWPE)
 anisotropic orientation loss 34
 ultra-thin films 303, 323
 underwater capillary discharge plasma 323
 underwater plasma 324
 unsaturated polyesters 67
 urea resins 140
 urea–formaldehyde reaction 66
 urotropine, *see* hexamethylenetetramine 64
 UV irradiation 300, 306
 UV irradiation with excimer lamps 206–210
 UV radiation
 low-pressure plasma processes 301
 UV-vis spectroscopy 400–401

v

vacuum ultraviolet region (VUV) 401
 van der Waals forces 38
 vinyl bromide
 plasma deposition of 303, 312
 volatilization 263
 VUV, *see* vacuum ultraviolet region 401

w

water
 role in adhesion 54–55
 weak boundary layers (WBL) 115, 180, 181, 184, 385
 interphase formation 36–38
 weak molecular interactions 38–52
 acid–base interactions 48–50
 contact angle measurement 39–42
 contact angles, advancing and receding 42–43

- polar and dispersive components of
 - surface tension 48
 - real surfaces 43–44
 - rheological model 51
 - surface chemical composition and
 - 39–40
 - surface tension theories 46
 - thermodynamic adsorption
 - 38–39
 - Zisman plot of 44–46
 - welding
 - friction 25
 - interdiffusion and 23–25
 - solvent 25
 - thermal vibrational 25
 - Wenzel angle 43
 - Wenzel equation 214
 - wet-chemical grafting 373
 - wet-chemical graft reactions 301, 303, 322
 - Wet-chemical processing
 - loss in bromine groups by 313–314
 - wet-chemical reduction 324
 - wetting 90
 - wetting model 38–39
 - Wilhelmy plate method 39–42
 - Williamson's ether synthesis 348, 352, 359
- X**
- X-ray photoelectron spectroscopy (XPS)
 - 36, 181, 338, 339, 348, 350, 351, 352, 395, 408–410
 - metal atoms reaction with
 - O-functional groups 100
 - XPS, *see* X-ray photoelectron spectroscopy 395, 408
 - XPS-survey spectrum 408
- Y**
- Yasuda factor 263
 - Young-Dupré equation 179
- Z**
- Zeeman effect 402
 - zip-lengths, for polymers 174
 - Zisman plot, of weak molecular interactions 44–46

