

Index

a

- Abbe criterion 111, 113
- absorbance modulation lithography (AML) 126
- absorption cross-section, tetraone molecule 59
- acrylate monomers
 - acrylic acid isobornyl ester 275
 - 3,2-benzimidazolyl-7-diethylamino coumarin 272
 - boron dipyrromethene fluorescence dye 273
 - common and commercially available monomers 268
 - 2,7-dibromo-3,6-bis(3,7-dimethyloctyloxy) 9,9-spirobifluorenone 270
 - 3-ethyl-3-ethyloxetane-3-yl methoxy methyl oxetane 272
 - flexible waveguide structures 275
 - fluorescent dye FITC1 272
 - isopropylthioxanthone 271
 - low molecular weight reactive diluents 268
 - methacryloxypropyltrimethoxysilane 270
 - oligosiloxanes 276
 - pentaerythritol triacrylate 271
 - 2-phenoxyethyl acrylate 275
 - PMMA colloidal particles 273
 - polysiloxane matrix material 275
 - poly(styrene-co-acrylonitrile) 271
 - SCR500 269
 - surfactant-based template 275
 - temperature dependence 270
 - thermal processing 270
 - trimethylpropane triacrylate 273
 - tris(2-hydroxy ethyl)isocyanurate triacrylate 270
- AKRE37 and SR2080 photopolymers 363

- allyl sulfide addition-fragmentation chain transfer 201
- amplified laser systems 99
- anthracene dimerization 201
- antibiotic ciprofloxacin 369
- antibiotics 368
- aryl azides 198
- aspect ratio (AR) 156
- As₂S₃ chalcogenide glass 297
- atomic layer deposition (ALD) 223, 250
- autoacceleration effect 68, 190
- avalanche ionization-driven process 5
- avidin 363
- azo isomerism 289

b

- backfilling 224
- beam deflection 59
- 3,2-benzimidazolyl-7-diethylamino coumarin 272
- benzophenone 199
- 6-benzothiazol-2-yl-2-naphthyl diphenylamine 278
- benzylidene ketone-based two-photon initiators 142
- biocompatible materials 363
- biodegradable and biocompatible polymers 359
- biological design constraints 206
- biomaterial fabrication 188, 202
- biomaterial modulation 203
- 3,6-bis[2-(4-nitrophenyl)-ethynyl]-9-(4-methoxy-benzyl)-carbazole (BNMBC) 160, 161
- 2,7-bis[2-(4-substitutedphenyl)-vinyl]-9,10-dipentylxyanthracenes 147, 148
- bisazobenzene systems 289
- bound-electronic nonlinear refraction 26

- BPDPA, molecular structure of 146
 BSB-S₂ 152
 bulk functionalization 173–175, 223
- c**
- camphorquinone 193
 carbazole-based compounds 143, 144
 carbazole-based cyanine probes 144
 cationic polymerization 151
 cationic polymerization and stereolithography 284
 CdS nanoparticles 224
 cell migration 357
 centrosymmetric photoinitiators
 – bis dialkylamino-/diarylamino-substituted diphenylpolyenes 141
 – bis(styryl)benzenes 141
 – carbazole and anthracene derivatives 141
 – carbazole-based compounds 143, 144
 – dendrimers 151
 – TPABQ 147
 – TPAQ 147
 – water-soluble photoinitiators 149
 chain-growth photopolymerization process 66
 chain propagation 66, 67
 chain termination 66
 chalcogenide glasses (ChGs)
 – ChG film 252
 – ChG-NP composites 254
 chalcogenides 221
 chemical bath deposition (CBD) approach 249
 chemical vapor deposition (CVD) 223, 237, 340
 chiral photonic crystal 341
 chitosan [(1 → 4)-2 amino-deoxy- β -D-glucan] 363
 D- π -D chromophores, molecular structure of 142
 D- π -A- π -D chromophores, molecular structure 143
 closed-aperture Z-scan 34
 4f coherent imaging method 44
 commercial and biocompatible hybrid Ormocer 363
 commercial photoresist resins 135
 complementary metal oxide semiconductor (CMOS) 267
 composite hybrid materials 171
 confocal detection 113
 π -conjugated system, molecules with 140
 continuous-metal microstructures 244
 coordinated motion 102
 copper EM 241
 coumarin 6, 279
 coumarin methylesters 200
 Cyacure UVI-6976 285
- d**
- DBASVP 155
 DBMP radical quencher 160
 degenerate four-wave mixing (DFWM) 51
 dendrimers 151
 diamond photonic crystal 269
 diazirine 199
 dielectric breakdown 15, 16
 dielectric permittivity, of excited material 9
 7-diethylamino-3-thenoylcoumarin (DETC) 120, 121
 diffusion-assisted direct laser writing 83
 – radical quencher diffusion 86
 – high-resolution direct femtosecond laser writing technique 158
 difunctional monomers 281
 digital mirror devices (DMD) 103, 106, 320
 diphenylaminofluorene-based chromophores 154
 diphenylsilanediol (DPD) 280
 direct laser writing (DLW)
 – minimal voxel radius for 82
 – schemes 76
 direct multiphoton reduction 342
 distributed-feedback-resonator 282
 disulfide displacement reactions 200
 dithienothiophene (DTT) 154
 dot-by-dot processing approach 101, 102
 drug delivery 371–374
 dual-arm (DA) Z-scan 37–39
 dye 2,7-bis[4-(9,9-didecylfluorene-2-yl)vinyl]phenylbenzothiazole 290
 DYPVA 156
 DYVPA 156
- e**
- E-beam evaporation 236
 Einstein–Stokes formula 83
 electrically conductive microstructures 227–229
 electrochemical deposition technique 174
 electroless deposition 223
 electroless metallization (EM) 239–242
 electroless plating technique 174
 electron beam lithography (EBL) 3
 epoxy-based monomer SU-8 285

- 3-ethyl-3-ethyloxetane-3-yl methoxy methyl oxetane 272
- excitation–probe methods 45–47
- excite–probe measurements, tetraone molecule 58
- excited state absorption (ESA) 28–31
- excited-state/excited-state absorption (EEA) 116
- excited state refraction (ESR) 28–31
- exposure dose 111, 112
- exposure time 146
- extended D–A–D oligophenylenevinylenes 149
- f**
- fabrication speed, mechanical constraints of 17
- femtosecond fiber lasers 100
- femtosecond laser assisted etching (FLAE) 348
- femtosecond laser oscillators 99
- fiber lasers 100
- Flory principle 68
- fluctuation-free structure fabrication 89
- FLUOR-SU8 resist 153
- fluorescence anisotropy 55
- fluorescence microscopy 113–117
- fluorescent dye-doped organic microstructures 225–226
- fluorescent dye FITC1 272, 273
- fly's eye type lenses 102
- free-radical polymerization 67
- Fresnel absorption coefficient 8
- g**
- Galvanofarming method 341
- galvanometer laser scanners 101
- gamma butyrolactone 285
- G2CK aqueous solution 150
- Gerchberg–Saxton algorithm 106
- germanium dioxide 234
- green-fluorescent protein (GFP) 357
- h**
- heat accumulation 10–13
- heterocyclic push-pull TPA chromophores 154, 155
- high power laser systems 100
- high resolution transmission electron microscopy (HRTEM) 303
- Horner–Emmons reactions 149
- hydrogel composite 224
- hydrophilic polymers 194
- hypodermic needles 372
- i**
- in situ* NP formation 247–248
- initiator-mediated photopolymerization 194–196
- interference lithography 273
- intramolecular vibrational redistribution (IVR) 115–116
- IP-L resin 347
- Irgacure 369, 282
- iron oxide 232–233
- isopropylthioxanthone (ITX) 120
- k**
- kernel 78
- Knoevenagel condensation 144
- Kramers–Kronig relations 27, 39, 50
- l**
- large voxel, fractal dimension of 79
- laser ablation 344–345
- laser fluorescence microscopy 113
- laser-induced forward transfer (LIFT) technique 360
- laser-induced transfer (LIT) 238
- laser intensity 146
- laser polymerization, chemical and kinetic equations 66–69
- laser resonator
- feedback laser resonator 270
- laser writing 75
- lateral spatial resolution (LSR) 146
- lateral spectral resolution (LSR) 156
- lead selenide (PbSe) 298
- lifetime imaging 59
- light-activated enzymatic crosslinking reaction 198
- light-mediated degradation 199–201
- LiNbO₃ crystal 297
- linear absorption spectrum, tetraone molecule 57
- line-by-line processing approach 102, 103
- linear motors 101
- liquid crystal (LC) based spatial light modulators 107
- liquid photoresists 136
- low-power laser systems 100
- low-temperature cofired ceramics (LTCCs) 349
- m**
- Mach–Zehnder interferometer structure 287
- macromer chemistries 193–194
- macromolecule, diffusion coefficient of 83

- magnetron sputtering 236–237
- MAL, *see* multiphoton absorption lithography (MAL) 135
- malachite green carbinol base (MGCB) dye
 - deactivation 124
 - in low-viscosity solvents 123
 - in viscous solvents 123
 - photoresist 126
 - radical photoinitiator 123
- membrane assisted- μ TM 338
- mesenchymal stem cells (MSCs) 361
- metal backfilling 245–246
- metallic composites and materials
 - chemical vapor deposition 237
 - continuous-metal microstructures 244
 - E-beam evaporation 236
 - electroless metallization 239
 - laser-induced transfer 238
 - magnetron sputtering 236
 - metal backfilling 245
 - polymer matrix 242
 - thermal evaporation 236
 - Turkevich synthesis 238
- metallo-dielectric PCs 241
- metal–organic frameworks (MOFs) 244
- meta-structured materials 221
- methacrylamide-modified gelatin (gelMOD) 149, 150
- methacrylate resin KC1102 240
- 4-methylcyclohexanone-based initiator 143
- Michael-type addition 198
- micro-electromechanical systems (MEMS) 232
- micro-fluidic research 18
- micro-needle array 171
- micro-optical research 18
- micro-transfer molding (μ TM)
 - cantilevers 337
 - complex geometries 338
 - nanoimprint lithography 337
 - particle replication in nonwetting templates 337
 - polydimethylsiloxane 336
- microfluidic devices
 - focused laser beam 327, 329
 - movable micromachines 316
 - optically driven micromachines 320
 - optical vortex 330, 331
 - scanning laser beam 325, 326
 - stereolithography 315
 - two-photon microfabrication 316
 - two-photon-induced polymerization 316
- microfluidic pump 172
- microfluidics 221
- microgears 317, 318
- microinjection molding in capillaries (MIMIC) 350
- microlasers 227
- micromechanical mirrors 103
- microneedles 372
- micropumps 325
- microsolidics 350
- microturbines 318, 319
- molar mass distribution 68
- monomer 66
 - number densities evolution of 67
- movable micromachines 316, 317
- multiphoton ablation 345
- multiphoton absorption (MPA) 287
- multiphoton absorption lithography (MAL) 135, 156–162, *see also* photoinitiators
 - highly active organic molecules 140
 - prepolymer photoresist 136
- multi-photon ionization rate 16
- multiphoton ionization spectroscopy 59
- multiphoton lithography (MPL) 76, 167
 - high resolution 111
 - with molding techniques 175
- multiphoton microscopy (MPM) 186
- multiphoton photochromism 288
- multiphoton polymerization (MPP) 70, 76
 - composite hybrid materials 171
 - description 69, 167
 - digital mirror devices 103
 - dot-by-dot processing 101, 102
 - fly’s eye type lenses 102
 - fs-laser oscillators 99
 - high spatial resolution of 71
 - incident laser beam alignment 106
 - laser light sources 97, 98
 - line-by-line processing approach 102, 103
 - liquid crystal based spatial light modulators 102
 - low budget laboratory systems 107
 - negative and positive photoresists 167
 - optical system 99
 - positioning systems 101, 102
 - setup components 97
 - silicate hybrid materials 169
 - sol–gel preparation 168–169
 - structuring material choice 167
 - surface and bulk functionalization 173
 - ultra short pulse lasers 98
- n**
- nanoimprint lithography (NIL) 337
- nanoneedle 318, 319
- nanoparticles 246

- nano-replication 339–342
 - nanostructure, size of 79
 - nanosurface metallization processing 342–344
 - nanosurface structuring via ablation 344–349
 - nanotweezers 318, 319
 - narrow electronic bandgap semiconductors 298–299
 - near infrared photons 355
 - negative photoresists 167
 - negative-tone photoresist 111
 - B35 neuroblast-like cells 361
 - neuroblast-like cells 360
 - Ni-coated SU-8 photonic crystals 344
 - nickel coated photonic crystals 344
 - o*-nitrobenzyl esters 200
 - NOA resins 277, 278
 - noncentrosymmetric photoinitiators 153
 - DBASVP 155
 - diphenylaminofluorene-based chromophores 153, 154
 - dithienothiophene chromophores 154
 - DYVPA 156
 - heterocyclic push-pull TPA chromophores 154, 155
 - PPVPA 156
 - nonlinear transmission (NLT) technique 137, 138
 - nonlinear absorption (NLA) 25
 - DFWM 51
 - excitation-probe methods 45
 - excited state absorption and refraction 28
 - nonlinear transmission 31
 - one-photon excitation fluorescence anisotropy 55
 - photon absorption and bound-electronic nonlinear refraction 26
 - two-photon absorption induced fluorescence spectroscopy 53
 - WLC excite-probe spectroscopy 48
 - Z-scan 32
 - nonlinear refraction (NLR) 25
 - DFWM 51
 - excitation-probe methods 45
 - excited state absorption and refraction 28
 - nonlinear transmission 31
 - one-photon excitation fluorescence anisotropy 55
 - photon absorption and bound-electronic nonlinear refraction 26
 - two-photon absorption induced fluorescence spectroscopy 53
 - WLC excite-probe spectroscopy 48
 - Z-scan 32
 - nonspecific photoconjugation 198–199
 - normalized transmittance, tetraone molecule 58
 - NP coating 248
 - NP-polymer composites 246
- o**
- one-photon vs. two-photon absorption 136
 - open-aperture Z-scan 33
 - optical vortex 330, 331
 - optically birefringent microstructures 229
 - optically driven lobed micropump 325, 326
 - optically driven micromachines 320–325
 - optically driven micromanipulators 320, 324
 - optically functional microstructures 222
 - organic modified ceramic (ORMOCER) 273, 372
 - ORMOCER B59 282
 - ORMOCER PD92 283
 - PhCs 273
 - organic photoresins 297
 - organic semiconductor distributed feedback laser 170
 - organic solvent 1-octadecene (ODE) 299
 - ORMOCER[®] 168
 - drawbacks 170
 - medical applications 171
 - microdisk fabrication 170
 - photonic crystal structure and device fabrication 169
 - uses 169
 - waveguide-coupled woodpile structures 170
 - woodpile structures 170
 - Ormoclad 280
 - Ormocomp 280
 - Ormocore 280
 - ortho-nitrobenzyl (*o*NB) ester cleavage 204
 - oxide-based materials
 - electronic properties 230
 - germanium dioxide 234
 - iron oxide 232
 - mechanical hardness 230
 - silicon dioxide 234
 - sol–gel processing 230
 - tin dioxide 233
 - titanium dioxide 231
 - zinc oxide 231
 - zirconium dioxide 232
 - oxime ligation 197

P

- particle replication in nonwetting templates (PRINT) 337
- P2CK aqueous solution 150
- pentaerythritol triacrylate (PETA) 271
- percolation theory 75
- 2-phenoxyethyl acrylate (POEA) 275
- photoacid generators (PAGs) 285
- photocage-mediated photoconjugation 196–198
- photochromic moieties 288
- photocrosslinked ROMP derived polyenes 280
- photo-curable nanocomposite resins 292
- photo-cured polymers 268
- photodeactivation, resolution enhancement 125
- photoinduced deactivation approach 122
- photoinduced electron transfer 123–126
- photoinducible copper-catalyzed azide-alkyne cycloaddition (pCuAAC) 196
- photoinhibition approach to resolution enhancement 122
- photoinhibitors 122
- photoinitiation 66
- photoinitiators
 - application in MAL 156
 - centrosymmetric 141
 - direct multi-photon destruction 68
 - molecular design 140
 - noncentrosymmetric photoinitiators 153
 - role of 4
 - selection 191
- photolytically immobilized biotin 363
- photonic band gap
 - high quality photonic band gap 270
- photonic crystals (PCs) 221
 - diamond photonic crystal 269
 - woodpile PhCs 271
- photonic integrated circuits (ICs) 267
- photopolymerization process 65, 186, 189
- photopolymerized triacrylate materials 357
- photopolymers
 - biological design constraints 206
 - biomaterial fabrication 188, 202
 - biomaterial modulation 203
 - biomedical applications 183
 - elastomeric material 185
 - extracellular matrix 184
 - highly ordered/structured materials 184
 - macromer chemistries 193
 - microelectronics industry 185
 - patient-specific devices 208
 - photochemical polymerization and degradation 194
 - photocrosslinking 183
 - photoinitiator selection 191
 - photopolymerization 186, 189
 - water-swollen crosslinked polymeric materials 184
- photoresists 111
 - liquid photoresists 136
 - photo and thermal cure of 5–6
- photosensitive sol–gel process 168
- photothermal lensing 59
- picosecond microchip lasers 100
- piezoelectric actuators 101
- ϵ -polycaprolactone (PCL) 359
- poly(ϵ -caprolactone-*co*-trimethylenecarbonate)-*b*-poly(ethyleneglycol)-*b*-poly(ϵ -caprolactone-*co*-trimethylenecarbonate) 359
- polydimethylsiloxane (PDMS) 175, 185, 336
 - applications 175
 - structuring by MPL 175
- polymer gel 78
- polymerization process 89
 - chemistry and physics of 65
 - conversion parameter 68
 - fluctuations on minimal feature size 75
 - threshold and spatial resolution 69
- polymerization threshold 71
- polymer matrix 242–244
- polymer-organic composites
 - electrically conductive microstructures 227
 - fluorescent dye-doped organic microstructures 225
 - microlasers 227
 - monomer 225
 - optically birefringent microstructures 229
 - photoinitiator 225
- polymer voxels 83
 - Monte Carlo simulation of 80
 - properties of 76
- poly(styrene-*co*-acrylonitrile) 271
- polyurethane 289
- positive photoresists 167
- post-MPL functionalization 223
- PPVPA 156
- prepolymer photoresist 136
- primary scaffolds, mineralisation of 174
- protein-based microstructures 367
- pulsed lasers 139

q

- quencher diffusion 158
- diffusion coefficient of 87
- distribution of 90
- positive effects of 86

r

- radical
 - quenchers 158
 - diffusion of 84
- radical polymerization
 - free-radical polymerization 67
- redox multiphoton polymerization 173
- refractive index 271
- resolution enhancement through
 - photo-induced deactivation (RAPID) lithography 125
- advantage 126
- deactivation mechanism 125
- disadvantages 126
- height and aspect ratio of voxels 125
- representative experimental deactivation data 123

reversible addition-fragmentation chain transfer (RAFT) polymerizations 201

reversible photoconjugation 201–202

rhodamine 6G 120

rose Bengal, eosin Y 193

s

- scaffold-on-scaffold hard tissue engineering strategy 172
- scaffolds 174, 208, 368
- scalar Debye approximation 69
- SCR500 269
- semiconductor composites and materials
 - chalcogenide glasses 252
 - ChG film 252
 - ChG-NP composites 254
 - *in situ* NP formation 247
 - nanoparticles 246
 - NP coating 248
 - NP-polymer composites 246
 - silicon inversion 250
- semiconductor saturable absorber mirrors (SESAM) 99
- “ship-in-a-bottle” process 348
- SiC-based ceramics 342
- silicate hybrid materials 169–171
- silicon dioxide 234–235
- silicon inversion 250–252
- siloxane thiol–ene system 280
- silver electroless plating techniques 343

silver structures fabrication

- bottom-up strategy 304
 - dot size model 308
 - electron donor 310
 - photonic bandgap 304
 - photoreduction 304–306
 - super-resolution photo-induced inhibition nanolithography approach 304
 - tuning laser wavelength 305, 308, 309
- sin-apodization function, numerical simulation of 7
- single beam direct transmission measurements 32
- single-wall carbon nanotubes (SWCNTs) 228
- small voxels
 - fractal behavior 79
 - realizations of 79
- soft lithography replication method 175
- sol–gel derived resins 280–284
- sol–gel process 168
- sol–gel technology 168
- soluble proteins 366
- Sonogashira coupling reactions 145
- spatial light modulators (SLM) 106
 - challenges 105
 - liquid crystal based spatial light modulators 102
 - lower geometrical fidelity 104
 - typical setup with 104
 - uses 104
 - view field of objective 103
- spin coating 269
- squaraine dye characterization 56–57
- squaraine molecule (SD 2577), excite–probe experiment on 46
- stable voxel, radius of 81
- stamping process 175
- stereolithography 5, 268, 315
- stimulated emission depletion (STED) fluorescence microscopy
 - advantages 113, 121
 - aryl ketones of radical photoinitiators 117
 - DETC 120, 121
 - disadvantages, STED-based deactivation 121, 122
 - excited-state/excited-state absorption 116
 - experimental setup 118, 119
 - feature 114
 - fluorophores 116
 - high extinction coefficients, molecules with 120
 - intramolecular vibrational redistribution 116
 - phase plates 114

- stimulated emission depletion (STED)
 - fluorescence microscopy (*contd.*)
 - photophysics 115, 117, 118
 - radical photoinitiators 119, 120
 - rhodamine 6G 120
 - saturation limit 117
 - stimulated emission pulse 116
 - Stokes' shift 116
 - two-photon polymerization
 - stimulated emission depletion microscopy (STED) 73
 - Stokes' shift 116
 - strain-promoted azide–alkyne cycloaddition (SPAAC) 196
 - superprism phenomena 170
 - super-resolution photo-induced inhibition nanolithography (SPIN) approach 73, 304
 - SU8 resists
 - DLW and photo-curing 6
 - mask projection and direct laser writing 5
 - usage 4
 - surface functionalization 173–175, 224
 - surface plasmon polaritons (SPP) 283
 - SZ2080 resists
 - heat exchange during polymerisation 6
 - mask projection and direct laser writing 5
 - micro-optical elements 18
 - refractive index 8
 - sol–gel organic inorganic resist, polymerisation of 6
 - usage 4
- t**
- tetraone dye characterization 57–59
 - thermal evaporation 236
 - thermally deposited arsenic sulfide 221
 - thiol–ene photoaddition 195–196
 - thiol–ene resins 277–280
 - thiol–yne photoaddition 196
 - three-dimensional (3D) hydrogel structure fabrication 150, 151
 - three-dimensional (3D) laser photo-polymerization
 - acrylate 3
 - epoxy based resins and resists 3
 - three-dimensional (3D) laser structuring 3
 - three-dimensional (3D) micro-/nano-scale polymeric structures 221
 - three-dimensional (3D) microstructures
 - biocompatible materials 363
 - cancer cell migration 356
 - cells studies 357
 - drug delivery 372
 - near infrared photons 355
 - scaffolds 368
 - scanning mirror system 356
 - two-photon absorption polymerization 355
 - three-dimensional (3D) multiphoton lithography (MPL) 221
 - three-dimensional (3D) (nano)polymerisation 4
 - avalanche vs. multiphoton excitation 15
 - heat accumulation 10
 - nonlinear properties 13
 - optical nonlinearities 13
 - optical properties at high excitation 8
 - photo-initiator additives 4
 - photo-resist, photo and thermal cure of 5
 - SU8 resists 4
 - thermal effects 5
 - tight light focusing 6
 - Z-scan measurements 13
 - three-dimensional (3D) PbSe structure fabrication
 - formation 303, 304
 - photoresin development 299, 301
 - top-down approach 298, 300
 - two-photon lithography 302, 303
 - three dimensional (3D) photonic crystal with sub-100 nm features 173
 - three-dimensional (3D) Si woodpiles PCs 251
 - three-dimensional (3D) structure fabrication, MPP
 - development 169
 - gelation 169
 - hydrolysis and condensation 168
 - photopolymerization 169
 - Ti-containing ORMOCER-based MPL resin 283
 - tight light focusing
 - circularly polarised beam 7
 - DLW 6
 - Fresnel absorption coefficient 8
 - 3D laser polymerisation 7
 - schematic presentation 7
 - tin dioxide 233–234
 - Ti:sapphire (800 nm) femtosecond lasers 286
 - Ti sapphire lasers 139
 - titanium dioxide 231
 - titanium sapphire ultra short pulse laser 98
 - titanium(IV)-isopropoxide 287
 - Tollens' reagent 239
 - TP-Flu-TP2 160
 - triethyleneglycol dimethacrylate (TRGDMA) 83
 - trimethylpropane triacrylate (TTA) 273

- triphenylamine-modified benzoquinoxaline (TPABQ) 147
 - triphenylamine-modified quinoxaline (TPAQ) 147
 - tris (2-hydroxy ethyl) isocyanurate triacrylate (TITA) 270
 - Turkevich synthesis 238
 - twin spiral microrotor 328, 329
 - two-color resolution enhancement approach 127
 - 2D methyl pyridinium carbazole derivatives 144
 - 2D tissue-culture polystyrene (TCPS) 208
 - two-photon absorption (2PA)
 - cross section measurement 138, 139
 - direct methods 137
 - dyes 136
 - excited states, generation of 25
 - indirect methods 137
 - molecular designs for enhancing 140, 141
 - nonlinear transmission technique 137
 - vs. one-photon absorption 136
 - structure/property relationships 142
 - TPEF method 138
 - Z-scan experiment 138
 - two-photon absorption induced fluorescence spectroscopy 53
 - two-photon absorption polymerization (2PP) 355
 - two-photon fluorescence microscopy (TPEF) 135
 - two-photon induced polymerization (TPIP) 335
 - two-photon-induced phosphorescence 59
 - two-photon-induced photopolymerization (TPIP) technology 143
 - two-photon-isomerization (TPI) 288
 - two-photon initiator (TPI)
 - characterization 137
 - design history 135
 - molecular design types 140
 - property 136
 - two-photon lithography 302, 303
 - STED-based deactivation 121
 - two-color resolution enhancement approach 127
 - two-photon microfabrication 316
 - two-photon photopolymerization (TPP) 135
 - aspect ratio 156
 - 2,7-bis[2-(4-substitutedphenyl)-vinyl]-9,10-dipentylloxanthracenes 147, 148
 - BNMBC 160, 161
 - BSB-S2 152
 - carbazole-based compounds 144
 - confining radical diffusion 161, 162
 - dendrimers 151
 - developing photoresists, considerations for 136
 - DPVMB 145, 146
 - gelatin-based hydrogel structures 150
 - lateral spatial resolution 146
 - lateral spectral resolution 156
 - photoinitiators 136
 - PVMB 145, 146
 - quencher diffusion 158
 - radical quenchers 158
 - radical-diffusion control, photoinitiators with 160
 - schematic illustration 137
 - A- π -D- π -A V-shaped 3,6-bis(phenylethynyl) carbazole based chromophores 145
 - water-soluble photoinitiators 149
 - two-photon polymerization
 - feature size and resolution 111
 - resolution enhancement, approaches for, *see also* stimulated emission depletion (STED) fluorescence microscopy; two-color resolution enhancement approach; photoinhibitors; absorbance modulation lithography (AML); resolution enhancement through photo-induced deactivation (RAPID) lithography
 - universal arrangement 106, 107
 - voxel shape 112
 - type I chromophores 140
 - type II chromophores 140
 - type III chromophores 140
- u**
- ultra-short pulse lasers
 - characteristics 98
 - choice of 100
 - femtosecond fiber lasers 100
 - gigahertz range 99
 - picosecond microchip lasers 100
 - service costs of 100
 - two-photon polymerization 98
 - UV-curable thiol-ene resins 277
- v**
- vanadium organometallic complex 173
 - vectorial Debye's theory 7
 - vinyl chain polymerization 194–195
 - viscous fluorescent polymer DPO-PPV (poly(p-phenylene vinylene) 291

voxels

- size 111, 112
- size and location of 78
- spatial distributions of 77, 78
- stable vs. fluctuating 83
- tuning method 160
- types of 78

w

- water-soluble photoinitiators 149
- waveguide structures
 - flexible waveguide structures 275
- white-light continuum (WLC) excite–probe spectroscopy 48–51
- white-light-continuum Z-scan (WLC Z-scan) 41
 - characterization 42, 43
 - experimental setup 42
 - linear spectrophotometer 43
- Wien's law 10
- woodpile PCs 241
- woodpile structures 357

y

- Yin–Yang structures 150

z

Z-scan

- calculated signals 33
 - chloro-aluminium phthalocyanine 39
 - closed-aperture Z-scan 34
 - dual arm Z-scan 37
 - experiment 138
 - open-aperture Z-scan 33
 - pulse width dependence 39
 - setup 33
 - simple scan analysis 34
 - squaraine molecule 34
 - variants of 43, 44
 - WLC Z-scan 41
- zinc oxide 231, 232
 - zirconium dioxide 232
 - zirconium–silicon composites 172
 - Zr-based sol–gel resins 284