

Index

a

abrasion 112
 acrylics 38
 additives 6
 – antibacterial additives 29
 – antiblocking additives 39
 – antifogging agents 41
 – antioxidants
 – – function of 21
 – – primary antioxidants 22
 – – secondary antioxidants 22
 – antistatic agents 26
 – blowing agent
 – – expanded polystyrene 40
 – – mechanism of 41
 – categorization 13
 – classes of 13
 – in colouring agents 47
 – compatibilizers 19
 – coupling agents 29
 – in fillers 48
 – fillers and modifiers 25
 – flame retardants 27, 46
 – impact modifiers 23
 – intermaterial competition 43
 – lubricants 28
 – multifunctional additives 49
 – nucleating agents
 – – coupled nucleating agents 33
 – – defining 32
 – – inorganic nucleating agents 32
 – – phosphates 33
 – – sorbitol compounds 33
 – optical brighteners
 – – chemical structure of 37
 – – enhancing stability of 37
 – – examples of 36
 – – inorganic brighteners 36

 – – organic brighteners 36
 – – selection of 36
 – plasticizers 28, 47
 – purpose of 13
 – reinforcing agents/fillers
 – – carbon blacks and carbon fibers 35
 – – carbon nanotubes 35
 – – inorganic/organic 33
 – – nanoclays 35
 – role of 13
 – stabilizing agents 46
 – – combinations for applications of
 polymers 19
 – – effectiveness of 14
 – – heat stability 18
 – – light stability 19
 – – photo stabilization 15
 – – processing stability 18
 – – testing 18
 – – thermal stabilization 15
 – surface improvers
 – – acrylics 38
 – – fluorocarbon compounds 38
 – – melt fracture 37
 – – organic salts 38
 – technical opportunities 43
 – technical threats 44
 – turnover of 14
 agricultural waste 2
 Akzo process 86
Alicyclobacillus sp. 151
 alkali catalyzed methanolysis 107
 aminolysis, polyurethanes 229
 ammonolysis, of nylon 6 6, 103
 antibacterial additives 29
 antiblocking additives 39, 40
 antifogging agents 41

- antioxidants 15, 45
 - consumption of 14
 - function of 21
 - secondary antioxidants 22
- antistatic agents 26
- aramid fiber 218
- asbestos containing materials (ACM) 175
- asbestos fibers 174
- Australian and New Zealand Environment and Conservation Council (ANZECC) 116

- b**
- Banbury mixers 38
- BASF feedstock recycling process 88
- batch reactors 65
- benzyltrimethylammonium bromide 103
- biocomposites, with biopolymer matrix 243
- biological process, rubber recycling 148
- bioplastics 122
- bis(2-hydroxyethyl) terephthalamide (BHETA) 131
- bis(2-hydroxyethyl) terephthalate (BHET) 131
- black pigment 27
- black plastics 116, 121
- blending system 12
- blocking 39
- blowing agent
 - expanded polystyrene 40
 - mechanism of 41
- bottle recycling, PET 236
- bulk molding compounds, mechanical properties 219

- c**
- cadmium 27
- caprolactam 105
- carbon blacks 35
- carbon fibers 35, 192
 - chemical recycling 195
 - mechanical recycling 192
 - pyrolysis process 193
 - thermal recycling 189
- carbon nanotubes 35
- catalytic pyrolysis 105
- catalytically cracking, polypropylene 71
- cellulose nanocrystals (CNC) 165
- Ceriporiopsis subvermispora* 152
- chemical depolymerization 60
- chemical process, rubber recycling 143
- chemical recycling 4, 59
 - fibers 190, 195
 - HDPE 238
 - of nylon 101–102
- of polycarbonate, *see* polycarbonate
- of polyethylene, *see* polyethylene
- polymer blends and composite materials 215
 - poly(methylmethacrylate)
 - chemical/feedstock recycling 92
 - - dissolution/reprecipitation 91
 - - thermal pyrolysis 91
 - of polypropylene
 - catalytic cracking 71
 - - co-pyrolysis 70
 - - pyrolysis 69
 - of polystyrene
 - - catalytic degradation 77
 - - cracking mechanism 79
 - - dissolution technique 77
 - - municipal solid waste 76
 - - thermo-chemical recycling 79
 - polyurethanes 227
 - of polyvinyl chloride (PVC), *see* polyvinyl chloride (PVC)
 - PLA 124
 - plastics 119, 121
- chlorinated fluorocarbons 48
- chlorinated polyethylene(CPE) 20
- civil engineering, rubber recycling 153
- clinoptilolites 129
- cobalt aluminates 27
- colouring agents
 - advancement in 47
 - dyes 27
 - pigments 27
- commercial waste 2
- Commonwealth Environmental Protection Agency (CEPA) 116
- compatibilizers 13, 19
- composites 8
- condensation polymerisation 101
- conical spouted bed reactor (CSBR) 65
- co-polymeric system 48
- cotton fibers 167
- Council for Textile Recycling 169
- coupling agents 29

- d**
- Design for Environment (DFE) 76
- desulfurisation of rubber 151
- devulcanization method 145, 146
- dibenzylidene sorbitol 33
- dicumyl peroxide (DCP) 78
- differential scanning calorimetry (DSC) 18
- diphenyl disulphide (DD) 145
- dissolution 77
 - poly(methyl methacrylate) 91

dough molding compound (DMC) 214
 dyes 27
 dynamic thermal stability time (DTST)
 17, 18

e
 energy recovery 6, 60
 energy production, rubber recycling 154
 environmental scanning electron microscope
 (ESEM)
 – of *T. ferrooxidans* 149
 – *Sphingomonas* sp. 150
 epoxy resins 211
 – cured 216
 – formation 211
 ethoxylated sorbitan ester 42
 ethylbenzene 78
 ethylene glycol, glycolysis in 108, 109
 ethylene-propylene rubber (EPR) 20
 expanded polystyrene (EPS) 40, 76, 77,
 241
 external lubricants 28
 extruders 38
 extrusion process 128

f
 fatty acid amides 39
 feedstock recycling 59, 92
 – plastics 116, 120
 – sustainability benefits 117
 fiber reinforced plastics (FRPs) 7
 fiber reinforced polymer composites (FRPCs)
 163
 fibers
 – aramid 218
 – carbon fiber-geethy 192
 – chemical recycling 190, 195
 – classification of 164
 – fluidized bed process 189
 – mechanical recycling 188, 192
 – natural 164
 – pyrolysis process 193
 – synthetic 176
 – thermal recycling 189
 fillers 13, 25
 – advancement in 48
 – carbon blacks and carbon fibres 35
 – carbon nanotubes 35
 – inorganic/organic 33, 34
 – nanoclays 35
 fixed bed reactor 66
 flame retardants (FRs) 45
 – additive types 27
 – advancement in 46

– reactive types 28
 fluid catalytic cracking (FCC) 66, 69, 70, 82,
 127
 fluidized bed process, fibers 189
 fluidized bed reactors 65
 fluidized-bed recycling process 216
 fluorocarbon compounds 38
 FRPCs, *see* fiber reinforced polymer
 composites (FRPCs)

g
 gasification 60
 – hermolysis 64
 – polyurethanes 230
 general rubber goods (GRG) sector 141
 glass fiber (GF) 187, 243
 – chemical recycling 190
 – fluidized bed process 189
 – mechanical properties of 25
 – mechanical recycling 188
 glass fibre reinforced plastics (GFRP) 188
 glass reinforced phenolic (GWP) 214
 glass-mat reinforced thermoplastics (GMT)
 181
 glycolysis 228
 – of PET 131
 grinding 112
 – machines description 213
 – with water jet 243

h
 halogen systems 28
 HDPE, *see* high-density polyethylene (HDPE)
 health problems, in children 252
 heat distortion temperature (HDT) modifier
 23
 heat stabilisers 45
 heat stability 18
 heterogeneous polymers 12
 hexamethylene diamine (HMDA) 104
 high-density polyethylene (HDPE) 19–21,
 116, 121
 – chemical recycling 238
 – cotton fiber 168
 – degradation of 128
 – recycling 237
 – thermal cracking of 128
 hindered amine light stabilisers (HALS) 16
 hindered amine thermal stabilizers (HATS)
 49
 homogeneous polymeric materials 12
 hydrate systems 28
 hydrocracking, thermolysis 64
 hydrocyclones 112

- hydrogenation 60
 - polyurethanes 230
 - thermolysis 64
- hydrolysis
 - of nylon 4, 6, 103
 - of nylon 6 102
 - of nylon 6, 6, 103
 - polyurethanes 229
- hydroxybenzophenone 15
- hydroxyphenylbenzotriazole 15
- hygrothermal ageing, effect of 124

- i**
- impact modifiers 13, 23, 45
- incineration 115
 - for energy recovery 216, 231
 - polymer 252
- inorganic brighteners 36
- inorganic nucleating agents 32
- internal lubricants 28
- ionic liquids 106
- iron oxides 27

- k**
- kenaf 165

- l**
- Level sensors 12
- life-cycle analysis (LCA) study 236
- life-cycle assessment (LCA) 117, 134
- light stability 19
- light stabilizers 45
 - consumption of 14
- low-density polyethylene (LDPE) 126–127
- lubricants 28

- m**
- mechanical recycling 4
 - fibers 188, 192
 - PLA 122, 124
 - plastics 116, 117, 119, 120, 121
 - polymer blends and composite materials 213
- mechanocalorical technique, rubber recycling 145
- melt extrusion technique 37
- melt flow index (MFI) 16, 17, 126, 127
- melt fracture 37
- methanolysis
 - alkali catalyzed methanolysis 107
 - ionic liquids 106
- methylene diphenyl diisocyanate (MDI) 224
- microcrystalline cellulose (MCC)

- kenaf 165
- PVC film 168
- microwave pyrolysis 217
- microwave technique, rubber recycling 146
- mineral fillers 13
- mixed plastic recycling processes 86
- mixed plastics 8
- modifiers 25
- monomer methyl methacrylate (MMA) 91
- municipal solid waste (MSW) 4, 76, 116, 119, 185
- municipal waste 2

- n**
- nanoclays 35
- nanofibrillated cotton 170
- natural fibers 7, 164
 - asbestos 174
 - cotton 167
 - kenaf 165
- natural rubber (NR) 141, 142
 - chemical oxidation reaction 143
 - chemical structure 142
 - drawbacks 142
 - world production/consumption 142
- nitrous oxide, tyre recycling 144
- N-methylmorpholine N-oxide (NMMO) 169
- noise reduction coefficient (NRC) process 86
- NTK process 87
- nucleating agents
 - coupled nucleating agents 33
 - defining 32
 - phosphates 33
 - sorbitol compounds 33
- nylon 177
 - chemical recycling 101–102
 - thermal recycling 102
 - nylon 4, 6, hydrolysis of 103
 - nylon 6
 - - depolymerization 105
 - - hydrolysis of 102
 - - nylon 6, 6
 - - ammonolysis of 103
 - - depolymerization of 104
 - - hydrolysis of 103
 - - recovery of monomers 104

- o**
- oil absorbent, rubber recycling 154
- olefin metathesis, degradation 144
- optical brighteners
 - chemical structure of 37
 - enhancing stability of 37
 - examples of 36

- inorganic brighteners 36
- organic brighteners 36
- selection of 36
- organic antiblocking agents 39
- organic brighteners 36
- organic peroxides 45
- organic phosphates 33
- organic salts 38
- oriented polystyrene (OPS) 76

- p**
- persistent organic pollutants (POPs) 55
- phenol, thermal cracking of HDPE 128
- phosphates 33
- phosphites 15
- photo stabilization
 - quenchers 15
 - radical traps 16
 - UV absorbers 15
- pigments 27
- plasticizers 45, 47, 28
- plastics 2, 115
 - additives in 6
 - applications 134
 - chemical recycling 119, 121
 - classification 115, 120
 - composites 8
 - consumption of 14
 - durable 117
 - feedstock recycling 116, 120
 - mechanical recycling 116, 119–121
 - mixed plastics 8
 - MSW 4
 - PET 129
 - PLA 122
 - pollution 236
 - polyethylene 126
 - polymer in 3
 - polypropylene 128
 - polystyrene 129
 - prime grades 3
 - production of 3, 115
 - PVC 125
 - recycling of 3, 134, 235, 248, 251
 - reuse 120
 - thermoplastics 3
 - thermosets 3
 - waste handling 61
- plastic solid waste (PSW) 244, 251, 252
- plastic waste management scenario 117
- poly(L-lactic acid) (PLLA) 124
- polyamide (PA) 37, 101
- polycarbonate (PC), chemical recycling 105, 106
 - alkali catalyzed methanolysis 107
 - glycolysis in ethylene glycol 108
 - hydrolysis 108
 - ionic liquids 106
 - methanolysis 106–107
 - polycarbonate wastes 106
 - pyrolysis 109
 - recycling problems 109
- poly(methyl methacrylate) (PMMA), chemical recycling
 - chemical/feedstock recycling 92
 - dissolution/reprecipitation 91
 - thermal pyrolysis 91
- polyester 182
- polyether polyols 224, 225
- polyethylene (PE) 126
- polyethylene, chemical recycling
 - batch reactors 65
 - degradative extrusion 64
 - fixed bed reactor 66
 - fluidized bed reactors 65
 - gasification 64
 - hydrogenation 64
 - pyrolysis 63
 - thermolysis 63–64
- polyethylene high density (PEHD) 237
- polyethylene terephthalate (PET) 129, 182
 - bottle-to-bottle recycling 133
 - chain extending reaction 184
 - glycolysis of 131
 - mechanical properties 25, 26
 - pyrolysis 187
 - recycling 236
- polyhydroxyalkanoates (PHA) 82
- poly lactic acid (PLA) 122
 - chemical recycling 124
 - degradation of 124
 - mechanical properties 123
 - mechanical recycling 122, 124
 - zero viscosity of 123
- polymer
 - classes of 209
 - recycling of 57, 251
- polymer blends and composite materials 209
 - application of recyclates 218
 - chemical recycling 215
 - mechanical recycling 213
 - thermal recycling 216
- polymeric materials, recyclability of 117
- polymeric phenolic phosphites 15
- polymer incineration systems 252
- polymerization techniques 209
- polymer recycling 11

- polyolefins
 - catalytic degradation 66
 - thermal cracking 66
- polypropylene(PP) 128, 166, 167, 240
 - chemical recycling
 - - acid strength and textural properties 68
 - - catalyting cracking 71
 - - co-pyrolysis 70
 - - heterogeneous catalysis 68
 - - pyrolysis 69
 - - thermal cracking 68
 - mechanical properties 25, 26
 - moulding-grade 16
 - stabilization 16, 17
 - tensile strength of 20, 21
- polystyrene (PS) 129, 231
 - catalytic degradation 77
 - cracking mechanism 79
 - dissolution technique 77
 - municipal solid waste 76
 - thermal degradation 81
 - thermo-chemical recycling 79
 - thermo-oxidative degradation 81
- polyurethanes (PUR) 223
 - aminolysis 229
 - chemical recycling 227
 - energy recovery by incineration 231
 - foam applications 225
 - gasification 230
 - glycolysis 228
 - hydrogenation 230
 - hydrolysis 229
 - linkages in 232
 - mechanical recycling 226
 - particle size distribution 227
 - properties of 223
 - pyrolysis 230
 - thermo chemical 230
- polyvinyl chloride (PVC) 17, 253, 125
 - chemical recycling 85
 - - BASF feedstock recycling process 88
 - - chlorine atoms of 83
 - - combustion of 84
 - - copyrolysis of 85
 - - corrosion of process equipment 85
 - - dehydrochlorination 84
 - - mechanochemical reaction 85
 - - mixed plastic recycling processes 86
 - - mixed PVC wastes world initiatives 88
 - - neutralization of HCl 83
 - - nucleophilic substitution 86
 - - oxidative degradation of 87
 - - steam pressure 83
 - - thermal cracking 84
 - - Veba Combi cracking process 90
 - mechanical properties 25, 26
 - recycling 18
 - stabilization 16, 239
 - tensile strength of 20, 21
 - thermal stability of 17
- post-consumer plastic recycling stage 11
- primary antioxidants 22
- primary recycling 4
- processing stability 18
- protective charring systems 28
- PSW, *see* plastic solid waste (PSW)
- Pyrococcus furiosus* 148
- pyrolysis 102, 217
 - catalytic pyrolysis 105
 - co-pyrolysis 70
 - fibers 193
 - of polycarbonate 109
 - polypropylene 69
 - polyurethanes 230
 - thermal pyrolysis 106
 - thermolysis 63
- pyrolysis reactor 118
- q**
- quaternary recycling 60
- quenchers 15
- quinone 123
- r**
- radical traps 16
- recycling 2
 - abrasion 112
 - advantages 110
 - automated techniques 111
 - challenges in 11
 - chemical recycling 4, 59
 - cleaning stage 6
 - codes 5
 - collection stage 6
 - density sorting methods 111
 - energy recovery 6
 - equipments for 12
 - feedstock recycling 59
 - fillers and modifiers 12
 - grinding 112
 - heavy medium separation 111
 - hydrocyclones 112
 - mechanical recycling 4, 58
 - of plastics 3
 - of polymers 57
 - primary recycling 4, 58
 - restabilization 12

- rubber 7
- size reduction stage 6
- reinforcements 13
- reinforcing agents
 - carbon blacks and carbon fibres 35
 - carbon nanotubes 35
 - inorganic/organic 33, 34
 - nanoclays 35
- reprecipitation, poly(methyl methacrylate) 91
- Resinicium bicolor* 149
- response surface methodology (RSM) 173
- rubber recycling 7
 - applications 152
 - biological process 148
 - chemical process 143
 - civil engineering applications 153
 - energy production 154
 - mechanochemical technique 145
 - MW technique 146
 - oil absorbent 154
 - sound insulation materials 152
 - twin screw extruder 148
 - ultrasonic technique 146
 - zinc fertilizer 155
- s**
- SEM
 - cotton fiber 169
 - Sisal fiber 173
 - supercritical fluids 198
- sheet molding compounds (SMC) 190, 213
 - manufacturing process 212, 213
- silicoaluminophosphate (SAPO) 67
- single screw extruder 122, 129
- solid state polycondensation (SSP) 133
- solid state post-condensation (SSP) reaction 133
- sorbitol compounds 33
- sound insulation materials, for rubber
 - recycling 152
- spectroscopes methods 127
- Sphingomonas* sp. 150
 - ESEM 150
- stabiliser technology 46
- stabilizing agents
 - combinations for applications of polymers 19
 - heat stability 18
 - light stability 19
 - photo stabilization 15
 - processing stability 18
 - thermal stabilization 15

- structure reaction injection molding (SRIM)
 - recycling 227
- styrene-butadiene rubber (SBR) 146, 151
- styrene-ethylene-propylene block copolymer (SEP) 20
- supercritical fluids (SCFs)
 - carbon fibers 196
 - glass fibers 190
- surface improvers
 - acrylics 38
 - fluorocarbon compounds 38
 - melt fracture 37
 - organic salts 38
- synthetic fibers 176
 - glass fiber-geethy 187
 - nylons 177
 - polyester 182
- synthetic rubbers (SR) 141, 142
 - examples 142
 - world production/consumption 142
- t**
- TDF, *see* tyre derived fuel (TDF)
- telechelic polymers 144, 145
- tensile stress 24
- tertiary recycling 59
- thermal cracking method 121
- thermal pyrolysis 106
- thermal recycling
 - fibers 189
 - nylon 102
 - polymer blends and composite materials 216
- thermal stabilization 15
- thermo chemical, PUR 230
- thermogravimetric analysis (TGA) 72
- thermolysis
 - gasification 64
 - hydrogenation 64
 - pyrolysis 63
- thermo-oxidative degradation 55
- thermoplastics 3, 115, 120
 - biocomposites 116
 - examples 115
- thermosets 3
 - chemical recycling 215
 - examples 115
 - matrix 116
 - melting point of 115
- Thiobacillus ferrooxidans* (*T. ferrooxidans*) 149–150
- tire sector 141
- titanium pigments 36
- toluene 91

- toluene Diisocyanate (TDI) 224
 - 1,3,5-triphenylhexane (TPH) 77
 - twin screw extruder 121
 - rubber recycling 148
 - tyre derived fuel (TDF) 244
 - tyre recycling 144
- u**
- ultrasonic technique, rubber recycling 146
 - ultrasound-assisted extraction (UAE) 173
 - UV absorbers 15
- v**
- Veba Combi cracking process 90
 - vinylidene fluoride homopolymers 38
 - volumetric devices 12
- w**
- waste
 - agricultural 2
 - commercial 2
- x**
- X-ray photoelectron spectroscopy (XPS) 151
 - xylene 91
- z**
- zero order recycling technique 60
 - zinc fertilizer 155
 - zinc salts 38