

Index

a

- ab initio* calculation 364
 - DFT 365
 - heat of formation 366
 - lattice vibrations 368
 - mixing enthalpy 367
- abstract base classes (ABCs) 537
- abstract classes (ACs) 537
- additive manufacturing (AM) 44
- advancing front method 489
- air plasma spraying (APS) 141
- aluminum, recycling processes 255
- amorphous precursor 284
- analytic-geometric simulation models 196
- aqueous corrosion 228
- arbitrary Lagrangian–Eulerian (ALE)
 - formalisms 492, 502, 504
- argon–oxygen decarburization (AOD)
 - process 373
- asparagus process chain 31
- associate model 346
- atomistic simulation models 171
- Audi Space Frame 111
- austenite–ferrite phase
 - transformation 449
- average stress tensor 436

b

- bar equilibrium problem 508
- Big Data Initiative 577
- black-box software 536
- blacksmithing 23
- block-iterative time-stepping
 - algorithms 493
- Born–Oppenheimer approximation 402
- boundary conditions (BCs) 433
- boundary element method (BEM) 494
- boundary value problem (BVP) 433, 506

boundary value solving methodology 448

- Bridgman process 36
- Burgers vector 387, 388

c

- calcium carbonate (CaCO_3) 39
- CALculation of PHase Diagrams (CALPHAD)
 - approach
 - calculations 340
 - composition dependence models 345
 - crystallography 342
 - database 340
 - – alloy thermodynamics 350
 - – binary and ternary datasets 349
 - – binary system 351
 - – constructing 352
 - – development and parameter optimization 350
 - – extensions 360
 - – FactSage 356
 - – formats 356
 - – Gibbs energy models 349
 - – ideal gas model 349
 - – lower order systems 352
 - – multicomponent systems 360
 - – phase diagram 350
 - – phase names 353
 - – reference states 356
 - – steels and Fe alloys 348
 - – TDB database file 356
 - – ternary systems 351
 - definition 340
 - Gibbs energy 340
 - – history of 341
 - – limitations and challenges 363
 - – modeling diffusion processes 360–362
 - – models of phases 342
 - – nano-size effect 346

- CALculation of PHase Diagrams (CALPHAD) approach (*contd.*)
 - theoretical basis of 340
 - thermodynamics 291, 292
 CA method, *see* cellular automaton (CA) method
 - CAPE-OPEN standards 541
 - carbon fiber-reinforced plastics (CFRP) 233
 - carbonitriding 106
 - carburizing 106
 - castability window 375
 - casting 36
 - applications 44
 - basic equations 51
 - codes 62, 64–68
 - cooling 49
 - data 55
 - diffusion phenomena 49
 - external fields 50
 - fluid flow 48
 - initial and boundary conditions 54
 - phase transformation 49
 - thermal expansion 49
 - wetting phenomena 49
 - cathodic protection 231
 - CBSE, *see* component-based software engineering (CBSE)
 - cell results 499
 - cellular automaton (CA) method 292
 - chain-growth polymerization 39
 - ChemApp 254, 261
 - chemical vapor deposition (CVD) 159, 163
 - ChemSheet 261
 - Circular Economy system 250
 - cladding process 138
 - classical beam theory 506
 - classical nucleation and growth (ClaNG) model 256
 - classical nucleation theory (CNT) 279, 291
 - classical physical modeling paradigm 507
 - clinching 122
 - cloud computing systems 548
 - cluster computing system 548
 - cluster expansion method (CEM) 367
 - cluster site approximation (CSA) 345
 - cluster variation method 345
 - CNT, *see* classical nucleation theory (CNT)
 - coefficients of thermal expansion (CTEs) 458
 - coherent potential approximation (CPA) 367
 - columnar-to-equiaxed transition (CET) 294
 - commercial codes 29
 - common address space (CAS) memory 546
 - common component architecture (CCA)
 - 538, 541
 - Complex Automata (CxA) formalism 540
 - component-based software engineering (CBSE) 537
 - Compound Energy Formalism (CEF) 342, 343
 - computational fluid dynamics (CFD) 97, 254
 - computational mechanics (CM) 511
 - computational polycrystalline homogenization 448
 - computer aided manufacturing (CAM) systems 196
 - computer-aided engineering (CAE) 87
 - computer-based simplifications 507
 - concurrent multiscale resolution 435
 - Consortium for Open Multiphysics 551
 - constitutive modelling (CP-FEM/CP-FFT) 307, 308
 - constrained Delaunay method 490
 - contact and friction 84
 - continuous fiber-reinforced polymer (CFRP) 459
 - contour fill 500
 - contour lines 500
 - convective heat transfer 100
 - corrosion
 - aqueous corrosion 228
 - cathodic protection 231
 - crack formation 228
 - definition 228
 - design engineering 232
 - hot gas corrosion 227
 - industrial demands in 238
 - intergranular corrosion 229
 - local corrosion 229
 - localized corrosion 228
 - modeling and applications
 - – automotive 233
 - – aviation 233
 - – construction sector 232
 - – degradation modeling 238
 - – electronics and equipment 233
 - – energy sector 230
 - – Faraday's law 237
 - – integrative aspects 235
 - – Laplace equation 238
 - – marine transportation 232
 - – mathematical aspects 234, 236
 - – model input data 237
 - – multidisciplinarity 234
 - – scale aspects in 230
 - – software tools 240
 - – tasks and limits 244
 - – types 228
 - – uniform corrosion 228

- Coulomb operator 405
coupled clusters (CC) 406
Courant–Friedrichs–Lowy (CFL) condition 543
CP, *see* crystal plasticity (CP)
crack formation 228
crux-like unit cell 455
crystal plasticity (CP) 304, 448
– constitutive modelling 307
– texture simulation 306
crystal plasticity finite element (CPFE) models 215, 216
crystal plasticity finite element method (CPFEM) 86
crystalline solid phase 342
curing cycle 458
CVD, *see* chemical vapor deposition (CVD)
Czochralski process 36
- d**
- databases 576
data centric approaches 539
data encapsulation 537
data mining 499
Debye vibrational temperature 331
deformation 500
Delaunay mesh 490
density functional theory (DFT) 283, 365, 407
– calculations 343
dexel model 196
DFC, *see* discontinuous fiber composites (DFC)
differential scanning calorimetry (DSC) 143
different phase-field models 297
diffusion mobility databases 361
diffusion models 286
– carbon profile after heat treatment 287
– chromium profile after heat treatment 288
– diffusion-controlled phase transformation 287
– simulated carbon profile after heat treatment 290
– single phase diffusion problems 286
– supersaturation 288
digital microstructures 273
direct elimination method 498
direct engineering approach 443
direct simulation Monte Carlo (DSMC) method 162, 167
discontinuous fiber composites (DFC) 456
discontinuous reconstructions, projection using 504
discrete dislocation dynamics (DDD)
- applications of 389
– boundary conditions 389
– dislocation propagations 390
– methodology 387
– modeling dynamics 387
– network model 387
– nodal model 387
– simulation inputs 389
discrete element method (DEM) 494
discrete models
– atomistic level 385
– basis set 403
– coarse-graining 385
– DDD
– – applications of 389
– – dislocation propagations 390
– – drawbacks of 390
– – methodology 387
– – modeling dynamics 387
– – network model 387
– – nodal model 387
– – simulation inputs 389
– DFT 407
– effective cluster interactions 411
– electronic structure problem 402
– electronic wave function 403
– force fields 411
– generalized gradient approximation 409
– Hartree–Fock theory 404
– hybrid DFT Hartree–Fock theory 410
– KMC algorithm
– – crystal growth 395
– – diffusion-reaction 397
– – direct method algorithms 394
– – drawbacks 395
– local density approximation 408
– MC method
– – applications 393
– – modeling inputs 393
– – Potts model 392
– – time conversion 393
– – types of 391
– MD
– – boundary conditions 400
– – equations of motion 398
– – integration schemes 398
– – potential 399
– mesoscopic level 385, 386
– meta-GGA methods 409
– post Hartree–Fock methods
– – explicitly correlated methods 407
– – multi reference methods 407
– – single reference methods 405
– potentials 411

- discrete models (*contd.*)
 - Schrödinger equation 401
 - software tools 412
 - Van der Waals corrected DFT 410
 dislocation drag tensor 388
 distributed computing 548
 domain specific language (DSL) 539
 duplex stainless steels (DSS) 231, 232
 dynamical DFT (DDFT) 302
- e**
- Eigen-strain tensor 436, 439, 440
 elastomers 40
 electrocrystallization 165
 electromagnetic heating 101
 electron–electron interaction 365
 electronic structure problem 402
 electronic wave function 403
 electroslag remelting (ESR) 38
 element interpolation methods 502
 embedded atom method (EAM)
 potentials 400
 empirical interpolation method (EIM) 509
 energy rules 391
 energy sector corrosion 230
 environmentally assisted cracking
 (EAC) 227
 EOS, *see* equations of state (EOS)
 equation of motion (EOM) 283
 equations of state (EOS) 330
 – Euler integration of 332
 – harmonic oscillator 331
 – perfect gas 331
 – Van der Waals equation 332
 – vibrations in crystals 331
 – virial expansion of gases 332
 equilibrium state 333
 equilibrium thermodynamics 276, 277
 Euler homogeneous function 328–330
 Eulerian description 492
 Euler integration, of EOS 332
 Euler–Lagrange equation 144, 282
 Euler's first theorem 330
 EU Multiscale Materials Modeling Cluster
 (EUMMC) 551
 European Materials Modelling Council
 (EMMC) 551
 excess Gibbs energy 337
 exchange-correlation (XC) functional 411
 exchange energies 344
 explicitly correlated methods (ECM) 407
 extended finite element method
 (XFEM) 496
 extrusion process 40
- f**
- fractional-step algorithms 493
 FactSage 356
 fast Fourier transforms (FFT) method 437, 438
 Fatemi–Socie parameter 217
 fatigue indicator parameters (FIPs) 216
 fatigue modeling
 – cyclic elastoplasticity 213
 – fatigue indicator parameters 216
 – fatigue limit
 – influence factors on component 209
 – as microstructure function 218
 – micromechanics 211
 – microstructure 212
 – software tools 223
 fault tolerance 549
 FeCMnSi steel microstructures 450
 federation object model (FOM) 541
 FE² method 437
 fibers orientation distribution 457
 field-assisted sintering techniques (FAST) 43
 finite difference method (FDM) 361, 493
 finite element (FE) approach 292, 435
 – primary shaping processes 47
 finite-element-based homogenization
 – computational polycrystalline
 homogenization 448
 – DFC 456
 – phase field method 449
 – polycrystalline materials 447
 – PRMMC 452
 – semicrystalline thermoplastics 454
 finite element method (FEM) 24, 361, 494
 – simulation models 198
 finite strain deformation 83
 Flory–Huggins model 338, 339
 flow models 51
 flux-balance equations 287
 Fock operator 405
 Folgar–Tucker model 457
 forming processes
 – applications of 86
 – blind riveting 121
 – categorization 81
 – clinching 122
 – contact and friction 84
 – data requirement 88
 – finite element method 85
 – finite strain deformation 83
 – friction model 84
 – global process quantities 86
 – heat transfer 84
 – initial and boundary conditions 87

- instability and damage 84
- interaction of process, tool, and machine 87
- local process quantities 87
- modeling and simulation methods 85
- numerical aspects 90
- phenomena occurring during 81
- product properties 87
- robustness of manufacturing 87
- software codes 91
- strain hardening 83
- technological overview 120
- virtual joining factory 126

Fourier heat conduction equation 51

free growth limited model 280

freeze-lining model 259

frictional contact problems 497

full constraints (FC) model 307

fully-coupled approaches 30

functional mock-up interface (FMI) 541

g

- galvanic corrosion modeling 240
- gauss points' results 499
- GEC reference cell 164
- generalized gradient approximation (GGA) 366, 409
- generalized method of cells (GMCs) 435
- general purpose (GP) codes 29

GGA, *see* generalized gradient approximation (GGA)

Gibbs energy 340, 350

- of alloy system 346
- excess Gibbs energy 337
- of nanofilm 347
- residuals 336

Gibbs–Thomson effect 291

Graphical User Interface (GUI) 488

grey-box software 536

grid computing system 548

h

- harmonic approximation 368
- harmonic oscillator 331
- Hartree-Fock theory 404
- heat generation 141
- heat of formation 366
- heat softening 50
- heat transfer 99
- heat treatment
 - convective heat transfer 100
 - cooling within vaporizing liquids 100
 - electromagnetic heating 101

- heat transfer 99
- interactions during 98
- joining processes 126
- macroscopic diffusion 97
- mechanical behavior 104
 - – thermal and transformation strain 104
 - – transformation plasticity 104
- microstructure 101
- – phase transformations and precipitations 102
- – recrystallization and grain growth 103
- remarks 107
- software codes 108
- solid-solid heat transfer 101
- thermal conduction 98
- thermal radiation 99
- thermochemical treatment
 - – carburizing and carbonitriding 106
 - – nitriding and nitrocarburizing 106
- Helmholtz energy residuals 336
- heterogeneous materials, multiscale methods for 433
- heterogeneous mixed electrode 229
- hierarchical multiscale models 505
- high level architecture (HLA) 540
- high performance computing (HPC) 487, 511
 - algebraic solvers 514
 - architectures 548
 - challenges 516
 - and distributed computing 543
 - efficiency 516
 - fault tolerance 549
 - hardware 544
 - programming models 546
 - software codes 517
 - substructuring 512
- high-velocity oxy fuel spraying (HVOF) 141
- homogeneous nucleation 279
- homogenization
 - affine method 436
 - average stress tensor 436
 - Eigen-strain tensor 439, 440
 - FE² method 437
 - finite-element-based homogenization
 - computational polycrystalline homogenization 448
 - – DFC 456
 - – phase field method 449
 - – polycrystalline materials 447
 - – PRMMC 452
 - – semicrystalline thermoplastics 454
 - – generalized method of cells 435
 - – incremental-tangent formulation 436
 - – in industrial application

- homogenization (*contd.*)
 - ICME strategy 444, 445
 - material engineering 445
 - parameterization 443
 - structural engineering 446
 - technology 442
 - injection molding simulation 455
 - in-service mechanical behavior 458
 - linear comparison composite 436
 - material screening
 - application example 464
 - *n*th-order bounds 462
 - zeroth-, first-, and second-order bounds 463
 - mean-field homogenization 436, 459
 - mechanical properties 457
 - meso-scale BVP 439
 - meso-scale constitutive law 440
 - meso-scale homogenized properties 434
 - meso-scale volume 441
 - multiscale homogenization
 - method 433, 438
 - multiscale problem 438
 - of lamellae 455
 - secant method 436
 - semianalytical methods 437
 - SFRP-materials 465
 - software tools 468
 - stress tensor 438
 - theory 506
 - time-scale separation 440
 - transformation-field analysis 435
 - unit-cell method 439
 - homogenous mixed electrode 229
 - hot filament/hot wire CVD
 - (HFCVD/HWCVD) 163
 - hot gas corrosion 227
 - hot isostatic pressing (HIP) 42
 - HPC, *see* high performance computing (HPC)
 - Hückel method 404
 - hybrid coupling 446, 447
 - hybrid DFT Hartree-Fock theory 410
 - hydrogen cracking 232
 - hydrogen embrittlement 232
 - i*
 - ICME, *see* integrated computational materials engineering (ICME)
 - inclusion engineering 373
 - initial boundary value problem (IBVP) 87, 497
 - injection molding simulation 455
 - integrated computational materials engineering (ICME) 1
 - advanced material simulation 5
 - CALPHAD approach 565
 - commercial software industry 4
 - communication standards 567
 - concentration 571
 - Damascus steel 8
 - databases 576
 - definition of 3
 - development of 568
 - FE approach 565
 - financial validation 9
 - first time right products 5
 - functionality 6
 - global optimum 3
 - hierarchical data structures 580
 - holistic simulation approach 9
 - industrial needs for 4
 - industrial user of 5
 - information contingency 3, 4
 - interoperability 567
 - material 569
 - material properties evolution 10
 - metadata 572
 - metadata schemata 573
 - metallic alloy steel 6
 - microstructure-processing relationship 3
 - modern materials engineering 579
 - modern steel development 7, 8
 - objects 571
 - performance 6
 - production costs 7
 - simulation tools 2, 575
 - software tools coupling 11, 579
 - sustainability 578
 - validation 8
 - visualization approach 575
- Integrated Computational Materials
- Engineering expert group (ICMEg) 551
- integration approaches
- CAPE-OPEN 541
 - categorization of software 536
 - common component architecture 541
 - component-based approaches 537
 - couplings 541
 - data centric approaches 539
 - existing platform solutions 551
 - functional mock-up interface 541
 - high level architecture 540
 - model-based approaches 539
 - multiphysics tool 534
 - object oriented approaches 536
 - ontology-based approaches 540
 - platform requirements 535
 - service-oriented approaches 538

- simulation tools 551
- single-physics tool 534
- third-party simulation tool 534
- interface velocity 288
- intergranular corrosion 229
- intermediate coupling 543
- International Chemical Identifier (InChI) 353
- ionic two-sublattice liquid (I2SL) model 345
- isogeometric analysis (IGA) method 496, 498
- isosurface 500

- j**
- Jacobian-free Newton-Krylov (JFNK) methods 543
- Johnson–Mehl–Avrami–Kolmogorov (JMAK) model 52, 85, 277, 278
- joining processes 113
 - definition 112
 - forming
 - blind riveting 121
 - clinching 122
 - self-piercing riveting 121
 - technological overview 120
 - joining simulation 114
 - joint 112
 - adhesive bonding 113
 - force closures 113
 - positive-locking 113
 - multi-material design 111
 - procedures 113
 - software tools 128
 - type of 113
 - virtual joining factory 124
 - cutting 125
 - failure analysis 127
 - forming 126
 - heat-treatment 126
 - MatCalc 125
 - process steps 125
 - self piercing riveting 124
 - welding
 - products and industries 115
 - technical requirements 117

- k**
- Kampmann–Wagner numerical (KWN) model 290
- kinematic frameworks 491
- kinetic Monte Carlo (KMC) 391
 - adhesion 396
 - crystal growth 395
 - desorption 396
 - diffusion-reaction 397
 - direct method algorithms 394
- drawbacks 395
- migration 396
- transition state theory 394
- Knudsen number 166
- Kohn-Sham (KS) equations 366, 408
- Koopmans theorem 405
- Kopp–Neumann rule 366
- KWN model, *see* Kampmann–Wagner numerical (KWN) model

- l**
- Lagrange multipliers method 497
- Lagrangian description 491
- lamellae, homogenization of 455
- Langer–Schwartz (LS) model 290
- large scale ROM 509
- laser cladding 138
- lattice Boltzmann method 168
- lattice vibrations 368
- LED lamp recycling 249
- Legendre transformation 328
- linear combination of atomic orbitals (LCAO) 403
- linear comparison composite (LCC) 436
- local composition models 339
- local density approximation (LDA) 366, 408
- localized corrosion 228
- local spin density approximation (LSDA) 409

- m**
- machining 191
 - analytic-geometric simulation models 196
 - cutting forces 192
 - dexel model 196
 - drilling 194
 - finishing 193
 - finite element method simulation models 198
 - generated forces 191
 - grain size distribution 203
 - manufacturing processes 194
 - milling 194
 - orthogonal cutting process 192
 - oxidation 203
 - phase gradients change 203
 - phase transformation 203
 - roughing 193
 - simulation tools 204
 - SPARTApro 197
 - surface integrity modifications 201
 - temperature distribution 193
 - turning 194
- macroscale problem 433

- manufacturing processes
 - available modeling tools 29
 - benefits of 27
 - classification of 25
 - definition 25
 - modeling of 23
 - processes and process chains 26
 - recycling 25
 - technical process 26
- MatCalc 125
- material centric (MC) cycle 255
- material engineering 445
- materials centric approach *vs.* product centric approach 248
- material screening
 - application example 464
 - *n*th-order bounds 462
 - zeroth-, first-, and second-order bounds 463
- mean-field homogenization (MFH) approach 436, 459
- mesh 488
- meshfree methods (MFM) 495
- meso-scale homogenized properties 434
- mesoscale volume element 434
- Message Passing Interface (MPI) 547
- metadata 572
- metadata schemata 573
- meta-GGA methods 409
- metal organic chemical vapor deposition (MOCVD) 164
- metal organic vapor phase epitaxy (MOVPE) processes 164
- metalworking 22
- Metropolis MC method 391
- micromechanics, fatigue modeling 211
- microstructurally small cracks (MSCs) 219
- microstructure
 - anisotropic 272
 - cellular automata models 292
 - classes of 276
 - criteria functions 278
 - crystal plasticity 304
 - definition 269, 273
 - diffusion models 286
 - digital microstructures 273
 - dynamics of 276
 - evolution 274
 - fatigue modeling 212
 - formation 274
 - global equilibrium 277
 - heat treatment 101
 - – phase transformations and precipitations 102
 - – recrystallization and grain growth 103
 - high temperature processing 274
 - integral models 276
 - isotropic 272
 - JMAK model 277, 278
 - kinetic barriers 274
 - of material 30
 - material processing 274
 - Monte-Carlo Potts models 295
 - nucleation models 279
 - phase-field and multiphase-field models 296
 - phase-field crystal models 300
 - physical based mathematical model for 274
 - precipitation models 289
 - RVE 271, 272
 - SGM 277
 - software codes 309–320
 - thermodynamic material model 275
- mixing enthalpy 367
- model-based approaches 539
- model order reduction (MOR) method 497, 507
- modern materials engineering 579
- modified quasichemical model 346
- modified secant 437
- molecular beam epitaxy 161
- molecular dynamics (MD)
 - boundary conditions 400
 - equations of motion 398
 - integration schemes 398
 - potential 399
 - simulations 281
- Møller-Plesset theory 406
- Monte Carlo (MC) method
 - applications 393
 - modeling inputs 393
 - Potts model 392
 - time conversion 393
 - types of 391
- Monte-Carlo Potts models 295
- Moore's Law 545
- More-than-Moore approach 545
- Mori–Tanaka method 435, 467
- mortar element method 498
 - projection using 503
- multi-configurational self-consistent field (MCSCF) methods 407
- multilevel finite element method (FE^2) 507
- multiphase-field model (MPF) 296
- multiscale homogenization method 433
- Murakami's approach 211, 218

n

- nanofilm (NF), Gibbs energy of 347
- nanohub 575
- nanoparticle (NP) 347
- nanowire (NW) 347
- Navier–Stokes equation 51
- network edge-screw model 388
- network model 387
- network pure-mixed model 388
- nitriding 106
- nitrocarburizing 106
- nodal model 387, 388
- nonrandom-two-liquid model 339
- nonuniform transformation-field analysis (NTFA) 436
- nucleation models
 - classical spherical cap approach 280
 - CNT 279
 - crystal-like fluctuations 279
 - density functional theory 283
 - free growth limited model 280
 - heterophase fluctuations 280
 - incorporating nucleation into simulations 284
 - molecular dynamics simulations 281
 - phase-field crystal modeling 283
 - phase-field simulations of 283
 - phase-field theory and simulations 281, 282
 - solid–liquid interface free energy 283
- numerical methods
 - ALE remapping 504
 - bar equilibrium problem 508
 - bending moment *vs.* rotation 511
 - computer-based simplifications 507
 - coupled problems 492
 - discretization 488
 - element interpolation methods 502
 - elemental results 499
 - for contact problems 497
 - for PDE 493
 - hierarchical multiscale models 505
 - HPC
 - – algebraic solvers 514
 - – challenges 516
 - – efficiency 516
 - – and parallelization methods 511
 - – software codes 517
 - – substructuring 512
 - interpolation from clouds of points 503
 - kinematic frameworks 491
 - large scale ROM 509
 - nodal results 499

- physical insight-based simplifications 507
- pre-processing 488
- preprocessing 488
- problem statement 508
- projection using discontinuous reconstructions 504
- projection using Mortar Elements 503
- space discretization methods 489
- visualization method 500

o

- object kinetic Monte Carlo (OKMC) method 392
- object oriented approaches 536
- Octree-based meshers 490
- ontology-based approaches 540
- OpenMP (OMP) 547

p

- parametric model order reduction (PMOR) methods 497
- partial differential equations (PDEs) 493
- partial molar volume 336
- particle-discrete finite element method (PDFEM) 495
- particle finite element method (PFEM) 495
- particle size distribution (PSD) 289, 290
- particle tracing 501
- particulate-reinforced metal matrix composites (PRMMC) 452
- pathlines 501
- Peierls–Nabarro threshold stress 387
- penalty-based methods 497
- perfect gas 331
- periodic boundary conditions (PBC) 389, 400
- phase-field crystal (PFC) models 283, 284, 300
 - amplitude equation approach 302
 - elastic effects 303
 - equilibrium density profiles 301
 - free energy expression 300
 - issues in 302
 - liquid phase 300
 - numerical implementation of 302
 - one- and two-dimensional model 301
 - polycrystalline solidification 304
 - property of 300
- phase field method 449
 - austenite–ferrite phase transformation 449
 - FeCMnSi steel microstructures 450
- phase-field models 296
- phase-field simulation 281, 282

- phase-field simulation (*contd.*)
 - of intermediate solidification morphology 299
 - of recrystallization 299
- physical insight-based simplifications 507
- physical vapor deposition (PVD) 159, 162
- plasma-activated/plasma-enhanced CVD (PACVD/PECVD) 163, 164
- plastics processing 38
 - applications 45
 - base materials 50
 - basic equations 51
 - codes 69–72
 - data entering 57
 - initial and boundary conditions 54
 - melt deformation 50
 - melting temperature 50
- polycrystalline materials 447
- polyethylene terephthalate (PET) 41
- post Hartree–Fock methods
 - explicitly correlated methods 407
 - multi reference methods 407
 - single reference methods 405
- Potts model 392
- precipitation models 289
 - decomposition 290
 - formation of 290
 - supersaturated solid solution 290
- pressurization 50
- primary shaping processes
 - additive manufacturing 44
 - casting 36
 - applications 44
 - basic equations 51
 - codes 62, 64–68
 - cooling 49
 - data entering 55
 - diffusion phenomena 49
 - external fields 50
 - fluid flow 48
 - initial and boundary conditions 54
 - phase transformation 49
 - thermal expansion 49
 - wetting phenomena 49
 - characteristics 35
 - crystal growth codes 59–61, 63
 - finite element approach 47
 - plastics processing 38
 - applications 45
 - base materials 50
 - basic equations 51
 - codes 69–72
 - data entering 57
- - heat softening 50
- - initial and boundary conditions 54
- - melt deformation 50
- - melting temperature 50
- - pressurization 50
- - solidification 50
- simulation codes 58
- sintering 41, 42
 - applications 46
 - basic equations 52
 - codes 73–77
 - data entering 56
 - initial and boundary conditions 55
 - mass flow in 50
- solidification and crystal growth 36
- PRMMC, *see* particulate-reinforced metal matrix composites (PRMMC)
- product centric approach *vs.* materials centric approach 248
- product centric (PC) cycle 255
- programming models 546
- proprietary codes 29
- pure-mixed model 387
- PVD, *see* physical vapor deposition (PVD)

- q**
- quantitative phase field 285, 298
- quantum chemistry (QC) 412
- quantum theory 401
- quasiharmonic approximation 369

- r**
- Ramakrishnan and Yussouff (RY) model 283, 284
- random sequential adsorption (RSA) algorithm 213
- reactive sintering process 42
- reactor scale modelling 170, 171
- recycling processes
 - ab-initio calculations 255
 - aluminum 255
 - ChemApp 254, 261
 - computational fluid dynamics codes 254
 - end of the life time material 247
 - Gibbs-energy 252, 254
 - LED lamp recycling 249
 - materials centric *vs.* product centric approach 248
 - methods available 251
 - recovery of metals 252
 - simulation tools 265
 - SimuSage 254
 - thermochemical aspects of 252
 - valorization of wastes 262

- – partitioning of steel slags 262
- – slag usage 264
- Waelz kilns 261
- zinc 258
- reduced-order model (ROM) 508
- reference positioning system (RPS) 117
- relaxed constraint (RC) models 307
- representative volume element (RVE) 434, 448, 506, 570, 571
- boundary conditions 435
- boundary value problem 448
- fatigue modeling 212
- finite element mesh 440
- homogenization of 442
- macroscale deformation tensor 437
- mesh embedding complex microstructures 437
- modeling 452
- Mori–Tanaka approach 467
- subdomains 435
- realizations of 465
- unit-cell methods 435
- reverse engineering 443, 444
- run-time infrastructure (RTI) 541, 544

- s**
- scanning electron microscope (SEM) 453
- scanning probe microscopy (SPM) technique 216
- Scheil approach 256
- Scheil–Gulliver model (SGM) 277
- Schrödinger equation 401
- Scientific Group Thermodata Europe (SGTE) 341
- screw-shaped plunger 40
- secant method 436
- second law of thermodynamics 328
- seed layers 158
- selective laser melting (SLM) processes 44
- self-piercing riveting 121
- semicrystalline thermoplastics 454
- semistructured meshes 489
- sequential homogenization 460
- service-oriented architecture (SOA) 538
- SGM, *see* Scheil–Gulliver model (SGM)
- short-fiber-reinforced plastics (SFRP) 457
- short-fiber-reinforced polymer (SFRP) 459, 465
 - *in situ* tensile test 467
 - results 467
 - sample preparation 467
 - 3D-FEM model 467
 - XCT-scan 467
- simulation tools 575
- simultaneous or monolithic time-stepping algorithms 493
- SimuSage 254
- single instruction multiple data (SIMD) instructions 548
- single instruction multiple thread (SIMT) scheme 548
- singular value decomposition (SVD) 509
- sintering 41
 - applications 46
 - basic equations 52
 - codes 73–77
 - data entering 56
 - initial and boundary conditions 55
 - mass flow in 50
- small-angle neutron scattering (SANS) 149
- small scale ROM 508
- SOA, *see* service-oriented architecture (SOA)
- software as a service (SaaS) 543
- software integration 533, 534
- solidification models 50, 51
- solid-state physics (SSP) 412
- space decomposition-based methods 490
- space discretization methods 489
 - advancing front method 489
 - Delaunay mesh 490
 - semistructured mesh 489
 - space decomposition-based methods 490
 - structured mesh 489
- spark plasma sintering (SPS) 43
- SPARTApro 197
- spatial coupling 542
- special quasirandom structure (SQS)
 - method 367
- sputtering target 161
- statistical volume element (SVE) 441
- steelmaking 23
- step-growth polymerization 39
- strain hardening 83
- streaming multiprocessors (SM) 548
- streamlines 500
- stress models 52
- stress–strain constitutive equation 508
- strong coupling scheme 446, 542
- structural engineering 446
- structured mesh 489
- structure-zone model 157
- submerged-plasma zinc-fuming process 259
- supermartensitic stainless steels 231
- surface integrity modifications 201
- surface polarity 158
- synergistic homogenization 461

t

- Taylor assumption 307
- TDB database file
 - elements section 356
 - function section 357
 - phase section 358
- TDB format 356
- Technology Readiness Level (TRL) 10
- Temkin model 335
- temporal coupling 542
- texture evolution prediction 307
- The Minerals, Metals, and Materials society (TMS) 551
- theoretical and applied mechanics (TAM) 511
- thermal and transformation strain 104
- thermal conduction 98
- thermalization 161
- thermal joining techniques 111
- thermal radiation 99
- thermal spraying
 - free jet and particle jet 143
 - heat generation 141
 - homogenization methods 145
 - in-service coating behavior 147
 - particle impact 145
 - simulation 135
 - validation of results 147
- thermochemical treatment
 - carburizing and carbonitriding 106
 - nitriding and nitrocarburizing 106
- thermodynamic material model 275
- thermodynamic modeling
 - from *ab initio* calculation 364
 - - DFT 365
 - - heat of formation 366
 - - lattice vibrations 368
 - - mixing enthalpy 367
 - - adiabatic boundary 326
 - - alloy design 375
 - - applications 373
 - - Boron content 376
 - - CALPHAD approach, *see* CALculation of PHase Diagrams (CALPHAD) approach
 - - canonical state variables 327
 - - concepts and principles 326
 - - diabatic boundary 326
 - - equations of state 330
 - - equilibrium state 333
 - - equilibrium value 327
 - - excess Gibbs energy 337
 - - external state variables 327, 333
 - - free energy 372
 - - fundamental relations 327
 - Gibbs energy residuals 336
 - Helmholtz energy residuals 336
 - internal state variables 327, 333
 - isolated system exchanges 326
 - at larger scales 370
 - microstructure evolution 371–373
 - Pandora's box 329
 - principle of 333
 - process 327
 - property 326
 - reversible state 327
 - software tools 378
 - state of 326
 - stationary process 327
 - surroundings 326
 - theoretical limit 335
- thermoplastics 39, 40
- thermosets 40
- thick coating formation processes
 - basic equations 139
 - cladding 137, 138
 - coating formation 137
 - coating simulations 136
 - electroplating process 137
 - finite element method 137
 - initial and boundary conditions 140
 - light microscopy 149
 - small-angle neutron scattering 149
 - software tools 151
 - thermal spraying 138, 139
 - - fluid description 142
 - - free jet and particle jet 143
 - - heat generation 141
 - - homogenization methods 145
 - - in-service coating behavior 147
 - - particle impact 145
 - - simulation 135
 - - validation of results 147
 - 2D cross-sectional images 150
 - X-ray microtomography 149
- thin film deposition processes
 - advanced process control schemes 168
 - atomistic simulation models 171
 - chemical deposition methods 153
 - chemical vapor deposition 163
 - computational material modelling 157
 - crystalline phases 158
 - film morphology 162
 - global heuristic models 166
 - Knudsen number 166
 - Lattice Boltzmann method 168
 - low pressure 168
 - model-based data mining 170
 - modelling 165

- multidimensional polynomic expression 169
- physical vapor deposition 159
- precursor and substrate surface 159
- radio frequency sputtering 158
- reactor scale modelling 166, 169–171
- seed layers 158
- software codes 172
- structure-zone model 157
- surface polarity 158
- thin interface limit 298
- through process modeling (TPM) 87
- time-dependent Ginzburg–Landau approach 285
- toxing 122
- transformation-field analysis (TFA) 435
- transformation plasticity 104
- transition state theory 394

- u**
- uniform corrosion 228
- unit-cell methods 435
- UNIversal QUasi-Chemical (UNIQUAC) model 339

- v**
- vacuum arc remelting (VAR) 38
- Van der Waals corrected DFT 410
- Van der Waals equation 332
- vaporizing liquids, cooling within 100
- vectors 500
- Verneuil type process 36
- vertical gradient freeze (VGF) method 36

- vibrations in crystals 331
- virial expansion of gases 332
- virtual coater 172
- virtual joining factory 124
 - cutting 125
 - failure analysis 127
 - forming 126
 - heat treatment 126
 - MatCalc 125
 - process steps 125
 - self piercing riveting 124
- visualization method 500
- VolumeGraphics® 457
- Voronoi cell finite element method (VCFEM) 437, 438
- Voronoi tessellation algorithm 212, 450

- w**
- Waelz kilns 261
- watertight model 488
- weak coupling scheme 446
- weakly coupled solution 542
- welding
 - products and industries 115
 - technical requirements 117
- white-box software 536
- Wilson model 339
- Wohl expansion 338
- Wyckoff position 342

- z**
- Zeldovich factor 280
- zinc, recycling processes 258

