

Index

a

- AA-6-PCL 53
- ABA triblock copolymers 20
- ABA-type block copolymers 19
- acetic anhydride 233
- ADA-Ab₁/ADA-Ab₂ conjugates 265
- adamantane 68
- adamantane dimer 119
- adamantane-grafted polyethyleneimine (PEI) 248
- adamantine-labeled fluorescein 289
- ADA-modified primary antibodies (ADA-Ab₁) 265
- adaptive biasing force (ABF) algorithm 88
- AF-545-labeled aminated polyrotaxanes 29, 31
- AF-545-labeled aminated pullulan 32
- AF-545-labeled PDMAEM 32
- Ag/CD conjugates 265
- Ag NPs 265
- aliphatic polycarbonates 62
- α -amylase 71
- α -CD/AE73/GO xerogels 261
- α -CD/AE73/graphene xerogels 261
- α -CD/EDTA 207
- α -CD polymer and PEO-based copolymer 198
- α -CD/Pluronic systems 46
- Amberlite IRA-400(OH⁻) anion exchange system 184
- 6-aminofluorescein 48
- amphiphile 55
- amphiphilic β -CD-based multiarm polymer 151
- amphiphilic multiarm polymers 152
- amphiphilic 21-arm star-shaped diblock copolymer 155
- amphotericin B 88
- aniline 283
- aniline adsorption by SD/ β -CD polymer 284
- aniline tetramer 109
- 2-anilinonaphthalene-6-sulfonic acid (ANS) 99
- anticorrosion coating 254
- antigen-presenting cells (APCs) 177
- 21-arm diblock copolymer PS-b-P3HT 157
- 21-arm star-shaped azide-terminated PS 157
- 21-arm star-shaped PS 157
- 21-arm star-shaped PtBA-b-PS 155
- arylazopyrazoles (AAPs) 87
- atom transfer radical polymerization (ATRP) 20, 148, 154
- Au/Ag core-shell NPs 84
- Au mesoporous silica covered nanorods 13
- Au@MSN-rotaxane 14, 17
- AuNP nanorattle 85
- Au NPs coated with β -CD 79
- AuNPs inside polystyrene nanocapsules 84
- Autodock Vina program 103
- azobenzene capped polycaprolactone 122
- azobenzene spacer 122
- azidated polyrotaxane (Az-PR) 30

- 6-azido- β -CD 274
 azidodendron 184
 azido group 14
 azido terminated copolymer 24
 AZO- β -CD/AZO-PCL assembly 122
 azobenzene (AZO) 159
 azobenzene capped polycaprolactone 121
 azobenzene-containing surfactant 75
 azobenzene end-capped poly(ethylene glycol)-*b*-poly(2-dimethylamino) ethyl methacrylate) copolymer 159
 azobenzenes 77
 azobenzene spacer 119
 azo dyes 13
- b**
- benzimidazole (BZ) 254
 β -CD/AD inclusion complexation 150
 β -CD-based dendrimer 169
 β -CD-based 14-valent iminosugar 182
 β -CD-based polymers (β -CDPs) 270
 β -CD-based 21-valent iminosugar 183, 185
 β -CD/chitosan assembly 285
 β -CD cluster model of gelation 189
 β -CD- C_{60} conjugate containing peracetylated β -CD unit 235
 β -CD/ C_{12} mimBr self-assembly system 71
 β -CD/ C_{12} mimBr supramolecular hydrogel 73
 β -CD dimer 241
 antiviral, antiallergic and anticancer properties 101
 aqueous solubility 102
 Autodock Vina program 103
 azobenzene capped polycaprolactone 122
 azobenzene spacer 122
 AZO- β -CD/AZO-PCL assembly 122
 β -CD/DMF/LiCl 188
 bile acids 102
 bio-membrane mimic system 107
 calculated solvent accessible volumes 103
 click reaction 113
 conformational analysis 114
 crosslinked injectable conducting hydrogels 108
 DA liposomes 107
 densely packed liposomes 107
 deoxycholic acid 102
 diacetylenes 105
 disulfide spacers 102
 electrically conducting hydrogels 108
 electrically conducting polymers 108
 epichlorohydrin 106
 flavonols 100
 fluorescence 106
 4-(trimethylsilylethynyl)phenol 113
 γ -CD dimer 102
 hexadecafluorodecane-1,10-dioic acid 102
 hydrophobic cavities 107
 inclusion ability 100
 isomeric diols, 1,5- and 1,4-diols 102
 isomeric 1.5- and 1.4-diols 103
 isothermal titration calorimetry 102
 liposome-carbohydrate interactions 106
 meta- or para-diethynylbenzene 113
 1,2-bis(2-chloroethoxy)ethane 114
 PDA liposomes 106
 PEGXS-AT/ γ -CD₂ hydrogel 108
 pentaethylene glycol 114
 physically (noncovalently) crosslinked supramolecular hydrogels 108
 polyethylene glycol-type macromonomer 99
 potassium thioacetate 102
 Pt-CD 126
 Pt-CD with TPYP-Ad 126
 rotaxane crosslinked polymers 99
 steroids 105
 supramolecular hydrogels 108
 syntheses 100
 thioether 101

TPyP-Ad 126
 UV-induced polymerization 106
 β -CD dimer bridged by disulfide 257, 258
 β -CD dimer/MWCNT/GCE 258
 β -CD dimer/MWCNT nanohybrid 258
 β -CD functionalized graphene nanosheet CD/GN 264
 β -CD/MWCNT hybrid material containing corrosion inhibitor BZ 255
 β -CD/PCL amphiphilic polyrotaxanes 53
 β -CD/PCL polymeric micelle 54
 β -CD-SWCNT/PEI-Ad complex 250
 β -glucocerebrosidase 183
 biamphiphilic ionic liquid BAIL C_{12} mim+DSN 72
 bile acids 102
 bimodal fluorescence/MRI contrast agent 170, 171
 bimodal polyrotaxanes 36
 bioactive lipopeptides 285
 biocompatible solubilizing agents 240
 biofluids 270
 bio-membrane mimic system 107
 biominerals 27
 bioresponsive CD nanocapsules 172
 bisphenol A (BPA) 163, 262
 [BMIM]BF₄ ionic liquid 269
 bovine serum albumin (BSA) 60
 21-Br- β -CD macroinitiator 155
 2-bromoisobutryl bromide 160
 BSA-CM- β -CD conjugates 272
 BSA/SCD/chit NPs 273
 B16-F10 melanoma cells 247
 bulk condensation method 199

C

CaCO₃ minerals 27
 cage-like silica nanoparticle (NP) 159
 calcein-loaded aggregates 151
 carbon nanotubes (CNTs) 256
 carbonyldiimidazole (CDI) 202, 208
 carcino-embryonic antigen (CEA) 264, 265

carvacrol 289
 CD assemblies with graphene
 ADA-Ab₁/ADA-Ab₂ conjugates 265
 ADA-modified primary antibodies 265
 AE73 aggregate 261
 Ag/CD conjugates 265
 Ag NPs 265
 α -CD/AE73/GO xerogels 261
 α -CD/AE73/graphene xerogels 261
 β -CD functionalized graphene nanosheet CD/GN 264
 bisphenol A 262
 bovine serum albumin 268
 carcino-embryonic antigen 264, 265
 core-shell nanoparticles 264
 crude copolymer AE73 260
 electrochemical measurements 268
 electroreduced graphene 262, 264
 ethylene oxide 260
 gelation 261
 graphene nanosheet 264
 graphene oxide 259
 immunosensor 268
 low molecular weight gelators 259
 methylene blue 261
 nanocarbons 259
 nonenzymatic, electrochemical immunosensor 265
 organic/inorganic hybrid CD/GN 266, 267
 Pluronic block-copolymers 259
 propylene oxide 260
 ratiometric analysis strategy 262
 Rhodamine B probe 262
 star-like block copolymer AE73 259
 supramolecular CD gels 259
 CD assemblies with nanotubes
 adamantane-grafted polyethyleneimine 248
 anticorrosion coating 254
 anti-interference ability 259
 benzimidazole, 254
 β -CD dimer bridged by disulfide 257, 258
 β -CD dimer/MWCNT/GCE 258

- CD assemblies with nanotubes (*contd.*)
- β -CD dimer/MWCNT nanohybrid 258
 - β -CD-SWCNT/PEI-Ad complex 250
 - carbon nanotubes 256
 - cathodic protection 252
 - conductive polymer composites 252
 - conductive, self-healing material 248
 - drug metabolites 259
 - electrochemical detection 257
 - immobilization of Pyr- β -CD onto SWCNTs 248, 249
 - moisture absorption capacity 252
 - MWCNTs 257
 - nanocontainers 253
 - noncovalent inclusion complexation 252
 - phenols 257
 - physical mixture of β -CD-SWCNTs and PEI-Ad 250
 - polyelectrolyte nanoshells 253
 - Pyr- β -CD 248
 - redox currents 258
 - self-healing efficiency 252
 - self-healing polymer systems 252
 - steel specimens 256
- CD-based metal nanoparticles (NPS) 51
- Au/Ag core-shell NPs 84
 - Au NPs coated with β -CD 79
 - AuNPs inside polystyrene nanocapsules 84
 - azobenzene-containing surfactant 75
 - CD-APS 82
 - CD-coated AuNPs 76
 - encapsulated lipase 82
 - hybrid AuNP network aggregates 79
 - phase transfer scheme 75
 - p-nitrophenyl palmitate 82
 - polymer nanocapsules 84
 - polystyrene nanocapsules 84
 - racemic naproxen methyl ester 83
 - solubility 75
 - stimuli-responsive systems 75
 - thiolated α -CD 76
- CD-based micelles 51
- AA-6-PCL 52
 - adamantane 68
 - aliphatic polycarbonates 62
 - amphiphile 55
 - β -CD/cholesterol inclusion complexation 61
 - β -CD/PCL amphiphilic polyrotaxanes 53
 - β -CD/PCL PMs 53
 - bovine serum albumin 60
 - CoQ₁₀/ γ -CD inclusion complex 63, 64
 - CoQ₁₀ molecules 63
 - cytotoxicity 54
 - D/Mal- α -CD polymeric micelles 62
 - dipotassium glycyrrhizate (GZK₂) 63
 - Doxorubicin 61
 - drug carriers 65
 - epichlorohydrin procedure 68
 - ϵ -caprolactone 53
 - feeding molar ratio 53
 - hydrophobic molecules 58
 - hydrophobic repulsive interactions 54
 - L-ascorbic acid 52
 - lipophilic bioactives 64
 - maleic anhydride 61
 - molecular captured micelles 63
 - nanomicelles 68
 - NaTCA 63
 - 1,2-dichloroethane solution 66
 - PDMAEMA-co-AZOMa 55, 56
 - PEG/HDI/DM- β -CD polymers 67
 - PLA-chol (guest) 58
 - poly(aspartic acid) 58
 - polycarbonates T and D 62
 - poly(D,L-lactide) 60
 - poly(ϵ -caprolactone) 52
 - polymer β -CD-(PDMAEMA)₇ 55
 - polyuretanes 66
 - protein/peptide delivery 67
 - pyrene 54
 - reverse micelles 66
 - sodium taurocholate 63

- stimuli-responsive polymeric micelles 55
- supramolecular pseudo-graft copolymer 61
- T/Mal- α -CD polymeric micelles 62
- thiourea 54
- trans*-azobenzene 58
- two-photon absorption 67
- two-photon excitation 67
- water solubility of CoQ₁₀ 65
- CD-based polymeric gels
 - adhering-partner-switching 197
 - α -CD 188
 - α -CD polymer and PEO-based copolymer 198
 - β -CD cluster model of gelation 189
 - ceric ammonium nitrate 193
 - Diels-Alder chemical crosslinking 187
 - epichlorohydrin 190
 - Fc gel 193, 195
 - γ -CD 188
 - gel morphology 188
 - heat-triggered supramolecular gel 188
 - hexakis(2,6-di-*O*-methyl)- β -CD 188
 - in situ gelling dispersions 197
 - ionic liquids, *see* ionic liquids (ILs) 209
 - LiCl concentration 188
 - linear β -CD polymer 190
 - N,N*-dimethylacetamide 189
 - noncovalent-crosslinking 187
 - 1,4-dioxane, *N*-methyl-2-pyrrolidone 189
 - redox-responsive gel assembly 197
 - self-reinforcing injectable hydrogel 187
 - sole gelator 188
 - SSNa gel 193
 - water soluble α -CD polymers 198
- CD-based polyrotaxanes
 - ABA-type block copolymers 19
 - alkyne terminated bodipy 35
 - all-solid state process 26
 - azido terminated copolymer 24
 - bimodal polyrotaxanes 36
 - bulky dimethylammonium unit 36
 - CaCO₃ minerals 27
 - CaCO₃ thin films 27
 - carboxylated α -CD 27, 28
 - cationic tertiary amine groups 30
 - CDMe-PU 44
 - collagen adsorption and fibrillization 19
 - conjugated polyazomethines 30
 - cytotoxicity 30
 - DOTA lanthanide complexes 37
 - elastic properties 41
 - fibroblast morphology 19
 - flower polymeric micelles 20
 - fluorescent imaging 34
 - HE groups 21
 - macromolecular compounds 29
 - macromolecular contrast agent 40
 - magnetic resonance imaging 33
 - methoxy groups 20
 - molecular approach 34
 - molecular imaging 32
 - multidentate ligands 33
 - nanochemical approach 34
 - oligoazomethine permethylated polyrotaxanes 32
 - organic-inorganic hybrids 29
 - PDMAEM 30
 - π -conjugated molecules 32
 - polyammonium 36
 - polymeric micelles 22
 - polyrotaxane 24, 25
 - polyrotaxane-based macro-CTA 21
 - prepolymer method 41
 - propargylamine- β -CD 24, 25
 - protein adsorption 19
 - PR 1500Me-PU 42
 - PR 4000Me-PU 44
 - PR 6000Me-PU 44
 - rigidity 30
 - small interfering RNA 29
 - solid state process 26
 - soluble crystal inducers 29
 - supramolecular polymeric micelles 21
 - surface mobility 19
 - synthesis 22, 45

- CD-based polyrotaxanes (*contd.*)
 terephthalaldehyde 32
 triblock copolymer 21
 thin films 29
 vaterite 29
 wound healing 20
- CD-based pseudopolyrotaxanes
 α -CD/Pluronic systems 46
 amphiphiles 45
 antitumor drug delivery 43
 C-O and C-C bonds 47
 coumarin segments 45
 covalently crosslinked hydrogels 50
 crosslinking time 47
 doxorubicin 45
 drug loaded micelles 45
 eight-arm PEG 50
 enzymatically crosslinked hydrogels 50
 horseradish peroxidase 46
 H_2O_2 /HRP-mediated crosslinking 46
 hydrogels 48
 hydrolytically degradable polyrotaxane hydrogels 46
 mechanical properties 47
 phenol moieties 49
 π - π stacking interaction 43
 Pluronic/COOH 47
 PPR hydrogels 46
 self-assembled PPR hydrogels 49
 self-assembly 46
 self-healing ability 48
 synthesis 45
 tissue engineering applications 46
 tyramine-based hydrogels 48
 tyramine functionalized Pluronic F68/Tyr/F127/Tyr 48
- CD-based rotaxanes
 Au mesoporous silica covered nanorods 13
 Au@MSN-rotaxane 14, 17
 azido group 14
 azo dyes 13
 complex 7/ α -CD 14
 dyes 10, 12
 hexayne 18
 light-responsive drug delivery systems 13
 mesoporous silica 13
 oligoynes 16
 pentacyanoferrate(II) 13
 photo-switchable α -CD-based azobenzene rotaxane 13
 polar hydroxylic solvents 11
 properties 10
 propiolamide 14
 solvatochromic dyes 11
 solvatochromism and nonlinear optical properties 10
 synthesis 17, 18
 2,4-dinitroaniline 10
 water and ethylene glycol 13
 water window 13
- CD-based vesicles 51
 α -amylase 71
 β -CD concentration 188
 β -CD derivatives 70
 β -CD/ C_{12} mimBr self-assembly system 71
 β -CD/ C_{12} mimBr supramolecular hydrogel 73
 2β -CD/ C_{12} mim⁺ inclusion complex 74
 biamphiphilic ionic liquid BAIL C12 mim+DSN 72
 CD-based polymeric gels CD/CNTs nano hybrids 256
 copper ions 71
 C_{12} mimDSN 73
 curcumin 69
 Fc-F127-Fc/ β -CD polymer hydrogels 190
 ferrocene modified Pluronic F127 190
 hydrophobic paclitaxel 70
 imidazolium ILs 71
 ionic liquids 71
 nanosponges, *see* nanosponges 199
 self-assembly mechanism 75
 sodium laurate 71
 supramolecular vesicles 70
 Tyndall phenomenon 73
 CD-coated AuNPs 76

- CD covalent assemblies with fullerenes
 β -CD- C_{60} conjugate containing
 peracetylated β -CD unit 235
 covalent procedures 233
 hydrophilic diaminoethylene glycol
 spacer 233
 imidazole-1-sulfonylazide
 hydrochloride yielded CD
 azidoderivative 233
 liquid electrolytes 233
 noncovalent procedures 233
 1,3-dipolar cycloaddition 233
 pBR322 plasmid DNA 233
 phenolic and nitro compounds 235
 photoinduced DNA cleavage 233
p-nitrophenol 234
 6-azido- β -CD 235
 6-monotosyl β -CD 233
- CD environmental protection
 applications
 aniline 283
 aniline adsorption by SD/ β -CD
 polymer 284
 antibacterial activities 285
 antifungal activities 285
 bioactive lipopeptides 285
 β -CD/chitosan assembly 285
 chemical fungicides 284
 controlled fragrance release 280
 coumarin 152, 280
 degradation and restoring of E/P
 277
 dicarboxylic acid dichlorides 282,
 283
 eco-friendly agents 284
 Em- β -CD 277
 Em- β -CD/PEI- β -CD 278
 environmental protection 279
 Freundlich isotherm 284
 γ -CD polymers 283
 heptakis(6-*O*-*t*-butyldimethylsilyl)-
 β -CD 282
 industrial purposes 279
 insulating oils 282
 Langmuir isotherm model 284
 monomeric β -CD 280
 multipoint crosslinks 279
- β -CD -based sorbents 286
 PEI-Fc 277
 polychlorobiphenyls 282
 post-purification of traditionally
 treated waste water
 286
 purification of drinking water 286
 recyclable substrate 279
 sapstain fungi 285
 sawdust/ β -CD polymer 284
 SD/ β -CD polymer 284
 silica surface 281
 6-*O*-modified CDs 282
 supramolecular polymers 276
 supramolecular polymer
 Em- β -CD/PEI-Fc 277
 surfactin 285
 waste water treatment 285
- CDI crosslinked NS 202
- CD inclusion complexes
 adaptive biasing force 88
 aggregation induced emission 93
 amphotericin B 88
 apparent viscosity 93
 arylazopyrazoles 87
 dimers 88
 energetically preferred inclusion
 orientation 88
 folic acid 87
 free-energy changes 88
 free-energy perturbations 88
 γ -CD cavity 97
 guest amphiphilic polymers 90
 host polymer 90, 92
 interfacial assembly 95
 isomeric anthracene-*L*-glutamate
 dendrons 94
 LB technique 94
 monomer emission 94
 oligo(ethylene glycol) monotosylate
 94
 seven guest components 87
 synthesis 87
 365 nm irradiation 98
 ultrahigh molecular weight
 amphiphilic polymers 90
 ursodeoxycholic acid 94

- CD industrial applications
- adamantine-labeled fluorescein 289
 - anti-insect coating of textiles 288
 - antimicrobial activity of HP- β -CD 290
 - antioxidant activity of HP- β -CD 290
 - biocompatibility 286
 - carvacrol 289
 - electrospun nanofibres 286
 - kneading method 290
 - mesoporous TiO₂ 296
 - multicolor systems 288
 - nanostructured titania materials 295
 - permethrin 287
 - phenolphthalein 287
 - phenoxyacetic acid 296
 - polyaniline 290
 - polymeric nanogels 287
 - [Rh(acac)(CO)₂] 293
 - [[RhCl(CO)₂]₂] 292
 - rodium catalyzed hydroformylation of styrene 293
 - sterically crowded phosphanes 291
 - supramolecular assemblies
 - RAMEB/P123 295
 - textile surfaces 287
 - thermoplastic polyurethanes 286
 - titanium dioxide 294
 - TPU/ β -CD nanofibrous membranes 287
- CD medical applications
- biofluids 270
 - biominerals 270
 - BSA-CM- β -CD conjugates 272
 - BSA/SCD/chit NPs 273
 - chitosan 272
 - complex coacervation technique 273
 - drug delivery 270
 - endocytosis 271
 - folate receptor 271
 - food industry 270
 - gefitinib 271
 - modified ionotropic gelation 273
 - nanosized drug carriers 271
 - nitrobenzofurazanotriazolyl 274
 - N*-propargyl furazan 274
 - octacationic photosensitizer 274
 - phosphorus-containing polymers 270
 - photosensitizer 274
 - pyrazinoporphyrazines 274
 - regenerative medicine 270
 - rhodamine B isothiocyanate 274, 276
 - 6-azido- β -CD 274
 - succinyl β -CD chitosan NPs 272
 - synthetic biomimetic nanocrystalline apatites 271
- CDMe-PU 44
- CD noncovalent assemblies with fullerenes
- β -CD dimer 241
 - B16-F10 melanoma cells 247
 - chemical modification 243
 - C₆₀-containing polymers 235
 - C₆₀-end-capped polymers 235
 - C₆₀-PMOVE 236
 - C₆₀-PMOVE polymer 237
 - C₆₀ solubilization 243
 - cytotoxic potential 247
 - dispersion of C₆₀ 246
 - DMPC/C₇₀ 240
 - γ -CD derivatives 244
 - (γ -CD)₂/C₆₀ inclusion complexes 247
 - GUV/C₇₀ 239
 - hydrosolubilization of C₆₀ 243
 - hydrosoluble supramolecular species 246
 - indium tin oxide 238
 - liposomes 238
 - mixed solvent system 241
 - noncovalent interactions 241
 - ¹H NMR spectra 247
 - per-6-azido- γ -CD 243
 - polymeric micelle-like aggregates 236
 - purple colors 243
 - pyridyl groups 244
 - singlet oxygen 246
 - solubilizing agent 246

- spin-trapping reagent 246
 stable inclusion complex (γ -CD)₂/C₆₀ 248
 supramolecular chemistry 246
 toluene solution 236
 water solubility 241
 water-soluble C₆₀-end-capped polymer 236
 water-soluble γ -CDP 246
 chemical fungicides 284
 chenodeoxycholic acid 102
 chitosan 272
 cis/trans photoisomerization 120
 complex coacervation technique 273
 conductive polymer composites 252
 conjugated polyazomethines 30
 conjugated polymers 30
 copper ions 71
 CoQ₁₀ molecules 63
 core-shell nanoparticles (NPs) 264
 coumarin 152, 280
 covalently crosslinked hydrogels 50
 crosslinked injectable conducting hydrogels 108
 crude copolymer AE73 260
 C₆₀-containing polymers 235
 C₆₀-end-capped polymers 235
 C₆₀-PMOVE polymer 236, 237
 cysteamine 151
- d**
 DA liposomes 107
 dehydrocholic acid 102
 dendrimer-entrapped AuNPs 167
 dendrimeric copolymers 180
 dendrimeric host PAMAM-CD8 174
 dendritic macromolecules 154
 D-glucopyranose units 118
 D/Mal- α -CD polymeric micelles 62
 diacetylenes (DA) 105
 dicarboxylic acid dichlorides 283
 1,2-dichloroethane solution 66
 1,3-dichloro-2-propanol 118
 Diels-Alder chemical crosslinking 187
 2,4-dinitroaniline 10
 1,4-dioxane, *N*-methyl-2-pyrrolidone 189
- diphenylmethanediisocyanate (MDI) 41
 dipotassium glycyrrhizate 63
 ditopic adamantane 121
 DMPC/C₇₀ 240
 docetaxel (DOC) 180
 DOTA lanthanide complexes 37
 Doxorubicin (DOX) 16, 45, 61
 dye-sensitized solar cells (DSSCs) 209
- e**
 eco-friendly agents 284
 EDTA dianhydride 207
 electrically conducting hydrogels 108
 electroactive and multistimuli responsive supramolecular gels 210
 electro-reduced graphene EG 262, 264
 electrospun nanofibres 286
 electrospun PAN nanofibers 269
 11-bromo-1-undecanol 211
 Em- β -CD 277
 encapsulated lipase 82
 endocrine disrupting chemicals (EDCs) 163
 endocytosis 271
 enzymatically crosslinked hydrogels 50
 epichlorohydrin (EPI) 68, 106, 147, 190, 198
 Epithelial Growth Factor Receptor (EGFR) 271
 ϵ -caprolactone 53
 Erlotinib 208
 1-ethyl-3-(3-dimethylaminopropyl) carbodiimide (EDCI) 120, 265, 272
 ethylenediamine (EDA) 211, 241
 ethylene oxide 260
 ethynyl terminated P3HT 157
- f**
 FA-decorated bovine serum albumin (BSA) 271
 Fc[BIM]TFSI 212
 Fc gel 193, 195

- Fc-F127-Fc/ β -CD polymer hydrogels 190
- Fe₃O₄ NPs 164
- ferrocene (Fc) 192
- ferrocene modified Pluronic F127 190
- first generation multiarm polymer
7PEG/ β -CD-G1 152
- 5,5-dimethyl-1-pyrroline-*N*-oxide (DMPO) 233
- 5 poly(amidoamine) (PAMAM) dendrimers 167
- flower polymeric micelles 20
- fluorophore fluorescein isothiocyanate (FITC) 14
- folate-polyethylene glycol (PEG)-appended dendrimer (generation 4)/ α -CD conjugates 167
- folate receptor (FR) 271
- folic acid 87
- formaldehyde 269
- 4-aminophenol (4-AP) 77, 257
- 4-chlorophenol (4-CP) 257
- 4,4'-azobenzenedicarboxylic acid 120
- 4-nitrophenol (4-NP) i 257
- fourth generation multiarm polymer
7PEG/ β -CD-G4 153
- fractured xerogel fibers 188
- freeze drying method 290
- Freundlich isotherm 284
- fullerenes 231
- g**
- γ -CD derivatives 244
- γ -CD dimer 102, 104
- γ -CD polymers 283
- γ -CD/*C*₇₀ complex 238
- (γ -CD)₂/*C*₆₀ inclusion complexes 247
- Gd-bearing polyrotaxanes 41
- Gd(III) chelates 172, 173
- gefitinib 271
- giant unilamellar liposome vesicles (GUV) 238
- glassy carbon electrode (GCE) 232, 235, 262
- glycerol-like spacers 117
- graphene 232, 260
- graphene nanoribbons (GNRs) 232
- graphene nanosheet (GN) 264
- graphene oxide (GO) 259
- guest amphiphilic polymers 90
- h**
- heat-triggered supramolecular gel 188
- heptakis(6-*O*-*t*-butyldimethylsilyl)- β -CD 282
- hexagonal hydroxyapatite NPs 269
- hexakis(2,6-di-*O*-methyl)- β -CD 189
- hexamethylene diisocyanate (HDI) 108
- 1,6-hexamethylene diisocyanate (HDI)-based PUs 66
- hexayne 18
- HMDI crosslinked NS 201, 202
- host-guest hydrogel 190
- Huisgen click reaction 148
- Huisgen reactions 117
- human neuroblastoma SH-SY5Y cell 150
- human serum albumin (HSA) 173
- hybrid AuNP network aggregates 79
- hydrogels 48, 206
- hydrolytically degradable polyrotaxane hydrogels 46
- hydrophilic diaminoethylene glycol spacer 233
- hydrophilic hydroxyethyl (HE) groups 21
- hydrophobic anticancer drugs 180
- hydrophobic Gd chelates 173
- hydrophobic paclitaxel 70
- hydroxyapatite (HA) 270
- i**
- ibuprofen 99
- imidazolium ILs 71
- immobilization of Pyr- β -CD onto SWCNTs 248, 249
- immunosensor 268
- induced pluripotent stem (iPS) cells 52
- injectable conducting hydrogels 108
- interfacial condensation method 202
- ionic liquids (ILs) 71

- anion exchange 215
 - chemical redox reactions 215
 - electroactive and multistimuli responsive supramolecular gels 210
 - electrochemical behavior 214
 - 11-bromo-1-undecanol 211
 - Fc[BIM]TFSI 212
 - gel-to-sol phase transition temperature 210
 - hydrophobicity 210
 - hydrophobic-to-hydrophilic transition 217
 - shape-memory effect 217
 - shape memory polymers 215
 - supramolecular gels 209
 - supramolecular IL gel electrolyte 210
 - swelling behavior 217
 - van der Waals interactions 210
 - isomeric anthracene-L-glutamate dendrons 95
 - isomeric diols, 1,5- and 1,4-diols 102
 - isomeric 1,5- and 1,4-diols 103
 - isothermal titration calorimetry (ITC) 121
- j**
- jack bean α -mannosidase 182
- k**
- kaempferol 100
 - Kupffer cell-selective NF- κ B decoy carrier 179
- l**
- lactosylated α -CD- based dendrimer 177
 - Langmuir-Blodgett (LB) technique 94
 - Langmuir isotherm model 284
 - L-ascorbic acid (AA) 52
 - lectin enzyme assays 182
 - lectins 182
 - light irradiation 163
 - light-responsive drug carriers 13
 - light-responsive drug delivery systems 13
 - light-stimuli responsive polymers 55
 - linear β -CD polymer 190
 - lipases 81
 - lipophilic bioactives 64
 - lipopolysaccharide (LPS) 179
 - liposomes 238
 - lithocholic acid 102
 - long and hydrophobic spacers 117
 - low molecular weight Gd(III) chelates 172
 - low molecular weight gelators 259
 - LPS-induced fulminant hepatitis 180
- m**
- magnetic nanoparticles (NPs) 81, 164
 - mannose receptor (MR) 177
 - Man-S- α -CDE(G3) 177
 - Man-S- α -CDE(G3) (DSM 4, 12, 16)/siRNA complexes 179
 - M/ β -CDP-based fluorescent TPA nanomicelle 69
 - mCPOSS first aminopropylisobutyl POSS (mAPOSS) 160
 - mesoporous silica 13
 - mesoporous TiO₂ 296
 - metal NPs 83
 - metallic NPs 77
 - 2-[(methacryloyl)oxy] ethyl acrylate (MAEA) 151
 - methylation of PR 4000 41
 - methylation of PR 1500 41
 - methylene blue 261
 - micelles and multiarm CD polymers
 - azobenzene 159
 - endocrine disrupting chemicals 163
 - Fe₃O₄ NPs 164
 - magnetic nanoparticles 164
 - mCPOSS first aminopropylisobutyl POSS (mAPOSS) 160
 - mCPOSS/PPA ratio 16
 - multistimuli responsive polymers 159
 - pH value 163
 - polyhedral oligomeric silsesquioxane 159, 164
 - POSS/PCL/ β -CD copolymer 164

- micelles and multiarm CD polymers
(*contd.*)
 - POSS/PCL/ β -CD/ Fe_3O_4 hybrid micelles 166
 - stimuli-responsive polymers 159
- MMP-9 siRNA plasmid (PMR3) 180
- molecular captured micelles 63
- mono-azido and bis-azido α -CDs 35
- mono CD substituted isobutyl POSS 161
- monomeric β -CD 280
- monomeric dendrimers
 - β -CD core and β -CD arms 168
 - bimodal fluorescence/MRI contrast agent 170, 171
 - co-precipitation procedure 170
 - encapsulation 170
 - ethylenediamine 168
 - hepta-iodo- and monotosyl derivatives 168
 - naltrexone 170
 - naproxen 170
 - pancreatic islets 170
 - synthesis 168
- mono-6-azido- β -CD 117
- mono-6-azido permethylated β -CD 117
- mono(6-deoxy-6-amino)- β -CD 70
- mono(6-*O*-hydroxypropyl)- β -CD 70
- mono(6-*O*-Ts)- β -CD 70
- 6-monotosyl β -CD 241
- multiarm polymers
 - adamantyl-modified poly(ethylene glycol) 149
 - amphiphilic β -CD-based multiarm polymer 151
 - amphiphilic linear block copolymers 154
 - amphiphilic multiarm polymers 152
 - amphiphilic 21-arm star-shaped diblock copolymer 155
 - anticancer agents 148
 - atom transfer radical polymerization 148
 - ATRP polymerization of methyl acrylate 149
 - β -CD/AD inclusion complexation 150
 - calcein-loaded aggregates 151
 - controlled/living radical polymerization 154
 - core-first method 154
 - cysteamine 151
 - cytotoxicity 150
 - dendritic macromolecules 154
 - diaminotriethylene glycol 148
 - diaminotriethylene glycol spacer 148
 - drug delivery 150
 - ethynyl terminated P3HT 157
 - Huisgen click reaction 148
 - imidazole-1-sulfonyl azide hydrochloride 148
 - living linear monofunctional macromolecule 154
 - MSVs 147
 - nanodrug delivery systems 147
 - 1-methyl-2-pyrrolidone 155
 - PAA-*b*-PS star-shaped amphiphilic copolymers 158
 - PEG2AD 150
 - porcine liver esterase 150
 - potassium carbonate 148
 - 7PEG 750/ β -CD-G4 aggregates 151
 - star-like macroinitiators 154
 - tosylation 151
 - triazol-CD monomer 148
 - 21-arm diblock copolymer PS-*b*-P3HT 157
 - 21-arm star-shaped azide-terminated PS 157
 - 21-arm star-shaped PS 157
 - 21-arm star-shaped PtBA-*b*-PS 155
 - 21Br- β -CD macroinitiator 155
 - 2-[(methacryloyl)oxy] ethyl acrylate 151
 - umbrella-like hydrophobic dendrons 151
 - unimolecular micelles 155
 - multi-inlet vortex mixer (MIVM) 78
 - multistage nanovectors (MSVs) 147
 - multistimuli responsive polymers 159
 - multivalent cluster effect 182

- multivalent iminosugars 182
 MWCNTs 257
 myricetin 100
- n**
- naltrexone (NAL) 170
 nanocarbons 259
 nanomicelles 68
 nanoparticle-based drug delivery systems 199
 nanorattles 83
 nanosized drug carriers 271
 nanosponges
 α -CD 207
 α -CD/EDTA 207
 bulk condensation method 199
 CDI crosslinked NS 199
 crosslinkers 199
 cross-over hydration level 206
 EDTA dianhydride 207
 ester-bridged NS 203
 hydrogels 206
 interfacial condensation method 202
 IR measurements 205
 mobility 205
 molecular rigidity 206
 nanocavities 209
 nanoparticle-based drug delivery systems 199
 neutron scattering 203
 PMDA crosslinked NS 200
 polycondensation 202
 stimuli-responsive hydrogels 206
 thermal fluctuations 205
 nanostructured titania materials 295
 nanotubes 231
 naproxen (NAP) 170
 NaTCA 63
N-hydroxysuccinimide (NHS) 120, 265
N-hydroxysulfosuccinimide (NHS) 272
 Nile Red (NR) 58
 NIR light-responsive supramolecular hydrogel 167
- NIR-responsive nanosystem 13
 nitrobenzofurazanotriazolyl (NBFT) 274
N,N-dimethylacetamide (DMAc) 189
N-propargyl furazan 274
 nonenzymatic, electrochemical immunosensor 265
 nontoxic sodium trimethylphosphate (STMP) 270
- o**
- octacationic photosensitizer 274
 oligoazomethine permethylated polyrotaxane PR 32, 33
 oligoynes 16
 6-*O*-modified CDs 282
 6-*O*-poly(ϵ -caprolactone)-L-ascorbic acid (AA-6-PCL) 52, 53
 organic/inorganic hybrid CD/GN 266, 267
- p**
- PAA-*b*-PS star-shaped amphiphilic copolymers 158
 paclitaxel 199
 pancreatic islets (PIs) 170
 P β -CD -based sorbents 286
 PDA liposomes 106
 PDMAEMA-co-AZOMa 55, 56
 PEG bisamine (PEG-BA) 27
 PEG/HDI/DM- β -CD polymers 67
 PEG2AD 150
 PEGXS-AT copolymer 109
 PEGXS-AT/ γ -CD₂ hydrogel assembly of host and guest components 109
 guest component 109
 host component 109
 PEGXS polymer 109
 PEI-Fc 277
 10,12-pentacosadiynoic acid 105
 pentacyanoferrate(II) 13
 permethrin 287
 per-6-azido- γ -CD 243
 phenolphthalein 287
 phenols 257
 phenoxyacetic acid (PAA) 296

- phosphate-buffered saline (PBS) 265
- phosphorus-containing polymers 270
- photodynamic therapy (PDT) 124, 167
- photosensitizer 274
- photo-switchable α -CD-based
 - azobenzene rotaxane 13
- photoswitchable β -CD dimer 119
- physical mixture of β -CD-SWCNTs and PEI-Ad 250
- physically crosslinked PPR hydrogel 49
- physically (noncovalently) crosslinked supramolecular hydrogels 108
- PLA-chol (guest) 58
- Pluronic block-copolymers 259
- Pluronic/COOH 47
- Pluronic F127 198
- Pluronic F68 24
- PMDA crosslinked NS 202
- PNIPAAm 24
- p-nitrophenyl palmitate 82
- poly(acrylic acid) (PAA) 52, 147
- poly(acrylic acid)-*b*-polystyrene 155
- poly(amido amine) dendrimers 175
- poly(amidoamine) PAMAM dendrimers 172
- polyammonium 36
- polyaniline (PANI) 108, 290
- poly(aspartic acid) 58
- polycarbonates T and D 62
- polychlorinated biphenyls (PCBs) 232
- polychlorobiphenyls (PCBs) 282
- polydiacetylene (PDA) liposomes 105
- polydimethylsiloxane (PDMS) film 239
- poly(D,L-lactide) 60
- poly(ϵ -caprolactone) (PCL) 52
- poly(ethylene glycol) (PEG) 29
- polyethylene glycol (PEG)- α -CD complex 147
- polyhedral oligomeric silsesquioxane (POSS) 159, 164
- poly(ionic liquids) (PILS) 215
- poly(L-lysine) dendrons (PLLD) 180, 181
- polymer β -CD-(PDMAEMA)₇ 55, 57
- polymeric CD-based dendrimers
 - Amberlite IRA-400(OH⁻) anion exchange system 184
 - azidodendron 184
 - β -CD-based 21-valent iminosugar 183, 185
 - β -CD-Br initiator 175
 - β -glucocerebrosidase 183
 - biodegradability 182
 - bis(2-chloroethyl) ether 183
 - cancer therapy 180
 - carbohydrate-lectin interactions 185
 - cellular endocytosis 181
 - dendrimeric copolymers 180
 - dendrimeric host PAMAM-CD₈ 174
 - docetaxel 180
 - fluorescence intensity 175
 - fucose 179
 - Gd (III) chelates 172, 173
 - Gd(III) ion 172
 - G3.5 PAMAM dendrimer 175
 - hydrophobic anticancer drugs 180
 - hydrophobic drugs 180
 - hydrophobic Gd chelates 173
 - jack bean α -mannosidase 182
 - Kupffer cell-selective NF- κ B decoy carrier 179
 - lactosylated α -CD-based dendrimer 177
 - lectin enzyme assays 182
 - lectins 182
 - lipopolysaccharide 179
 - LPS-induced fulminant hepatitis 180
 - magnetic resonance imaging 171
 - Man-5- α -CDE(G3) 177
 - mannose receptor 177
 - MMP-9 siRNA plasmid (PMR3) 180
 - monothiol β -CD 173
 - multivalent cluster effect 182
 - multivalent iminosugars 182
 - non-viral delivery carriers 177
 - poly(amido amine) dendrimers 175
 - poly(*N*-isopropylacrylamide) 174
 - polysaccharides 172
 - proteins 172
 - responsive agents 172
 - RNA interference 177

- self-assembly 175, 176
 synthetic multivalent glycosides 182
 thermoresponsive β -CD-g-PNIPAAm 175
 thermoresponsive, fluorescent system 174
 thermoresponsiveness 175
 thiourea 173
 tris(2-carboxyethyl)phosphine 174
 21-valent, second generation iminosugar 183
 polymeric micelles (PMs) 22, 52
 polymeric nanogels 287
 polymer nanocapsules 84
 poly(*N*-isopropylacrylamide) 24, 174
 poly(propylene glycol) (PPG) 27
 polypyrrole 108
 polyrotaxane 9, 23, 24, 25
 polyrotaxane-based macro-CTA 21
 polystyrene nanocapsules 84
 poly(tetrahydrofuran) 2000 41
 polythiophene 108
 poly(2-(dimethylamino)ethyl methacrylate (PDMAEM) 30
 polyuretanes 66
 porcine liver esterase (PLE) 150
 POSS-based amphiphilic polymers 159
 POSS/PCL/ β -CD copolymer 164
 POSS/PCL/ β -CD/ Fe_3O_4 hybrid micelles 166
 PPR hydrogels 46
 PR 1500Me-PU 42
 PR 4000Me-PU 44
 PR 6000Me-PU 44
 propargyl alcohol 118
 propargylamine- β -CD 24, 25
 propiolamide 14
 propylene oxide 260
 pseudo-graft copolymers 58
 pseudopolyrotaxanes 9
 pseudorotaxanation process 119
 Pt-CD 126
 Pt-CD with TPyP-Ad 126
 pyrazinoporphyrazines 274
 Pyr- β -CD 248
 pyromellitic dianhydride (PMDA) 202
- r**
 racemic naproxen methyl ester 83
 Reichardt's dye 11
 reverse micelles (RMs) 66
 reversible addition-fragmentation chain-transfer polymerization (RAFT) 20, 154
 reversible adsorption 279
 [Rh(acac)(CO)₂] 293
 [[RhCl(CO)₂]₂] 292
 rhodamine B isothiocyanate (RBITC) 274, 276
 rhodamine B (RhB) probe 262
 RNA interference (RNAi) 177
 rotaxane crosslinked polymers 99
 rotaxanes 9
- s**
 sawdust/ β -CD polymer (SD- β -CD) 284
 SD/ β -CD polymer 284
 self-assembled PPR hydrogels 49
 self-healing polymer systems 252
 self-reinforcing injectable hydrogel 187
 7PEG 750/ β -CD-G4 aggregates 151
 shape memory PILs 215
 shape memory poly(ionic liquid) (PIL) gels 217
 shape memory polymers (SMPs) 215
 Si(IV) phthalocyanine 51
 silica surface 281
 silver doped fluor-hydroxyapatite/ β -CD composite 269
 singlet oxygen (¹O₂) 246
 small interfering RNA (siRNA) 177
 small unilamellar liposome vesicles (SUV) 238
 sodium laurate 71
 sodium taurocholate 63
 sole gelator 188
 solid polymer electrolyte 147
 Solomon-Bloembergen-Morgan relaxation theory 34
 solvatochromic dyes 11
 SSNa gel 193

- stable inclusion complex (γ -CD)₂/C₆₀ 248
- star-like block copolymer AE73 259, 260
- star-like macroinitiators 154
- steel specimens 256
- sterically crowded phosphanes 291
- stimuli-responsive hydrogels 206
- stimuli-responsive polymeric micelles 55
- stimuli-responsive polymers 159
- succinyl β -CD chitosan NPs 272
- supramolecular assemblies
RAMEB/P123 295
- supramolecular CD gels 259
- supramolecular gold aggregates 78
- supramolecular hybrid AuNP network aggregates 79
- supramolecular hydrogels 108
- supramolecular polymer
Em- β -CD/PEI-Fc 277
- supramolecular polymeric micelles 21
- supramolecular pseudo-graft copolymer 61
- surfactin (SFC) 285
- switchable supramolecular assemblies 123
- symmetrical/pseudo [1]rotaxane-like structures 118
- synthetic biomimetic nanocrystalline apatites 271
- synthetic multivalent glycosides 182
- t**
- tamoxifen 199
- tetraethoxysilane (TEOS) 82
- Tetronic 908, 198
- thermoplastic polyurethanes (TPU) 286
- thermoreponsive β -CD-g-PNIPAAm 175
- thiolated α -CD 76
- (3-aminopropyl)triethoxysilane (APS) 82
- 3,5-diamino-1,2,4-triazole (DT) 32
- 3-(2-pyrididithiopropionic acid (PDPA) 173
- titanium dioxide 294
- T/Mal- α -CD polymeric micelles 62
- TPU/ β -CD nanofibrous membranes 287
- TPyP-Ad 126
- trans*-azobenzene 58
- triazol-CD monomer 148
- 10,12-tricosadiynoic acid 105
- tris(2-carboxyethyl)phosphine (TCEP) 174
- Tyndall phenomenon 73
- tyramine-based hydrogels 48
- tyramine functionalized Pluronic F68/Tyr/F127/Tyr 48
- u**
- ultrahigh molecular weight amphiphilic polymers 90
- umbrella-like hydrophobic dendrons 151
- unimolecular micelles 155
- v**
- 21-valent, second generation iminosugar 183
- vancomycin 198
- vaterite 29
- viologen-based rotaxanes 10
- w**
- water nano-containers 202
- water solubility of CoQ₁₀ 65
- water soluble α -CD polymers 198
- water soluble cationic poly(β -CD-co-guanidine) polymer 147
- water-soluble cationic polymer 34
- water-soluble C₆₀-end-capped polymer 236
- water-soluble γ -CDP 246
- water soluble NaTCA/ γ -CD/GZK2/ γ -CD complexes 65
- water window 13
- z**
- zebrafish embryo models 16