

Index

a

- AA/BB Suzuki polycondensation 71–73
- AA-type Yamamoto polymerization 206, 208
- AB Suzuki polycondensation 71–73
- A₂B₂-type Diels–Alder polymerization 205
- AB-type Diels–Alder polymerization 206, 207
- A₂B₂-type Suzuki polymerization 205–208
- active metal template approach 258, 259
- alkoxy substituted PPVs 16
- all-conjugated block copolymers 116
- alternating copolymer synthesis 117
- amphiphilic hexayne 271
- anionic cyclodehydrogenation reaction 194
- aryltin compound synthesis 2
- Asao–Yamamoto benzannulation 272, 273

b

- BAHA *see*
 - tris(4-bromophenyl)ammoniumyl hexachloroantimonate (BAHA)
- base-induced cyclodehydrogenation 192, 193
- batch-by-batch process 159
- batch processing and flow chemistry 159, 160
- B-containing nanographene molecule 202, 203
- B-doped GNR on Au(111) surface 214
- benzothiadiazole (BT) 19

- benzothiophene-fused HBC 201
- β -branching problem 138
- BFI-based acceptor materials 31
- Bingel reaction 175
- biphenylene-based molecule 198
- 2-2'-bithiophene 138
- block copolymers
 - all-conjugated 116
 - catalyst transfer polycondensation
 - end-functional polymer copolymerization method 113
 - grafting-from method 114
 - grafting-to method 112
 - sequential monomer addition method 114
 - conjugated-non-conjugated 116
 - Kumada catalyst transfer polycondensation 115
 - synthesis methods 113
- bottom-up approach 255
- bottom-up GNR synthesis 205
- branched and cross-linked
 - poly(3-hexylthiophene) 138, 140

c

- Campos' polydiphenyldiacetylene (PDPDA) formation 263
- carbomers 286
- carbon nanomaterials *see also* direct C–H arylation
 - bottom-up strategy 230
 - top-down methods 229
- carbon structures, TEM images 256
- carbyne 256
 - chemical structures of 257

- cascade Suzuki–Heck polycondensation reaction 79
 catalyst transfer polycondensation (CTP)
 alternating copolymer synthesis 117
 bidirectional and unidirectional growth 99
 block copolymers
 end-functional polymer
 copolymerization method 113
 grafting-from method 114
 grafting-to method 112
 sequential monomer addition method 114
 chain-growth polymerization 104, 106
 end-capping polymerizations 111
 vs. living polymerization 97
 Pd(RuPhos) protocol mechanism 104, 105
 PT synthesis 97
 random copolymer synthesis 117
 reaction mechanism 98
 Suzuki–Miyaura coupling reactions 102
 catalytically active palladium(0) complexes 63
 chain growth polymerization mechanism 170
 chlorination reagent 189
 [8]circulene structures 198
 Carothers equation 132
 conjugated alternating copolymers, structural defects in 141
 conjugated-non-conjugated block copolymers 116
 conjugated polymers 131
 defect-free 142
 heterobifunctional 112
 synthesis 162, 163
 thiophene-based 38, 40
 continuous flow processing
 advantage 159, 161, 162
 description 159
 PBDTTPD synthesis 166
 synthetic methodology 159
 contorted hexabenzocoronene synthesis 232
 controlled polymerization *see* catalyst transfer polycondensation (CTP)
- corannulene 285
 Couette–Taylor flow reactor, GO preparation 176
 CPDT-BT polymer 22
 cross-coupling reactions, selectivity of 132
 C3 symmetrical nanographene molecule 188
 CTP *see* catalyst transfer polycondensation (CTP)
 CuI additive 11
 cumulenes
 chemical structures of 257
 thermal dimerization of 278, 279
 cyano-functionalized diaryltetracenes 275, 277
 cyclodehydrohalogenation (CDH) reaction
 chlorine atom 238
 complex PAH synthesis 240, 241
 dibenzo[fg,op]naphthalene 238, 240
 heterocycles-fused molecules 241
 cyclododecaphenylene 77, 78
- d**
- dendritic molecular battery 276
 3,3'-diaryl-1,1'-bis(isobenzofuran) synthesis 243
 dibenzo[a,e]pentalene (DBP) structures 274
 dibenzotetrathienocoronenes 232
 Diels–Alder addition 175
 diketopyrrolopyrrole (DPP) monomer 32
 direct (hetero)arylation polymerization (DHAP) 136, 137
 arenes and heteroarenes coupling 143, 146
 defect-free conjugated polymers 142
 homocoupling side reactions 141, 145
 2-iodo-3-alkylthiophenes 134
 P3HT synthesis, screening for 141, 143
 polymer applications 147–149
 3,4-propylenedioxythiophenes 134
 regioregular poly(3-hexylthiophene) 134, 135
 selectivity and reactivity problem 138
 sources of defects 147

- thiophene-based organic materials 132, 133
- direct borylation reaction 77
- direct C–H arylation 230
- corannulene and sumanene synthesis 247, 248
- dibenzo[*a, g*]corannulene synthesis 244, 245
- indeno[1,2,3]-annelated PAHs 245, 246
- indenopyrene synthesis 245, 247
- of low π -sextets PAH synthesis 250
- for nanographene and PAH synthesis 243
- pentaindenocorannulene synthesis 245, 248
- picene derivatives 244, 245
- tetraindenocorannulene synthesis 245, 248
- diyne macrocycles 265
- diyne polymerization 261–264
- donor polymers 17–23
- droplet-based microreactor system, for P3HT synthesis 170
- droplet reactor, schematic representation 172
- DTABT-IDT 27
- DTBT-IDT 27
- dymemicin A 45
- e**
- end-capping polymerizations
- drawbacks 111
- Ni-catalyzed 111–112
- Pd-catalyzed 112
- procedure 111
- end-functional polymer copolymerization method 113
- end-functional polymer coupling method *see* grafting-to method
- ester-terminated hexaynes 281
- f**
- flow forces 177, 178
- fluoro substituted PPVs 14, 16
- Fowler's supramolecular host-guest approach 268
- Frauenrath's substituted
- octa-2,4,6-triye-1,8-diol
- derivatives, X-ray analysis of 268, 269
- functional polymers 1, 12
- fused perylenediimide molecules 235
- fused perylenediimide synthesis 232, 236, 237
- g**
- gas phase process, SWCNT synthesis 176
- gelation 170, 263
- glucose endcapped polyynes 258
- glycosylated hexaynes 280, 281
- GNR *see* graphene nanoribbon (GNR)
- Goroff's supramolecular approach, to PIDA formation 263
- grafting-from method 114
- grafting-to method 112
- gram-scale synthesis, of GNR 206
- graphene nanoribbon (GNR) 204
- armchair GNRs 205
- bottom-up synthesis 272
- cove-edged 278, 280
- in solution/Au(111) surface 278
- synthesis 186
- on Au(111) surface 212
- solution-mediated
- cyclodehydrogenation 205
- surface-assisted cyclodehydrogenation 208
- types 204
- graphene oxide (GO) preparation 176
- graphene properties 183
- graphynes 286
- Grignard metathesis (GRIM)
- polymerization 99, 100, 134, 170
- h**
- Heck-type coupling reaction 68
- Herrmann–Beller catalyst 134
- heteroatom-doped nanographene molecules 198–202
- heterobifunctional conjugated polymers 112
- heterocycles-fused molecules, photochemical synthesis of 242
- Hexabenzocoronene (HBC) synthesis 184, 185

hexaphenylbenzene-based precursor 195
 hexapyrrolohexaazacoronene 199
 hexapyrrolylbenzene derivative 200
 hexayne amphiphile 272
 hexayne synthesis 258, 259
 homocoupling side reactions 141, 145
 hybrid method 255

i

indene- C_{60} bisadduct ($IC_{60}BA$) synthesis 175
 indene- C_{70} bisadduct ($IC_{70}BA$) synthesis 175
 intramolecular oxidative cyclodehydrogenation 183
 intramolecular palladium-catalyzed arylation 244
 intramolecular photochemical C-C bond forming reaction, drawbacks 230
 intramolecular photochemical cyclodehydrohalogenation reaction (CDH) *see* cyclodehydrohalogenation (CDH) reaction
 ionic liquid supported Stille coupling 47
 Isoindigo(IID) based polymers 22, 24, 32
 iterative Suzuki coupling reaction 77, 78

k

Katz-modified Mallory reaction
 contorted hexabenzocoronene synthesis 232, 233
 coronene derivatives 231
 fused-perylenediimide synthesis 232
 propylene oxide 231
 thiophene-fused coronenes 232, 234
 KCTP reaction *see* Kumada catalyst transfer polycondensation (KCTP)
 Kumada catalyst transfer polycondensation (KCTP)
 block copolymers 115
 electron-deficient monomers 102
 external functionalized initiators 107–110
 fluorenes 101
 GRIM reaction 99, 100
 phenylenes 101

regio-regular poly(thiophene)s 100, 101
 scheme 98
 Kumada catalyst transfer polymerization (KCTP) *see* Grignard metathesis (GRIM) polymerization
 Kumada coupling reaction 44, 46

l

lactam based donor polymers 23, 25
 ladder-type polyphenylenes 82, 83
 LiCl additive 10
 liquid crystals (LC) 40
 living polymerization 97
 low π -sextets PAH synthesis 250

m

macrocycles 265
 macrocyclic Cu(I)endash phenanthroline complex 258
 macroinitiator method *see* grafting-from method
 Mallory reaction. *see* photochemical dehydrogenation
 mechanistic black box 4
 MEH-PPV polymer synthesis, Gilch method 165, 170
 meso-naphthodianthrone synthesis 183, 184
 metal-containing polymers 42
 methyl ether endcapped polyynes 260
 $MoCl_5$ reagent 188, 189
 monomers bearing β -blocking groups 138, 139

n

nanographene 272
 molecule synthesis 183
 with $FeCl_3$ and $AlCl_3$ 186–188
 $FeCl_3$ reagent 188
 heteratom doping 198–202
 on metal surfaces 186
 oxidative cyclodehydrogenation 188–194
 seven- and eight-membered rings 195–198
 surface-assisted cyclodehydrogenation 202–204

- Naphthalene-diimide (NDI)-based polymer
P(NDI2OD-T2) 28, 30
- 3-naphthalen-1-ylimidazo [1,2-a]pyridine
cyclodehydrogenation with
potassium 194
- Negishi catalyst transfer polycondensation
(NTCP) 102
- non-amphiphilic hexayne 271
- non-conjugated acetylenic macrocycle
265, 266
- nonlinear optics (NLO) 13
- non-symmetric 3-alkylthiophene units,
structural defects 141
- N-substituted HBC 199
- O**
- odd [*n*]cumulenes 259, 260
- oligo-(*E*)-1,1'-bi(indenylidene) synthesis
281, 282
- oligophenylene precursors 187
- oligo-/polymer formation, on Au(111)
surface 281
- organic field-effect transistors (OFETs)
28, 30, 32–35, 177
- organic light-emitting diode (OLED)
polymers 35–38
- organic photovoltaics (OPV)
fullerene derivatives 173
PCBtB performance 173
P3HT/PC₆₁BM blend 161
polymers (*see* polymer solar cells (PSCs))
solar park concept 161
- oxidative cyclodehydrogenation *see also*
nanographene, molecule synthesis
cycloocta-*o,p,o,p,o,p,o,p*-phenylene
197
graphene nanoribbon fabrication 186
hexa-peri-hexabenzocoronene
preparation 184, 185
hexaphenylbenzene derivatives 189,
190
indolyl-pentapyrrolylbenzene 190, 192
mesoendash meso-linked porphyrin
arrays 189
MoCl₅ reagent 188, 189
molten AlCl₃ with atmospheric oxygen
184
- PIFA/BF₃.OEt₂ in dichloromethane
190
- pyrimidyl-pentaphenylbenzene 199
reagents 184
tetrabenzo[8]circulenes and PAH 198
- P**
- packing parameters 261
- palladium-catalyzed direct C–H arylation,
of corannulene 195
- palladium-catalyzed intramolecular direct
C–H arylation
corannulene and sumanene synthesis
247, 248
dibenzo[a,g]corannulene synthesis 244,
245
indeno[1,2,3]-annelated PAHs 245, 246
indenopyrene synthesis 245, 247
of low π -sextets PAH synthesis 250
pentaindenocorannulene synthesis 245,
248
picene derivatives 244, 245
tetraindenocorannulene synthesis 245,
248
- palladium-catalyzed intramolecular
triflate–arene coupling 243
- PBDT-BT fullerene derivative synthesis
166
- PBDT-BT polymer synthesis 163
- PBDTT-DPP 20
- PBDTTPD 20
- PBDTTTz-4 polymer synthesis 166
- PBnDT-DTBT 20
- PBnDT-FTAZ 20
- PBTff4T 20, 21
- PC₆₁BM synthesis, in benchtop flow reactor
174
- PC₇₁BM synthesis, in benchtop flow reactor
174
- PCBtB fullerene derivative synthesis 173
- PCDTBT polymer synthesis 162, 163
- Pd(RuPhos) protocol mechanism 104,
105, 116
- PDTP-DFBT 21
- pentalenes 274–275
- perfluorinated polyether (PFPE) 170
- peripentacene 203, 204

- perylene-3,4,9,10-tetracarboxylic diimide
 preparation 192
 PffBT4T 21
 phase transfer catalysts (PTCs) 74
 phenanthrene formation 231
 phenylacetylene macrocycles 266
 phenylacetylenyl macrocycles 266, 267
 phenylbutadiynyl macrocycles 266, 267
 photochemical dehydrogenation
 description 231
 drawbacks 230, 237
 phenanthrene formation 231
 photocyclization reactions
 fused-perylenediimide synthesis 236,
 237
 perylenediimide-based fused dimer
 synthesis 236, 238
 pyridine-fused PDIs 237
 at room temperature 236
 thienobis[1]benzothiophene preparation
 243
 photorefractive (PR) polymers 14
 photovoltaic parameters 167, 169
 P3HT polymer synthesis 171
 chain growth polymerization mechanism
 170, 171
 commercial benchtop flow reactor 172
 droplet-based microreactor system
 170
 perfluorinated polyether 170
 PIDA *see* polydiiododiacetylene (PIDA)
 PiLEDOT synthesis 166, 167
 PNDIS polymers 30
 PNDIT polymers 30
 PNT4T 21
 poly(fluorene) (PF) 101
 polyalkylthiophene polymer 18
 polycyclic aromatic hydrocarbons (PAHs)
 273
 DDQ/Sc(OTf)₃ 189
 PIFA/BF₃.OEt₂ 190
 polydiacetylenes (PDAs) 261
 polydiiododiacetylene (PIDA) 261
 polydispersity index (PDI) 161
 polyether macrocycle structure 265
 poly(phenylene-vinylene), Gilch method for
 162, 165
 polymer based OLED (P-OLED) materials
 36
 polymer solar cells (PSCs) 16
 acceptor materials 23
 donor polymers 17
 polyphenylenevinylene (PPV) 14
 poly(3,4-alkylenedioxythiophene)s 135
 poly(*p*-phenylene)s (PPP) 101
 poly(thiophene)s (PT) 97
 poly(3-hexylthiophene) synthesis 134, 135
 poly(phenylene-thiophene) (PPT) synthesis
 3, 12, 14, 17
 polytetrafluoroethylene (PTFE) coil 171
 polytriacetylene (PTA) 268
 polyynes
 chemical structures of 257
 formation of 257
 rotaxane formation 258, 259
 in single-walled and double-walled
 carbon nanotube 258
 solid-state reactions of 261
 topochemical polymerization 268
 power conversion efficiency (PCE) 161
 PPyV polymers 38, 39
 propargyl alcohol endcapped polyynes
 260
 PTB polymers 19
 push-pull arene-based copolymer 136
 push-pull hetero(arene) copolymer 137
 pyridine-fused PDIs 237, 239
 pyrrole-fused azacoronenes 201
- r**
- random catalyst walking 99
 random copolymer synthesis 117
 rapamycin 44, 45
 reaction conditions, of flow and batch
 reactions 162
 rylene diimides, base-induced
 cyclodehydrogenation 193
- s**
- Scholl reaction 184, 232
 S-containing nanographene molecules
 202
 second-order NLO polymers 13–15
 self-assembled monolayers 272

- semiconducting polymers 1
- sequential ICI-induced alkyne cyclization 249
- sequential monomer addition method 114–116
- Si-bridged CPDT-BT polymer 22
- single-walled carbon nanotubes (SWCNT) synthesis 176
- soft-landing electrospray ion beam deposition 280
- SPC *see* Suzuki polycondensation (SPC) reaction
- sp precursor modification, with TCNE 275
- Stille coupling reaction 2
 - additives 10
 - advantages 42
 - applications 1
 - bulky phosphine ligands 7, 9
 - catalyst selectivity 8
 - cis-trans isomerization 5
 - cyclic and open transition states 5, 6
 - disadvantages 46
 - donor polymers 17
 - Espinet complex mechanism 6, 7
 - ionic liquid 47
 - ligands, electronic effect of 9
 - microwave conditions 12
 - OFETs
 - DPP based polymers 32, 35
 - IID based polymers 32, 34
 - polythiophene derivatives 32, 33
 - optimized reaction conditions 9
 - PBDT-BT polymer synthesis 163
 - phenylene-thiophene based liquid crystal polymer 40, 44
 - phosphine ligands 8
 - P-OLEDs
 - CPDTs 38, 41
 - PPV polymers 36, 37
 - PPyV polymers 37–39
 - thiophene-based conjugated polymers 38, 40
 - polyalkylthiophene polymer 17, 18
 - polymer synthesis 2
 - polythiophene-based sensor polymers 40, 42, 43
- PPT 16, 17
 - reaction scheme 2
 - reaction temperature 11
 - reductive elimination step 6
 - scheme 2
 - second-order NLO polymers 13
 - simplified reaction mechanism 3, 4
 - solvents 10
 - sp²–sp² C-C bonds 2
 - third-order NLO polymers
 - polythiophene derivatives 14, 16
 - PPV 14, 16
 - tin, catalytic use of 47
 - trans*–*cis* isomerization 4
 - transmetallation step 5, 9
- Stille polycondensation
 - PBDTTPD polymer synthesis 168
 - PBDTTTz-4 polymer synthesis 168
 - Pd(0)-mediated reactions 3
 - poly(phenylene-thiophene) (PPT) synthesis 2, 3
 - with xylene solvent 162
- surface-assisted cyclodehydrogenation 202–204
- surface-initiated polymerization (SIP) 110
- Suzuki cross-coupling reaction 44, 46
 - aryl-aryl interchange reaction 68, 69
 - catalytic cycle 60
 - ligandless catalysts 64
 - metal-catalyzed cross-coupling reaction 59
 - microwave assisted synthesis 67
 - Pd(0) catalysts 63, 64
 - pH effect 61
 - phosphorus incorporation reaction 69–71
 - reaction equation 59
 - side reactions 67, 68
 - transmetallation process
 - Pd-OR intermediates 61, 62
 - quaternary boronate anion 61
 - weak bases 62
 - water-soluble ligands 65
- Suzuki-Miyaura coupling reactions 59, 102, 110 *see also* Suzuki cross-coupling reaction

- Suzuki polycondensation (SPC) reaction
AA/BB approach vs. AB approach 71
applications 82
boronic acid protect groups 78, 79
boron monomers 75, 77
carbazole copolymers 84, 85
chain growth mechanism 81
conjugated polymer synthesis 162, 163
dichloroarene monomers 80
direct borylation reaction 76, 77
halide-boronate exchange 76
heterocycle containing copolymers 84
ladder-type polyphenylenes 82, 83
monomer components used 161
monomer purity 73
number-average degree of polymerization 72
PBDBT-BT synthesis 163
PCDTBT polymer synthesis 162
reaction conditions and molecular mass data 164
of spirofluorene and arylamine building blocks 161
sulfonyloxy monomers 80
thiophene-containing copolymers 82, 83
triolborate modification 79, 80
- t**
teranthenes and quarteranthenes synthesis 191
tetrabenzo[8]circulene 197
tetracyanobutadiene (TCBD) 275
tetraynes, solid-state polymerization of 270
thermally activated surface reactions 281
thiophene-fused coronenes synthesis 232
thiophene and selenophene copolymer synthesis 171
- thiophene-based molecules 132
thiophene Grignard monomer preparation 171
third-order nonlinear optic polymers 14
time-controlled DHAP reactions, defect-free copolymers 142, 145
top-down approach 255
topochemical polymerization
in crystalline solids 263
oligo(phenylene butadiynylene) 264
packing requirements 261
polydiphenyldiacetylene formation 263
1,3,5-triethynylbenzene (TEB), on Ag(111) surface 282
triply-linked porphyrin oligomers 189
tris(4-bromophenyl)ammoniumyl hexachloroantimonate (BAHA) 190, 192
1,3,5-tris-(4-ethynylphenyl)benzene (exTEB) 282, 283
trisubstituted benzene ring, on Au(111) surface 281
T-shaped 14-electron complex 6
two-dimensional graphene sheet 229
- u**
unprotected thiophene-units 143, 146
UV-Vis absorption spectrum
of GNR 208
of P3HT film 177
- v**
V shape polythiophene 40
- w**
warped nanographene molecules 197
Wolff-Kishner-type protocol 273
- z**
zigzag GNRs 205