

## Index

### a

Abbe limit 4  
 abdominal cavity 283  
 abdominal organs 284  
 acoustic radiation force impulse (ARFI)  
   imaging 214, 234–235, 237, 245  
 alcohol-related liver disease (AL) 286  
 algebraic Helmholtz inversion (AHI)  
   Helmholtz decomposition 207–208  
   isotropy 205  
   multifrequency MRE 206  
   multiparameter inversion 207  
 Algebraic inversion of the differential  
   equation (AIDE) 207  
 Alzheimer's disease (AD) 279  
 amoeboid invasion 334  
 aminotransferase-to-platelets ratio index  
   297, 306  
 amplitude mode 233  
 amyotrophic lateral sclerosis (ALS) 276  
 Anderssen gradients  
   discretization effects 186  
   frequency response plots 186–187  
   low noise levels 186  
   symmetric difference kernel 184  
 anti-symmetric gradients 46  
 anulus fibrosus (AF) 321  
 aorta, MRE of 260–261  
 apparent diffusion coefficient (ADC) 341  
 areas under receiver operator  
   characteristics (AUROC) 297  
 ARFI elastography 338  
 atrioventricular (AV) node 246  
 autocalibration scans (ACS) 36  
 auxetic materials 76

### b

balanced steady-state free precession  
   (bSSFP) 28–30, 55, 256  
   nonlinear phase response 56  
 balanced waveform 49  
 balance of momentum 92–95  
 band-pass filtering 172  
 bandwidth 27  
 benign prostatic hyperplasia (BPH) 344  
 biphasic material, composition of 133  
 biphasic poroelastic tissue model  
   continuity equation 142  
   hydrogen density 142  
 Bloch equations 14–15  
 boundary conditions 103–104  
 boxcar filters 170  
 brain MRE 263 *see also* Cerebral MRE  
   brain stiffness determinants 264  
   challenges, cerebral MRE 264  
   compressibility 276  
   mouse model 270  
   multifrequency 267  
   objectives 264  
   preliminary findings, functional  
     activation 277  
     technical aspects of 265–271  
 brain shear modulus 272  
 brain stiffness  
   changes with age 272  
   demyelination and inflammation  
     277–279  
   gender differences 273–274  
   neurodegeneration 279–280  
   regional variation in 274

- brain tissue, anisotropic properties 274–276
  - brain volume 272
  - Breast Imaging Reporting and Data System (BIRADS) 337
  - breast lesions 337
  - breast tumors 335
    - MRE of 345–347
    - stiffness response of 336
    - ultrasound elastography 337–338
  - brightness mode 233
  - bSSFP-MRE 55–57
  - bulk modulus 77–79
  - bundle of His/AV bundle 246
- C**
- Cardiac cycle 245
  - cardiac elastography
    - ex vivo* shear wave imaging 253
    - in vivo* shear wave dispersion ultrasound vibrometry 253–254
    - in vivo* cardiac MRE in humans 256–260
  - cardiac fiber anatomy 247–249
  - cardiac FLASH sequence, diagram 161
  - cardiac MRE
    - clinical motivation 250
    - in pigs 254–256
    - wave inversion 259–260
  - cardiac steady-state FLASH MRE, timing 257
  - Cartesian imaging techniques 23
  - causal phenomena 125
  - cell proliferation 335
  - cerebral MRE 264 *see also* Brain MRE
    - clinical setup for 265
    - driver-free 269
  - cerebrospinal fluid (CSF) flow 264
  - cervical cancer 318
  - Christoffel equation 105–106
  - chronic liver diseases (CLD) 285
    - causes 286
    - epidemiology 286
  - coherent plane wave compounding 234
  - compliance tensor transverse isotropy 325
  - compliance *vs.* elasticity 70
  - compressibility 77–79
  - compression modulus 100
  - constant-coefficient difference equation (CCDE) 168
  - corticospinal tract 274
  - corona radiata 274
  - corpus callosum 274
  - cranial pressure 264
  - crawling waves (CW) sonoelastography 238–239
- d**
- damped plane wave 365
  - Darcy's law 131
  - decay time constant 14
  - deformation
    - gradient 66
    - magnitude 66
    - of three-dimensional object 64
  - demyelination and inflammation, brain stiffness 277–279
  - denoising, in MRE
    - description 165
    - frequency domain filtering 168–172
    - ordinary least squares 167–168
    - polynomial fitting 167–168
    - process, schematic illustration 166
    - Savitsky–Golay filter 167
  - dephaser–rephaser gradients 17
  - diastolic dysfunction
    - and isovolumetric cardiac times 259
    - vs.* systolic dysfunction 250–251
    - and wave amplitude maps 259
  - differential operator 179
  - diffusion, classical 363
  - diffusion-encoding process 52
  - diffusion tensor imaging (DTI) 225, 265
  - diffusion-weighted imaging (DWI) 52, 306
  - diffusion-weighted MRE 52
  - diffusive waves 126–129
  - 3D inversion techniques 351
  - direct inversion (DI) 199–201
    - for transverse isotropic medium 224–225
  - directional filters
    - 2D directional filters 176, 179
  - Dirichlet boundary condition 103
  - discrete cosine transform (DCT) 197

- discrete Fourier transform (DFT) 23
- discrete time Fourier transform (DTFT) 170
- discretization artifacts 202–203
- dispersion 206
- 2D  $k$ -space, acquisition of 31
- Doppler imaging 234
- 2D phase unwrapping methods, in liver and brain 198
- Duchenne muscular dystrophy (DMD) 332
- dwelt time 27
- dynamic deformation
  - balance of momentum 92–95
  - boundary conditions 103–104
  - compression modulus and oscillating volumetric strain 100
  - elastodynamic Green's function 101–103
  - mechanical waves 96–98
  - Navier–Stokes equation 99–100
- e**
- echoes 21
  - gradient 17
  - spin 15–17
- echo-planar imaging (EPI) 30–32, 161, 300
- echo time 21
- ejection fraction (EF) 250
- elastic wave equation 199
- elastodynamic Green's function 101–103
- electrocardiography (ECG), signals in 246
- electromechanical wave imaging (EWI) 239
- encoding efficiency 46
  - of sinusoidal MEGs 48
  - of trapezoidal MEGs 48
- encoding sensitivity 50
- endocardium 247
- endometrium 318
- energy density and flux 110–114
  - geometric attenuation 113–114
- energy gap 9
- epicardium 247
- EPI-MRE 57–59
- Ernst angle 28
- Eulerian description 99
- experimental autoimmune
  - encephalomyelitis (EAE) 278
- external vibration multidirectional
  - ultrasound shear wave elastography (EVMUSE) 238
- extracellular matrix (ECM) 264, 287, 333
- f**
- fast Fourier transform (FFT) 23
- fast imaging
  - partial Fourier imaging 34–37
  - SNR and scan time impact 37–39
  - strategies 33
- fast low-angle shot (FLASH) 27, 37, 161, 256
- fast transverse (FT) 108
- fast wavelet transform (FWT) 176
- FE mesh 220
- fibrillar collagens 287
- fibronectin 287
- finite difference methods 187–190
- finite element method (FEM)
  - algorithm, steps involved in 217–218
  - description 217
  - vs. direct inversion 223
  - one-dimensional wave equation 218–219
  - wave equation, formulation of 221–223
  - discretization
    - node density 220
    - one-dimensional problem 220
    - in three dimension 220
  - discretized domain, basis function in 220–221
  - forward FEM equations 218
- finite impulse response (FIR) filter
  - averaging 168–170
  - characterization 168
  - convolution 168
  - kernel 168
- finite strain theory 65
- FLASH-MRE sequence 53–55
  - for cardiac MRE 161–162
- flip angle 11
- Flynn's minimum discontinuity algorithm 193–194

- forces, in continuous media 92
  - forward FEM equations 218
  - Fourier domain gradient operator 186
  - fourth-order Butterworth low-pass filter 172
  - fractional calculus 124
  - fractional encoding 50–51, 229
  - free induction decay (FID) 15, 31
  - frequency domain ( $k$ -space) filtering 168
    - see also* Finite impulse response (FIR) filter
    - band-pass filtering 172
    - LTI system (*see* Linear time-invariant (LTI) system)
  - frequency encoding, MRI 20–21
  - fringe lines 194
  - functional MRE (fMRE) 277
  - functional ultrasound 234
- g**
- Galerkin method 218
  - Gaussian complex noise 201
  - Gaussian filter 172
  - Gaussian-type filter kernels 170
  - GE –EPI sequence
    - structure of 59
    - timing diagram of 59
  - geometric attenuation 113–114
  - Gibbs ringing 178, 182
  - glioblastoma 341
  - global stiffness equations 218
  - glycosaminoglycans (GAGs) 287
  - gradient echoes 17, 53
  - gradient moment nulling, orders of 50
  - gradient spoiling 28
  - gradient unwrapping 195–196, 204
  - gradient waveform 45, 49
  - GRAPPA 36–37
  - Green's function 125–126
  - group velocity 106
- h**
- head of caudate nucleus (HCN) 274
  - heart physiology 247
  - Helmholtz decomposition 96, 207–208
  - Helmholtz equation 205
  - hemochromatosis 286
  - hepatic fibrosis staging 299
  - hepatic steatosis 286
  - hepatic stellate cell (HSC) 289
  - hepatic venous pressure gradient 308
  - hepatocellular carcinoma (HCC) 288
  - higher-order gradient moment nulling 45
  - high-intensity focused ultrasound (HIFU) 242
  - Hooke's law 69–70
  - Huygens' principle 102, 234
- i**
- imaging concepts
    - fast imaging 33–39
    - $k$ -space 23–26
    - $k$ -space sampling strategies 26–33
  - impulse response 168
  - incident wave, reflection and transmission 115
  - infinite impulse response 168
  - infinitesimal strain tensor 64
  - in-plane magnetization 56
    - 2D Fourier transform 20
  - intervertebral disc (IVD) 283, 321
    - anulus fibrosus 321
    - MRE 322–323
    - nucleus pulposus 321
  - intraclass correlation coefficient (ICC) 298
  - intracranial tumors, MRE of 347–350
  - intra-voxel phase dispersion 51–52
  - invariants 68–69
  - inversion methods
    - direct inversion 200–201
    - iterative reconstruction 200
  - isochromat, magnetization of 16
  - isovolumetric contraction time (IVC) 246
  - isovolumetric relaxation time (IVR) 246
  - iterative reconstruction 200
  - Itoh's method 192
- j**
- jacketed scenario 132
  - jamming effects 333

**k**

Kelvin–Voigt model 83  
 kernel 168  
 kidney, MRE of 315–318  
   functional units 315  
   viscoelasticity 316  
 kMDEV  
   in abdomen 216  
   directional filters 215  
   geometric attenuation 215  
   noise robustness 216  
   principle 214  
   simulated sensitivity 217  
   wave vector 214–215  
*k*-space  
   artefacts 26  
   data points 23  
   description 23  
   DFT 23  
   echo-planar imaging 30–32  
   non-Cartesian imaging 32–33  
   Nyquist–Shannon sampling theorem  
     23–24  
   readout 26  
   readout and phase-encode directions  
     23  
   sampling strategies 26–33  
   segmented image acquisition 27–30  
*k*-space representation, of iso surfaces 109  
 Kupffer cell (KC) 289

**l**

Lagrangian description 99  
 Lamb wave dispersion ultrasound  
   vibrometry (LDUV) 242  
 Lamé–Navier equation 95  
 Lamé’s first parameter 77  
 Laplace transforms, in viscoelastic models  
   84–85  
 Laplacian unwrapping 196–198  
 Larmor frequency 11, 12, 56  
 left ventricular (LV) pressure 245, 251  
 LFE *see* Local frequency estimation (LFE)  
 linear shift invariant 168  
 linear slip 115  
 linear strain theory 65  
 linear time-invariant (LTI) system  
   Fourier domain 170–172  
   frequency response plots 171  
     five-tap moving average filter 171  
     fourth-order Butterworth low-pass  
       filter 172  
     Gaussian filter 172  
     in-spectrum loss/attenuation 171  
   mapping 168  
 liver  
   blood supply 283  
   chronic liver disease, epidemiology of  
     286  
   elasticity 313  
   functions 284  
   grafts, MRE in 309–310  
   injury 290–291  
   lobules 283  
   morphology 285  
   MRE 294–311  
   MRE portal hypertension 307–309  
   parenchyma 289  
   transplantation 293  
   tumors, MRE in 342–344  
 liver fibrosis 287  
   biomarkers of 293  
   biophysical signs of 293–294  
   microstructural changes 295  
   noninvasive screening methods  
     292–293  
   pathogenesis of 289–291  
   progression of 288  
   reversibility of 293  
   scoring systems 292  
   staging of 291–292  
 local frequency estimation (LFE) 208–210  
   description 208  
   direct inversion *vs.* phase gradient  
     210  
   filter effects 208  
   filter functions 209  
   Fourier convolution theorem 208  
   noise-amplifying characteristics 209  
   spatial resolution 210  
 log-normal quadrature filters 209  
 longer motion-encoding periods 50  
 longitudinal equilibrium magnetization  
   12

- loss tangent 90  
lung, poroelastic tissue in 131
- m**
- magnetic field  
  inhomogeneities and susceptibility effects 41  
  protons in 9–10
- magnetic resonance imaging (MRI) 17–21  
  frequency encoding 20–21  
  phase encoding 19–20  
  slice selection 19  
  spatial encoding 18–21
- magnetization  
  of isochromat 16  
  precession of 10–13  
  quadrature detection 11–13  
  thermal equilibrium state 13  
  time evolution of 12
- matrix metalloproteinase (MMP) 293
- matrix representation, of derivative operators 182–183
- Maxwell model 83, 89
- Maxwell's equations 15
- mechanical waves  
  complex moduli and wave speed 98–99  
  Navier equation 96
- mesenchymal invasion 334
- meta-analysis of histological data in viral hepatitis (METAVIR) 291
- midpoint rule 180
- mitral valve 246
- mixed boundary conditions 104
- motion encoding gradient (MEG) 28, 43  
  fractional encoding 50–51  
  gradient moment nulling 44–46  
  time-harmonic motion encoding 46–50
- motion-induced phase 47
- motion mode 233
- multifrequency dual elasto-visco inversion (MDEV) 211
- multifrequency inversion 210–214
- multifrequency MRE (MMRE) 210, 229
- multiparameter inversion 207
- multiple sclerosis (MS) 263, 278
- multi-resolution analysis (MRA)  
  vs. FFT 174–175  
  wavelets 172–174
- muscular dystrophy 332
- myocardial contractility 250
- myocardial fibers 248
- myocardial stiffness measurement 254
- myocardium 247
- myofibroblast (MF) 290
- myometrium 318
- n**
- Navier equation 95
- Navier–Cauchy equation 95
- Navier–Stokes equation 99–100
- Navier's equation, for biphasic medium  
  elasticity tensor 134  
  Helmholtz theorem 136  
  momentum equations 134  
  one-dimensional system 136
- neurodegeneration, brain stiffness 279–280
- neurodegenerative diseases 263
- noise 52  
  in acquired displacement field 201  
  numerical derivative schemes, sensitivity of 186  
  sensor noise 165  
  signal processing definition of 165
- nonalcoholic fatty liver disease (NAFLD) 286
- nonalcoholic steatohepatitis (NASH) 286  
  MRE 303–304
- non-Cartesian imaging 32–33
- noninvasive biomarkers, of liver fibrosis 307
- nonwelded interface 115
- normal pressure hydrocephalus (NPH) 279–280
- nuclear magnetic resonance (NMR)  
  Bloch equations 14–15  
  echoes 15–17  
  magnetic field, protons in 9–10  
  magnetic resonance imaging 17–21  
  magnetization precession 10–13  
  relaxation process 13–14

- nucleus pulposus 321–322
- numerical derivatives
  - Anderssen gradients 183–186
  - boundary conditions 180–181
  - differential operator 179
  - Fourier transform 181
  - frequency response, of derivative operators 186–187
  - matrix representation, of derivative operators 182–183
  - midpoint rule 180
  - Nyquist criterion 182
- Nyquist–Shannon sampling theorem 23–26, 170
  
- O**
- octahedral shear strain (OSS) 68, 69
- OLS *see* Ordinary least squares (OLS)
- one-dimensional unwrapping algorithm 192
- optimal motion sensitivity 57
- ordinary least squares (OLS) 167
- orthotropic elasticity tensor, elements of 227, 228
- oscillating volumetric strain 100
  
- P**
- pancreas
  - diseases of 314
  - MRE 315
- parallel imaging
  - description 35
  - GRAPPA 36–37
  - image space-based methods 36
  - k*-space-based methods 36
  - reconstruction 36
- Parkinson's disease (PD) 279
- partial Fourier imaging 34–35
- pelvic region 283
- Pfirschmann scores 322
- phase difference image 43
- phase encoding 19–20, 26–27
- phase gradient (PG) 204–205
  - spatial unwrapping 204
- phase unwrapping 41
  - algorithms 191
  - gradient unwrapping 195–196
  - Itoh's method 192
  - Laplacian unwrapping 196–198
  - one-dimensional function 191–192
  - quality map 193
  - smoothness 193
- phase wraps 191
- plane of isotropy 74
- plane wave imaging 234
- point source, in 3D 362–363
- Poisson's ratio 75–76
- poroelasticity theory 131
- poroelastic media
  - pressure waves in 136–140
  - shear waves in 140–141
- poroelastic MRE 133
- poroelastic signal equation 142–144
- porosity 133
- portal hypertension
  - assessment 307–309
  - splenic stiffness 313
- position-dependent precession frequencies 14
- precession frequency, spatial modulation of 17
- pressure waves, in poroelastic media 136–140
- principal strains 68
- progressive supranuclear palsy (PSP) 279
- prostate
  - MRE 320–321
  - zones of 319–320
- prostate cancer
  - MRE 344–345
  - ultrasound elastography 338–339
- prostate-specific antigen (PSA) 338
- prostate, zones of 319–320
- proteoglycans 287
- protons
  - in magnetic field 9–10
  - magnetic moments of 10
  - quantum-mechanical nature of 10
- pulse repetition frequency (PRF) 233
- pulse sequences 53
- pulse wave velocity (PWV) 261



**q**

quadrature detection 11–13  
 quality-guided algorithms 193  
 quality map 193

**r**

radiofrequency (RF) pulses 26  
 relaxation process 13–14  
 renal pyramids 315  
 repetition time 31  
 right ventricle (RV) contraction 246  
 RO gradient waveforms 32

**s**

sample interval modulation-MRE  
 (SLIM-MRE) 230  
 sampling time 38  
 Savitsky–Golay filter 167  
 scatterers 234  
 second-order gradient moment nulling 45  
 segmented image acquisition  
   balanced steady-state free precession  
     28–30  
   description 27  
   FLASH 27–28  
 sensor noise 165  
 serum biomarkers, liver 304–307  
 sexual dimorphism, brain architecture 273  
 shape function 218–221  
 shear horizontal (SH) wave 115  
 shear modulus  
   and Lamé’s first parameter 76–77  
 shear strain, octahedral 68–69  
 shear vertical (SV) wave 115  
 shear wave amplitude maps 260  
 shear wave dispersion ultrasound  
   vibrometry (SDUV) 241–242  
 shear wave elasticity imaging (SWEI) 240  
 shearwave elastography (SWE) 306  
 shear wave imaging (SWI) 252  
 shear wave scattering  
   description 114  
   interface 115  
   mean free path length 114  
   mode conversion 115  
   plane interfaces 115–118  
   shear horizontal and vertical wave 115

  spatial and temporal interfaces 118–121  
   speckle patterns 114  
   three-layer model 117–118  
 wave diffusion 121  
   amplitudes and intensities 126–129  
   diffusion coefficient 123  
   discrete waves 121  
   Green’s function 125–126  
   grid spacing 124  
   propagation velocity 123  
   random walk 121–122  
   scaling property 124  
   stochastic nature 123  
   unattenuated plane wave 121  
   unattenuated propagating wave 121  
   welded and nonwelded interface 115  
 shear waves, in poroelastic media  
   140–141  
 shear waves, in transverse isotropic medium  
   nomenclature 108  
   wave modes 109  
 signal dephasing 14  
 signal sampling 31  
 signal-to-noise ratio (SNR) 25, 52  
 single-channel RF transmit system 29  
 skeletal muscle  
   composition 325  
   tissue architecture in 326  
 skeletal muscle MRE 326–330  
 slice-based Laplacian unwrapping, Matlab  
   code for 197  
 slice-select gradient 19, 30  
 slice selection, MRI 19  
 SLIM (Sample Interval Modulation) 230  
 slow transverse (ST) mode 108  
 Snell’s law 117  
 Sommerfeld (nonreflecting) boundary  
   condition 103  
 sonoelastography 337  
 spatial encoding, MRI 18–21  
 speckles 128  
 spin echo (SE) 14, 57, 59  
   EPI–MRE sequence 43  
   MRI 15–17  
   signal formation 30  
 spin–echo sequence, MEG placement 59  
 spin quantum number 9



- spleen
    - elasticity 313
    - location 311
    - splenic stiffness 311, 313
  - spoiler gradients 28
  - springpot and fractional viscoelasticity 89–90
  - square of viscoelasticity 2, 3
  - standard linear solid (SLS) model 89
  - standing waves 210
  - static magnetic field 9
  - steatohepatitis 286, 303
  - steatosis 286, 303
  - strain 63–66
    - finite strain theory 65
    - linear strain theory 65
    - principal strains 68
    - shear strain 65–66, 68
    - tensor 65
  - strain-based elastography 338
  - strain-energy function 70–71
  - supersonic shear imaging (SSI) 241
  - surface coils 35
  - symmetric difference 180
  - symmetries 71–75
  - systolic vs. diastolic dysfunction 250–252
- t**
- temporal resolution 163
  - thalamus 274
  - three-dimensional  $k$ -space 32
  - time-dependent magnetic fields 10
  - time-harmonic elastography (THE) 237–238, 257
  - time-harmonic motion encoding 46–50
  - time-translation invariance 45
  - time-varying magnetic fields 15
  - timing diagram, of FLASH pulse sequence 28
  - tortuosity 135, 136
  - transient ultrasound elastography (TE) 306
  - transjugular intrahepatic portosystemic shunt (TIPS) 308–309
  - transmission and reflection coefficients, for welded and slip interface 117–118
  - transverse isotropy 73
  - transversely isotropic elasticity tensor 325
  - transversely isotropic (TI) material
    - compliance and elasticity tensor 79–80
    - models 275
  - transverse magnetization 11, 13, 16, 19, 29, 55, 57
    - creation of 26
    - decay of 14
    - first-order differential equation 13
    - $k$ -space 23
    - magnitude of 17
    - RF pulses 28
  - tricuspid valve 246
  - trigger pulse 55, 147, 231
  - tumors
    - growth 333
    - micromechanical properties 333–336
    - MRE 339–350
    - ultrasound elastography 336–339
  - two-dimensional phase unwrapping
    - algorithms 193
- u**
- ultrasound-based cardiac strain
    - measurement methods 257
  - ultrasound elastography (USE) 233, 245, 271
    - breast tumors 337–338
    - prostate cancer 338–339
  - uniaxial loading 75
  - unjacketed condition 132
  - unwrapped phase 191
  - uterus, MRE of 318–319
- v**
- variational method 218
  - vertical edge 194
  - vibration energy 230
  - vibration frequency 231
    - choice of 266–268
  - vibration period 55
  - vibration phase gradient (PG)
    - sonoelastography 238
  - vibro-acoustography (VA) 237
  - viscoelasticity 80

- viscoelastic models
    - dashpot (viscous model) 82
    - description 80
    - Laplace transform 84–85
    - spring (elastic model) 81
    - springpot and fractional viscoelasticity 89–90
    - stress–strain relations 83–84, 86
  - viscoelastic parameter reconstruction
    - algebraic Helmholtz inversion 205–208
    - algorithms 353
    - discretization and noise 201–204
    - finite element method 217–223
    - inversion methods 199–200
    - k*-MDEV 214–217
    - local frequency estimation 208–210
    - multifrequency inversion 210–214
    - phase gradient 204–205
    - transverse isotropic medium, direct inversion for 224–225
    - wavguide elastography 225–228
  - viscoelastic theory
    - assumptions 63
    - engineering constants
      - compliance and elasticity tensor 79–80
      - compressibility and bulk modulus 77–79
      - Lamé’s first parameter 77
      - shear modulus 76–77
      - Young’s modulus and Poisson’s ratio 75–76
    - Hooke’s law 69–70
    - invariants 68–69
    - strain 63–66
    - strain-energy function 70–71
    - stress 67–68
    - symmetries 71–75
  - viscosity-related parameters, spleen 313
  - Voigt model 83, 89
  - volume resonator/body coil 35
  - volumetric deformation modes 132
  - von Neumann boundary condition 103
- W**
- wall shear modulus *versus* cavity pressure 249–250
  - WAV-based MRE 258
  - wave(s)
    - in anisotropic media
      - Christoffel equation 105–106
      - transversely isotropic medium 104–109
    - image 43
    - intensity 112
    - oscillation cycle, phases of 41
    - wave phenomena, intensity and radial profiles 128
  - wave amplitude variation (WAV) 255
  - waveguide elastography 228
    - local coordinate system 226
    - principle 225
    - spatial–spectral filtering
      - description 225
      - Fourier transform 226
      - plane wave component 226–227
      - tangent vector 225
  - wave inversion cardiac MRE 259–260
  - wavelets 173
  - welded interfaces 115
  - wrapped phase 191
- y**
- Young’s modulus 75–76
- z**
- Zener model 89































