

Index

a

- acetanilides, reductive Heck reaction of 341
- acetophenone derivatives 69
- acid-mediated arene alkylation 84
- Ackermann group 61, 63, 64, 66, 69
- acrylonitrile, dimerization of 59
- active aryl bromides 351
- additives 32
- aldehydes 54, 55
- aldimines 58
- alkene hydroarylation
 - 1,3-bis(trifluoromethyl) benzene 184
 - catalytic cycle 193, 194
 - C–C bond forming reductive elimination 184, 185
 - Lewis acidic iron catalysts 208–209
 - low-valent cobalt catalysts 194
 - low-valent iron catalysts 208, 209
 - ruthenium–triphenyl phosphite complex 193, 194
 - synthetic applications of
 - bioactive compounds and natural products via 348
 - using low-valent cobalt catalysts 194–199, 207
 - 2-vinylnaphthalene 184
- alkene hydroheteroarylation
 - azine-N-oxides 182
 - azines 182, 188, 189
 - 5-membered heteroarenes 179–182, 185, 188
- alkenes
 - catalytic hydroarylation 361
 - hydroarylation of 18, 20, 24, 25, 27–29, 35
 - alkenylated reaction products 50
 - alkenylation of aromatic compounds 305
 - alkoxy benzenes
 - electron-rich arenes 382
 - Pd(II)/Brønsted acid-catalyzed 383
 - phenols, platinum(II)-catalyzed intermolecular hydroarylation 381, 382
 - alkyl arenes, using Friedel-Crafts catalysis 83
 - alkylated arenes 107
 - alkylation, by ruthenium(II) catalysts via carboxylate assisted C–H activation 63–70
 - alkyl benzenes 383
 - alkylidene moieties 333
 - alkyne-activation pathways 9
 - alkyne hydroarylations 306
 - via carbometallation/protonation 305, 306
 - catalytic cycle 193, 194
 - fluoroarenes 175, 177
 - low-valent cobalt catalysts 199–206
 - low-valent iron catalysts 209
 - low-valent manganese catalyst 209–211
 - metal-supported catalysts 284, 287
 - nickel-catalyzed hydroarylation 177, 178
 - pentafluorobenzene 175, 176
 - synthetic applications of 336

- alkyne hydroarylations (*contd.*)
 - bioactive compounds and natural products via 348–352
 - carbocycles 346–348
 - nitrogen and phosphorous heterocycles 341–346
 - oxygen heterocycles 336–341
 - total synthesis 288, 291
- alkyne hydroheteroarylation
 - azine-N-oxides 182
 - azines 183
 - 5-membered heteroarenes 181
- alkynes
 - cobalt-catalyzed hydroarylation of 37
 - hydroarylation of 7, 8, 20, 22–25, 27
 - Ni-catalyzed hydroarylation of 12
 - nickel-catalyzed hydroarylation of 38
- alkynoate esters 13
- alkynoates, intramolecular hydroarylation of 13
- alkynol, cyclization of 26
- allenes, catalytic hydroarylation 385
- allenol indole 30
- allylbenzene 36
- AlMe₃ 35, 36
- α , β -unsaturated esters 52, 54
- α , β -unsaturated ketones 54, 64, 66
- α -methyl, hydroarylation of 16
- α -tetralones, synthesis of 347
- amides 25
- angelicin 14
- aniline derivatives
 - alkylation of 60
 - alkyne addition/amination/allene hydroarylation pathway 220
 - N-aminophenyl propargyl malonates 224
 - N-butynyl anilines 222
 - carbophilic π -Lewis acid catalysis 219
 - dihydroquinolines and quinolones 218–220
 - 3-iododihydroquinoline 224
 - N-propargyl aminoquinoxalines 221
 - propargylated 2-aminopyridines 222
 - propargylic anilines, hydroarylation of 221
 - pyrroloquinolines, synthesis of 225
- anionic bidentate (NN) ligands
 - cyclohexene and cyclopentene 111
 - hydroarylation of ethylene with benzene 113
 - hydroarylation of norbornene with benzene 110
 - Prins cyclization cascade 225
 - PyInd ligands 109
 - pyridyl-pyrrole (PyPyr) ligand 111, 112
- anti stereoselectivity 320
- anti-Markovnikov products 87
- anti-selective hydroarylation 319
- arene C–H bonds 305
- arenediazonium compounds
 - catalyzed alkyne hydroarylations using, *see* Catalyzed alkyne hydroarylations 326
- arene ligand 69
- arenes, arenes
 - alkylation of 49
 - alkyne hydroarylation 231, 238
 - aromatic C–H bond
 - o-alkynylbiaryls, cycloisomerization of 232
 - alkynyl halides 235
 - anthracene derivatives 233
 - aryl-substituted phenanthrenes 232, 233
 - benzonorcaradiene skeleton 237
 - 1,2-bis(2-haloethynyl)benzenes 278, 279
 - 1,1-diarylethylene derivatives 277, 278
 - dibenzazepine derivatives, synthesis of 234
 - dibenzocycloheptatrienes, synthesis of 234
 - fluoranthenes, synthesis of 234
 - gold(III)-derived catalytic system 278
 - gold-mediated benzannulation 237

- halide migration 235, 236
ortho-alkynylaryl ferrocenes 233
 phenanthrenes, synthesis of 234
- aromatic C–H bond, electrophilic metalation of 9
- aromatic compounds
 alkenylation of 305
- arylated vinyl ethers 318
- 3-arylbutenolides 338
- 4-arylbutenolides 338
- 4-arylcoumarins 339, 352
- aryl halides
 catalyzed alkyne hydroarylations using, *see* catalyzed alkyne hydroarylations 326
 synthetic applications of alkyne hydroarylations using, *see* Alkyne hydroarylations, synthetic applications of 336
- 3-aryl-1,2-dihydroquinolines 343
 synthesis, via Rh-catalyzed hydroarylation 345
- aryl halides 108
- aryl imines 56
 in C–H alkylation reaction 59
- 3-arylindole-2-carboxylates 345
 via Cu-catalyzed hydroarylation of (*o*-nitrophenyl)propiolate 346
- aryl ketones 50, 52, 56
 hydroarylation work using 53
- aryl *ortho*-substitution 59
- aryl phosphine 67
- 2-arylquinolines, via Ni-catalyzed reductive Heck type reaction 351
- aryl terminal groups 313, 314
- aryl(trimethoxy)silanes 314
- arylboronic acids 323
- arylboron reagents 306
 catalyzed alkyne hydroarylations using, *see* Catalyzed alkyne hydroarylations 307
 synthetic applications of alkyne hydroarylations using, *see* Alkyne hydroarylations, synthetic applications of 336
- arylmethyl reagents for carbometallation 305
- aryloxyalkynes 318
- arylsilicon reagents, catalyzed alkyne hydroarylations using, *see* catalyzed alkyne hydroarylations 307
- aryltin and arylboronic ester substrates
 aerobic alcohol oxidation 160, 162
 hydroarylation of styrene derivatives 160, 163
 hydroarylations with alkenyl alcohols 162
 Me₂CHOD solvent, deuterium-labeling study 161, 165
 substrate scope 161, 164
- asymmetric hydroarylation, of vinyl ethers 18
- aza-heteroaryl groups function 310
- aza-heteroaryl-substituted alkynes, Rh-catalyzed hydroarylation of 310
- azine-N-oxides 182
- azines
 2-alkenylazine products 182, 183
 imidazo[1,5-*a*]pyridines 189
 4-octyne, pyridine 183
 pyridine 188, 189
- azoles 31–39
- b**
- benzamides, alkylation of 66
- benzannulation 24, 30
 of *N*-substituted pyrroles 22
- 3-benzazepine alkaloid (-)-aphanorphine 351
- benzene C–H activation 90
- benzene vs. ethylbenzene, ethylation of 86
- benzimidazole, intermolecular hydroarylation of 32
- benzofuran 12, 263
 malonate derivative 15
- benzonitriles 59, 61
- benzoxepinones, synthesis of 342

- benzyloxycarbonyl group 320
 β -arylation products 331
 β -C–H bonds, alkylation of 54
 β -hydride elimination 50
 pathway 58
 bicycloalkenes, enantioselective
 hydroarylation of 17
 bidentate 8-aminoquinoline 66
 bidentate directing group 65, 66
 bimetallic catalysis 16
 bipyridine Pt(II) complex 15
 bis-alkylated products 66
 bromobenzenes 334
 4-bromoindole derivatives, 8-exo
 cyclization of 336
 brønsted acids 120
 brønsted or Lewis acids 217
 butenolides synthesis 338, 339
 via Cu-catalyzed alkyne
 hydroarylation 340
- C**
- Cacchi group 328
 carbazole 30
 carbene 30
 carbocycles, synthesis of 348–352
 carbometallation 305
 arylmetal reagents for 305
 carboxylate-assisted alkylations 65
 carboxylate assisted C–H activation 50
 alkylation by Ruthenium(II) catalysts
 via 63–70
 carboxylate-assisted C–H bond
 activation 64
 carboxylate-assisted system 64
 carboxylate-containing system 66
 Castarlenas group 19
 catalytic ruthenium-catalyzed C–H
 alkylation reaction 50
 catalytic system 8, 29
 catalyzed alkyne hydroarylations
 using aryl halides and
 arenediazonium compounds
 326–336
 intermolecular reductive Heck
 reactions 327–333
 intramolecular reductive Heck
 reactions 333–336
 using arylboron and arylsilicon
 reagents 307–315
 palladium-catalyzed reactions
 315–321
 reactions catalyzed by first row
 transition metals 321–325
 rhodium-catalyzed reactions 30
- C–C bond cleavage
 3-allenyl indoles 258
 1-bis(indolyl)-5-alkynes 257
 complex rearrangement 257, 259
 indole-3-carboxamides 256
 tetrahydrocarbazoles, silver-catalyzed
 synthesis 256, 257
- C–C bond formation 361
 C–C bond forming reaction 5
 C–C multiple bonds
 alkene hydroarylation 184–185
 alkene hydroheteroarylation
 185–190
 alkyne hydroarylation 175–178
 alkyne hydroheteroarylation
 179–182
 intermolecular hydroarylation of 6
 nickel-catalyzed C–H
 functionalization reactions
 175, 176
- C–C triple bond, *trans* insertion of 9
 C–H activation 193, 211
 C–H activation mode 21
 C–H alkylation of acetophenones 70
 C–H alkylation reaction 49, 68
 aryl imines in 59
 C–H alkylation substrates 55
 Chang group 18
 Chatani group 64
 C–H bond
 activation 361
 stoichiometric transformation of 49
 on thiophene ring 19
 C(sp³)–H bonds, alkylation of 62, 63
 chelation-assisted cyclometalation 49
 chelation-assisted functionalization 7
 chelation-controlled regioselectivity
 312

- Cheng group 26
 chiral rhodium catalysts 348
 chromenes synthesis, via reductive heck reaction 341
 Claisen rearrangement 290
 1-boc-3-iminoindoles 202, 203
N-pyrimidylindole 197
 2-phenylpyridine 195, 199, 201
 aryl aldimines and ketimines 201, 202
 aryl ketimines 196–198, 203, 204
 azobenzene derivative 195
 benzamide derivatives 203
 C–H activation/hydrogen transfer mechanism 199
 catalytic system 196, 198
 cobalt–triarylphosphine catalysis 202
 Co^I complex 195
 Co^I complex 195
 indole derivative 204, 205
 pyridines and quinolones 206, 207
N-pyrimidylindole 197
 oxazole and thiazole derivatives 199, 200
 rhodium(I) catalysts 211
 tandem alkene
 isomerization–hydroarylation reaction 206
 vinylsilane and alkyl olefin 204
 cobalt-catalyzed alkyne hydroarylation 323
 cobalt-catalyzed hydroarylation, of alkynes 37
 cobalt complexes 37
 Co-catalyzed hydroarylation 323
 conventional heating 33
 copper-catalyzed alkyne hydroarylation 352
 dihydroquinolines, synthesis of 221
 KA2-hydroarylation 220
N-propargylated
 aminonaphthoquinones and aminoquinoxalines 221, 222
 ynamides, formation of 254
 copper-catalyzed hydroarylation 324
 of (*o*-nitrophenyl)propiolate 345
 of propiolates 324
 protocol 324
 copper-catalyzed intramolecular hydroarylation, β -carboline containing compounds 242
 copper-catalyzed method 352
 copper-mediated intramolecular alkyne hydroarylation 217
 coumarin synthesis, via Cu-catalyzed alkyne hydroarylation, 340 via reductive Heck reaction 341
 Cp*Co^{III} catalysts 206
 Cu-catalyzed alkyne hydroarylation
 natural neoflavones via 353
 synthesis of butenolides, pentenolides, and coumarins via 340
 Cu-catalyzed hydroarylation, CC-5079 via 354
 3-arylindole-2-carboxylates via 346
 of (*o*-nitrophenyl)propiolate of propiolates 325
 cyclohexenones 347
 cyclometalation, of thiophene ring 21
 cyclooctadiene (cod) ligands 119
 cyclopentenecarboxylates 52
- d**
- Darses group 56, 66
 deuterium labeling 52
 DFT methods of reactions 32
 3,3-diarylacrylamides 350
 3,3-diarylacrylonitriles 324
 diarylquinolines synthesis
 via alkyne hydroarylation 344
 via reductive Heck reaction 342
 dibenzoazocinones 336
 dibenzofurane alkyloates 13
 dihydroquinazolines 33
 dihydroquinolines (DHQs) 218
 dioxolane-protected alkenones 62
 diphenylacetylene 322
 1,2-diphenylallylic alcohol 328
 diphosphines 30
 3,3-disubstituted 1-indanones 348
 2,3-disubstituted quinolines 343

- 2,4-disubstituted quinolines 343
 synthesis, via Ni-catalyzed reductive Heck reaction 345
- diverse cinnamate derivatives 317
- diverse *N*-heterocycles, synthesis of 31
- donor–acceptor–donor (D–A–D) molecules 249
- double bond, heterocycle to 10
- e**
- Echavarren group 14
- E*-isomer 12, 39
- electron-deficient arenes 83
- electron-deficient arylboronic acids 318
- electron-deficient aryl iodides 332
- electron-deficient aryl phosphines 56
- electron-poor alkenes, enantioselective hydroarylation of 37
- electron-rich arenes, alkyne hydroarylation
 aniline derivatives 218, 226
 phenols and phenol ether derivatives 225, 231
- electron-rich aryl iodides 332
- electron-rich internal alkynes 21
- electron-rich *p*-anisyl-substituted substrate 314
- electron-withdrawing groups (EWGs) 308, 328
- electron-withdrawing substituents 88
- electrophilic metalation
 of aromatic C–H bond 9
 of indole 27
- enantioselective hydroarylation
 of bicycloalkenes 17
 of electron-poor alkenes 37
 intermolecular hydroarylation 384–385
 intramolecular hydroarylation 384
- endo*-cyclization 13
- 5-*endo* hydroarylation
 3-allenyl indoles 365, 366
 gold vinyl complex 367
- 6-*endo*-hydroarylation
 2-benzyl-2,3-butadienoates 374, 375
- 2-deuterio indole 365, 366
- aryl allenes 374–376
- benzene derivatives 374
- N*-allenyl indoles 365
- 5-ethoxycarbonylbenzofuran 14
- ethylbenzene, conversion of 87
 dissociation and coordination 89
 formation 86
 synthesis 83
- ethylene, conversion of 87
- ethylene hydrophenylation 88
 cationic Ru(II) complexes 93–95
 TpRu(L)(NCMe)Ph complexes 90–95
- ethyl group 17
- ethyl phenylpropionate
 hydroarylation of 12
 with 2-methylfuran, hydroarylation of 9
- ethylpropiolates
 and furans, reactions between 10
 and thiophenes, reactions between 11
- 2-(2-ethynylphenyl)thiophene,
 intramolecular hydroarylation of 14
- exo*-cyclization 13
- exo*-epimer 17
- 5-*exo*-hydroarylation 363–364
- 6-*exo* hydroarylation
 allenes 369
 2-allenyl indole 362–364
 chromanes, synthesis of 372, 373
 furans 371, 372
 platinum catalyzed 372, 373
 silver/gold dimetallated vinyl complex 371
 substituted arenes 369, 370
- 7-*exo* hydroarylation 368
- 7-*exo* radical cyclization 349
- f**
- Fe(II) mediated benzene C–H activation 101
- first row transition metals, reactions catalyzed by 321, 325

- Fisher-indole reaction 109
- fluorescent false neurotransmitter (FFN)
neuroimaging probes 229
- fluorinated arenes
C–H bond activations 142
hydroarylation products 142, 143
- formal alkyne hydroarylation 307
arylalkenes via 307
via carbometallation/protonation 306
- formal hydroarylation
alkynes 156
chiral diphosphines 159, 161
dimeric complexes 157, 159
norbornadiene substrates 156, 157
norbornene derivatives 156
Pd^{II} hydroarylation 156, 158
fragmentation and migration 266
- Friedel–Crafts alkylation 5, 6, 23, 193
- Friedel–Crafts cyclization of
3-arylpropenyl alcohols 346
- Friedel–Crafts mechanism 107, 123
- Friedel–Crafts process, drawbacks 83
- Friedel–Crafts–type hydroarylation 120
- Friedel–Crafts–type reactions
 α -amidoalkylation/hydroarylation sequence 249, 251
copper-catalyzed formation of ynamides 253
diyne–enones with indoles 251, 252
gold-catalyzed oxidative cyclocondensation/hydroarylation cascade 252, 253
indoles with (*Z*)-enynols 250, 252
Michael addition/hydroarylation cascade reaction of indoles 251, 252
phenanthrene, synthesis 271
silver-catalyzed hydroarylation 254
synthesis of (*Z*)-enones and –enals 269, 271
- Fujiwara–Moritani oxidative coupling 7
- furans 8–21
and ethylpropiolates
nucleophiles 379, 381
at 2-position 264, 265
at 3-position 265
reactions between 10
- furan–yne cycloisomerization
alkyne hydroalkoxylation pathway 272
cascade transformations 274, 275
diastereo- and enantioselectivity 274
gold-catalyzed intramolecular hydroarylation 271, 272
8-hydroxytetrahydroisoquinolines 275, 276
oxygen walk mechanism 272
phenol synthesis 273
platinum-catalyzed intramolecular hydroarylation 272
polyarene, preparation of 274
- furan–yne substrate, intramolecular hydroarylation of 13
- furylalkynes 14
- furylalkynes catalyzed by PtCl₂, intramolecular reactions of 15
- g**
- galactose diketal 52
- gas chromatography (GC) 322
- Genêt group 310
- gold-catalyzed alkyne hydroarylation 218
3-allenyl indoles 258
amide-iminium cyclization 254, 255
N-aminophenyl propargyl malonates 223
aryl propiolates 289
benzofurans, synthesis of 266
complex rearrangement 259
C-2 tethered products 254
in C-3 tethered products 254, 255
cycloisomerization of furans 270
dihydroquinolines and quinolones, synthesis of 219
enynyl furans, cycloisomerization of 268
furans 268–270

- gold-catalyzed alkyne hydroarylation
(*contd.*)
- furan–ynes, cycloisomerization of 267
 - indole-2-(*N*-propargylcarboxamides) 242
 - Kopsia alkaloids, synthesis of 290, 291
 - natural compounds 288
 - propargylic anilines 221
 - N*-propargyl-*N'*-arylhydrazines 224
 - pyranoquinolines 225, 226
 - pyrroloquinolines 225
 - silver-mediated hydroarylation 291
 - (±)-strictamine, synthesis of 289, 290
 - Ugi four-component, condensation 262–264
 - wailupemycin G, synthesis of 289, 290
- gold-catalyzed intramolecular hydroarylation
- N*-allenyl anilines 376, 377
 - anilines 222, 223
 - aryl-fused carbazoles 249, 250
 - azocinindole derivatives 243, 244
 - carbazoles, synthesis of 242, 243
 - dihydrocarbazoles, formation of 241
 - dihydropyranyl and dihydrofuranyl indolines 248
 - donor–acceptor–donor molecules 249, 251
 - 9-*endo* hydroarylation 377, 378
 - 7-*exo* hydroarylation 376, 377
 - fused and spirocyclic compounds 247
 - gold-catalyzed intramolecular hydroarylation/iminium trapping cascade 247
 - iminium trapping cascade 247
 - indole-ynamides 248, 249
 - polyaromatic compounds 249, 250
 - propargyl- β -tetrahydrocarboline 245
 - pyran- and furan-fused indolines 248
 - synthesis of dihydronaphthofuran, azepino-, oxepino- and dihydrobenzoindoles 249, 250
 - tryptamine-derived propargylamides 240, 241
- h**
- Hartwig group 17
 - Hayashi group 308
 - Heck-like mechanisms 155, 165
 - Heck-type coupling 108
 - heteroarenes
 - N*-heterocycles 279, 282
 - O*-heterocycles 282
 - heteroaromatic directing groups 60
 - heteroaryl C–H bonds 8
 - heteroatom-substituted alkynes 318
 - heterocycles 8–21
 - to double bond 10
 - Hiyama–Denmark cross coupling of organosilanes 314
 - Hiyama group 12, 15, 35, 38
 - homoallyl-benzimidazoles, intramolecular hydroarylation of 31
 - hydroalkoxylation/alkyne hydroarylation cascade 265
 - hydroamination/alkyne hydroarylation cascade transformations 249
 - hydroarylation 5, 10, 314
 - of alkenes 18
 - of alkynes 7, 8
 - of ethyl phenylpropiolate 12
 - of ethylphenylpropiolate with 2-methylfuran 9
 - of unactivated alkynes 13
 - hydroarylation products, vinylic protons of 308
 - hydroarylation reaction 6
 - hydroxyl group 317
 - (*o*-hydroxyphenyl)propiolate 339
 - 4-hydroxypropiolates
 - copper-catalyzed hydroarylation of 338
 - hydroarylation of 338
 - 3-hydroxypropynyl phosphonate 345

i

- Iboga alkaloid benzofuran 17
Iboga alkaloids 16
 imidazopyridines 21–31
 imine 12
 indium-catalyzed alkyne hydroarylation,
 Ugi four-component 263
 indol, electrophilic metallation 27
 indoles 21
 alkyne-gold complex 238, 239
 propargylated
 1,2-dimethyltryptamine 237,
 238
 indole, alkyne hydroarylation
 at 2-position 239, 241
 at 3-position 242, 245
 indoles, nucleophiles
 5-*endo*-hydroarylation 365, 367
 5-*exo*-hydroarylation 363
 6-*endo*-hydroarylation 364
 6-*exo*-hydroarylation 362
 monoaddition processes 378
 ring closure, modes of 367
 tandem addition processes 378, 380
in situ catalyst system 56
 in situ generated catalyst 57
 in situ-generated catalytic system 56
 intermolecular alkylation 17
 intermolecular alkyne hydroarylation
 arenes 231, 277, 279
 electron-rich arenes 218
 furans and benzofurans 263
 heteroarenes 278, 284
 indoles 237
 pyrroles 258
 thiophenes and benzothiophenes 276
 intermolecular couplings 5
 intermolecular hydroarylation
 alkoxy benzenes, nucleophiles 381,
 383
 alkyl benzenes, nucleophiles 383
 furans, nucleophiles 379, 381
 indoles, nucleophiles 378, 380
 intermolecular reductive Heck reactions
 327, 332
 intramolecular alkene hydroarylation
 34
 intramolecular alkyne hydroarylation
 arenes 238
 electron-rich arenes 231
 furans and benzofurans 276
 indoles 259
 pyrroles 264
 intramolecular hydroarylation
 of alkynoates 13
 of 2-(2-ethynylphenyl)thiophene 14
 of furan-yne substrate 13
 indoles, nucleophiles 362, 368
 nucleophiles 368, 378
 intramolecular reactions, of furylalkynes
 catalyzed by PtCl₂ 15
 intramolecular reductive Heck reactions
 333, 337
 intramolecular stille coupling 349
 2-iodoindole derivative, 7-*exo*
 cyclization of 336
 IPr.HCl 30
*i*PrOH 58
 Ir-acac catalyst precursors 100
 IrI complexes
 alkyl-arene products 152
 alkyl tethered diphospine ligands
 148, 149
 chiral phosphine ligands 145
 cyclopentadienyl (Cp) ligands 145
 d^F ppb and d^F ppe 148
 Ir–hydride, insertion and reductive
 elimination routes 150
 IrI dimeric precatalyst 146, 147
 norbornene with benzamide 145
 ortho-hydroarylation of arenes 145
 ortho-hydroarylation of vinyl ethers
 151
 ortho-hydroarylations of norbornene
 146–148
 sulfur-linked bis(phosphoramidite)
 146, 148
 iron catalysts, Fe⁰ and Fe^{II} complexes
 208
 imine-directed hydroarylation 208,
 209
 isohypsic C–H activation, ruthenium
 (II)-catalyzed C–H alkylations
 via 65

j

JNK3 inhibitor 33

k

kinetic isotope effect (KIE) 89

l

Lewis acidic iron catalysts 208, 209

Lewis acids 32, 35, 38, 166

ligand-free reductive Heck reaction
341

linear C2-alkylated benzoxazoles 36

linear selective C–H alkylation 57

m

maleimides 69, 70

manganese catalyst α , β -unsaturated
carbonyl compounds 210, 211
catalytic hydroarylation reaction
210cyclometalation of $\text{MnBr}(\text{CO})_5$ 210

Markovnikov alkyl arene products 108

Meek group 28

metal-catalyzed alkyne hydroarylation
218metal-catalyzed C–H functionalization
63

metal-supported catalysts

aryl propargyl ethers 285, 286

furan–yne cycloisomerization 285

phenol synthesis from alkynyl furans
285post-Ugi intramolecular
hydroarylation 287

propargylic anilines 286

silica-supported AgNO_3 287

3-methyl-3,4-dihydroquinazoline 34

methylenecyclopropanes 62
hydroarylations of 67

methoxymethyl (MOM) group 339

Michael addition/hydroarylation
reaction 253

Miura group 67

Mizoroki–Heck reaction 217, 307,
326, 327

monoaddition processes 378, 379

Montgomery group 12

Murai group 50, 52, 54, 58–61
olefin hydroarylation by 51

Murai's reaction system 52

n*N*-containing heterocyclic substrates
26*N*-heterocyclesbis(indolyl)alkanes, formation of
279

1,3-diynes 280, 281

electrophilic gold(I) complexes 279

hydroarylation of ynamides with
3-substituted indoles 280

indolizines, synthesis of 282

NH-carbazoles, synthesis of 282

with pyrroles 280, 281

N-heterocyclic carbene (NHC) 33*N*-methylaniline 60

nitrogen, synthesis of 341

N-propargyl-*o*-iodobenzamides, 6-*exo*
cyclization of 333*N*-propargylpiperidine 333

neoflavones 352

neopentyl glycol ester 324

neutral bidentate (NN) ligands

C–H activation 114–116

ethylbenzene, TON for 114, 115

hydroarylation of ethylene 115

hydrophenylation of ethylene 115,
117–119hydrophenylation of propylene 115,
117

ligand designs 118

NHC–Rh complex 20

Ni catalysts 17, 35, 36

Ni-catalyzed hydroarylation 322
of alkynes 12

Ni-catalyzed reductive Heck reaction

2-arylquinolines via 351

2,4-disubstituted quinolines synthesis
via 345nickel catalysts, *see also* C–C multiple
bonds 175

- heteroarene–BF₃ complexes,
 alkylation of 176
 hydroacylation of alkynes 176
 hydroalkynylation of alkynes 176
 imidazolium salts, alkylation of 176
 nickel complexes 38
 nickel-catalyzed hydroarylation 331
 of alkynes 38
 nickel-catalyzed intermolecular
 reductive Heck reaction 331
 nickel-catalyzed reductive Heck
 reaction of *o*-iodoaniline 351
 nickel-catalyzed reductive Heck type
 reaction 343
 Ni⁰ complexes
 5-deuterio-1,3-bis(trifluoromethyl)
 benzene 152, 153
 electron deficient arenes 152, 153
 hydroarylation of alkynes and olefins
 154
 Ni^{II} complexes 154
 Nitrile group 60
 nitrogen, synthesis of 346
 nitrogen heterocycles 345
 (*o*-nitrophenyl)propionate
 3-arylindole-2-carboxylates via
 Cu-catalyzed hydroarylation of
 346
 copper-catalyzed hydroarylation of
 345
 non-activated terminal alkenes 52
 non-nitrogen based ligands
 acid-catalyzed pathway 120
 bicyclic olefin 121, 122
 mesitylene and benzene 119, 120
 phosphino-quinolyl PN ligand 122
 proton-transfer mechanism 120
 protonation of cyclohexene 120, 121
 Nozaki–Hiyama–Kishi coupling 334
 nucleophiles
 addition sequence, dihydropyranyl
 and dihydrofuranyl indolines
 248
 6-*endo*-hydroarylation 373, 376
 6-*exo*-hydroarylation 368, 373
 indoles 362, 368
 ring closure, modes of 376, 378
- O**
O-heterocycles
 1,3-diphenylisobenzofuran 283, 284
 1,3-diynes and 2,5-disubstituted
 furans 283, 284
 double hydroarylation of alkynes
 283
 phenols, synthesis of 283
o-iodoaniline, nickel-catalyzed reductive
 Heck reaction of 351
o-iodobenzamides, 7-*exo* cyclization of
 336
o-iodobenzyl alcohols 340
 olefin 21
 olefin hydroarylation
 d⁸ catalysts
 Ir^I complexes 152
 Ir^I complexes 144
 Ni⁰ complexes 152, 154
 Pd^{II} catalysts 165
 Pd^{II} catalysts 155
 Pt^{II} catalyzed hydroarylation 124
 Pt^{II} catalyzed hydroarylation 109
 Rh^I catalyzed hydroarylation 144
 Rh^I catalyzed hydroarylation 124
 facial coordination of scorpionate
 ligand 85
 iron catalysts 100
 non-acid-based reaction 87
 octahedral d⁶ transition metal
 catalysts 95
 using Ru–CO 85
 Ir(III) complexes 95
 by Murai group 51
 octahedral d⁶ transition metal
 catalysts 85
 Ru(II) vs. Ir(III) catalysts 99
o-(ω -alkynyl)iodobenzenes,
 Pd-catalyzed reductive Heck
 cyclization of 333
 organocopper reagents 305
ortho-alkylation of phenol 50
ortho-C–H alkylation reaction 52
ortho-methoxy acetophenones 52
ortho-selective branched-type alkylation
 60
ortho-selective C–H activation 52

- ortho*-substituted arenediazonium salts
(*contd.*)
- ortho*-substituted arenediazonium salts 331
- Overman rearrangement 226
- oxadiazole core 39
- oxazolines 33
- oxidative hydrogen migration (OHM) 90
- oxidative-addition C–H activation 50
alkylation by Ruthenium(0) catalysts
via 50, 63
- oxygen heterocycles, synthesis of 342
- oxygen-based directing groups 58
- oxygen walk mechanism 272
- p**
- palladium-catalyzed alkyne
hydroarylations 319
- palladium-catalyzed hydroarylation 343
- palladium-catalyzed reactions 315,
321
- palladium-catalyzed reductive Heck
reaction 340
- palladium-catalyzed regioselective
hydroarylation of propiolates 316
- Pd-catalyzed anti hydroarylation 321
- Pd-catalyzed hydroarylation 320
of alkynyl alcohols and propargylic
amines 319
of propiolates and propiolamides
318
- Pd-catalyzed hydroarylation of alkynes 316
- Pd-catalyzed hydroarylation of terminal
alkynes 317
- Pd-catalyzed reductive Heck cyclization
335, 350, 352
heterocyclic allylsilanes via 334
- Pd-catalyzed reductive Heck cyclization
of *o*-(ω -alkynyl)iodobenzenes
333
- Pd-catalyzed reductive Heck reaction
327, 329, 331
- antirhinoviral agents via 351
- Pd-catalyzed reductive Heck reaction of
alkynes 330
- PdII catalyzed hydroarylation
anionic bidentate (NN) ligands 109
aryl C–H activation 163
aryltin and arylboronic ester
substrates 160, 165
C–X activation or arene
transmetallation 155
formate-assisted 155
neutral bidentate (NN) Ligands 114
non-nitrogen based ligands 119
- pendant hydroxyl groups 317
- pentenolides synthesis, via Cu-catalyzed
alkyne hydroarylation 340
- phenanthroline derivative 29
- phenol ethers and esters
alkyne-tethered phenols 230, 231
aryl alkynylphosphonates 229
aryl propargyl ethers 226
aryl propargyl ethers and aryl
propiolates 227
aryl propiolates 226
berkelic acid 229, 230
bi-dihydroquinoline 228
copper-based π -acids 228
electron-rich substrates 228
1,6-enyne cycloisomerization 227
iodoalkynes 228, 229
luminogens 230
polyalkoxyaryl propargyl ethers 226
spirocyclic lactones 230, 231
- phenylalkynes 311
- 3-phenylpropynal 328
- phosphine oxides 67
- phosphorous heterocycles, synthesis of
341, 346
- picolinamide 25
- platinum-catalyzed alkyne
hydroarylation
Ugi four-component 262, 263
- plausible catalytic cycle 316, 323
- polymers, catalytic modification of 52
- polystyrene 107

post-Ugi alkyne hydroarylation
 amide-iminium cyclization 254, 255
 C-2 tethered products 253, 254
 C-3 tethered products 254, 255
 indole 4-position 255, 256
 π -acid-catalyzed 277
 pyrrole 261, 264
 potassium carbonate 67
 potassium mesitylenecarboxylate 66
 Prabhu group 69
 Prins cyclization cascade 225, 226
 propargylic alcohols, hydroarylation of 313
 propiolamides, Pd-catalyzed hydroarylation of 318
 propiolates, Pd-catalyzed hydroarylation of 318
 protodemetalation 6
 proton-transfer mechanism 120
 Pt^{II} catalyzed hydroarylation
 anionic bidentate (NN) ligands 113
 aryl C–H activation 123
 hydroarylation of ethylene 123
 neutral bidentate (NN) Ligands 119
 non-nitrogen based ligands 122
 Pt–olefin complexes 109
 pyridines 18, 21
 pyridines via intramolecular hydroarylation, cyclization of 26
 4-pyridyl group 311
 pyridyl-indole (PyInd) ligands
 potassium salts 109
 Pt complexes, olefin hydroarylation 110
 synthesis of 109
 N-pyrimidylindole 29
 pyrroles 21–31
 pyrophoric organometallic reagents 306

q

quinolines 218
 quinolines synthesis
 via reductive Heck reaction 343

r

Ramana group 67
 reductive elimination 21
 reductive Heck cyclization 334, 349
 reductive Heck reaction 307, 329, 342
 of acetanilides 341
 of bromobenzene 340
 diarylquinolines synthesis via 342
 synthesis of coumarin and chromenes via 341
 synthesis of quinolines via 343
 regioselective copolymerization 52
 regioisomers 316
 Rh catalysis 8
 Rh catalysts 31, 32, 34
 Rh^Icatalyzed *ortho*-hydroarylation
 aldimine and ketimine substrates 131
 arene and olefin substrates 128, 129
 barbiturate derivative and 2,4,6-triaminopyrimidine 129
 benzyl and phenyl imines 136
 C–H activation 126, 134
 chiral substrates 136, 137
 deuterium labeling 138
 hydroarylation and hydroacylation 127
 hydroarylation of substrates 129
 intermolecular *ortho*-hydroarylation 131, 132
 intramolecular *ortho*-hydroarylation 130
 ketimines and aldimines 136
 ketones and aldimines 127
 (+)-lithospermic acid 139
 mescaline derivatives 139, 140
 Michael acceptors 137
 norbornene 140
 phosphorous-containing ligands 135
 phosphorous ligands 141
 quinolylamide directing substrates 137
 quinolylamide substrate 139, 140
 Wilkinson's catalyst 131
 Rh-catalyzed functionalization of 2-(thiophen-2-yl) pyridine 19

- Rh-catalyzed hydroarylation
 of alkynes 308, 309, 311
 of aza-heteroaryl-substituted alkynes 310
 C–H bond activation 124, 144
 of propargylic alcohol, propargyl sulfone, and ynamides 312
 of propargylic alcohols and amines 313
 unfunctionalized arenes 143
 Wilkinson's catalyst 144
- Rh^I catalyzed hydroarylation
 fluorinated arenes 142
ortho-hydroarylation 126, 141
 styrene formation 126
 unfunctionalized arenes 124, 126
- Rhodium catalyst 312
- Rhodium-catalyzed alkyne hydroarylations 314, 319
- Rhodium-catalyzed hydroarylation 312, 317, 319, 342
- Rhodium-catalyzed reaction of internal alkynes 347
- Rhodium-catalyzed reactions 308–315
- Rh/PCy₃ system 34
- [Ru(O₂CMes)₂ (*p*-cymene)] 66
- [Rh(μ-Cl)(H)₂ (IPr)]₂ dimer 19
- [RuCl₂(*p*-cymene)]₂ 68
- [RuCl₂(*p*-cymene)]₂-based system 56
- [RuCl₂(*p*-cymene)]₂ catalyst 69
- Ru₃(CO)₁₂-based catalytic system 59
- Ru₃(CO)₁₂ catalyst 62
- Ru–CO catalyst precursors 100
- Ru₃(CO)₁₂ precatalyst 61
- RuCl₂(PPh₃)₃ 67
- RuCl₂(PPh₃)₃/rac-BINAP catalytic system 63
- RuH₂(CO)(PPh₃)₃ 59
- RuH₂(CO)(PPh₃)₃-based catalytic system 56
- ruthenium-based catalysts 49
- ruthenium catalyst, base architecture 85
- ruthenium-catalyzed alkylation 49, 50
- ruthenium-catalyzed alkylation of C(sp³)-H bonds 63
- ruthenium-catalyzed C–H alkylation 50, 57
 of diterpene 8, 54
 in polymer chemistry 53
- ruthenium(0)-catalyzed C–H alkylation with aniline 61
- ruthenium(0)-catalyzed hydroarylation 60
- ruthenium(0)-catalyzed hydroarylation reaction 58
- ruthenium(0)-mediated C–H activation 51
- ruthenium(II) catalysts, via carboxylate assisted C–H activation, alkylation by 63–70
- ruthenium(II)-catalyzed C–H alkylations, via isohypsic C–H activation 65
- ruthenium(II)-catalyzed carboxylate-assisted C–H alkylation reaction 70
- ruthenium(II)-mediated, catalytic cycle via 64
- ruthenium-catalyzed transformation 52
- ruthenium-H₂ precatalyst 51
- ruthenium(0) species 64
- S**
- Satoh group 67
- Schmidbaur–Bayler salt 283
- scorpionate supported Ru(II) catalysts 85–95
- semiar hydroarylation reactions 7
- silver-catalyzed alkyne hydroarylation 254
 propargylated 2-aminopyridines 222
- spirocyclization reactions of indole–ynes 245
- tetrahydrocarbazoles 257
- Ugi four-component 263
- SIMes.HCl 30
- Site-selective C–H alkylations 59
- Sonogashira cross-coupling reaction 249

- spirocycles, via sequential process,
 synthesis of 349
- spirocyclizations 244, 246
- stable metal-olefin complex formation
 85
- stereospecific isomerization 37
- Stille or Suzuki cross-coupling reactions
 107
- styrene 16
 hydroarylation of 15
- t**
- tandem addition processes 378–379
- tandem isomerization-hydroarylation
 36
- terminal alkenes 50
- terminal alkynes 19
- terminal enynes catalyzed by PtCl_4 ,
 intramolecular hydroarylation of
 14
- tert*-butyl terminal group 316
- thiophene ring
 C–H bond on 19
 cyclometalation of 21
- thiophene-and benzothiophene,
 homopropargyl silanols 276,
 277
- thiophenes 8–21
- 2-(thiophen-2-yl)pyridine
 Rh-catalyzed functionalization of 19
- trans*-cinnamaldehyde 328
- trans*-effect 19
- trans* insertion, of C–C triple bond 9
- transition metal mediated C–H
 activation, strategy for 85
- transition-metal catalysts 306
- triarylalkenes 314
- 3,4,5-trifluorobenzoic acid (TFBA) 62
- trifluoromethylsulfonate (OTf) 119
- triphenylphosphine ligand 68
- triphenylphosphine oxide 67, 68
- Trost group 52
- u**
- unactivated alkynes, hydroarylation of
 13
- unactivated terminal alkenes 14
- v**
- Van der Eycken group 23
- vasicoline 34
- vinyl arenes 85
- vinyl ethers, asymmetric hydroarylation
 of 18
- vinyl silane coupling partners 52
- vinyl silanes 50, 52
- w**
- Wagner–Meerwein carbocation
 rearrangement 121
- Wilkinson's catalyst 124, 126, 144
- y**
- ynamides 318
 regioselective hydroarylation of 312
- Yoshikai group 12
- z**
- zeolites 83
- Z*-heteroarylalkene 9
- Z* isomer 8, 10

