

Index

a

- absolute alcohol 461, 466, 473
- absorption coefficient 419
- acoustic mode 454
- acrylonitrile-butadiene-styrene 438
- adenine modified graphene (AMG)
 - characterization 335
 - electrical properties 341–346
 - electrochemical measurement 336
 - FT-IR spectra 338
 - Raman spectroscopy 339
 - synthesis 335, 336
 - TEM and AFM images 337
 - XPS spectra 341
- adsorption-desorption isotherms
 - techniques 371
- Ag nanoparticles (NPs)
 - anticancer activity 29–33
 - and BSA 25–29
 - and BSA binding 22–23
 - cell culture and treatment 23
 - characterization 24
 - flow cytometer measurement 23–24
 - FT-IR spectra, of GSH 26
 - GSH-coated Ag NPs synthesis 22
 - K562 cell strain, fluorescence
 - observation of 23
 - MTT (Thiazolyl Blue) assay 23
 - SDS-PAGE assay and UV-Vis spectra 27
 - TEM images 24
 - XRD patterns 25
- Ag₂Se nanostructures 460
 - characterization 461
 - growth mechanism 464–465
 - nanocrystal catalysts 466
 - optical properties 465–466
 - photocatalytic activities test
 - 461–462
 - photocatalytic properties 466–470
 - Raman spectrum 462
 - structure 462–464
 - superhydrophobic properties
 - 470–472
 - synthesis 461
 - van der Waals interaction 464
 - wetting behaviour test 462
 - XRD patterns 461, 462
- Ag₂S nanospheres
 - characterization 93
 - growth mechanism 96–101
 - optical properties 95–96
 - synthesis 92
 - TEM images 93
 - XRD pattern 93
- amino acids
 - alpha carbons of 403
 - direct agents 450
 - hydrogen bond 459
 - hydrothermal route 428
 - induced cocoon formation 366
 - molecule structure of 367
 - Ni(OH)₂ 428
- anticancer activity, HAP nano crystals
 - 201–205
- antiferromagnetic nanoparticles 388
- average mass loss rate 447
- Avogadro's constant 381
- Avogadro's number 388, 405

b

- BaCO₃ 3D superstructures
 - CA measurement 490
 - characterization 490
 - growth mechanism 494
 - structure 491–493
 - synthesis 490
 - wettability 494–495
 - band ferromagnetism mode 405
 - band gap 419, 424, 460, 469, 472
 - Barrett–Joyner–Halenda (BJH)
 - method 375
 - pore-size distribution 366, 429, 436
 - binding energies 397
 - Bio-Rad electrophoresis system 22
 - biomolecular surfactant 477
 - boehmite nanococoons 363
 - characterization 364
 - CL properties 367–368
 - growth mechanism 366–367
 - structure 364–366
 - synthesis 364
 - Bohr radius 450
 - Boltzmann's constant 388, 405
 - bottom-up approach 10
 - Brunauer–Emmett–Teller (BET)
 - 56, 364, 365, 371, 374, 381, 429, 436
- c**
- calcium carbonate (CaCO₃) 481
 - characterization 482
 - crystallization 481
 - growth mechanism 486–488
 - surface modification 482
 - synthesis 482
 - wettability 488–489
 - calcium sulfide (CdS) nanowire arrays
 - 206
 - carbon nanotubes 480
 - Cassie equation 489, 504
 - catalytic chemiluminescence (CL)
 - 367–368
 - cationic xanthenes dyes 466
 - CdS nanoparticles
 - characterization 76
 - growth mechanism 80–82
 - photoluminescence properties 82–83
 - Raman spectroscopy 78
 - synthesis 76
 - TEM images 79
 - XRD patterns 77
 - zinc-blende and wurtzite-type phases 78
 - centrifugal method 371, 461, 473
 - CGNs
 - enzyme-like 395
 - magnetic properties 386
 - mass concentration 381
 - paramagnetic behavior 387
 - XRD pattern 381
 - chromic oxide (Cr₂O₃) nanowires
 - characterization 182
 - optical properties 183–185
 - SEM images 182
 - synthesis process 182
 - TEM image 182
 - Co nanowires arrays
 - characterization 152
 - magnetic properties 152–153
 - morphology 152
 - synthesis process 151–152
 - XRD pattern 152
 - Co₃O₄ 3D superstructures
 - bandgap energies 383
 - catalytic reactions 380–381
 - characterization 380, 382
 - gillyflower-like structures 381, 385
 - growth mechanism 384–386
 - kinetic analyses 394
 - magnetic behavior measurement 380
 - magnetic properties 386–388
 - optical properties 381–384
 - peroxidase 390–395
 - SEM 384
 - structures 381
 - synthesis 379–380
 - conduction-band electrons 469
 - cone calorimeter 446, 447
 - conversion reaction 426
 - coordination polymer particles (CPPs)
 - 368

Coulombic efficiency 426
 critical temperature 387, 388
 crystal field stabilization energy (CFSE)
 386
 Cu K_{α} radiation 496
 Cu₂O@RGO composite (CGC)
 material
 adsorption measurement 260
 anode material, of lithium ion
 batteries (LIBs) 267
 electrochemical measurement
 260–261
 FT-IR spectrum 261, 262
 Raman spectrum 263
 RhB removal 265–267
 synthesis 259
 TEM and AFM images 260, 261
 X-ray diffraction (XRD) patterns
 263
 XPS spectrum 264
 Curie constant 388
 Curie-Weiss law 405
 cysteine 403

d

deep-level (DL) emissions 175
 degree of supersaturation 385
 deionized water 451, 461, 466
 density of states (DOSs) 7
 differential TG (DTG) 448
 diffuse reflectance spectrum (DSR)
 409
 dipolar cycloaddition reaction 363

e

electrodeposition technique 408
 electroluminescence effects 367
 electron diffraction 441, 442, 474,
 484
 electron-spin resonance (ESR) 388,
 390, 391, 395
 energy dispersive spectrometry 370
 energy minimization 385, 403, 464,
 494
 energy-dispersion X-ray (EDX)
 spectroscopy 371, 373
 Escalab 250XI 397

f

Fe₃O₄@graphene composite (FGC)
 AFM images 232, 233
 anode material, of lithium ion
 batteries (LIBs) 238
 characterization 228
 electrochemical measurement 229
 FT-IR spectra 230
 magnetic properties 233
 pH-sensitivity 228
 physicochemical properties and
 applications 227
 Raman spectroscopy 231
 size distribution 232
 synthesis 228
 TEM image 232
 XPS patterns 231
 XRD patterns 231
 Fermi energy 6
 Fermi-Dirac distribution function 5
 ferromagnetic nanoparticles 395
 ferromagnetism 388
 field cooling (FC) 387, 397
 field emission scanning electron
 microscopy (FE-SEM) 370, 380,
 428, 429, 439, 461
 fish bones 456
 flame retardant effects 448
 fluorescence spectrophotometer 380
 Fourier transform infrared (FT-IR)
 370, 372, 380, 381, 383, 397, 409,
 429, 431, 440
 Fullerene-C₇₀ nanowire arrays 208

g

gas diffusion and aggradation reaction
 (GDAR) technique 396
 gas phase chromatograph-mass
 spectrometry 368
 glycine 364, 417, 439
 graphene-based nanostructures
 adenine modified graphene (AMG)
 characterization 335
 electrical properties 341–346
 electrochemical measurement
 336
 FT-IR spectra 338

- graphene-based nanostructures (*contd.*)
 - Raman spectroscopy 339
 - synthesis 335, 336
 - TEM and AFM images 337
 - XPS spectra 341
- Co₃O₄-reduced graphene oxide
 - AFM image 224
 - characterization 223
 - electrochemical behavior
 - measurement 223–224
 - electrochemical properties 226–227
 - FT-IR spectra 225
 - GO synthesis 222
 - Raman spectrum 224
 - synthesis process 222–223
 - TEM images 224
 - XRD patterns 225
- Cu₂O@RGO composite (CGC)
 - material
 - adsorption measurement 260
 - anode material, of lithium ion
 - batteries (LIBs) 267
 - characterization 259–260
 - electrochemical measurement 260–261
 - FT-IR spectrum 261, 262
 - Raman spectrum 263
 - RhB removal 265–267
 - synthesis 259
 - TEM and AFM images 260, 261
 - X-ray diffraction (XRD) patterns 263
 - XPS spectrum 264
- Fe₃O₄/reduced graphene oxide
 - AFM images 232, 233
 - anode material, of lithium ion
 - batteries (LIBs) 238
 - characterization 228–229
 - electrochemical measurement 229
 - FT-IR spectra 230
 - magnetic properties 233–235
 - pH-sensitivity 228
 - physicochemical properties and applications 227
 - Raman spectroscopy 231
 - size distribution 232
 - synthesis 228
 - TEM image 232
 - XPS patterns 231
 - XRD patterns 231
- HPG nanocomposites 276
- magnetic Ni nanoparticles-reduced graphene oxide nanocomposites 324
- manganese
 - carbonate(MnCO₃)-reduced graphene oxide nanocomposites
 - XPS survey spectrum 318
 - anode material, of lithium ion
 - batteries (LIBs) 319–323
 - characterization 315–316
 - electron diffraction pattern 317
 - Fourier transform infrared (FT-IR) spectra 317
 - FT-IR spectra 319
 - nitrogen adsorption-desorption 318
 - Raman spectra 318
 - synthesis 314–315
 - TEM images 316
 - X-ray diffraction (XRD) pattern 316
 - X-ray photoelectron spectra (XPS) 317
 - XRD pattern 318
- Mg(OH)₂@RGO composite (MGC)
 - applications 298–300
 - characterization 294
 - dye adsorption, from water 294–295
 - Fourier transform infrared (FT-IR) spectroscopy analysis 296
 - N₂ adsorption-desorption isotherms 298
 - synthesis 294
 - TEM and AFM images 295
 - X-ray diffraction (XRD) patterns 297
 - X-ray photoelectron spectrum (XPS) 297
- β-Ni(OH)₂ RGO composite (NGC)
 - characterization 286–287
 - electrochemical measurement 287

- lithium ion batteries (LIBs)
 - performance 287
 - Ni-MH and LIBs 290–294
 - Nickel–MH battery performance 287
 - synthesis 286
 - TEM and SEM images 288
 - XRD patterns 290
 - tin disulfide (SnS₂)-reduced graphene oxide nanocomposites
 - anode material, of lithium ion batteries (LIBs) 307–314
 - characterization 302
 - electrochemical measurement 302–303
 - Fourier transform infrared (FT-IR) spectra 307
 - N₂ adsorption-desorption isotherms 307
 - Raman spectroscopy 304
 - synthesis 301–302
 - TEM images 303
 - TEM, HRTEM and AFM images 303
 - X-ray photoelectron spectroscopy (XPS) 305
 - XRD pattern 304
 - TiO₂-reduced graphene oxide (TGC)
 - anode material, of lithium ion batteries (LIBs) 253–259
 - characterization 250
 - electrochemical measurement 250–251
 - Fourier transform infrared (FT-IR) spectra 251, 253
 - Raman spectra 253
 - synthesis 250
 - TEM images 252
 - XPS pattern 251
 - ZnO@ graphene composite (ZGC)
 - characterization 270
 - electrochemical behavior 273
 - FT-IR spectrum 271
 - photocatalytic properties 273–276
 - photocatalytic property measurement 270–271
 - Raman spectrums 272
 - synthesis 269–270
 - TEM and AFM images 271
 - X-ray diffraction patterns (XRD) pattern 273
- h**
- halogen-free flame-retarded 439
 - HAP nano crystals
 - anticancer activity 201
 - mechanical strength 205
 - hard-soft acid base theory 444
 - heat release rate 446
 - hematite (α -Fe₂O₃) nanocrystals
 - magnetic properties 106
 - TEM and HRTEM image 105
 - XRD analysis 104
 - high-resolution TEM (HRTEM) 397, 428, 429, 439
 - high-resolution transmission electron microscopy (HRTEM) 380, 397, 409, 461
 - HITACHI model 409
 - HPG nanocomposites 276
 - HRTEM 376
 - Hummers method 336
 - Hund rule 405
 - hydrogen bonds 366, 373, 403
 - hydrophobic effects 480
 - hydrothermal process 450
 - hydrothermal technique 363
 - hydroxyapatite (HAP) nanorods
 - cell culture and treatment 195
 - characterization 194–195
 - crystal morphology 199
 - flow cytometer measurement 195–196
 - FT-IR spectrum 199
 - growth mechanism 200
 - HeLa Cells stains, fluorescence observation of 195
 - MTT (thiazolyl blue) assay 195
 - nano-indentation test 196–201
 - reaction times, effects of 196
 - synthesis 194
 - TEM and HRTEM observation 198

i

- in situ reaction-capping-etching (ISRCE) 372
- In₂O₃ nanowires
 - electrodeposition and oxidizing (EDO) method 167
 - photoluminescence (PL) properties 169–170
 - preparation and properties 167
 - structure 168–169
 - synthesis process 168
 - thermal evaporation–oxidation method 167
- incident light frequency 419
- infrared (IR) detector 450
- infrared technique 441
- inorganic nanoparticles 450
- inverse magnetic susceptibility 405
- ionic surfactants 364
- iron (Fe) nanowires arrays
 - characterization 148–149
 - EDX profile 149
 - magnetic properties 150
 - SEM 150
 - synthesis process 148
 - XRD pattern 149
- itinerant ferromagnetism 405

j

- Jahn-Teller
 - distortion 407
 - ion 405
- JEM-2010F 380
- JSM-6301F 370
- JSM-7401F 380, 428, 439, 461

k

- KYKY-2000 397
- KYKY-2000 instrument 370

l

- L-cysteine 450
 - molar ratio 451
 - sulfur source 451
- L-glutathionic acid 477
- Landé factor 388
- laser vaporization controlled
 - condensation technique 408

- lead selenide (PbSe) 472
 - CA measurement 474
 - characterization 473–474
 - growth mechanism 476–478
 - PL properties 478
 - superhydrophobic properties 478–481
 - structure 474–476, 482
 - synthesis 473
- Lineweaver-Burk plot 391
- liquid phase reduction method 363
- longitudinal optical (LO) phonon mode 400, 453, 474
- lotus effect 407, 420, 421, 446, 478, 480, 494

m

- manganese carbonate (MnCO₃)-
 - reduced graphene oxide nanocomposites
 - anode material, of lithium ion batteries (LIBs) 319–323
 - characterization 315
 - electron diffraction pattern 317
 - FT-IR spectra 317, 319
 - nitrogen adsorption-desorption 318
 - Raman spectra 318
 - synthesis 314–315
 - TEM images 316
 - XPS survey spectrum 318
 - X-ray diffraction (XRD) pattern 316, 318
 - X-ray photoelectron spectra (XPS) 317
- magnesium carbonate hydrate 496
- magnesium hydroxide Mg(OH)₂ 3D
 - nanoflowers 438
 - characterization 439–440
 - FE-SEM 439
 - fire test 440
 - flammability 446–450
 - growth mechanism 441–445
 - HRTEM 439
 - hydrophobic properties 445–446
 - mechanical properties test 440
 - nanoplates, formation of 444
 - reaction temperature 442

- SAED 439
- self-assembly process 445
- SEM 439
- structure 440–441
- superhydrophobic surfaces 446
- synthesis 439
- TGA 440
- wetting behavior test 440
- magnesium hydroxide @rGO composite (MGC)
 - applications 298–300
 - characterization 294
 - dye adsorption, from water 294–295
 - Fourier transform infrared (FT-IR) spectroscopy analysis 296
 - N₂ adsorption–desorption isotherms 298
 - synthesis 294
 - TEM and AFM images 295
 - X-ray diffraction (XRD) patterns 297
 - X-ray photoelectron spectrum (XPS) 297
- magnetite (Fe₃O₄) nanocubes
 - anode material, lithium-ion batteries 117–119
 - characterization 107
 - crystal structure 109
 - electrochemical measurement 107–108
 - Fourier transform infra-red (FT-IR) spectrum 108
 - growth mechanism 110–115
 - HRTEM images 110
 - magnetic behavior measurement 107
 - magnetic properties 115–117
 - Raman spectrum 108
 - synthesis process 107
 - TEM image 110
 - X-ray diffraction (XRD) pattern 108
- magnetic magnetization (*M-T*) 387
- magnetic Ni nanoparticles-reduced graphene oxide nanocomposites 324
- magnetic susceptibility (χ) 405
- metal organic frameworks (MOFs) 368
- MgCO₃·3H₂O
 - adsorption ability 504–505
 - CA measurement 497
 - characterization 496–497
 - growth mechanism 502–504
 - structure 497
 - superhydrophobic properties 504
 - synthesis 496–502
 - water treatment experiment 497
- Michaelis–Menten
 - equation 391, 395
 - mechanism 391
- microwave hydrothermal method 411
- mineralization process 481
- Mn₂O₃ 3D superstructures 395
 - CA measurement 397
 - characterization 397
 - growth mechanism 401–404
 - magnetic properties 404–407
 - magnetic properties measurement 397
 - Néel temperatures 404
 - self-assembly process 403
 - structures 397–401
 - superhydrophobic properties 407–408
 - synthesis 396
 - XPS 399
- MoO₃ nanowires
 - adsorption properties, RhB removal 192–193
 - characterization 186
 - electrochemical measurement 187
 - electrochemical properties and supercapacitor applications 190–192
 - Fourier transform infrared (FT-IR) spectrum 189
 - morphologies 185
 - SEM images 187
 - synthesis method 186
 - thermal-vacuum deposition technique 185
 - waster water treatment experiment 187
 - X-ray diffraction (XRD) pattern 188
- Murray synthesis route 473

n

- Néel temperature (T_N) 379, 386, 387, 405
- nanoplate formation 433
- nanoscale 375, 383, 385, 403, 417, 480, 494
- nanotechnology 1
- National Nanotechnology Initiative (NNI) 2
- near-band-edge (NBE) emissions 175
- Ni(OH)₂ 3D peonylike superstructures
 - amino acids 428
 - characterization 428–429
 - electrochemical properties 435–437
 - electrochemical properties measurement 429
 - FE-SEM 428
 - growth mechanism 433–435
 - self-cleaning properties 428
 - structure 429–433
 - superhydrophobic properties 437–438
 - superhydrophobic surface 428
 - synthesis 428
 - wetting behaviour measurement 429
- β -Ni(OH)₂@ reduced graphene oxide composite (NGC)
 - characterization 286–287
 - electrochemical measurement 287
 - lithium ion batteries (LIBs) performance 287
 - Ni-MH and LIBs 290–293
 - Nickel–MH battery performance 287
 - synthesis 286
 - TEM and SEM images 288
 - XRD patterns 290
- nickel (Ni) nanowire array 154–156
 - characterization 155
 - template synthesis method 154
- nickel-hydrogen storage battery 435
- NICOLET 560, 370, 380, 409, 440, 482
- NiO nanowires
 - characterization 179
 - optical properties 180–181
 - SEM images 180

- synthesis 179

- TEM image 180

- noncovalent interaction 480

- nonionic surfactants 364

- nucleation process 411, 433, 464, 477

- nucleation stage 375

o

- one dimensional (1D) metal

- nanostructures 13

- anticancer activity, HAP nano crystals 201–205

- calcium sulfide (CdS) nanowire arrays 206–207

- chromic oxide (Cr₂O₃) nanowires

- characterization 182

- optical properties 183–185

- SEM images 182

- synthesis process 182

- TEM image 182

- Co nanowires arrays

- as-synthesized APC 152

- characterization 152

- synthesis process 151

- Cu nanowires arrays

- characterization 157

- electrical properties 159–160

- SEM images 158

- synthesis 156–157

- TEM images 159

- XRD pattern 157

- Fe nanowires arrays

- characterization 148

- EDX profile 149

- magnetic properties 150

- SEM 150

- synthesis process 148

- XRD pattern 149

- Fullerene-C₇₀ nanowire arrays

- 208–211

- growth mechanism 160

- hydroxyapatite (HAP) nanorods

- cell culture and treatment 195

- characterization 194–195

- crystal morphology 199

- flow cytometer measurement

- 195–196

- FT-IR spectrum 199
 - growth mechanism 200
 - HeLa Cells stains, fluorescence observation of 195
 - MTT (thiazolyl blue) assay 195
 - nano-indentation test 196
 - reaction times, effects of 196
 - synthesis 194
 - TEM and HRTEM observation 198
 - In₂O₃ nanowires
 - characterization 168
 - electrodeposition and oxidizing (EDO) method 167
 - photoluminescence (PL) properties 169–170
 - preparation and properties 167
 - structure 168–169
 - synthesis process 168
 - thermal evaporation–oxidation method 167
 - metal ions deposition 164
 - MoO₃ nanowires
 - adsorption properties, RhB removal 192–193
 - characterization 186
 - electrochemical measurement 187
 - electrochemical properties and supercapacitor applications 190–193
 - Fourier transform infrared (FT-IR) spectrum 189
 - morphologies 185
 - SEM images 187
 - synthesis method 186
 - thermal-vacuum deposition technique 185
 - waster water treatment experiment 187
 - X-ray diffraction (XRD) pattern 188
 - morphology and microstructure 163
 - nickel (Ni) nanowire array
 - characterization 155
 - magnetic properties 156
 - morphology 155
 - SEM images 155
 - synthesis process 154–155
 - template synthesis method 154
 - XRD pattern, of as-synthesized sample 155
 - NiO nanowires
 - characterization 179
 - optical properties 180–181
 - SEM images 180
 - synthesis 179
 - TEM image 180
 - SnO₂ nanowires
 - characterization 176–177
 - optical properties 177–179
 - synthesis process 175–176
 - ZrO₂ Nanowires
 - optical properties 173–175
 - characterization 171–173
 - synthesis process 171
 - optical contact angle meter 462, 474
 - Ostwald ripening process 410, 432
- p**
- particle growth stage 375
 - peak heat release rate (PHRR) 448
 - peroxidase 390
 - peroxo-polytungstic acid 411
 - photocatalytic activity test 461
 - Bi₂O₃ microspheres 121
 - rh-In₂O₃ hollow nanocrystals 53
 - zirconia (ZrO₂) nanoparticles 46
 - photodegradation test 466
 - photoluminescence (PL)
 - measurement 380
 - optical properties 381
 - spectroscopy 465
 - physical property measurement system (PPMS-9T) 380, 397
 - poly(heptadecafluorodecylacrylate) (PFA) 480
 - poly(methyl methacrylate) (PMMA) 470, 480
 - Poly(N-isopropylacrylamide)-co-poly(acrylamidophenylboronic acid) 481

- poly(N-substituted acrylamide)-co-poly(acrylamido phenylboronic acid) 480
- poly(tetrafluoroethylene)/poly(phenylene sulfide) (PTFE/PPS) 480
- polysaccharides 481
- pseudo-first-order reaction 466, 468
- q**
- quantum confinement 8–10
- r**
- Raman spectrometer 451
- Raman spectroscopy 189, 451, 474
- Raman spectrum 380–382, 474
- rambutan-like hollow spheres 480
- Renishaw RM-1000 397
- renucleation process 478
- rhodamine B (RhB) 370, 378, 409, 421
- degradation of 424, 461, 466
- photodegradation 378, 379, 466, 468
- toxicity 466
- rod-dumbbell-sphere (R-D-S) progression 494
- s**
- sacrificial template method 408
- scanning electron microscopy (SEM) 380, 397, 409, 496
- Scherrer equation 431
- Schrödinger Equation 3
- selected area electron diffraction (SAED) 380, 409, 418, 428, 439, 464, 498
- self-assembled monolayers 480
- self-assembly process 432, 434
- SnO₂ nanoparticles
- biomolecule-assisted hydrothermal approach 34
- characterization 35
- FT-IR spectrum 39
- high magnification TEM image 38
- low magnification TEM image 38
- photocatalytic activity test 35
- photoinduced charge transformation 44
- Raman spectrum 37
- RhB degradation 40
- self-degradation rate, of RhB 44
- synthesis 35
- XRD pattern 36
- SnO₂ nanowires
- characterization 176–177
- optical properties 177–179
- synthesis process 175–176
- sol technique 408
- sol-gel method 168
- solid-electrolyte-interphase 426
- solvothermal method 438
- sulfides (PbS)
- characterization 451
- evolution process of 459
- growth mechanism 458–460
- structure 451–457
- synthesis 451
- superhydrophobic surfaces 377, 378, 408, 420, 437, 479, 480
- superhydrophobicity 377
- superparamagnetism 388
- surface energy 375
- surface wettability 377
- surface wetting behaviour 378
- surfactants 364, 366
- t**
- teflon-lined autoclave 428, 439, 461
- 3,3',5,5'-tetramethylbenzidine (TMB) 388
- oxidation 389
- reaction solutions 391
- thermogravimetric analyses (TGA) 374, 440
- three-dimensional (3D) nanostructures 15
- time to ignition (TTI, t_{ign}) 446
- tin disulfide (SnS₂)-reduced graphene oxide nanocomposites
- anode material, of lithium ion batteries (LIBs) 307–314
- characterization 302
- electrochemical measurement 302–303

- Fourier transform infrared (FT-IR) spectra 307
- N₂ adsorption-desorption isotherms 307
- Raman spectroscopy 304
- synthesis 301–302
- TEM, HRTEM and AFM images 303
- X-ray diffraction (XRD) pattern 304
- X-ray photoelectron spectroscopy (XPS) 305
- TiO₂-reduced graphene oxide (TGC)
- anode material, of lithium ion batteries (LIBs) 253–259
 - characterization 250
 - electrochemical measurement 250–251
 - Fourier transform infrared (FT-IR) spectra 251, 253
 - Raman spectra 253
 - synthesis 250
 - TEM images 252
 - XPS pattern 251
- total heat release (THR) 448
- traditional XRD 386
- transmission electron microscopy (TEM) 364, 365, 380, 397, 439
- transverse-optical (TO) mode 400
- two-dimensional (2D) nanostructures 14
- two-reverse emulsion technique 364
- U**
- ultraviolet (UV)-visible spectrum 380
- uncertainty principle 3
- V**
- valence-band holes 469
- van der Waals forces 403, 480
- vapor–liquid–solid route 473
- vibrating sample magnetimetry (VSM) 386
- W**
- water droplets 377, 407, 445
- wave-particle duality 2
- Weiss constant 388
- wetting behaviour test 462
- WO₃ nanostructures
- absorption coefficient 419
 - characterization 409
 - DRS 419
 - DSR 419
 - electrochemical measurement 410
 - formation process 414, 415
 - FT-IR 416
 - growth mechanism 410–417
 - kinetic effects 410
 - LIBs 425–428
 - monoclinic phase 418
 - nanoparticles discharge 427
 - nanorods 410
 - photocatalytic activity 421–424
 - reaction temperature 411
 - SEM 412, 413
 - strucutre 417–420
 - superhydrophobicity 420–421
 - synthesis 409
 - thermodynamic effects 410
 - thin films 408
 - warter CA measurements 409
- X**
- X-ray diffractormeter (XRD) 364, 370, 371, 380, 386, 397, 428
- pattern 365, 373, 376, 377, 382, 399
 - snowflakelike nanostructures 415
- X-ray photoelectron spectroscopy (XPS) 380, 397
- Z**
- zero dimensional (0D) nanostructrues
- α -Fe₂O₃ nanoparticles
 - characterization 69
 - cube-shaped α -Fe₂O₃ synthesis 69
 - magnetic properties 73–74
 - magnetic properties measurement 69
 - Raman spectroscopy 72
 - rice-shaped α -Fe₂O₃ synthesis 69
 - TEM images 70
 - XRD pattern 71
 - Ag nanoparticles (NPs)

- zero dimensional (0D) nanostructures
(*contd.*)
 - anticancer activity 29–33
 - and BSA 25–29
 - and BSA binding 22–23
 - cell culture and treatment 23
 - characterization 24
 - flow cytometer measurement 23–24
 - FT-IR spectra, of GSH 26
 - GSH-coated Ag NPs synthesis 22
 - K562 cell strain, fluorescence observation of 23
 - MTT (Thiazolyl Blue) assay 23
 - SDS-PAGE 22, 27
 - TEM images 24
 - UV-Vis spectra 27
 - XRD patterns 25
- Ag₂S nanospheres
 - characterization 93
 - growth mechanism 96–101
 - optical properties 95–96
 - synthesis 92
 - TEM images 93
 - XRD pattern 93
- Bi₂O₃ microspheres
 - characterization 121
 - growth mechanism 124–126
 - optical properties 126–127
 - photocatalytic activities 127–133
 - photocatalytic activity test 121–122
 - Raman pattern 122
 - SEM image 125
 - synthesis 120–121
 - XPS spectra 123
 - XRD pattern 122
- CdS nanoparticles
 - characterization 76
 - growth mechanism 80–82
 - photoluminescence properties 82–83
 - Raman spectroscopy 78
 - synthesis 76
 - TEM images 79
 - XRD patterns 77
- zinc-blende and wurtzite-type phases 78
- hematite (α -Fe₂O₃) nanocrystals
 - characterization 103–104
 - magnetic properties 106
 - synthesis 101, 103
 - TEM and HRTEM image 105
 - XRD analysis 104
- magnetite (Fe₃O₄) nanocubes
 - anode material, lithium-ion batteries 117–119
 - characterization 107
 - crystal structure 109
 - electrochemical measurement 107–108
 - Fourier transform infra-red (FT-IR) spectrum 108
 - growth mechanism 110–115
 - HRTEM images 110
 - magnetic behavior measurement 107
 - magnetic properties 115–117
 - Raman spectrum 108
 - synthesis process 107
 - TEM image 110
 - X-ray diffraction (XRD) pattern 108
- In₂O₃ hollow nanocrystals
 - characterization 53
 - growth mechanism 58–61
 - photocatalytic activities 61–68
 - photocatalytic activity test 53
 - structure 53–58
 - synthesis 52–53
- SnO₂ nanoparticles
 - biomolecule-assisted hydrothermal approach 34
 - characterization 35
 - FT-IR spectrum 39
 - high magnification TEM image 38
 - low magnification TEM image 38
 - photocatalytic activity test 35
 - photoinduced charge transformation 44
 - Raman spectrum 37

- RhB degradation 40
- self-degradation rate, of RhB 44
- synthesis 35
- XRD pattern 36
- Zirconia (ZrO_2) nanoparticles
 - biomolecule L-lysine 45
 - characterization 45–46
 - FT-IR spectrum 49
 - optical properties 49–50
 - photocatalytic activity 51–52
 - photocatalytic activity test 46
 - synthesis 45
 - TEM images 48
 - XRD pattern 47, 48
- ZnS nanoparticles and microspheres
 - characterization 84
 - FT-IR spectrophotometer 88
 - HTREM images 84, 85
 - optical properties 90–92
 - Raman spectroscopy 87
 - synthesis 84
 - TEM images 84, 85, 89
 - XRD patterns 87
- zero field cooling (ZFC) 387
- zero-dimensional (0D) nanostructures 11
- zero-field cooled 397
- Zirconia (ZrO_2) nanoparticles
 - biomolecule L-lysine 45
 - characterization 45–46
 - FT-IR spectrum 49
 - optical properties 49–50
 - photocatalytic activity 51–52
 - photocatalytic activity test 46
 - synthesis 45
 - TEM images 48
 - XRD patterns 47, 48
- zinc-coordination polymer particles (CPPs)
 - growth mechanism 375
 - ZnO from, formation of 376–377
- ZnO@ reduced graphene composite (ZGC)
 - characterization 270
 - electrochemical behavior 273
 - FT-IR spectrum 271
 - photocatalytic properties 273–276
 - photocatalytic property measurement 270–271
 - Raman spectrums 272
 - synthesis 269–270
 - X-ray diffraction patterns (XRD) pattern 273
- ZnO-coordination polymer particles (CPPs) 368
 - characterization 370
 - growth mechanism 369–370
 - photocatalysis experiment 370
 - photocatalysis properties 378–379
 - SEM 372, 377
 - spindle-like architecture 371
 - structure 370–375
 - superhydrophobicity 369, 377
 - surface wetting behaviour 378
 - synthesis 369
 - TGA curves 374
 - water contact angle (CA) measurement 370
 - XRD patterns 373
- ZnS nanoparticles and microspheres
 - characterization 84
 - FT-IR spectrophotometer 88
 - HTREM images 84, 85
 - optical properties 90–92
 - Raman spectroscopy 87
 - synthesis 84
 - TEM images 84, 85, 89
 - XRD patterns 87
- ZrO_2 nanowires
 - characterization 171–173
 - optical properties 173–175
 - synthesis process 171

