

Contents

About the Editors *xiii*

Series Editors' Preface *xv*

List of Contributors *xvii*

- 1 Utilizing Phase Separation Reactions for Enhancement of the Thermoelectric Efficiency in IV–VI Alloys** *1*
Yaniv Gelbstein
 - 1.1 Introduction *1*
 - 1.2 IV–VI Alloys for Waste Heat Thermoelectric Applications *2*
 - 1.3 Thermodynamically Driven Phase Separation Reactions *6*
 - 1.4 Selected IV–VI Systems with Enhanced Thermoelectric Properties Following Phase Separation Reactions *9*
 - 1.5 Concluding Remarks *11*
 - References *11*

- 2 Nanostructured Materials: Enhancing the Thermoelectric Performance** *15*
Ngo Van Nong and Le Thanh Hung
 - 2.1 Introduction *15*
 - 2.2 Approaches for Improving ZT *16*
 - 2.3 Recent Progress in Developing Bulk Thermoelectric Materials *18*
 - 2.4 Bulk Nanostructured Thermoelectric Materials *20*
 - 2.4.1 Bi_2Te_3 -Based Nanocomposites *20*
 - 2.4.2 PbTe-Based Nanostructured Materials *21*
 - 2.4.3 Half-Heusler Alloys *22*
 - 2.4.4 Nanostructured Skutterudite Materials *24*
 - 2.4.5 Nanostructured Oxide Materials *26*
 - 2.4.5.1 p-Type Oxides *26*
 - 2.4.5.2 n-Type Oxides *28*
 - 2.5 Outlook and Challenges *28*
 - Acknowledgement *29*
 - References *29*

3	Organic Thermoelectric Materials	37
	<i>Simone Fabiano, Ioannis Petsagkourakis, Guillaume Fleury, Georges Hadziioannou and Xavier Crispin</i>	
3.1	Introduction	37
3.2	Seebeck Coefficient and Electronic Structure	41
3.3	Seebeck Coefficient and Charge Carrier Mobility	44
3.4	Optimization of the Figure of Merit	45
3.5	N-Doping of Conjugated Polymers	46
3.6	Elastic Thermoelectric Polymers	48
3.7	Conclusions	48
	Acknowledgments	50
	References	50
4	Silicon for Thermoelectric Energy Harvesting Applications	55
	<i>Dario Narducci, Luca Belsito and Alex Morata</i>	
4.1	Introduction	55
4.1.1	Silicon as a Thermoelectric Material	55
4.1.2	Current Uses of Silicon in TEGs	56
4.2	Bulk and Thin-Film Silicon	57
4.2.1	Single-Crystalline and Polycrystalline Silicon	57
4.2.2	Degenerate and Phase-Segregated Silicon	60
4.3	Nanostructured Silicon: Physics of Nanowires and Nanolayers	63
4.3.1	Introduction	63
4.3.2	Electrical Transport in Nanostructured Thermoelectric Materials	63
4.3.3	Phonon Transport in Nanostructured Thermoelectric Materials	66
4.4	Bottom-Up Nanowires	66
4.4.1	Preparation Strategies	66
4.4.2	Chemical Vapor Deposition (CVD)	67
4.4.3	Molecular Beam Epitaxy (MBE)	68
4.4.4	Laser Ablation	68
4.4.5	Solution-Based Techniques	69
4.4.6	Catalyst Materials	69
4.4.7	Catalyst Deposition Methods	70
4.5	Material Properties and Thermoelectric Efficiency	71
4.6	Top-Down Nanowires	71
4.6.1	Preparation Strategies	71
4.6.2	Material Properties and Thermoelectric Efficiency	75
4.7	Applications of Bulk and Thin-Film Silicon and SiGe Alloys to Energy Harvesting	77
4.8	Applications of Nanostructured Silicon to Energy Harvesting	79
4.8.1	Bottom-Up Nanowires	79
4.8.2	Top-Down Nanowires	80
4.9	Summary and Outlook	83
	Acknowledgments	84
	References	84

5	Techniques for Characterizing Thermoelectric Materials: Methods and the Challenge of Consistency	93
	<i>Hans-Fridtjof Pernau</i>	
5.1	Introduction – Hitting the Target	93
5.2	Thermal Transport in Gases and Solid-State Materials	94
5.3	The Combined Parameter ZT -Value	97
5.3.1	Electrical Conductivity	98
5.3.2	Seebeck Coefficient	101
5.3.3	Thermal Conductivity	103
5.4	Summary	107
	Acknowledgments	107
	References	107
6	Preparation and Characterization of TE Interfaces/Junctions	111
	<i>Gao Min and Matthew Phillips</i>	
6.1	Introduction	111
6.2	Effects of Electrical and Thermal Contact Resistances	111
6.3	Preparation of Thermoelectric Interfaces	114
6.4	Characterization of Contact Resistance Using Scanning Probe	117
6.5	Characterization of Thermal Contact Using Infrared Microscope	121
6.6	Summary	123
	Acknowledgments	124
	References	124
7	Thermoelectric Modules: Power Output, Efficiency, and Characterization	127
	<i>Jorge García-Cañadas</i>	
7.1	Introduction	127
7.1.1	Moving from Materials to a Device	127
7.1.2	Differences in Characterization	128
7.1.3	Chapter Summary	130
7.2	The Governing Equations	130
7.2.1	Particle Fluxes and the Continuity Equation	130
7.2.2	Energy Fluxes and the Heat Equation	132
7.3	Power Output and Efficiency	136
7.3.1	Power Output	137
7.3.2	Efficiency	139
7.4	Characterization of Devices	142
7.4.1	Thermal Contacts	142
7.4.2	Additional Considerations	143
7.4.3	Constant Heat Input and Constant ΔT	144
	References	145

8	Integration of Heat Exchangers with Thermoelectric Modules	147
	<i>Alireza Rezaia</i>	
8.1	Introduction	147
8.2	Heat Exchanger Design – Consideration in TEG Systems	148
8.3	Cold Side Heat Exchanger for TEG Maximum Performance	150
8.4	Cooling Technologies and Design Challenges	154
8.5	Microchannel Heat Exchanger	156
8.6	Coupled and Comprehensive Simulation of TEG System	157
8.6.1	Governing Equations	157
8.6.2	Effect of Heat Exchanger Inlet/Outlet Plenums on TEG Temperature Distribution	158
8.6.3	Modified Channel Configuration	162
8.6.4	Flat-Plate Heat Exchanger versus Cross-Cut Heat Exchanger	164
8.6.5	Effect of Channel Hydraulic Diameter	167
8.7	Power–Efficiency Map	168
8.8	Section Design Optimization in TEG System	169
8.9	Conclusion	170
	Acknowledgment	170
	Nomenclature	170
	References	172
9	Power Electronic Converters and Their Control in Thermoelectric Applications	177
	<i>Erik Schaltz and Elena A. Man</i>	
9.1	Introduction	177
9.2	Building Blocks of Power Electronics	177
9.3	Power Electronic Topologies	179
9.3.1	Buck Converter	180
9.3.1.1	On-state	181
9.3.1.2	Off-state	181
9.3.1.3	Averaging	181
9.3.2	Boost Converter	182
9.3.3	Non-Inverting Buck Boost Converter	183
9.3.4	Flyback Converter	184
9.4	Electrical Equivalent Circuit Models for Thermoelectric Modules	185
9.5	Maximum Power Point Operation and Tracking	186
9.5.1	MPPT-Methods	187
9.5.1.1	Perturb and Observe	187
9.5.1.2	Incremental Conductance	189
9.5.1.3	Fractional Open Circuit Voltage	189
9.6	Case Study	191
9.6.1	Specifications	192
9.6.2	Requirements	193
9.6.3	Design of Passive Components	193
9.6.4	Transfer Functions	194

9.6.5	Design of Current Controller	196
9.6.6	MPPT Implementation	196
9.6.7	Design of Voltage Controller	198
9.7	Conclusion	201
	References	201
10	Thermoelectric Energy Harvesting for Powering Wearable Electronics	205
	<i>Luca Francioso and Chiara De Pascali</i>	
10.1	Introduction	205
10.2	Human Body as Heat Source for Wearable TEGs	205
10.3	TEG Design for Wearable Applications: Thermal and Electrical Considerations	208
10.4	Flexible TEGs: Deposition Methods and Thermal Flow Design Approach	212
10.4.1	Deposition Methods	212
10.4.1.1	Screen Printing	213
10.4.1.2	Inkjet Printing	213
10.4.1.3	Molding	213
10.4.1.4	Lithography	214
10.4.1.5	Vacuum Deposition Techniques	214
10.4.1.6	Thermal Evaporation	214
10.4.1.7	Sputtering	215
10.4.1.8	Molecular Beam Epitaxy (MBE)	215
10.4.1.9	Metal Organic Chemical Vapor Deposition (MOCVD)	216
10.4.1.10	Electrochemical Deposition	216
10.4.1.11	Vapor–Liquid–Solid (VLS) Growth	216
10.4.2	Heat Flow Direction Design Approach in Wearable TEG	217
10.5	TEG Integration in Wearable Devices	218
10.6	Strategies for Performance Enhancements and Organic Materials	221
10.6.1	Organic Thermoelectric Materials	223
	References	225
11	Thermoelectric Modules as Efficient Heat Flux Sensors	233
	<i>Gennadi Gromov</i>	
11.1	Introduction	233
11.1.1	Applications of Heat Flux Sensors	233
11.1.2	Units of Heat Flux and Characteristics of Sensors	234
11.1.3	Modern Heat Flux Sensors	235
11.1.4	Thermoelectric Heat Flux Sensors	236
11.2	Applications of Thermoelectric Modules	238
11.3	Parameters of Thermoelectric Heat Flux Sensors	240
11.3.1	Integral Sensitivity S_a	240
11.3.2	Sensitivity S_e	241
11.3.3	Thermal Resistance R_T	241
11.3.4	Noise Level	241

11.3.5	Sensitivity Threshold	241
11.3.6	Noise-Equivalent Power <i>NEP</i>	242
11.3.7	Detectivity D^*	242
11.3.8	Time Constant τ	243
11.4	Self-Calibration Method of Thermoelectric Heat Flux Sensors	243
11.4.1	Sensitivity	243
11.4.1.1	Method	243
11.4.1.2	Examples	245
11.4.2	Values of <i>NEP</i> and D^*	247
11.5	Sensor Performance and Thermoelectric Module Design	247
11.5.1	Dependence on Physical Properties	248
11.5.2	Design Parameters	248
11.6	Features of Thermoelectric Heat Flux Sensor Design	249
11.7	Optimization of Sensors Design	250
11.7.1	Properties of Thermoelectric Material	251
11.7.2	Parameters of Thermoelectric Module	251
11.7.2.1	Pellets Form-Factor	251
11.7.2.2	Thermoelement Height	252
11.7.2.3	Dimensions of Sensors	254
11.7.2.4	Pellets Number	254
11.7.3	Features of Real Design	255
11.8	Experimental Family of Heat Flux Sensors	257
11.8.1	HTX – Heat Flux and Temperature Sensors (HT – Heat Flux and Temperature)	257
11.8.2	HFX – Heat Flux Sensors without Temperature (HF – Heat Flux)	257
11.8.3	HRX-IR Radiation Heat Flux Sensors (HR – Heat Flux Radiation)	257
11.9	Investigation of Sensors Performance	259
11.9.1	General Provisions	259
11.9.2	Calibration of Sensor Sensitivity	259
11.9.3	Sensitivity Temperature Dependence	261
11.9.4	Thermal Resistance	263
11.9.5	Typical Temperature Dependence of the Seebeck Coefficient	264
11.9.6	Conclusions	264
11.10	Heat Flux Sensors at the Market	265
11.11	Examples of Applications	268
11.11.1	Microcalorimetry: Evaporation of Water Drop	268
11.11.2	Measurement of Heat Fluxes in Soil	269
11.11.3	Thermoelectric Ice Sensor	269
11.11.4	Laser Power Meters	274
	References	278
12	Photovoltaic–Thermoelectric Hybrid Energy Conversion	283
	<i>Ning Wang</i>	
12.1	Background and Theory	283

12.1.1	Introduction	283
12.1.2	PV Efficiency	285
12.1.3	TEG Efficiency	285
12.1.4	PVTE Module Generated Power and Efficiency	285
12.1.5	Energy Loss	285
12.1.6	Cost	286
12.1.7	Overall Feasibility	289
12.2	Different Forms of PVTE Hybrid Systems: The State of the Art	292
12.2.1	PVTE Hybrid Systems Based on Dye-Sensitized Solar Cell (DSSC)	292
12.2.2	Dye-Sensitized Solar Cell with Built-in Nanoscale Bi_2Te_3 TEG	294
12.2.3	PVTE Using Solar Concentrator	294
12.2.4	Solar–Thermoelectric Device Based on Bi_2Te_3 and Carbon Nanotube Composites	296
12.3	Optimizations of PVTE Hybrid Systems	297
12.3.1	Geometry Optimization of Thermoelectric Devices in a Hybrid PVTE System	297
12.3.2	Enhancing the Overall Heat Conduction and Light Absorption	298
12.3.3	Fishnet Meta-Structure for IR Band Trapping for Enhancement of PVTE Hybrid Systems	299
12.3.4	Full-Spectrum Photon Management of Solar Cell Structures for PVTE Hybrid Systems	300
12.3.5	An Automotive PVTE Hybrid Energy System Using Maximum Power Point Tracking	301
12.4	Application of PVTE Hybrid Systems	302
12.4.1	Novel Hybrid Solar System for Photovoltaic, Thermoelectric, and Heat Utilization	303
12.4.2	Development of an Energy-Saving Module via Combination of PV Cells and TE Coolers for Green Building Applications	303
12.4.3	Performance of Solar Cells Using TE Module in Hot Sites	303
12.5	Summary	306
	References	307

Index	311
--------------	------------

