

## Index

### **a**

- alloy nanoparticles with high-index facets 73
  - Fe-Ni 77–79
  - Pd-Pt 74–76
  - Pt-Rh 76–77
- anodization 104

### **b**

- benzotriazole (BTAH) film formation 353–354
- biomolecular sensing 287

### **c**

- capping agent adsorption for nanoparticles, *see* nanoparticle capping agents
- carbon monoxide adsorption on platinum 40–43
- carbon nanotubes (CNTs)
  - energetics of ion insertion 261
  - Li<sup>+</sup> ions in 251
- cetyltrimethylammonium (CTAB) 212
- chemical enhancement theory 275
- chemical templating 172–174
- citric acid 208
  - adsorption on Au(111) electrodes 208
  - stabilized Au nanoparticles 210
- CO charge displacement 15–18
- copper (Cu) NPs 81–83
- Coulomb potential screening
  - along the axis 255
  - effective image radius 257
- crystal orientation and rotation
  - Miller indices 11
  - stepped surface 10
- cuprous oxide (Cu<sub>2</sub>O) 84–88
- cyclic anodization (CA) 104

### **d**

- 4-dimethylaminopyridine (DMAP) stabilized Au nanoparticles 217, 236
- adsorption on polycrystalline Au 219–226
- adsorption on single crystal Au surfaces 229–231
- competitive adsorption effects 226–229
- directed growth 231–235
- direct formic acid fuel cell (DFAFC), anode catalysts for FAOR
  - Pt multipods, discs, and hexagons 187, 188
  - Pt Y-junction, Pt nanowires and Pt/C 188, 189
- direct hydrogen fuel cell (DHFC), cathode catalysts for ORR
  - star-like Pt nanowire/C and Pt/C 178–180
  - supportless Pt nanotubes and Pt/C 177
- direct methanol fuel cell (DMFC), anode catalysts for MOR
  - Pt DNTs, Pt SNTs and Pt/C 184, 187
  - SnNW and Pt/C 183
  - Pt nanowires/TiO<sub>2</sub> and Pt/C 181, 182

### **e**

- EC-SERS aptasensor 286
- electrically-conductive plasmonic substrates 278–279
- electrocapillary equation, application of 32–34
- electrocatalysis
  - carbon monoxide on platinum 40–43
  - oxygen reduction reaction 43–47
  - parameters 40
- electrocatalytic activity 389–393
- electrochemical melting 286

- electrochemical milling and faceting (ECMF) 72–73
- electrochemical reactions 374–375
- electrochemical SERS 282–284
- electrochemical SPR and LSPR 279–281
- electrochemical treatment 123
- electrochemistry application, in SHINERS 350–351
- electrochemistry-mediated shape evolution 71–72
- electrodeposition, nanohole array fabrication 304–307
- electromagnetic enhancement theory 275
- electrooxidation processes, *in situ* investigation – SHINERS 357–359
- electrospinning method 159, 160
- electrostatic interactions, nanotubes 250–251
- f**
- Fe-Ni alloy NPs 77–79
- fluorine containing buffer solution 116
- g**
- gold nanotubes – energetics of ion insertion 262–264 – Li<sup>+</sup> ions in 251
- gold single crystal electrode fabrication 203
- graphene oxide nanosheets 126–128
- h**
- hard anodization (HA) 104
- hard sphere model – kinked surfaces 8 – stepped surfaces 7
- high surface energy – alloy nanoparticles 73–74 – Fe NPs 79–81 – metal nanoparticles 60–61
- high-index facets – Fe-Ni alloy NPs 77–79 – metal nanoparticles – – *hh*<sub>l</sub> facets 66–69 – – *hk*<sub>k</sub> facets 66 – – *hk*<sub>l</sub> facets 69–71 – – *hk*<sub>0</sub> facets 61–66 – – surface energies 60 – Pd-Pt alloy NPs 74–76 – Pt-Rh alloy NPs 76–77
- H<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub> nanowires 101
- hydrofluoric acid aqueous solution 116
- i**
- ion insertion – band structure of nanotubes 255 – in CNTs 261 – in gold nanotubes 262 – optimum position 259–261
- ionic charge, nanotubes 252–253
- ionic liquids (ILs) 354–357
- iron (Fe) NPs 79–81
- isolated mode *vs* contact mode – chemical environmental contact 342 – electrical contact with surfaces 342 – probe molecules contact 343
- l**
- Lang, Joyner, Somorjai (LSJ) nomenclature-Miller indices relationship, for stepped surfaces 6
- laser induced temperature jump method 34–40
- laser-induced potential transients 36–38
- lead sulfide (PbS) 89–90
- local quantum capacitance – and charge impurity effect 398 – graphene 394–396
- local redox reactions, with PECM 380–381
- localized surface plasmon resonance (LSPR) 272
- low-index facets – Cu NPs 81–83 – Fe NPs 79–81 – Pt NPs 83–84
- m**
- metal evaporation, nanohole array fabrication 301–304
- metal nanoparticles – electrochemical milling and faceting (ECMF) 72–73 – electrochemistry-mediated shape evolution 71–72 – high-index facets – – *hh*<sub>l</sub> facets 66–69 – – *hk*<sub>k</sub> facets 66 – – *hk*<sub>l</sub> facets 69 – – *hk*<sub>0</sub> facets 61 – – surface energies 61 – low-index facets – – Cu NPs 81–83 – – Fe NPs 79–81 – – Pt NPs 83–84

- metal-enhanced fluorescence (MEF) 271, 272
  - anisotropic fluorescence emission 277
  - applications 278
  - electrochemistry 284
  - fluorescence intensity 276
  - Jablonski diagram 276
  - nanohole arrays and thin metallic films 277
  - radiative and nonradiative relaxations 276
  - selection of plasmonic material 277
- metalorganic chemical vapor deposition (MOCVD) approach 161, 162
- metallic alloy nanoparticles, *see* alloy nanoparticles with high-index facets
- mild anodization (MA) 104
- Miller indices 2
  - with Lang, Joyner, Somorjai nomenclature, for stepped surfaces 7
  - crystal orientation and rotation 11
- n**
- nanocavity patterned electrodes
  - enhanced fluorescence 325
  - nanohole array fabrication
  - bottom up approach 299, 300
  - electrodeposition 304, 305, 307
  - metal evaporation 301, 303, 304
  - top down approach 295–299
  - photoelectrochemistry 325
  - plasmonics
  - nanohole arrays 307, 309–311
  - sphere segment void (SSV) structure 310, 311, 313, 314
  - surface plasmons 307
  - Raman spectroscopy 314
  - surface enhanced Raman spectroscopy 316, 317
  - surface plasmon resonance (SPR) 325, 326
- nanochannel-directed templating 164
  - hard templates 164, 165, 167–169
  - soft templates 169–171
- nanodendrite growth 128–130
- nanoflower growth 130–135
- nanohole arrays
  - fabrication
  - bottom up approach 299, 300
  - electrodeposition 304, 305, 307
  - metal evaporation 301, 303, 304
  - top down approach 295–299
  - plasmonics 310
- nanoparticle capping agents 199
  - anisotropic nanoparticle growth 201
  - citric acid
  - adsorption on Au(111) electrodes 208
  - stabilized gold nanoparticles 210
  - Gibbs excesses
  - acid/base forms 205
  - co-adsorbed capping agents 207
  - gold single crystal electrode fabrication 203
- 276
  - multifunctional role 199
  - pyridine derivatives
  - 4-dimethylaminopyridine (DMAP) 217
  - 4-methoxypyridine stabilized Au nanoparticles 236
  - adsorption of DMAP on Au 219, 230
  - competitive adsorption effects 226
  - directed growth 231
  - electrosorption 217
  - quaternary ammonium surfactants 212
  - strength and use 202
- nanoparticles
  - cuprous oxide 84
  - electrochemical milling and faceting (ECMF) 72–73
  - electrochemistry-mediated shape evolution 71–72
  - high-index facets
    - *hh*<sub>l</sub> facets 66
    - *hk*<sub>k</sub> facets 66
    - *hk*<sub>l</sub> facets 69–71
    - *hk*<sub>0</sub> facets 61–66
    - Fe-Ni 77–79
    - Pd-Pt alloy 74–76
    - Pt-Rh alloy 76–77
    - surface energies 61
    - lead sulfide (PbS) 89–90
  - low-index facets
    - Cu NPs 81–83
    - Fe NPs 79–81
    - Pt NPs 83–84
  - nanoplate growth 121, 122
  - nanorods 108–110
  - nanosheet growth, graphene oxide 126–128
  - nanotubes
    - applied cell voltage 115
    - in contact with ionic liquids 264–266
    - Coulomb potential screening 255–259
    - electrochemical anodization 115
    - electrostatic interactions 250–251
    - energetics of ion insertion
      - in CNTs 261
      - in gold 262
      - optimum position 259–261
    - fluorine concentration 116–117

- nanotubes (*contd.*)
  - length and diameter 117–119
  - low and high magnification of TiO<sub>2</sub> 114
  - low and high magnification SEM images 114
  - modification of TiO<sub>2</sub> 119–121
  - TiO<sub>2</sub> electrodes 120
  - ion insertion on band structure 253–255
  - ionic charge 252
  - ionization in 248–249
  - Li<sup>+</sup> ions in carbon and gold nanotubes 251
  - model 266
- nanowires 98–108
  - annealing 101
  - H<sub>2</sub>Ti3O<sub>7</sub> 99–104
  - hydrothermal synthesis method 99
  - Na<sub>2</sub>Ti<sub>6</sub>O<sub>13</sub> 99–104
  - thermal oxidation treatment 106–108
  - TiO<sub>2</sub> 99–104
  - using porous anodic alumina (PAA) templates 104–106
- nonaqueous electrolytes containing fluorine salt 116–117
- nonpolar capping agents 200
  
- o**
- one-dimensional (1D) nanostructured materials
  - nanorod arrays 108
  - nanotubes
    - applied cell voltage 115
    - electrochemical anodization 115
    - fluorine concentration 116
    - length and diameter 117
    - low and high magnification SEM images 114
    - modification of TiO<sub>2</sub> nanotubes 119
  - nanowires, *see* nanowires
- one-dimensional (1D) Pt nanostructures
  - electrocatalyst for PEMFCs, *see* polymer electrolyte membrane fuel cells (PEMFCs)
  - multipods 174–176
  - nanotubes 161–174
    - chemical templating 172–174
    - nanochannel-directed templating, *see* nanochannel-directed templating
    - physical templating 163–164
  - nanowires and nanorods
    - electrospinning method 159, 160
    - MOCVD approach 161, 162
    - template-assisted approach 148–151
    - template-free chemical routes 151–155
    - template-free, surfactant-free chemical routes 155–159
  
- shape-controlled synthesis 146–148
- symmetric *fcc* structure 148
- oxidation and reduction cycling (ORC) 339
- oxygen reduction reaction (ORR)
  - activity of different electrodes 45
  - electron transfer 43
  - linear sweep voltammograms 44
  - rotating disk electrode (RDE) 43
  - schematic process 43
  - Tafel slopes 46
  
- p**
- Pd-Pt alloy NPs 74–76
- physical templating 163–164
- plasmonic biosensing 285–287
- plasmonic spectroelectrochemistry 278
  - electrochemical SERS 282–284
  - electrochemical SPR and LSPR 279–281
  - metal-enhanced fluorescence (MEF) electrochemistry 284–285
- plasmonics
  - EC-SERS 286
  - electrically-conductive plasmonic substrates 278
  - electrochemical melting 286
  - ESPR for pathogenic DNA detection 287
  - localized surface plasmon resonance (LSPR) 272
  - metal-enhanced fluorescence (MEF) 271, 272, 276
  - nanohole arrays, 307 309–311
  - Raman scattering 271, 272, 274
  - sphere segment void (SSV) structure 310, 311, 313, 314
  - surface plasmon resonance (SPR) 271, 272, 278, 307
- plasmonics based electrochemical current microscopy (PECM)
  - current and SPR signal relationship 375–376
  - current detection limit 383–386
  - electrocatalytic activity, single nanoparticles 389
  - electrochemical reactions 374–375
  - experimental setup 379
  - local redox reactions 380–381
  - spatial resolution 383–386
  - square wave voltammetry (SWV) 386
  - trace chemical detection 381–383
- plasmonics based electrochemical impedance microscopy (PEIM) 377–379
  - experimental setup 394
  - local quantum capacitance

- – charge impurity effect 398
  - – of graphene 394–396
  - quantum capacitance 396–398
  - platinum (Pt) NPs 83–84
  - platinum single crystal 9
  - potential of zero charge, *see* potential of zero charge (pzc)
  - preparation
  - – decontamination 12
  - – kinked surface with Miller indices 11
  - – melting 9
  - – particle size 12
  - – process 9
  - – stepped surfaces in zone 11
  - – stereographic projections 9
  - – surface cleaning 12
  - voltammetry, *see* voltammetry, of platinum polymer electrolyte membrane fuel cells (PEMFCs) 176
  - DFAFC, anode catalysts for FAOR 185–189
  - DHFC, cathode catalysts for ORR 177, 178, 180
  - DMFCs, anode catalysts for MOR, 187 181–183
  - reaction mechanisms 176, 177
  - porous anodic alumina (PAA) membranes 104–106
  - AFM and SEM images 107
  - potential of zero charge (pzc) 24
  - application of electrocapillary equation 32–34
  - charge distribution 27
  - CO charge displacement with integration of voltammogram 29
  - electrocapillary equation 24, 26
  - model for estimation 32
  - polarizable and non-polarizable interphases 26
  - total charge curves in coulometric analysis 29
  - Pt multipods 174–176
  - Pt nanotubes 161–174
  - chemical templating 172–174
  - multipods 175
  - nanochannel-directed templating
  - – hard templates 164, 165, 167–169
  - – soft templates 169–171
  - physical templating 163–164
  - Pt nanowires and nanorods
  - electrospinning method 159, 160
  - MOCVD approach 161, 162
  - template-assisted approach 148–151
  - template-free chemical routes 151, 153
  - template-free, surfactant-free chemical routes 155–159
  - Pt-Rh alloy NPs 76–77
  - pulse anodization (PA) process 104
  - pyridine adsorption 351–353
- q**
- quantum capacitance 396–398
  - quaternary ammonium surfactants
  - cetyltrimethylammonium 212
  - halide Co-adsorption on gold single crystals 214–215
  - implications for nanoparticle systems 215–216
  - model surfactant adsorption on gold single crystals 212–214
- r**
- Raman scattering, *see* surface enhanced Raman scattering (SERS)
  - Raman spectroscopy
  - intensity of Raman bands 315
  - resonant Raman scattering 315
  - selection rules 315
  - SERS, *see* surface enhanced Raman spectroscopy (SERS)
  - vibrational modes 315
- s**
- scanning electrochemical microscopy (SECM) 373
  - self-organising approaches, nanohole array fabrication 299
  - semiconductor nanowires, *see* nanowires
  - shell-isolated nanoparticle-enhanced Raman spectroscopy (SHINERS)
  - isolated mode *vs* contact mode
  - – chemical environmental contact 342
  - – electrical contact with surface 342
  - – probe molecules contact 343
  - application of 350
  - benzotriazole (BTAH) film formation probing for 353
  - electrooxidation processes
  - – *in situ* investigation 357–359
  - ionic liquids (ILs) 354–357
  - oxidation and reduction cycling (ORC) 339
  - pyridine adsorption 351–353
  - quantitative analysis 359–361
  - SHINs
  - – characterization of 348–350
  - – synthesis of 345–348
  - surface-enhanced Raman scattering (SERS) 340

- shell-isolated nanoparticle-enhanced Raman spectroscopy (SHINERS) (*contd.*)
  - tip-enhanced Raman spectroscopy (TERS) 341
  - 3D-FDTD simulations 343–345
- shell-isolated nanoparticles (SHINs) 341
  - characterization of 348–350
  - synthesis 345–348
- single Pt nanoparticles, electrocatalytic current 390–393
- sphere segment void (SSV) structures 319, 321, 323
- square wave voltammetry (SWV) 386–389
- square-wave potential method, metal NPs 71
- surface crystallography
  - atomic structure of basal planes 4
  - cutting process in 2D 2
  - hard sphere model
  - – kinked surfaces 8
  - – stepped surfaces 8
  - in stereographic projection 3, 4
  - LSJ nomenclature-Miller indices relationship 6
  - Miller indices 2
  - platinum basal planes 6
  - stepped surfaces 6
  - stereographic triangle 4, 5
- surface electrochemistry
  - crystallography
  - – atomic structure of basal planes 4
  - – cutting process in 2D 2
  - – hard sphere model 8
  - – in stereographic projection 3, 4
  - – LSJ nomenclature-Miller indices relationship 6
  - – Miller indices 2
  - – platinum basal planes 6
  - – stepped surfaces 6
  - – stereographic triangle 4, 5
  - – CO on platinum 40
  - – oxygen reduction reaction 43
  - – parameters 40
  - – laser induced temperature jump method 34
  - with Pt electrodes, *see* platinum single crystal
- surface energy 146
- surface enhanced Raman scattering (SERS)
  - 271, 272, 274
- surface enhanced Raman spectroscopy (SERS) 316
  - applications in electrochemistry 324
  - at sphere segment void (SSV) surfaces 319, 321, 323
  - chemical enhancement 316
  - electromagnetic enhancement 316, 317
  - on nanohole arrays 318–320
  - surface selection rule 317
- surface plasmon (SP) wave 271
- surface plasmon coupled emission (SPCE), *see* metal-enhanced fluorescence (MEF)
- surface plasmon polaritons, *see* surface plasmons
- surface plasmon resonance (SPR) 271, 373
  - and LSPR, electrochemistry 279
  - binding events 272
  - classification 272
  - detection of biomolecules 272
  - nanohole arrays 274
  - nanocavity patterned electrodes 325, 326
  - sensors 274
- surface plasmons 307
- surface-enhanced fluorescence, *see* metal-enhanced fluorescence (MEF)
- surface-enhanced Raman scattering (SERS) 340, 342
  - analyte absorbed onto metal surface 274
  - applications 275
  - electromagnetic and chemical enhancement theories 275
  - sensors 275
- t**
- thermal oxidation treatment, TiO<sub>2</sub> nanowires 106–108
- 3D-FDTD simulations 343–345
- three dimensional (3D) nanomaterial growth
  - nanodendrites 128–130
  - nanoflowers 130–135
  - – hydrothermal time 132
  - – structures 134
- TiO<sub>2</sub> nanowires
  - hydrothermal method 99
  - thermal oxidation treatment 106–108
- tip-enhanced Raman spectroscopy (TERS) 341, 342

**v**

- voltammetry, of platinum 13
  - adsorption isotherm 14
  - charge density *vs.* atomic density 14
  - CO charge displacement experiment 15
  - electrolytes 13
  - potentials 14
  - stepped surfaces 18

titanium oxide films

- morphology 112
  - oxidation 112, 113
  - oxygen sources 110–113
  - water contact angles 110
- two dimensional (2D) nanomaterial growth
- graphene oxide nanosheets 126–128
  - nanoplate 121–126
    - – bifunctional electrode 125
    - – electrodes 122