

Index

a

Abbott i-STAT analyzer 14
 acid-nitrile exchange reaction 356, 357
 adaptive packed-bed microfluidic
 process optimization 364
 adhesive bonding 127
 affinity-based CTC enrichment
 CTC-Chip 243
 CTC-iChip 244–245
 CTC subpopulation sorting 247
 GEDI 243–244
 GO chip 246–247
 HB-chip 244
 HTMSU 245–246
 NanoVelcro rare cell assays 246
 OncoBean Chip 246
 Ag@ZnO composites 459, 460
 alternating current (AC) voltammetry
 213
 aluminophosphate material 480
 amino acids 273
 amperometric protocol 216–219
 anisotropic microparticle formation
 397
 anodic bonding 119
 ApoStream (ApoCell) 252
 Applied Biosystems SOLiDTM system
 301
 aptamer 266
 Archimedes number 50
 ascaridole synthesis 362
 atto594-labeled 20-oligmer nucleotide
 289
 Atwood number 51
 Au core–shell composites 457, 459

Au core–shell magnetic-plasmonic
 composites 466
 Auto ChIP platform 284

b

Bernoulli's equation 44
 β -galactosidase (β -gal) 289
 BIA-core microfluidic platform 522
 bio-MOF capsules 484
 biomarker proteins 261
 Biot number 54
 biphasic interfacial MOF synthesis 485
 blood 313
 Blue Gene/L system 166
 B220 marker 291
 Bond number/Eötvös number 51
 bonding process 117–119
 Brinkman number 55
 Brownian diffusion 314

c

capacitive sensing 195
 capillary effects 63
 capillary electrochromatography
 (μ -CEC) 223
 capillary number (Ca) 50, 377
 capped gold nano-slit surface plasmonic
 resonance (SPR) sensor 267
 carbon monoxide (CO) 367
 carbon paste electrode (CPE) 218
 carbon supported composite synthesis
 461–463
 carbonylation Sonogashira reaction
 367

- carboxylate-based MOFs 481
- casein kinase I 353
- catalytic hydrogenation 366
- catechol 213
- catheter-based intravascular drug delivery
 - particle hemodynamics 331–332
 - tissue heat and mass transfer 332–333
- CD31 protein 287
- CdSe/ZnS composite synthesis 456
- Ce-BDC MOF 487
- cell-based assays 11–14
- cell detection 269–272
- centrifuge number 51
- ceramic based microfluidic devices 519
- CFD-ACE+ software 162
- CFX Expression Language (CEL) 162
- CFX software 162–164
- Chapman–Enskog theory 30
- chip-based microfluidic reactor
 - advantages 363
 - for organic synthesis 360–363
- chip-based simple programmed microfluidic processes (C-SPMPs) 412, 452
- chromatin immunoprecipitation (ChIP) 283
- circle-to-circle amplification (C2CA) 281
- circulating tumor cells (CTCs)
 - CellSearch platform 238
 - CTC-chip 243
 - CTC-iChip 244–245
 - CTC subpopulation sorting** 247
 - deterministic lateral displacement 250
 - dielectrophoresis and acoustophoresis 251–252
 - epithelial to mesenchymal transition 241
 - GED1 243–244
 - GO chip 246–247
 - herringbone chip** 244
 - HTMSU 245–246
 - isolation by size of epithelial tumor cells (ISET) 238
 - limitations 253
 - microfluidic devices 239
 - microfluidic filtration** 249–250
 - microfluidic spiral separation 250–251
 - multiorifice flow fractionation 251
 - Nano Velcro rare cell assays** 246
 - OncoBean Chip 246
 - polydimethylsiloxane 238
 - screening for early cancer detection 238
 - (SWOG) S0500 clinical trial 239
 - synthetic DNA/RNA oligonucleotide ligands 241
 - vortex platform 251
- closed DMF systems 179
- clotrimazole amorphous drug 356
- Co@Au nanoparticles 434, 436
- coaxial microfluidic reactors 487
- cobalt (Co) nanocrystal synthesis 422, 423
- coflowing microfluidics 379
- coiled tubing microreactor, for organic synthesis 356–360
- color function volume-of-fluid (CF-VOF) method 156
- compact disc (CD)-based microfluidic device 10
- complex microparticle formation 380
- composites
 - description 445
 - formation mechanism 445, 451–452
 - preparation, *see* microfluidic process
- composites computational fluid-particle dynamics (CF-PD) 319
- computational fluid dynamics (CFD) 160–161
- computational microfluidics 528
- ferrofluid dynamics 315
- flow through porous media 316–317
- fluid-particle dynamics modeling 313–315
- fluid-structure interaction 317–318
- governing equations 312

- intravascular drug delivery, *see*
intravascular drug delivery
 - model closure 312–313
 - nonspherical particle dynamics 316
 - pulmonary drug delivery, *see*
pulmonary drug delivery
 - turbulence modeling 313
 - ComsolMultiphysics 229
 - conductivity protocol 221–223
 - conservative level set (C-LS) method
156
 - contact angle saturation 183
 - continuous flow reactors 405
 - continuous/laminar flow 421
 - continuum method (CM) 155–158
 - coprecipitation method 406
 - core alloying and shell gradient doping
strategy 414
 - core-shell magnetic nanomaterial,
synthesis of 414–415
 - CoSm alloy nanocrystals, IRCPM
process 423
 - Couette flow 22
 - C-reactive protein (CRP) 218
 - CTC-chip 243
 - CTC-iChip 244–245
 - cytochrome P450 gene 283
- d**
- D-amino acids 273
 - Damköhler number (Da) 49
 - Deborah number 52
 - de Broglie thermal wavelength 150
 - dense discrete phase model (DDPM)
314
 - DEP field-flow fractionation (DEPFFF)
device 252
 - deterministic lateral displacement
(DLD) 250
 - dextran-coated superparamagnetic iron
oxide (SPIO) NPs 409
 - diamond-shaped microfluidic
aggregation chamber 155
 - dicarboxylate MIL-88B(Fe)
crystallization, segmented flow
synthesis 482
 - dielectric-plasmonic composites,
synthesis of 457–459
 - dielectrophoresis (DEP) 183
 - dielectrophoresis and acoustophoresis
251–252
 - diethy-laminosulfur trifluoride (DAST)
360
 - digital microfluidic (DMF) system 5
approach 213
analytical models 184
chemical and biological applications
199–201
chip fabrication techniques
179–181
controlling and addressing the signals
197–198
different electrode configurations
181–183
droplet metering and dispensing
techniques 188–189
droplet routing algorithms 195
droplet sensing techniques 195, 196
effect of the gap height 189–190
electrical signals 185–188
***electromechanical and energy
based models*** 183
feedback control 192–195
numerical models 184
prospects of portability 199, 200
types 177–179
 - digital polymerase chain reaction
(digital-PCR) 296
 - 2,3-dihydroxybenzoic acid 219
 - 2,5-dihydroxybenzoic acid 219
 - dimensionless numbers 377
 - dimethylitaconate hydrogenation 364
 - dinitro-herbicide, synthesis of 362
 - direct drug delivery 335–338, 529
 - direct simulation Monte Carlo method
(DSMC) 151–153
 - direct tumor-targeting methodology
332
 - discrete element method (DEM) 314
 - dissipative particle dynamics (DPD)
153–155
macroscopic hydrodynamic equations
154

- d-leucine (d-Leu) 273, 275
 - d-methionine (d-Met) 273, 275
 - DNA assays 6–9
 - dried blood spot analysis 201
 - dripping 378
 - DropBot 195
 - droplet and ionic liquid assisted
 - microfluidic (DIM) synthesis method 480
 - droplet based microreactors, magnetic
 - iron oxide based nanomaterial synthesis 408
 - droplet metering and dispensing
 - techniques 188–189
 - droplet routing algorithms 195
 - droplet sensing techniques 195, 196
 - drug–aerosol dynamics 322–323
 - dry etching method 117
 - dry powder inhaler (DPI) 319
- e**
- Eckert number 55
 - E. coli* lac-Z gene expression pattern 289
 - Ekman number 52
 - electrical signals, DMF
 - effect of changing frequency 187–188
 - types of signals 185–186
 - electrochemical analysis
 - amperometric protocol 216–219
 - conductivity protocol 221–223
 - microjet electrode 224–225
 - multiplexed microchannels 225
 - numerical models 226–229
 - potentiometric protocol 219–220
 - rotating microdroplet 223–224
 - voltammetric analysis 212–215
 - electrode design 181
 - electrokinetic methods
 - electroosmosis flows 76
 - external-operated electric field 79
 - Helmholtz–Smoluchowski formula 79
 - induced-charge electrokinetic (ICEK) flows 80
 - solid–fluid interface 77, 79
 - time scale 80
 - water and aqueous electrolytic solution 78
 - electromechanical and energy-based
 - models 183
 - electrowetting manipulation 11
 - electrowetting-on-dielectric (EWOD)
 - principle 5
 - enhanced condensational growth (ECG)
 - aerosol delivery method 326
 - enhanced deeper lung delivery of drug
 - aerosols via condensational growth 326
 - Entamoeba histolytica* antigen
 - EHI_115350 262
 - enzyme immunoassays 214
 - enzyme-linked immunosorbent assay (ELISA) platform 261
 - epidermal growth factor receptor (EGFR) 286
 - Euler–Euler approach 314
 - Euler–Lagrange approach 314
 - Euler number 52
- f**
- fabrication process techniques
 - 3D printing technology 114
 - semiconductor integrated circuits (IC)/MEMS fabrication 113
 - FactChecker CTC capture system (Circulogix) 249
 - Faradaic and non-Faradaic current 212
 - (FDA)-approved clinical microdialysis
 - probes 272
 - ferrofluid dynamics 315
 - FeSn NPs 429
 - Fick’s laws 29
 - field-programmable gate array (FPGA) 193
 - flash vacuum pyrolysis (FVP) protocols 357
 - flow regime, in microfluidics
 - coflowing microfluidics 379
 - dimensionless numbers 377

- flow-focusing microfluidics
 - 378–379
 - T-junction microfluidics 377–378
 - flow through porous media 316–317
 - FLOW-3D software 165–166, 184
 - flow-focusing microfluidics 378
 - FLOW-VU 164
 - fluctuation–dissipation theorem 154
 - Fluidigm dynamic arrays 300, 301
 - fluid particles (FP) 153
 - fluid–particle dynamics modeling
 - 313–315
 - fluid–structure interaction
 - 317–318
 - fluorescent enzymatic assay 11
 - formyl-tetrahydrofolatesynthetase (FTHFS) 296
 - Fourier number 55
 - Fourier transform (FT) algorithm
 - 213
 - front-tracking (FT) method 156
 - Froude number 50
- g**
- Galileo number 52
 - γ -Fe₂O₃ composites 453, 454
 - gas–liquid reaction 365
 - gas separation testing 497
 - Gauss divergence theorem 156
 - gene expression analysis
 - individual cell levels 280
 - merits 305
 - microfluidic circuits 280
 - nucleic acid analysis 281–283
 - protein level analysis 283–288
 - single cell**, *see* single cell gene expression analysis
 - small cell populations 280
 - gene shearing technology 522
 - Gene-Z 281
 - Geometrically enhanced differential immunocapture (GEDI)
 - 243–244
 - GO chip 246–247
 - gold nanocrystals
 - shape anisotropy 426
 - sharp-edged 427
 - optical absorbance spectra 427
 - Graetz number 52
 - graft polymers
 - biofunctional coatings 140
 - grafting-to technique 142
 - SI-ATRP 137–142
 - surface photo-grafting
 - polymerization 135–137
 - graphene-polyaniline (G-PANI)
 - nanocomposite solution 218
 - Grashof number (Gr) 52
 - green fluorescent protein (GFP) reporter
 - 284
 - Gr-1 marker 291
- h**
- Hagen number 53
 - Hagen–Poiseuille relationship 45
 - Hall effect 38
 - haplotyping 293
 - herringbone (HB)-chip 244
 - high resolution pumping technology
 - 521
 - high throughput ChIP (HTChIP) device
 - 284
 - high-throughput microsampling unit (HTMSU) 245–246
 - high- T/p aminolysis reactions, for medicine synthesis 361
 - hollow gold nanoparticles (HGNNPs)
 - 436
 - hollow polycrystalline MOF sphere
 - fabrication 486
 - hot embossing 124
 - human embryonic stem cells (hESCs)
 - 286
 - human leukocyte antigen (HLA)
 - 296
 - hydrodynamic voltammetry
 - measurements 212
 - hydrophilic pore network models (PNMs) 166
 - hydrophobic organic drug fenofibrate
 - 356
 - hyperthermia 333

i

IL-8 263
 Illumina HiSeq series 301
 IMMP approach, *see* interfacial microfluidic membrane processing (IMMP), approach
 immunoassays 9–11
 immunocytochemistry 286
 induced-charge electrokinetic (ICEK) flows 80
 inhalers and drug–aerosol transport 319–322
 injection molding process 122–124
 inner MOF growth, advantages of 506
 inorganic alumina 501
 inorganic *versus* polymeric supports intensification 501–504
in situ rapid cooling and passivating microfluidic (IRCPM)
 cobalt nanoparticle synthesis 412
 process 423
 integrated microfluidic systems 449
 interface reconstruction volume-of-fluid (IR-VOF) method 156
 interfacial microfluidic membrane processing (IMMP)
 approach 489
 durability and stability of membrane 492
 MOF hollow fiber supported membranes 489
 operating scheme 491
 integrated tubular microfluidic reactor, experimental setup 415
 interleukin-6 (IL-6) 11
 intravascular drug delivery
 direct 335–338
 magnetic 333–335
 nanoparticle-based targeted drug delivery 329–330
 ion-selective electrodes (ISEs) 220
 ion-sensing electrochemical
 paper-based analytical devices (EPADs) 220
 IonTorrent™ system 301, 303
 Ip-Do assay 292, 293

IRCPM, *see in situ* rapid cooling and passivating microfluidic (IRCPM), process
 isolation by size of epithelial tumor cells (ISET) 238

j

Jakob number 55
 Janus nanocomposite 469

k

kinematic viscosity 23
 Knudsen number (Kn) 48

l

lab-on-a-chip (LC) 19
 microfluidic reactors 360, 361
 silicon-based microfluidic reactors 362
 Laplace number 53
 Laplace's law 42–44
 large amplitude AC voltammetry approach 213
 Large-scale Atomic/Molecular Massively Parallel Simulator (LAMMPS) 162
 large-scale Scalable Parallel Short-range Molecular (SPASM) dynamics software 166
 laser ablation 124–125
 laser bonding 126–127
 laser heating 88
 lattice Boltzmann method (LBM) 158–160
 level set (LS) method 13
 Lewis number 55
 lipid-polymer composites 466, 468
 liquid-phase high- T/p continuous-flow pyrolysis 357
 liquid–solid interface 63
 liquid–solid wetting 64
 liquids and gases, concepts of
 mean free path (λ) 21–22
 viscosity (μ) fluids
 Couette flow 22

- eddy viscosity 29
 - in industries/engineering 23
 - kinetic theory of gases 24
 - laminar shear of fluid 23
 - macroscale Couette flow device 23
 - mass and heat transport analysis 22
 - Newtonian fluid 27
 - Newton's law of viscosity 27
 - non-Newtonian fluids 27
 - parallel flow 23
 - round-shaped microfluidic channels 23
 - shear strain rate and shear stress 28
 - Sutherland's constant, reference values and ξ values 25
 - viscoelastic fluids 27
 - viscosity of slurry 28
 - zero viscosity 22
 - loop-mediated isothermal amplification (LAMP) method 281
 - lotus effect 64
 - lysosomal-associated membrane protein 1 (LAMP1) 288
 - lysosomal storage disorders (LSDs) 287
- m**
- Mach number (Ma) 50
 - Mac-1 marker 291
 - magnetic drug delivery 333–335
 - magnetic fields 81
 - magnetic iron oxide-based nanomaterial synthesis
 - continuous flow synthesis 411
 - coprecipitation method 406–411
 - droplet-based microreactors 408
 - electron microdiffraction pattern 408
 - fast solvent extraction 408
 - laminar flow technique 408
 - polyol process 411
 - transmission electron microscopy 408
 - magnetic nanomaterials 412, 414
 - Marangoni effect 87
 - Marangoni number 55
 - mass conservation principle 44
 - Maxwell–Stefan diffusion model 34
 - Meldrum's acid 357
 - membrane protein 264–266
 - mesofluidics 487
 - metal/metal alloy materials 464–466
 - metal-organic framework (MOF) 407, 480
 - automated microfluidic control 486
 - based membrane synthesis 504
 - IMMP approach 489
 - inorganic *versus* polymeric supports: intensification 501–504
 - support influence 504–505
 - description 480
 - inner MOF growth, advantages of 506
 - interfacial synthesis 485
 - HF support intrinsic porosity 505
 - post-synthetic modifications 488
 - surface functionalities and/or hetero-structure shells 484
 - metallic nanocrystals, microfluidic process
 - composition controlled synthesis 434–437
 - crystal structure controlled synthesis 422–426
 - multi-hierarchical structure formation 434–437
 - size and shape controlled synthesis 426–434
 - metallic nanomaterial 419
 - continuous/laminar flow 421
 - segmented flow 421
 - metallic NPs 412, 414
 - metallization 117, 128
 - methylation, of 1-pentanol 364
 - metoprolol 361
 - microjet electrode 224–225
 - micro milling 125

- microelectromechanical systems (MEMS)
 - microfabrication 117
 - technology 1
- microfluidic(s) 405
 - biomedical and chemical applications 1
 - bulk micromachining processes and substrate bonding techniques 1
 - cell-based assays 11–14
 - complex microfluidic systems
 - digital microfluidics 5
 - electrolytic droplets 4
 - construction materials considerations 94–95
 - DNA assays 6–9
 - electrokinetic methods 76–81
 - fabricating microfluidic devices 2
 - fabrication, *see* fabrication process techniques
 - heat (thermal) capacity
 - Brillouin scattering experiments 36
 - Dulong–Petit law 35
 - electron transportation/phonon (lattice vibrations) status 36
 - hydrogen-containing polar molecules 36
 - in metals 36
 - quantum theory 35
 - and temperature 35
 - thermal conductivity 36, 39, 41
 - thermal diffusivity 41
 - thermodynamic energy state 34
 - immunoassays 9–11
 - lab-on-a-chip (LC) 19
 - liquids and gases, concepts of
 - individual molecular collisions 21
 - mean free path (λ) 21–22
 - viscosity (μ) fluids 22–29
 - magnetic fields 81
 - mass and heat transfer principles
 - conservation of energy equation 62
 - conservation of mass equation 60–61
 - conservation of momentum equation 61–62
 - diffusion laws 56–59
 - dimensionless numbers 47–56
 - energy conservation (Bernoulli's Equation) 44–45
 - laminar flow, in circular tube 46–47
 - mass conservation principle (Continuity Equation) 44
 - Pascal's and Laplace's law 42–44
 - Poiseuille's Law 45–46
 - mass diffusivity (D)
 - binary gas system 32
 - biomass in water 33
 - diffusion coefficient 30
 - Fick's laws 29
 - gas-gas diffusivity 31
 - of solvents 32
 - value of constrictivity 30
 - MEMS technology 1
 - mesoscopic features 20
 - micro total-analysis systems (μ -TAS) 19
 - mixing fluids 20
 - numerical simulation 528
 - optofluidic process
 - deformation of interface 87
 - laser heating 88
 - laser intensity 87
 - light-driven manipulation, of liquid 89
 - light-induced Marangoni effect 89
 - light momentum 84
 - linear liquid crystal polymer (LLCP) 89
 - liquid-crystal polymer microstructures 93
 - liquid jets 87
 - Marangoni effect 87
 - optical manipulation devices 83
 - radiation pressure 87
 - thermocapillary forcing 88
 - TMA 91, 92
 - PDMS 2
 - quantum dynamical principles 20

- surface and interface
 - bubble formation 66–68
 - capillary effects 70–71
 - Cassie–Baxter model 64
 - droplet formation 71–74
 - effect of surfactants 68–69
 - energy 62
 - features 69–70
 - solid/liquid and liquid/liquid interaction 63
 - types 63
- surface micromachining processes 1
- microfluidic approach
 - hydrodynamic parameters, control of 380–393
 - phase separation 393–396
 - spreading coefficient 397–398
- microfluidic-based protein quantitation 261
- microfluidic cell culture system 12
- microfluidic cell-patterning assay 292
- microfluidic circuits 280
- microfluidic components 3–4
- microfluidic devices
 - advantages 523
 - biomedical engineering 521
 - bonding/sealing methods 519
 - challenges 525
 - chemical analysis 521
 - design 274, 518–521
 - flow types 518
 - metallic nanomaterials 438
 - potable *in situ* chemical detectors 521
 - power-driving systems 518
 - reduced dimension 526
 - scaling and assembly 520
 - surface properties 520
- microfluidic devices fabrication
 - high density micro pillar array 114
 - material property 114
 - nanomaterials, bulk modification of polymers 142–143
 - polymer fabrication process
 - adhesive bonding 127
 - hot embossing 124
 - injection molding process 122–124
 - laser ablation 124–125
 - laser bonding 126–127
 - metallization 128
 - micro milling 125
 - mold fabrication 122
 - PDMS casting 122
 - polymer patterning 119–125
 - surface treatment 129
 - 3D printing 128–129
 - thermal bonding 125
 - ultrasonic bonding 127
- silicon and glass fabrication process
 - bonding process 117–119
 - etching 117
 - metallization 117
 - photolithography 117
- surface modification
 - grafting polymers 135–142
 - plasma treatment 132–134
 - surfactant 134–135
- microfluidic filtration 249–250
- microfluidic immunoassays 9
- microfluidic methods 292–301
- microfluidic MOF hollow fiber supported membranes
 - advantages 489, 490
 - interfacial microfluidic membrane processing 489
- microfluidic nebulator, for organic synthesis 355–356
- microfluidic oil-segmented droplet confined MOF synthesis 481, 482
- microfluidic paper-based analytical device (μ PAD) 272
- microfluidic process
 - advantages 420
 - composite synthesis
 - pros and cons 449
 - advantages 447
 - Janus nanocomposite synthesis 469
 - lipid-polymer composite 466, 468
 - metal and nonmetal inorganics
 - carbon-supported composite 461–463

- microfluidic process (*contd.*)
 - dielectric–plasmonic composites 457–459
 - plasmonic–semiconductor composite 459–461
 - metallic nanocrystals
 - composition controlled synthesis 434–437
 - crystal structure controlled synthesis 422–426
 - multi-hierarchical structure formation 434–437
 - size and shape controlled synthesis 426–434
 - metal/metal alloy materials 464–466
 - MOF 470–471
 - MOF-based membranes synthesis, *see* MOF-based membrane synthesis
 - nonmetal inorganics
 - oxide coated multifunctional composite 453–455
 - semiconductor–semiconductor composite synthesis 455–457
 - polymers/metal composite synthesis 464, 465
 - spatiotemporal kinetic parameters 420
 - microfluidic reactors
 - advantage 362
 - applicability 354
 - description 351
 - fine chemical and medicine synthesis 353
 - flow chemistry 352
 - high heat-exchanging efficiency 352
 - hydrodynamic flow 353
 - mass transfer 351
 - mixing times 351
 - microfluidic scalability 293
 - microfluidic spiral separation 250–251
 - micro total analysis systems (μ -TAS) 19
 - microtubing-based simple programmed microfluidic processes (MT-SPMPs) 412, 452
 - microtubule-associated protein 1 light chain 3 (LC3) 288
 - MOF, *see* metal-organic framework (MOF)
 - MOF-supported polymeric HF membranes 505
 - mold fabrication 122
 - molecular dynamics (MD) 148–149
 - momentum diffusivity 23
 - Morton number 51
 - moving mesh (MM) method 156
 - computational fluid dynamics (CFD) 160–161
 - continuum method (CM) 155–158
 - direct simulation Monte Carlo (DSMC) method 151–153
 - dissipative particle dynamics (DPD) 153–155
 - lattice Boltzmann method (LBM) 158–160
 - multidrug efflux pump protein P-gp 292
 - multifunctional microparticles, design of, *see* microfluidic approach
 - multifunctional nanoparticles 327–328
 - multiorifice flow fractionation (MOFF) 251
 - multiphase flow microfluidic systems 448, 449
 - multiphase microfluidic reactors 405
 - multiplexed microchannels 225
 - multipurpose batch/semi-batch reactors 351
 - multistage multiorifice flow fractionation (MS-MOFF) 251
- n**
- nanoliter microfluidic approach 484
 - nanoparticle-based targeted drug delivery 329–330
 - NanoVelcro Rare Cell Assays 246
 - nanoyeast single-chain variable fragments (NYscFv) 262
 - nebulizers 319, 321
 - Newtonian fluid 23

- next-generation sequencing
technologies 301–305
- NH₂-MIL-88B(Fe)
particle size distributions 483
PSD dependence with temperature
484
TEM images 483
- nicking enzyme assisted signal
amplification assay 266
- 96-channel microfluidic array 289
- nitriles, preparation of 356
- N,N,N',N'* tetramethyl-1,4-phenylene
diamine 213
- noble-metal nanocrystals 431
- nonaffinity-based CTC enrichment
deterministic lateral displacement
250
- dielectrophoresis and
acoustophoresis*** 251–252
- microfluidic filtration*** 249–250
- microfluidic spiral separation
250–251
- multiorifice flow fractionation 251
- vortex platform 251
- nonspherical particle dynamics 316
- nucleic acid analysis 267–269,
281–283
- numerical simulation
CFD-ACE+ software 162
CFX software 163–164
FLOW-3D software 164–166
LAMMPS 162
large-scale Scalable Parallel
Short-range Molecular dynamics
software 166
models, MD 148–150
- Nusselt number 56, 526
- O**
- off-the-shelf Arduino microcontrollers
199
- Ohnesorge number 53
- OncoBean Chip 246
- one silicon based lab-on-chip
microfluidic reactor, metoprolol
preparation 361
- open DMF systems 177
- oral squamous cell carcinomas (OSCC)
286
- organic synthesis
chip-based microfluidic reactor for
360
coiled tubing micro-reactor for 356
microfluidic nebulator for 355–356
packed-bed micro-reactors for
363–366
ring-shape (tube-in-tube)
microfluidic reactor for
365–368
- oriented attachment (OA) process 423
- orthoester formation 363
- oxide coated multifunctional composite
synthesis 453–455
- ozonolysis 367
- P**
- packed-bed micro-reactors, for organic
synthesis 363–365
- parallel microchip capillary zone
electrophoresis (μ -CZE) 223
- particle absorption and translocation
328
- particle hemodynamics 331–332
- parylene 117
- parylene C deposited with chemical
vapor deposition system 179
- Pascal's law 42–44
- Pd nanocrystals 431
- Péclet number (Pe) 49, 479
- permeation tests 496
- petal effect 64
- phase-field (PF) method 156
- pH-sensitive single-walled carbon
nanotube (SWCNT) material
219
- photolithography 117, 179
- physical coating systems 520
- plasma treatment 520
- plasmonic–semiconductor composite
synthesis 459–461
- platelet factor-4 (PF-4) 263
- Poiseuille's law 45–46

- polyadenosine (5'-AAAAAAAAAA-3')
268
- polycytosine (5'-CCCCCCCCC-3')
268
- polydimethylsiloxane (PDMS) 2, 238,
407
- casting 122
 - microchannel 214
 - sealing 492
 - substrates 175
- polymer fabrication process
- adhesive bonding 127
 - hot embossing 124
 - injection molding process 122–124
 - laser ablation 124–125
 - laser bonding 126–127
 - metallization 128
 - micro milling 125
 - mold fabrication 122
 - PDMS casting 122
 - polymer patterning 119–125
 - surface treatment 129
 - 3D printing 128–129
 - thermal bonding 125
 - ultrasonic bonding 127
- polymeric hollow fibers 501
- polymeric microparticles
- emulsion polymerization 375
 - functions 375
- polymer patterning 119–125
- polymers/metal composite synthesis
464, 465
- polymethylmethacrylate (PMMA) chip
221
- polyol process 411
- polysulfone (PSf) hollow fiber, MOF
layers in 493
- porous coordination polymers (PCPs)
480
- porous crystalline aluminosilicates, *see*
zeolites
- portable microplasma generation device
(MGD) 272
- potentiometric protocol 219–220
- Prandtl number (Pr) 48
- precursor droplet size 485
- pressurized metered-dose
inhaler (pMDIs) 319
- printed circuit board (PCB) layers 197
- prostate specific antigen (PSA) 263
- prostate specific membrane antigen
(PSMA) 263
- protein analysis
- membrane protein 264–266
 - secreted proteins 261–264
- protein interleukin 6 (IL-6) 263
- protein level analysis 283–288
- pseudorabies virus (PRV) gene 281
- PSf HF membranes 505
- permeance rates of 497
- Pt nanoparticles 433
- Pt–Pd core-shell heterostructure
synthesis 465
- pulmonary drug delivery
- drug–aerosol dynamics 322–323
 - enhanced deeper lung delivery of
drug-aerosols via condensational
growth 326
 - inhalers and drug–aerosol transport
319–322
 - multifunctional nanoparticles
327–328
 - particle absorption and translocation
328
 - shape engineering* 326–327
 - smart inhaler system methodology
325
- pulsed mixing method 429
- pure polymeric membranes 488
- q**
- Quantum theory 20, 35
- quorum sensing (QS) 290
- r**
- racemic sertraline imine hydrogenation
365
- rapid prototyping techniques 180
- Rayleigh number 56
- Rayleigh–Plateau instability 379
- rechargeable 3.7 V lithium ion batteries
199

- Reynolds number (Re) 48, 377, 479, 504
- Richardson number 53
- Richtmyer–Meshkov instability 151
- Righi–Leduc effect 38
- ring-shape (tube-in-tube) microfluidic reactor, for organic synthesis 365–368
- Roche/454 FLX 301
- Roche 454 pyrosequencing 301
- rolling circle amplification (RCA) 281
- Rossby number 51
- rotating Froude number 53
- rotating microdroplet 223–224
- Ru nanoparticles 433
- S**
- Sandwich heterogeneous immunoassays 11
- scalable continuous MOF fabrication 486
- Schmidt number (Sc) 48
- secreted proteins 261–264
- secreted proteins 264
- segmented flow 421
synthesis, for dicarboxylate MIL-88B(Fe) crystallization 482
- semi batch reactors 351
- semiconductor-semiconductor composite synthesis 455
- shape engineering 326–327
- Sherwood number 53
- silica tubular supports 501
- silicon and glass fabrication process
bonding process 117
etching 117
metallization 117
- silicon-based microfluidic reactor layout 360
- Si/SiO₂ wafer fabrication 519
- simple microparticle formation 380
- simple reduction/thermal decomposition process 411
- single cell gene expression analysis
flow cytometry 288
- fluorescence activated cell sorting 288
- fluorescent *in situ* hybridization 288
- imaging 289–292
- microfluidic methods 292–301
- next generation sequencing technique 288
- next-generation of sequencing technologies 301–305
- single phase continuous flow 405
- single-phase flow microfluidic system 448, 449
- SiO₂-TiO₂ composite synthesis 454
- sixteen-channel microchip electrophoresis 223
- size dependent thermal conductivity 527
- silicon and glass fabrication process, photolithography 117
- smart inhaler system methodology 325
- solvothermal method 505
- solvothermal synthesis 504
- spin coating 179
- spreading coefficient 397–398
- squeezing 378
- Stanton number 56
- Stefan number 56
- Stokes number 53
- Strouhal number (for oscillatory flow) 54
- surface grafting methods 520
- surface treatment 129
- surface-initiated atom transfer radical polymerization (SI-ATRP) 137–142
- SWOG 0500 clinical trial 239
- t**
- Taylor–Aris's dispersion effect 405
- Taylor number 54
- terminal phosphate-labeled fluorogenic nucleotides (TPLFNs) 303
- tetrahydrocarbazole synthesis 360
- 3D coaxial flow microreactor 407
- 3D printing, 128–129 520
- thermal bonding 125

- time-dependent Schrödinger equation (TDSE) 150
- tissue heat and mass transfer 332–333
- T-junction microfluidics 377
- TM7 16S rRNA genes 292
- 2,4,6-trinitrotoluene (TNT) 213
- tubular microactuators (TMA) 92
- tumour-necrosis factor (TNF- α) 291
- turbulence modeling 313
- u**
- UiO-66 nanoparticles 487
- ultrafine PtSn nanoparticle formation 461, 462
- ultrasonic bonding 127
- UV lithography process 122
- v**
- vascular endothelial growth factor (VEGF) 263
- vascular endothelial growth factor A (VEGFA) 286
- voltammetric analysis 212–215
- volume-of-fluid method (VOF) 160
- volume-of-fluid technique 184
- vortex platform 251
- vortex shedding 151
- w**
- Weber number (We) 49, 377
- wet chemistry method 451
- wet etching method 117
- wetting 63
- whole-genome amplification (WGA) 269
- Wiedemann–Franz law 36
- Womersley number 55
- x**
- xCELLigence system 522
- y**
- yellow fluorescent protein (YFP) 289
- z**
- zeolites 479–480
- zeolitic imidazolate frameworks (ZIF) 480
- synthesis procedures 494
- zero viscosity 22
- ZIF-7 layers
- EDX mapping 496
- liquid-phase epitaxial step-synthesis 495
- ZIF-8 coating, on polymeric substrate 500
- ZIF-8 layers 489, 491, 492
- EDX mapping 496
- solid precipitation 495
- ZIF-8 supported membrane, microscopy characterization of 495
- ZIF-93 membranes 499
- zinc oxide nanoparticles covered by polyvinyl alcohol (ZnONPs-PVA) 264