

Index

a

- aldol type reactions
 - asymmetric aldol reaction 109
 - Mukaiyama aldol reaction 112
 - nitro-aldol reaction 109
- alkaline earth metal catalysis *see* chiral alkaline-earth metal-based catalysts
- cycloaddition reactions
 - t-butyl crotonate, glycine ester with 5
 - α,β -unsaturated carbonyl compounds, α -amino esters with 6
- amino lactonization 128
- annulation reaction 128
- asymmetric hydrogenation (AH)
 - carbon–carbon double bond 196
 - cobalt catalysts 200
 - gold 199
 - iridium complexes 199
 - ketones
 - copper-based catalysts 203, 205
 - iron-based catalysts 201, 203
 - osmium complexes 204
 - Meerwein–Ponndorf–Verley (MPV) reduction 187
 - Monsanto process 185
 - nickel and iron-based catalysts 201
 - phosphines 187
 - palladium 199
 - platinum 199
 - prochiral ketones and imines 187
 - Rh/DIPAMP system 185
 - rhodium 187
 - rhodium-and iridium-based catalysts 185
 - rhodium-based catalysts 196–198
 - Ru catalysts 198
 - titanium- and zirconium-based catalysts 200
 - Wilkinson catalyst 185
- asymmetric hydrosilylation (AHS)
 - carbon–heteroatom double bonds 188
 - chiral zinc complexes 188
 - diphosphine ruthenium complexes 188
 - iridium-catalyzed asymmetric hydrosilylation 188
 - ketones 188
 - copper complex 209–210
 - iron complex 210
 - zinc 212
 - Rh-catalyzed hydrosilylation 188
- asymmetric reduction
 - C=O bonds 201
 - mechanistic considerations 190–196
 - organocatalysis 190
- asymmetric ring opening (ARO)
 - reaction 36–39
- asymmetric transfer hydrogenation (ATH)
 - copper complexes 208
 - iron-based catalysts 206–207
 - nickel-based catalysts 207–208
- aza-Michael addition 150
- aziridination 127–128

C

- chiral alkaline-earth metal-based catalysts
 - anionic chiral ligands 2
 - Brønsted basicity and Lewis acidity 1
 - carbonyl and imine addition reactions 8–14
 - conjugate addition reactions
 - active strontium species 21
 - alkenes, asymmetric
 - aminobromination of 22
 - asymmetric Michael addition 14, 18
 - calcium BINOL complex 14
 - calcium octahydro-BINOL complex 15
 - diastereo- and enantioselectivities 15
 - 3,3-disubstituted oxindoles 20
 - enamides, divergent amination of 20
 - Friedel–Crafts-type alkylation 21
 - glutamic acid derivatives 18
 - Kobayashi's approach 19
 - malonates to chalcones 20
 - malonates to nitroalkenes 19
 - oxindoles, asymmetric oxidation of 22
 - quaternary stereocenter formation, asymmetric cyanation 21
 - strontium and barium 15
 - yields and enantioselectivities 22
 - cycloaddition reactions
 - amino acid Schiff bases with α,β -unsaturated carbonyl compounds 3
 - asymmetric Diels–Alder-type reaction 8
 - asymmetric 3-dipolar cycloaddition reactions 1–2
 - chiral pyrrolidine derivatives 3
 - Diels–Alder cycloadditions 4
 - HOMO–LUMO energy 5
 - tautomerization processes 3
 - hetero-Diels–Alder reactions 7
 - neutral coordinative ligands 2
 - types 2
- copper (Cu)
 - aldol type reactions
 - asymmetric aldol reaction 109
 - aza-Henry reaction 109–112
 - Mukaiyama aldol reaction 112
 - nitro-aldol reaction 109
 - allenes, hydrosilylation of 126
 - allylic oxidation 129–130
 - amination reaction 126–127
 - amino lactonization 128
 - annulation reaction 128
 - asymmetric Friedel–Crafts alkylation 112–113
 - aziridination 127–128
 - carbenoid insertion
 - alkynylation 131–132
 - C–H insertion 130
 - phenolic O–H insertion 131
 - cyclization reactions
 - intermolecular cyclization 120
 - intramolecular cyclization 119
 - reductive cyclization 121–122
 - ring opening
 - cyclization 122–123
 - cycloadditions
 - [3 + 2] cycloaddition 117–118
 - [4 + 1] cycloaddition 118
 - [6 + 3] cycloaddition 118
 - Diels–Alder reaction 113–116
 - 1,3-Dipolar cycloaddition 116–117
 - halogenations
 - asymmetric chloro/fluorination 125
 - enantioselective chlorination 125
 - hydrosilane reduction 126
 - ketone, arylation of 129
 - kinetic resolution 123
 - Mannich type reaction 107–109
 - Michael addition
 - alkylboron derivatives 104
 - chiral *N*-heterocyclic carbene ligand 104
 - nitroacetates 107

- α,β -unsaturated imines, β -borylation of 106
- Mukaiyama–Michael 107
- oxidation states 103
- trifluoromethylation 124–125
- copper-catalysis
 - allylic ethers and esters 238
 - allylic substitutions
 - alkenylaluminum reagent 236
 - allenylboronic acid pinacol esters 237
 - allyl halides 234
 - boronation and silylation 237
 - chiral arenethiolatocopper(I) complexes 232
 - Cu–phosphoramidite complexes 233
 - Diphosphane QuinoxP 235
 - direct enantioconvergent transformation 234
 - enantioselective allylic alkylation, alkylboranes 236
 - ferrocenyl amines 232
 - ferrocenyl diphosphanes 235
 - Grignard reagents 234
 - MeO–BIPHEP 235
 - NHC–ligands 237
 - SEGPPOS-type diphosphane ligand 235
- conjugate addition
 - alkylboranes 232
 - aminoacids 225
 - BINAP 230
 - bisphenyl-derived phosphoramidites, organoaluminum reagents 226
 - dialkyl and diarylzinc reagents 231
 - diphosphanes 227
 - 1,6-enynes, Cu-catalyzed borylative cyclization of 225
 - ferrocene-based chiral ligands 227
 - ferrocene-based ligands 228
 - ferrocenyl diphosphanes 229–230
 - Grignard reagents 227
 - Josiphos ligand 228
 - Michael acceptors 226
 - organozirconium reagents 226
 - peptide-based phosphanes 226
 - phosphoramidites 225
 - phosphoramidites ligands 224
 - TADDOL-derived phosphite-phosphane ligands 231
 - trialkylaluminum reagents 231
 - trimethylaluminum 226
- Cu/Ph–BPE-mediated halogen migration-borylation 240
- 1,3-dipolar cycloaddition 238
- organocopper species 238
- Ph–PBE ligand 238
- cyclization reactions
 - intermolecular cyclization 119, 120
 - reductive cyclization 121–122
 - ring opening cyclization 122–123
- cycloadditions
 - Diels–Alder reaction 113–116
 - 1,3-Dipolar cycloaddition 116–117
- d**
 - Diels–Alder reaction 265, 323, 325
- f**
 - Friedel–Crafts alkylation reaction 51–52
- g**
 - gold-catalysis
 - aldol reaction 241
 - alkynes and Allenes
 - functionalizations 246–250
 - carbon–carbon and carbon–heteroatom bond forming reactions 240
 - catalytic carbophilic activation 241
 - 1,3-dipolar cycloaddition reaction 242
 - dynamic kinetic asymmetric transformations 244
 - enantioselective
 - cycloisomerizations 243
 - Friedel–Crafts reaction 243
 - Mannich reaction 242

- gold-catalysis (*contd.*)
 mono- and bidentate phosphine ligands 243
 monocationic complex 243
 monomeric catalyst / dimeric monometallic catalyst 245
 prochiral 4-dienes 1, 244
 strategies 241
- h**
 halogenations
 asymmetric chloro/fluorination 125
 enantioselective chlorination 125
 Henry reaction 162
 hetero-Diels–Alder reaction 280
- i**
 intramolecular Heck/Aza–Diels–Alder cycloaddition (IHADA) 43
- iron
 bipyridines 62–66
 bis(oxazoline) lewis acid catalysts
 alkenes, asymmetric oxyamination reaction of 74
 C–H functionalization 73
 Diels–Alder reaction 72
 enantioselectivity 73
 intramolecular olefin aminohydroxylation 75
 β -keto esters and oxindoles, enantioselective azidation reactions of 74
 methylphenylsulfide, oxidation of 75
 O–H bond insertion reactions 73
 stereoconvergent and enantioselective olefin aminofluorination 75
 chiral binaphthol 91–93
 chiral Salen–Salan Lewis acid catalysts
 Conia-ene carbocyclization reaction 69
 dinuclear chiral iron complex 67
 enantioselective hydroxylation reaction 71
 enantioselective sulfoxide reaction 67
 Fe^{III}-catalyzed asymmetric sulfide oxidation 66
 Fe^{III}-salen catalysts 68
 oxidative coupling reaction 70
 phenyl ethyl sulfide and phenyl benzyl sulfide 67
 diamine-derived lewis acid catalysts 80–84
 diphosphine
 aromatic and non-aromatic ketones 88
 chiral cyclopentadienyl-Fe^{II} Lewis acids 84
 C₂-symmetric diamino macrocyclic ligands 90
 Diels–Alder reactions 85
 N-(diphenylphosphinyl) ketimine 87
 1,3-dipolar cycloadditions 85
 enantiopure PNNP ligands 86
 hydrogenation reactions 89
 ketones, asymmetric hydrosilylation of 86
 ketones, hydrogenation and transfer hydrogenation 88
 iron porphyrin complexes 59–62
 pyridine bis(oxazoline) lewis acid catalysts
 asymmetric Mukaiyama aldol reaction 76
 ketones, asymmetric hydrosilylation of 76
 Nazarov cyclization-fluorination reaction 79
 styrene, asymmetric aziridination reaction of 78
- k**
 Kinugasa reaction 325
- l**
 Lewis acids and aminocatalysis
 aldehydes, α -functionalization of 363–364

aldehydes and ketones, α -allylic
 alkylation of 346–352, 355
 alkynes 352–362
 allenes 362–363
 iminium activation catalysis 366,
 368

m

Michael addition 147–151
 miscellaneous reactions 364–366
 Mukaiyama aldol reaction 112, 277

n

nitro-Michael addition 150
 nitro-Michael reaction 150

p

ProPhenol catalyst 139

r

rare earth elements
 bifunctional catalysts
 dialkylamide (R_2N)
 ligands 284–288
 enantioselective cyanation
 reactions 283–284
 enantioselective epoxidation
 reactions 282
 rare earth alkoxides 282
 chloride ligands 288–290
 definition 261
 N,N' -dioxide ligands 272–276
 ionic radius and Lewis acidity
 variation 262
 lanthanide ions 262
 Lewis acid–Brønsted base
 catalysis 292
 Lewis acid–Lewis acid catalysis 294
 $Ln(OTf)_3$, aqueous media
 chiral phosphonate ligand 280
 Mukaiyama aldol reaction 277
 nitroaldol reaction 277
 metal-ligand bonding 262
 $M_3[Ln(binol)_3]$ catalysts 290–294
 monofunctional Lewis acid catalysis
 binaphthyl derived ligands 264,
 266

rare earth triflates 263
 pybox ligand 266–272
 Schiff base ligands 276
 Transition metal–lanthanide Schiff
 base catalysts 294–295
 ring opening cyclization 122–123

s

silver catalysis
 azomethine ylides reaction 253
 cinchona alkaloid-derived
 aminophosphine 252
 computational (DFT) methods 250
 Mannich reaction 252
 phosphine ligands 252
 Sakurai–Hosomi allylation, of
 benzaldehyde 250
 Simmons–Smith
 cyclopropanation 162

t

titanium
 aldehydes, enantioselective
 monofluoromethylation of 30
 N -aryl diazoamides, intramolecular
 cyclization of 46
 asymmetric catalytic hetero-Diels–
 Alder (HDA) reaction 42
 asymmetric cyanide addition
 reaction 30–31
 asymmetric Darzens reaction 35
 asymmetric epoxidation 31–35
 asymmetric ring opening (ARO)
 reaction 36–37
 asymmetric sulfoxidation reaction
 asymmetric catalytic
 sulfoxidation 43
 1*H*-benzimidazolyl pyridinylmethyl
 sulfide 43
 chiral
 (*R*)-*N,N*-dimethyl-1-phenyl-
 ethanamine 40
 dendritic chiral salen-Ti
 catalysts 42
 enantiopure hydrobenzoin 41
 hexa-aza-triphenolic macrocycle
 ligand 42

- titanium (*contd.*)
- hydrobenzoin-derived ligand 41
 - metal–organic frameworks (MOFs) 42
 - modified Kagan's protocol 39
 - proton pump inhibitors (PPIs) 41
 - salalen 42
 - tertrate ester ligands 40
- benzaldehyde. asymmetric addition
of diethylzinc 28
- benzaldehyde. chiral BINOL
ligand 28
- coupling reactions 47–49
- 1,3-dicarbonyl compounds,
asymmetric fluorination 44, 45
- enantioselective sequential
condensation/cyclization
reaction 29
- Friedel–Crafts alkylation
reaction 51–52
- ketones, enantioselective reduction
of 46–47
- nitron and α,β -unsaturated aldehyde,
asymmetric 3-dipolar
cycloaddition of 1, 50
- non-activated alkenes, asymmetric
hydroalkoxylation of 47
- W**
- water-compatible Lewis acids
- 1,2-addition to C=N bond 320–323,
326
 - allylation reactions 317–319
 - characteristics 303
 - conjugate additions
 - 1,4-addition of
 - C-nucleophiles 329–332 - boron conjugate additions 332
 - epoxidation 328
 - protonations 334
 - silyl conjugate additions 333
 - thia-Michael additions 328 - cycloadditions
 - Diels–Alder reaction 323–325
 - Kinugasa reaction 325 - definition and
fundamentals 299–302
 - direct-type aldol reactions 313, 316
 - discovery of 299
 - epoxides, addition to
 - C-nucleophiles 327–328
 - N,O,S-nucleophiles 326–327 - Mukaiyama aldol reactions
 - Bi(OTf)₃
and
 - chiral 2,2'-bipyridine 307–308 - chiral dendritic copper(II)
catalyst 310
 - chiral gallium catalyst 310
 - chiral lead(II) complex 304
 - chiral praseodymium catalyst 305
 - chiral scandium catalyst 307
 - chiral zinc(II) and iron(II)
catalysts 311
 - formaldehyde in water 309
 - hydrophilic substrates 304
 - β -hydroxycarbonyl product 303
 - multi-coordination systems 304
 - silicon enolate 307 - reduction 319
- X**
- X-ray diffraction 264
- Z**
- zinc
- asymmetric hydrosilylation (AHS)
ketones 212
 - carbon–phosphorus bond formation
phospha-Michael
addition 172–174
 - carbonyl compounds 151–153
 - C–H bond formation
 - imines reduction 165–169
 - ketone reduction 162–165 - C–O bond formation 169–171
 - cycloaddition 153, 156
 - direct aldol reaction
 - aza-crown catalyst 142
 - cyclohexanone
and p-nitrobenzaldehyde 143
 - enamine mechanism 142
 - fructose-1,6-diphosphate
aldolase 138

- 2-hydroxyacetophenone
 - derivatives 140
- polyhydroxylated structures 138
- ProPhenol 139
- type II aldolase 138
- zinc–proline catalytic system 141, 142
- Friedel–Crafts reaction
 - (F–C) 157–162
- hydrophosphonylation 174–176
- Mannich reaction 144–147
- metabolic processes 138
- Michael addition 147–151
- protein structure and stability 138
- signal transduction and cellular control 138

