

Index

- a**
- AAO. *see* anodic aluminum oxide (AAO)
- AB24 dye removal 521
- absolute temperature 124
- acetylacetonate 96
- acid-cleavable hydrazine bond 414
- acid etching 236
- Acid Red 2 522
- acid-responsive drug release 414
- acoustic absorber 380
- acridine orange
- nZVI for removal of 522
- actinide magnets 48
- advanced oxidation processes (AOP) 525
- aerosol sodium dioctylsulfosuccinate 126
- AFM. *see* antiferromagnetic (AFM)
- agglomerates 88, 93, 101, 126, 129, 463
- Ag nanocrystals, nanocrystallinity of 333
- Ag@Ni HNCs
- low-magnification TEM/HRTEM images 243
- Ag nucleation 253
- Ag polycrystalline 331
- Ag–Pt–Fe₃O₄ heterotrimer HNCs 253
- AHE. *see* anomalous Hall effect (AHE)
- air annealing 460
- all-Fe_xO_y nanostructures 266
- all-metal associations 226
- all-oxide yolk–shell heterostructures 239
- alnico energy 40
- alnico magnets 53
- alnico permanent magnets 40
- alternating current (AC) 407
- alternating magnetic field (AMF) 407, 417
- magnetic triggering 413
- alumina nanoparticles 110
- aminoaromatic compounds 526
- ammonia gas 127
- amorphous/hcp phases, syntheses of 329
- amorphous iron powder 94
- amorphous ribbons 137
- amorphous shell, deposition 225
- AMR. *see* anisotropic magnetoresistance (AMR)
- angiography 382
- angiotensin II 405
- angular shift 46
- anhydrous salts 91
- anionic framework sublattice 240
- anisotropic magnetoresistance (AMR) 67
- anisotropic Nd₂Fe₁₄B/ α -Fe nanocomposite magnets
- hot-deformed, TEM micrographs 165
 - hot-deformed, XRD patterns of 165
- anisotropies 55, 121, 122, 138, 493
- constant 29, 45
 - energy 407, 440
 - Nd₂Fe₁₄B nanoflakes 162
 - REMP nanoparticles 152
 - seeds 228
 - semiconductor NCs 261
 - SmCo₅/ α -Fe nanocomposite magnets, hysteresis loops of 161
 - SmCo₅ nanoflakes 156
 - – half hysteresis loops 157
 - Sm_{0.6}Pr_{0.4}Co₅ nanoflakes 157
 - substrate seeds 256
- annealing methods 329, 451, 457, 494
- solvent vapor 457
 - thermal 457
- annealing temperature 140
- anodic aluminum oxide (AAO) 113, 129, 195, 300
- template 113
- anodization process 129
- anodizing voltage 129
- anomalous exchange-bias effects 235
- anomalous Hall effect (AHE) 67
- antibiofouling 91
- antibonding 36
- anticancer drug 239
- anticancer therapeutics 404
- antiferromagnetic (AFM) 35, 37, 38, 234, 237
- coupling 99, 346

- exchange 39
 - height profile along line marked 401
 - hybridization 37
 - insulators 192
 - material 451
 - antiferromagnetism 35
 - antiferromagnets 38, 43
 - anti-HER2 immunoliposomes 410
 - antihuman insulin antibodies 349
 - antisense locked nucleic acids (a-LNA) 425
 - AOP. *see* advanced oxidation processes (AOP)
 - apoferritin 99
 - apoptotic cell death 410
 - apoptotic hyperthermia 407, 410
 - archetypal metal chalcogenides 259
 - arc plasma method 112
 - areal density 439, 450
 - artificial hybrid nanostructures 218
 - artificial mesoscopic materials 217
 - artificial solids 328
 - asymmetrically Au@Fe_xO_y-decorated Fe_xO_y nanorods
 - binary heterostructures made, low-magnification TEM and HRTEM images 260
 - Atomflo™ Applicator Head 111
 - atomic exchange reactions 240
 - atomic force microscope (AFM) 336
 - atomic moments 31
 - magnetic 32
 - atomic origin, nanomagnetic phenomena 48–51
 - finite-size scaling 50
 - nanoparticle magnetization 49
 - RKKY exchange 48
 - surface and interface anisotropy 51
 - atomic-scale defects 57
 - Au
 - decorated Co nanorods 264
 - heteroepitaxial deposition 252
 - molecular precursor 263
 - nanomaterials 397
 - nanoparticles 107, 111
 - optical biosensor application 106
 - nanorods 233
 - Pt-alloy heterostructures 252
 - tipped CdSe@CdS tetrapods 262
 - tipped FePt nanorods 262
 - AuCu–FeCo (core–shell) nanocrystal, illustration of 179
 - Au–Fe₃O₄ association 250
 - Au–Fe₃O₄ heterodimer peanuts 256
 - Au–Fe₃O₄–PbS heterotrimer HNCs
 - low-resolution TEM images 247
 - Au@Fe₃O₄ yolk–shell HNCs 238
 - Au–FePt necklace-like heterostructures 262
 - AuPt–Fe₃O₄ heterodimers 250
 - autocatalysis 99
- b**
- Bacillus subtilis* 350, 525
 - bacteria separation 350
 - capture efficiency 350
 - detection of 350
 - polymerase chain reaction 350
 - BaFe nanoparticles 101
 - ball milling 498
 - melt-spinning and high-energy 151
 - band structure calculations 203
 - barium ferrites 489
 - Barrett-Joyner-Halenda (BJH) model 311
 - BCB. *see* benzocyclobutene (BCB)
 - bcc. *see* body-centered cubic (bcc)
 - BCP. *see* block copolymer (BCP)
 - BCP DSA. *see* block copolymer-directed self-assembly (BCP DSA)
 - bentazon oxidation 529
 - benzocyclobutene (BCB) 456
 - Berry phase 33, 68, 70
 - Bethe–Slater curve 35
 - Bethe–Slater–Néel curve 41
 - bifunctional coupling 236
 - bilirubin adsorbents 294
 - binary chalcogenide materials, solution-phase/thin film synthesis 191
 - binary magnetic chalcogenide nanostructures
 - europium chalcogenide nanocrystals 196
 - iron selenide nanocrystals 195
 - iron sulfide nanocrystals 192
 - synthesis methods 192
 - binary nanocrystal superlattices, TEM images of 333
 - binary supracrystals 328
 - biocompatible iron 383
 - biocompatible materials 345
 - biocompatible superparamagnetic nanoparticles 409
 - bioconjugated magnetic nanoparticles 428
 - biodiesel production, microalgae 529
 - biofouling 394
 - bioimaging 386
 - biological imaging systems 400
 - biomedical applications 417
 - biomedical diagnostics 233
 - biomedical purposes 235
 - biomedical research 345
 - biomedicine therapy 249
 - bioremediation process, microalgae 529
 - bioseparation 347
 - bacteria separation 350
 - biotechnology and bioprocess 347
 - protein separation 347
 - removal of pollutants, from water 353
 - biotin–streptavidin interaction 425
 - bisphenol A, removal of 524

- bit patterned media (BPM) 454, 455
 - application of 455
 - data storage in 455
 - recording material for 455
 - working principles of 454–462
 - bits 444
 - Bloch wall energy 61
 - Bloch wall scattering 61
 - block copolymer (BCP) 98, 100, 454–457, 461
 - chain mobility 457
 - direct self-assembly of 456
 - film annealing 459
 - phase behavior of 455
 - self-assembly and guided assembly of 455–462
 - block copolymer-directed self-assembly (BCP DSA) 461
 - blocked super paramagnetism 327
 - blocking temperature 124
 - blood–brain barrier (BBB) 419
 - blood cleansing process 352
 - blood oxygenation level-dependent (BOLD) 396
 - body-centered cubic (bcc) 475
 - Bohr magneton 29, 33, 43
 - Bohr radius 31, 55
 - BOLD. *see* blood oxygenation level-dependent (BOLD)
 - Boltzmann–Arrhenius law 62
 - Boltzmann constant 124, 443
 - Boltzmann probabilities 43
 - borohydride reduction reactions 95, 126
 - BPM. *see* bit patterned media (BPM)
 - brain tumors, MRI-monitored magnetic targeting 419
 - broken exchange bonds 46
 - brookite TiO₂ nanorods 263
 - Brownian motion 98
 - Brownian relaxation 407
 - Brown's paradox 56
 - Bruggeman equation 503
 - Brunauer-Emmett-Teller (BET) 311
 - buckling nets 95
 - bulk anisotropic Nd₂Fe₁₄B/ α -Fe nanocomposite magnets 164
 - bulk anisotropic SmCo₅/ α -Fe nanocomposite magnets 160
 - bulk magnets 42
 - bulk material 474
 - bulk metal oxides 104
- c**
- Callen theory 48
 - camptothecin 415
 - cancer-cell apoptosis 416
 - cancer-cell death 415
 - cancer diagnosis 239
 - cancer treatment 397, 414
 - hyperthermia ablation, role of 408
 - MRI role 405
 - Candida albicans* 351
 - capsule-shaped α -Fe₂O₃ nanoparticles 312
 - carbon
 - activation 533
 - amorphous 499
 - arc reaction 125
 - assisted carbothermal method 305
 - nanofibers 522
 - nanostructures 103
 - nanowalls, fabrication 103
 - shell 102
 - carbonization temperature 484
 - carbon–silica nanocomposites 484
 - caspase-8 410
 - caspase-9 410
 - caspase-mediated apoptosis 409
 - catalytic degradation methods 525, 527
 - catalytic efficiency 525
 - cation-exchange reaction 224, 225, 240, 253
 - superparamagnetic nanomaterial 533
 - cation-exchange treatment 240
 - CdCr₂S₄ NCs 204
 - CdSe@CdS core–shell nanorods 265
 - CdSe@CdS core–shell tetrapods, low-magnification TEM 258
 - CdSe@CdS nanorods 265
 - CdS impurity phase 204
 - cell apoptosis 239
 - cell death, programmed 410
 - cell-killing capacity 409
 - cell-signaling control 400
 - cell targeting/sorting 236
 - cellular functions, manipulation of 425
 - cellular information processing 425
 - centrifugation 474
 - ceramic nanoparticles 473
 - Cerenkov luminescence 386
 - cetuximab (CET)-conjugated PEGylated gold nanorods (CET-PGNRs) 398
 - cetyltrimethylammonium bromide (CTAB) 126, 236
 - surfactant 228
 - chain-like magnetic Ni/Ni₃C core–shell heterostructures 244
 - chalcogenide materials 191
 - chalcospinel 192
 - charcoal, activated 519
 - charge-carrier separating capabilities 262
 - charge retention 262
 - charge transfer conduction 67
 - chemical bounding 473
 - chemical coprecipitation method 504
 - chemical decomposition 103
 - chemical etching 103

- electrodeposition 103
- chemical deposition
 - mechanism 102
 - process and influence factors 102
 - synthesis, characteristics of MNP synthesized with 102, 103
- chemical etching process 131
- chemical milling 123
- chemical precipitation 474
- chemical reactivity 474
- chemical reduction method 483
 - characteristics of MNP synthesized with 95–97
 - mechanism 94
 - reductive agents used in 95
- chemical refining processes 152
- chemical synthesis 122, 125
- chemical vapor deposition (CVD) 102, 122, 474, 489, 507
 - equipment 103
 - synthesis 102
- chimeric L6 (ChL6) monoclonal antibody (mAb)-linked iron oxide nanoparticle 409
- chito-FIONs, schematic illustration 410
- chitosan 93
 - fiber 518
- chitosan oligosaccharide-stabilized ferrimagnetic iron oxide nanocube (Chito-FION) 409
- Chlorella vulgaris* 529
- chlorophenol red-(*D*-galactopyranoside (CRPG) 351
- CIP. *see* ciprofloxacin (CIP)
- ciprofloxacin (CIP) 527
- citric acid 92, 488
- classical LaMer nucleation 252
- classical nucleation theory (CNT) 222
- click chemistry 349
- clinical cancer treatment 416
- CMI film, fabrication 105
- CMI. *see* compound metal island (CMI)
- CMR. *see* colossal magnetoresistance (CMR)
- coalescence-crystallization 231, 245
- coarse-grained magnets 155
- cobalt chloride hexahydrate 475
- cobalt (Co) removal
 - by ZVI/graphene nanocomposites, mechanism 521
- cobalt species, outward diffusion 296
- cobalt tricarbonylnitrosyl (Co(CO)₃(NO)) 96
- cocktail method 358
- Co-coating 160
- Co₂(CO)₈, thermal decomposition 264
- CoCrPt film 463
 - oxides thin films 439
- CoCrPt layer 463
- Co-decorated CoO tetrapods 265
- coercivity 56–58, 121, 134, 452
 - of ellipsoids 57
 - variation with grain size 135
- CoFe alloys 160, 442
- coherency strain 261
- coherent rotation theory 55
- coincidence site lattice theory (CSLT) 251, 254
 - based arguments 265
- collagenase 405
- colloidal carbon spheres 304
- colloidal-crystal-assisted-lithography strategy 312
- colloidosomes 254, 255
- colloid polystyrene particles 303
- colossal magnetoresistance (CMR) 67
- combination therapy 415
- combustion driven compaction (CDC) 153, 154
- complementary metal oxide semiconductor 377
- complex-forming agents 95
- complex permittivity 491
 - dielectric loss tangents 491
 - Fe and Ni nanocomposites 491
- complex yolk-shell architectures 239
- composite samples, micrometer/nanometer-sized
 - relative permeability curves 501
- compound metal island (CMI) 105
- computer tomography (CT) 365, 386
- Co_e nanocrystals
 - AFM-based elastic force-displacement measurements 337
 - distribution of E* values of supracrystal films of 337
 - elastic properties of 337
 - magnetic properties of 334
 - mechanical properties of 336
 - nano-Kirkendall effect 329
 - TEM images, and corresponding size distributions 328
 - Young modulus of 337
- Co nanoparticles 95, 329–332
 - nanocrystallinity 331
 - size-dependence of Kirkendall effect 330
- Co nanorod 263
- CoNi nanoparticles 95
- constant permittivity 489, 490
- controlled drug release 411, 412
 - hyperthermia-based 413
- controlled gene 412
- controlled hydrolysis 236
- copper (Cu) removal, by ZVI
 - role of weak magnetic field in 518, 519
- copper sulfide nanoparticles 397

- coprecipitation 85–87, 94, 101
 - characteristics of MNP synthesized with 87
 - mechanism 85
 - process and influence factors 85–87
 - CoPt alloys 443
 - Co@Pt HNCs 238
 - CoPt island array 465
 - CoPt layers 445
 - CoPt nanoparticles 96
 - CoPt-SiO₂ alloy 464, 465
 - CoPt-SiO₂ dot arrays 465
 - core/shell
 - architectures 260
 - counterparts 245, 261
 - HRTEM images of 330
 - interface 224
 - structures 99, 100
 - templating approach 178
 - topology 223
 - core–shell nanowires (CSNW) 127
 - correlation length 50, 72
 - CosmoFerINFeD Ferrisat 346
 - Co/Sm₂O₃ nanoparticles 151
 - Co₉S₈–PdS_x
 - low-magnification TEM and HRTEM images 248
 - Co spheres
 - evolution (TEM images) of 308
 - cosurfactants 98
 - Coulomb interaction 36, 37
 - Coulomb repulsion 34, 66
 - covalent coupling 532
 - Co_xCu_{1–x}Cr₂S₄ NCs 202
 - Cr-based chalcogenides 201
 - chalcospinel compounds 203
 - selenides of 204
 - Cr L₃ EELS spectra 207
 - crystal field potential 46, 47
 - crystallization 89
 - hollow hematite, sonochemical fabrication of 304
 - crystallographic-direction-dependent lattice development 220
 - crystal-phase distribution 240
 - crystal-phase segregation 224
 - CS-700 485
 - CS-Fe-700 485
 - CSNW. *see* core–shell nanowires (CSNW)
 - CT. *see* computer tomography (CT)
 - CTAB. *see* cetyltrimethylammonium bromide (CTAB)
 - cubane-type bis(tetra-*n*-butylammonium) tetrakis[benzenethiolato-μ₃-sulfidoiron] clusters 193
 - cube-shaped EuS NCs
 - Transmission electron microscope (TEM) images 198
 - cubic spinel CuCr₂Te₄ phase 205
 - CuCr₂S₄ 201
 - CuCrS₂/CuCrSe₂ impurity phases 203
 - CuCr₂Se₄ 201
 - CuCr₂Se₄ NCs 208
 - CuCr₂Se₄ single crystals 205
 - CuCr₂S₄ nanocubes 207
 - TEM images 202
 - CuCr₂Te₄ spinel 201
 - Raman modes of 206
 - CuFe₂O₄ nanoparticles 100
 - Cu(I)-catalyzed azide–alkyne cycloaddition 349
 - Curie temperatures 29, 32, 38, 121, 196, 203
 - transition temperature 209
 - Curie–Weiss paramagnetism 31
 - Cu₂S–In₂S₃ heterodimers
 - low-magnification TEM and HRTEM images 248
 - CVD. *see* chemical vapor deposition (CVD)
 - β-cyclodextrin 90
 - cysteine-cysteine-alanine-leucine-asparagine-asparagines (CCALNN) peptide ligands 307
- d**
- data logging 377
 - data storage, capacity 439
 - de Broglie wave length 32
 - dechlorination 525, 527
 - decomposition 133
 - defect classes 85
 - one-dimensional defects 85
 - three-dimensional defects 85
 - two-dimensional defects 85
 - zero-dimensional defects 85
 - degassed bovine liver, coagulated-tissue volume 404
 - demagnetizing factor 40, 53
 - demagnetizing field 40
 - dendrites
 - branched 89
 - hyperbranched 89
 - deposition rates 135
 - devitrification phase transformation 136
 - diagnostic agents 394
 - diagnostic magnetic resonance (DMR) 356, 377
 - assay, schematic 378
 - biosensing 379
 - cleavage
 - – intranucleosomal 410
 - diamagnetism 30
 - 1,2-dichlorobenzene (DCB) 328
 - dielectric losses 483
 - dielectric permittivity 499

- diffraction peaks 493, 498
- dimercaptosuccinic acid (DMSA) 353
- dimeric/oligomeric nanoheterostructures 245
- diphenyl diselenide (DPDS) 203
- dipole–dipole interactions 373
- Dirac equation 73
- direct heterogeneous deposition 224
- direct heterogeneous nucleation 227, 229, 232, 245, 246
- direct redox replacement 225
- direct ring opening polymerization 518
 - of aziridine 518
- dirty-metal
 - behavior 66
 - resistivities 66
- dispersive-nanoparticle-solid phase
 - microextraction procedure 533
- disproportionation reaction method 486
- divalent transition ions 346, 375
- DNA fragmentation 410
- DNA templates 301
- 1-dodecanethiol (1-DDT) 203
 - mineralization and dechlorination by ZVI 528
- dodecyldimethylammonium bromide (DDAB) 266
- domain wall energy 124
- dopamine (DA) 349
- doxorubicin (DOX) 395, 413, 415
 - DOX-SPIO-MBs, schematic illustration of 421
- drift velocity 65
- drinking water, Hg concentration 519
- drug accumulation 405
- drug/gene delivery 407
- drug release, localized 394
- drug release through bond breaking (DBB) 412
- drug release through enhanced permeability (DEP)
 - drug delivery platform 414
- dual magnetic-catalytic functionality 237
- dual-mode bioimaging, bifunctional probes 254
- dumbbell-like nanoparticles 297
 - applications, in cell targeting and drug release 297
 - Au-Fe₃O₄
 - preparation and characterization of 298
 - factors affecting, synthetic process 297
 - magnetic properties of Fe₃O₄ in 297
 - modulation of 297
 - in multimodal biological detection 299
 - production 297
 - therapeutic and diagnostic applications 297
- dumbbell-to flower-like geometry 250
- dyes
 - adsorption and removal of 519–522
 - removal, with nZVI 522
 - adsorption 522
 - degradation 522
 - precipitation 522
 - reduction 522
 - solutions treatment with nanosilica-AgNPs 523
- Dynabeads 347
- Dzyaloshinskii–Moriya (DM) interactions 39, 61
- e**
- ECC. *see* exchange-coupled composite (ECC) media
- effective magnetic anisotropy 122
- effective nuclear charge 74
- EG. *see* ethylene glycol (EG)
- ejection pressure 137
- electrical conductivity 478
- electrical resistance 65, 493
- electric currents and magnetism 65
- electric magnetic field (EMF) 412
- electric percolation 479
- electrocatalysts 239
- electrochemical cell 128
- electrochemical synthesis 123
- electrodeposition process 128, 129, 131
- electroless plating technique 160
- electrolyte 131
- electromagnetic (EM) fields 73, 382, 473
- electromagnetic interference (EMI) 506
 - shielding 507
- electromagnetic materials (EM) 473
 - waves 473
- electromagnetic performances 480, 489
- electromagnetic properties 474
- electromagnetic radiation 397
- electromagnetic response 474
- electromagnetic waves 474
 - absorption capability 234
- electron beam lithography 312, 462
- electron density 47
- electron energy loss spectroscopy (EELS) 207
- electronic-band structure 261
- electronic communication 224
- electronic exchange–coupling mechanisms 226
- electron migration, metal contact role 251
- electron mobility 231
- electron pair 34
- electron scavengers 262
- electron velocity 70
- electroporation 419
- electrospinning 129, 132
- electrostatic electron–electron interactions 34
- electrostatic potential 33
- element doping 451

- EM. *see* electromagnetic materials (EM)
- emergent magnetic field 70
- EMI. *see* electromagnetic interference (EMI)
- emulsifier 87
- emulsion 97
- energy activation barriers 242
- energy ball milling method 493, 495
- energy expression 72
- energy gain 37
- energy minimization, thermodynamics 126
- energy product 52
- energy spectrum 36
- engineered magnetic nanoparticles
- as enhanced magnetic resonance imaging (MRI) contrast agents 374–377
- enhanced permeability and retention (EPR) 372, 405
- enhanced photocatalytic reduction yield 262
- Enterococcus faecium* 350
- environmental contamination 515
- epidermal growth factor receptor (EGFR) 371, 415
- epidermal growth factor receptor antibody (EGFRA) 297
- epitaxial deposition 226
- epitaxial seeded-growth techniques 219
- epithelial cancer cells, photothermal ablation of 398
- epoxy resin 486, 505
- equilibrium phase diagram, stable phases in 447
- A1 phase 447
 - L1₀ phase 447
- ergodicity 42
- Escherichia coli* 348, 525
- etching process 462, 463
- destabilization experiments 250
 - schematic illustration of 316
- 2,20-(ethylenedioxy)-bis-(ethylamine) (EDBE) 351
- ethylene glycol (EG) 100, 475, 480
- ethylene hydrogenation 239
- Eu(II) chalcogenide NCs 192, 210
- electronic transition and spin configuration 196
 - magneto-optic and photophysical properties 200
- Eu(III) dithiocarbamate precursor complex
- solvothermal decomposition 197
- europium monochalcogenides 196
- europium oleate, solvent thermolysis 199
- Eu(S₂CNEt₂)₃Bpy
- crystal structure 198
- EuSe, crystal structure 197
- EuTe nanospindle growth 199
- EuTe nanostructures 199
- exchange constants 35
- exchange-coupled composite (ECC) media 441
- recording density 441
 - writing field 441
- exchange coupling 444, 445
- between grains 446
 - intergrain 444
- exchange energies 62
- exchange stiffness 54, 124
- exogenous genes 419
- external field 30
- magnetic field 67, 367, 372
- f**
- fabricate Sm-Co/Fe(Co)-based hard/soft nanocomposite materials 151
- face-centered cubic (fcc) 196, 443, 475
- cobalt nanocrystals (Co_{fcc}) 329
 - phase, synthesis 329
 - supra crystals, SEM images 332
- face-centered tetragonal (fct) 447
- Faraday effects 192
- in Co_{0.7}Cu_{0.3}Cr₂S₄ 201
- Faraday rotation 196, 210
- fast-diffusing species 237
- fast Fourier transform (FFT) 332
- fcc. *see* face-centered cubic (fcc)
- fct. *see* face-centered tetragonal (fct)
- α-Fe and Fe₃C composite powders 494
- Fe_{0.13}[Co₂₀Ni₈₀]_{0.87} 478
- FeCoNi particles, intrinsic permeability 480
- FeCoNi powders, SEM images 477
- FeCo/Pt superlattices
- perpendicular lattice parameters 178
 - schematic picture of 178
- Fe-CPNDs
- AFM topography images of 401
 - high-resolution TEM micrograph 401
 - synthesis 401
 - TEM micrograph 401
- Fe/graphite oxide nanocomposites, TEM images 486
- Fe nanocomposite, reflection loss 492
- α-Fe nanocrystals 161
- Fenton catalyst 526
- Fenton degradation 525, 526
- Fenton reaction 526–528
- Fe₂O₃
- nanoparticles 97
 - preparation 92
- Fe₃O₄
- crystallites 244
 - graphene oxide nanocomposites 532
 - hollow spheres 309
 - magnetic nanoparticles
 - steps in formation 86

- synthesis 86, 87
- nanocomposites 524
- nanocrystals, OLAC-stabilized 240
- nanoparticles 87, 88, 94, 518, 519, 522, 529, 530
- for harvesting of marine microalgae 529
- synthesis 89
- nanorods 233
- NMP 86
- nucleation sites 250
- PEI nanocomposites 530
- shell 452
- partial dewetting 250
- Fe₃O₄-Ag heterodimers
 - with hollow Fe₃O₄ domain, TEM images 248
 - TEM images 248
- γ-Fe₂O₃-MeX system 254
- γ-Fe₂O₃ nanomaterial 533
- α-Fe₂O₃ nanoplates 525
- α-Fe₂O₃ nanoring formation
 - schematic illustration of 314
- Fe₃O₄-Pt seeds 253
- γ-Fe₂O₃ seed 254
 - tetrapods 265
- α-Fe₂O₃-SnO₂ HNCs 264
- Fe₃O₄-ZnO nanocomposites 530
- Fe₃O₄@ZnO nanorods 234
- FePd nanoparticles 96, 233
- Fe₅₀Pd₅₀ nanoparticles 96
- α-Fe powder 476
 - SEM image 476
 - XRD pattern 476
- Fe-Pr-(BSi) ribbons 162
- FePt-Ag film 448
- FePt alloy 447, 448
- FePt-Au heterodimer HNCs with cubic-shaped FePt domains
 - low-resolution TEM images 247
- FePt-Au trimer and high-order oligomer HNCs
 - low-resolution TEM images 247
- FePt@CdSe HNCs
 - TEM and HRTEM images 241
- FePt@Fe₃O₄ and Pt@Fe₃O₄ yolk-shell HNCs 238
- FePt-Fe₃O₄ heterodimers
 - low-magnification TEM and HRTEM images 248
- FePt@Fe₃O₄ yolk-shell HNCs 239
- FePt film 447, 448
 - L1₀ ordering of 447
- FePt-In₂O₃ heterodimer HNCs 251
- FePt magnetic nanoparticles, synthesis 96
- FePt nanocube 453
- Fe₅₀Pt₅₀ nanocubes 453
- FePt nanoparticles 151, 451–453
 - annealing 451
 - chemical composition of 451
 - with MnO shell 452
 - as recording media 453
 - synthesis, phase transition and size control 451–453
 - without MnO shell 452
- Fe₅₀Pt₅₀ nanoparticles 96
- Fe₅₅Pt₄₅ nanorods
 - TEM images of 302
- FePt nanorod seeds 263
- Fe₅₅Pt₄₅ nanowires
 - TEM images of 302
- FePt-oxide films 448, 450
- Feridex I.V. (AMAG) 346
- Feridex nanoparticles 409
- Fermi energy 203
- Fermi level 68
- Fermi velocity 65
- ferric chloride 484
- ferrimagnetic materials 54
- ferrimagnetic ordering 194
- ferrimagnetic oxide 490
- ferrimagnetism 409
- ferrimagnets 43
- ferrite Co_xFe_{2-x}O₄ nanocrystals 240
- ferrite nanocomposites 496
- ferrite nanoparticles, synthesis 91
- ferrites 474
- ferrofluid 86
- ferromagnetic correlations 51
- ferromagnetic coupling 192, 199
- ferromagnetic exchange 40
- ferromagnetic-like behavior 231
- ferromagnetic nanoparticles 327, 367
- ferromagnetic nanospheres, magnetization reversal 55
- ferromagnetism (FM) 36–38, 44, 67
- ferromagnets 30, 38, 54
 - spinel-type 83
- ferumoxytol (MNP)
 - fluorescently labeled 406
- ferumoxytol and polymeric NPs
 - high-resolution intravital imaging 406
- Fe₃S₄
 - microcrystals 194
 - nanocrystals 192, 194
- Fe₃Se₄
 - nanowires 196
 - TEM images 196
- α-Fe, SEM images 494
- Fe-Se phase diagram 195
- Fe²⁺ sequestering agent 240
- FeSO₄ 195
- Fe_xO_y nanorod 266
- field annealing 139

- field cooling (FC) 208
 field-free point (FFP) 382
 FiM-FM exchange coupling 265
 Finemet'alloys, microstructure evolution 138
 Finemet conventional annealing, time-temperature transformation 140
 finite-temperature magnetism 42-45
 flame vapor deposition (FVD) 129
 Flory-Huggins interaction 455, 457, 458
 flow magnetotripping 413
 fluorescence 386
 fluorescence-activated cell sorting (FACS) analysis 424
 fluorescence imaging 399
 fluorescent emission 254, 265
 fluorexcent nonoxide semiconductors 231
 fluoropolymer 100
 FM. *see* ferromagnetism (FM)
 focused ultrasound transducers 408
 fractional quantum Hall effect (FQHE) 68
 Frank-van der Merwe mode 222
 free energy 34, 43
 frequency dependences, of reflection losses curves 495
 frequency-dependent dielectric losses 483
 fridge magnets 31
 fullerene-IONP nanocomposite 396
 full width at half maximum (FWHM) 443
 functionalized magnetic nanoparticles 427
 fungus-Fe₃O₄ bionanocomposites 519
 FVD. *see* flame vapor deposition (FVD)
 FWHM. *see* full width at half maximum (FWHM)
- g**
 gadd153 promoter 416
 gadolinium-embedded iron oxide 385
 galvanic replacement reactions 237, 239, 240
 GaN hollow spheres formation, mechanism 305
 gas- and bio-sensing 227
 geldanamycin (GM) 411
 GEM. *see* generalized effective-medium (GEM)
 gene delivery
 – agents 420
 – magnetic targeting 423
 – methods,
 – – without viral 422
 – systems 423
 – viral vector 422
 gene expression analysis 366
 generalized effective-medium (GEM) 503
 gene therapy 415, 416
 gene transfection 420
 – efficiency 420
 – research 420
 gene transfer 423
 – efficiency 425
 gene vectors 420
 geomagnetic fields 31
 giant coercivity value 195
 giant magnetoresistance (GMR) 67, 355
 Gibbs free surface energy change function 221
 Gilbert damping parameters 503
 Gilbert equation 479
 GLAD. *see* glancing angle deposition (GLAD)
 glancing angle deposition (GLAD) 113
 global positioning system 403
 glucocorticoid 395
 glutaraldehyde 522
 glutathione (GSH) 349
 glutathione-S-transferase (GST) 349
 GMR. *see* giant magnetoresistance (GMR)
 GO. *see* graphene oxide (GO)
 gold-polymer-nickel hybrid nanowires 300
 – synthesis of 301
 gonadotropin-releasing hormone agonists 408
 Goodenough-Kanamori-Anderson rules 35
 grain boundaries 444
 – sliding 158
 grain isolation 446
 grain size 122, 125, 439, 442
 – magnetic 440
 – nonuniform 440
 granular films, morphology 448
 graphene nano ZVI composite synthesis 525
 graphene oxide (GO) 518
 – nanosheets 518
 graphite oxide 485, 486
 graphoepitaxy 461
 greigite (Fe₃S₄) phase
 – iron sulfide 192
 – nanosheets 194
 grinded powders, SEM images 183
 gyromagnetic resonance 499
 gyroresonance 503
 – peak 504
 – spectrum 501
- h**
 Hall effect 33, 67, 195
 – scattering mechanisms 67
 Hall-Petch relationship 125
 HAMR. *see* heat-assisted magnetic recording (HAMR)
 hard disk drives (HDD) 147
 harmonic expression 71
 hcp. *see* hexagonal close packed (hcp)
 HCT116 cells 399
 heat-assisted magnetic recording (HAMR) 441
 – advantages of 446
 – L1₀ FePt for
 – – overview 447
 – media, requirements for 441, 447

- magnetics 441
- microstructure 441
- texture and chemical ordering 441
- thermal profile 441
- overview of 446–450
- heat generation mechanism 407
- heat-inducible gene 416
- heat-inducible plasmid
 - composition 417
- heat-shock protein (HSP) 411, 416
- heavy metals 515, 516
 - adsorption and removal of 516–519
 - adsorption by ZVI 517
 - ions 354
 - removal of
 - magnetic adsorption 525
 - by ZVI/oxidants 517
 - separation, from contaminated water 518
- Heisenberg energy 38
- Heisenberg exchange 31
- Heisenberg ferromagnetic semiconductor materials 196
- Heisenberg model, 3D 44
- HeLa cells 239
- hematite nanostructure formation process 315
- hepatocellular carcinoma
 - associated antigens 408
 - thermal ablation of 408
- HepG2 cells, PA images 402
- HER2⁺ cancer cells 410
- heterodimers 245
 - formation 254
 - synthesis, at liquid/ liquid interfaces 248
- heteroepitaxial growth
 - strain-driven 257
- heterogeneous Ag deposition 252
- heterogeneous Co nucleation 265
- heterogeneous deposition modes 221
- heterogeneous growth reactions 256
- heterogeneous nucleation 137, 225, 253, 261
- hetero-oligomers made of multiply γ -Fe₂O₃-decorated brookite TiO₂ nanorods
 - low-magnification TEM 259
- heterostructured nanocrystals (HNCs) 217
 - anisotropically shaped 259
 - anisotropic synthesis
 - site-selective heterogeneous deposition on preformed nanorods seeds 258
 - Au–Pt-alloy heterodimer 252
 - AuPt@Fe₃O₄ core–shell 250
 - bimetallic core–shell 228
 - Co@Ag
 - low-magnification TEM/selected HRTEM images 243
 - CoFe₂O₄@SiO₂ HNCs 230
 - colloidal HNCs, controllable synthesis 219
 - core–shell
 - formation mechanism 225
 - core@SiO₂-shell HNCs synthesis 230
 - dumbbell-like Au–Fe₃O₄ HNCs
 - low-resolution TEM images 246
 - fabrication 260
 - hetero-oligomer type 245
 - synthesis by induced fusion of preformed heterostructured seeds 249
 - magnetic core–shell 224, 227, 241, 243
 - oxide material based 229
 - Ni@Au@ZnO, low-magnification TEM/selected HRTEM images 243
 - oligomer-type
 - formation mechanisms 232
 - PdS_x–Co₉S₈–PdS_x peanut-shaped HNCs 256
 - peanut-shaped Au–MnO HNCs
 - low-resolution TEM images 246
 - peanut-shaped FePt–In₂O₃ heterodimer HNCs
 - low-resolution TEM images 246
 - peanut-shaped Pt–Fe₃O₄ HNCs
 - low-resolution TEM images 247
 - prototypes 262
 - strain-driven heteroepitaxial growth, achieved by 260
 - synthesis
 - seeded growth approach 222
 - self-controlled nucleation-growth mechanisms 248
 - yolk–shell HNCs synthesis 238
- heterostructures
 - based on anisotropic shaped material sections 256
 - based on nearly isotropic-shaped material domains 245
 - formation, thermodynamics 220
- 1,2-hexadecanediol 346
- hexadecylamine (HDA) 199, 263
- hexaferrite 489
- hexagonal close packed (hcp) 134, 443, 475
- hexagonal ferrites 41
- hexagonal Fe₇Se₈ 195
- hexahistidine-tagged green fluorescent proteins (6His-GFP) 348
- hexamethylenetetramine (HMTA) 195
- HfCo₇FeCo thin films, nucleation mode
 - cluster-deposited 60
- high-density magnetic recording media 235
- high-energy ball milling (HEBM) 149, 150
 - characteristics of MNP synthesized with 108
 - limitation 108
 - mechanism 108
 - nanocrystalline material production ways 108
 - process and influence factors 108
- high-field magnetizations 36
- high-intensity focused ultrasound (HIFU) 403

- high-moment magnetic nanoparticles, synthesis and modification of 346
- high-pressure chemical vapor deposition (HPCVD) 102
- high pressure warm compaction (HPWC) 153, 154
- high-resolution electron energy loss spectroscopy (HR-EELS) 206
- high-resolution transmission electron microscopy (HRTEM) 226, 490
- high-spin polarization 209
- histidine-tagged proteins 235, 348
- hollow nanoparticles
- of Fe₃O₄, TEM images 310
 - hollow nanoparticles, synthesis of
 - – conventional hard template synthesis 303
 - – homogeneous precipitation method 303
 - – soft template approaches, and 303
 - – template-free methods 303 - synthesis of 303
 - – formation mechanism of 306
 - – inside-out Ostwald ripening process 307
 - – Kirkendall effect 307
 - – reverse micelle transport mechanism 306
 - – solution phase approach 307
 - – solution-phase synthesis 308
 - – template method 307
- hollow SnO₂@ α -Fe₂O₃ ring-like nanoprisms 243
- homogeneity 500
- homogeneous alloy 136
- homogeneous nucleation 223, 233, 255, 477
- horseradish peroxidase (HRP) 349
- hot deformation 163
- hot-injection technique 242
- household wastes 515
- HPCVD. *see* high-pressure chemical vapor deposition (HPCVD)
- HSP70 expression 411
- human acid (HA) 353
- human aortic endothelial cell (HAEC) 358
- human blood opsonin 351
- human breast cancer HBT 3477 xenografts 409
- human mesenchymal stem cell (hMSC) 425
- Hund's rules 34
- hybrid catalyst 525
- hybrid magnetic nanoparticle 395
- hydrazine 483
- hydrazine monohydrate 480
- hydrogel-based DEP systems 413
- hydrogels 413
- hydrogen disproportionation 487
- hydrogen–plasma–metal reaction 113
- hydrophobically modified chitosan (HMCS) 350
- hydrophobic–hydrophobic interaction 370
- hydrophobic surface–oil interaction 354
- hydrothermal and solvent thermal method
- characteristics of MNP synthesized with 88
 - dislocation-free crystal particles, synthesis 87
 - fabrication process 87
 - mechanism 87
 - process and influence factor of 87
- hydrothermal reactions 126
- hydrothermal synthesis method 195
- 5-hydroxyisophthalic acids 90
- hyperproliferative diseases 396
- hyperthermia
- controlled drug release 407, 411
 - magnetically induced 409
 - magnetic nanoparticle-induced 408
- hysteresis cycles 234
- hysteresisgraph 121
- hysteresis loop 137, 334
- hysteresis loss 407
- i**
- imaging-guided therapy
- chemotherapy 394
 - magnetic nanomaterials 393–405
 - multimodal theranostics
 - – magnetic materials, application of 400
- immiscible organic solvent 254
- immunoglobulin (IgG) 349
- immunohistochemical assay 366
- incoherent magnetization reversal 56
- inductive heating compaction (IHC) 153, 154
- inert gases 104
- deposition method 102
- inhomogeneous potential 59
- inorganic and hybrid hollow spheres
- preparation procedures, illustration of 304
- inorganic nanoparticles 405
- in situ carbothermal reduction 484
- integer quantum Hall effect (IQHE) 68
- interatomic exchange 31
- interdroplet exchange 98
- interfacial defects 261
- interfacial energy 224
- interfacial lattice adaptation 261
- interfacial strain 245
- energy cost 256
- intermediate layers 445, 446
- functions 445
 - role of 445
- internal ripening 239
- interparticle coupling degrees 233
- interparticle interactions 93
- intraatomic exchange 34
- intratumoral heat distribution 409
- intratumoral MNP and TNP
- time-course measurement 406
- intrinsic magnetic properties 32

- in vitro magnetically controlled drug delivery 416
 - in vitro magnetofection 420
 - in vitro toxicity 366
 - in vivo gene delivery monitoring 425
 - in vivo magnetically controlled drug delivery 419
 - in vivo toxicity 366
 - IQHE. *see* integer quantum Hall effect (IQHE)
 - iron acetylacetonate $\text{Fe}(\text{acac})_3$ 451
 - iron-based alloys 377
 - iron carbonyl
 - decomposition 235
 - sonication of 94
 - iron chloride (FeCl_2) 451
 - iron hydroxide 86
 - Iron(II) chloride tetrahydrate 474
 - iron(II) hydroxide gel 478
 - iron nanocube domains, soft 263
 - iron nanoparticles 112, 161
 - iron nitrate 92
 - iron oxide magnetic nanoparticles 415
 - iron oxide nanocrystals 90
 - iron oxide nanoparticles (IONP) 99, 395, 419
 - coating 424
 - iron oxide particles, intratumoral application 408
 - iron pentacarbonyl ($\text{Fe}(\text{CO})_5$) 96, 451
 - as precursors 96
 - thermal decomposition 127
 - iron selenide nanostructures, magnetotransport properties 195
 - iron selenide phases 195
 - iron-series transition metal magnets 30
 - iron sulfide
 - greigite phase 193
 - nanocrystals, cytotoxicity studies of 210
 - synthesized using cysteine, SEM images 193
 - iron–sulfur system 191
 - ising chain, at low temperatures 50
 - isocarbophos 533
 - isolated hydrogen atoms 36
 - isotropic nanomagnets 328
 - isotropic $\text{Nd}_2\text{Fe}_{14}\text{B}/\text{Fe}_3\text{B}$ nanocomposite magnets 150, 164
 - itinerant ferromagnetism onset, Stoner criterion 37
- j**
- jet casting 136
 - Joule annealing 136
- k**
- Kanthal resistance heater 102
 - KB cell growth, inhibition of
 - DOXO and PLGA(MNP/DOXO) nanoparticles 418
 - KBET₃H-driven reduction 244
 - Kerr effects 192
 - kinetic energy 70, 72
 - Kirkendall diffusion 252
 - Kirkendall effect 237
 - Kirkendall mechanism 239
 - Kirkendall reaction pathways 253
 - Kondo resistivity 67
 - Kramers' escape rate theory 64
 - Kronmüller equation 53, 56, 58, 59
- l**
- laminar flow 131
 - Landau levels 68
 - Landau–Lifshitz–Gilbert (LLG) 503
 - lanthanide monochalcogenide 197
 - laser irradiation 396
 - laser thermal ablation, MRI-guided 408
 - lattice–ion exchange 219
 - lattice periodicity 33
 - Lewis acid 527
 - L1₀ FePt
 - alloy 447
 - films 447, 450, 463
 - L1₀ FePt–C films 449
 - granular film, phase separation force 449
 - L1₀ FePt–SiO₂ films 449
 - lipid–polymer hybrid nanoparticle system 419
 - lipopolysaccharide (LPS) 351
 - liposomes 405, 416
 - liquid/liquid interfaces, reactions at 254
 - liquid-phase epitaxy via seeded growth 222
 - lithium ion batteries 194, 240
 - lithium-ion storage media 239
 - liver tumors 408
 - LLG. *see* Landau–Lifshitz–Gilbert (LLG)
 - L1₀ ordering 447, 448, 463
 - in FePt films 448
 - and grain size 450
 - kinetic activation energy for 447
 - Lorentz force 67, 68, 70, 355, 517
 - Lorentzians 503
 - lower critical solution temperature (LCST) 414
 - LTP MnBi, coercivity for 183
 - lysosomal membrane permeabilization 415
- m**
- macroscopic magnets 56
 - maghemite
 - hydrophobically modified 395
 - magnesium ferrite nanocrystallites 518
 - magnetic alloy
 - films 442
 - NPs 346
 - magnetically controlled
 - applications 393

- drug delivery 416, 418
- electromechanical devices 233
- photoinduced hyperthermia agents 234
- magnetically recyclable catalysts 235
- magnetic and fluorescent graphene (MFG) 396
- magnetic anisotropy 32, 45, 53, 124, 133, 261, 504
 - constant 72
 - microscopic origin 46
 - phenomenology 45
 - temperature dependence of 48
- magnetic-based HNCs 257
- magnetic binary and ternary hetero-oligomer HNCs 246
- magnetic biosensing 354
 - magnetic resonance-based 356
 - magnetometer-based 355
- magnetic bits 442
- magnetic carbon materials 516
- magnetic chalcogenide nanostructures 191
 - potential applications 208
 - – biomedical 210
 - – magnetocaloric 209
 - – magneto-optic 210
 - – spintronics 208
 - structural and magnetic characterizations 206
 - ternary and higher order 201
- magnetic chitosan nanocomposites 522
- magnetic coercitivity 235
- magnetic compounds 175, 495
 - uniaxial magnetocrystalline anisotropy 175
- magnetic contrast agent 405
- magnetic core–shell heterostructured systems 226
- magnetic core–shell synthesis 238
- magnetic decantation 86
- magnetic decoupling 442
- magnetic dialdehyde starch nanocomposites 518
- magnetic dipolar interactions 327
- magnetic dipole moments 407
- magnetic drug delivery systems 416
- magnetic drug targeting (MDT) 419
- magnetic energy 47, 124
- magnetic EuX NC films 200
- magnetic exchange coupling 234, 255
- magnetic Fe/Fe₂O₃ nanoscavenger 532
- magnetic field 33, 54, 67, 70, 137, 365, 382, 443, 517
 - annealing 140
 - controlled-drug delivery devices 413
 - density 419
- magnetic films 462, 463
 - nanostructures for 462
 - preparation of 109
- magnetic flocculation 529
- magnetic fluid 416
 - hyperthermia 407
- magnetic force-based tissue engineering (Mag-TE) 358
- magnetic grains 442, 444, 445, 448
- magnetic-guided targeting property 400
- magnetic hyperthermia 405–407, 415, 416
 - biomedicine applications 407
 - combining with other therapeutics 414
- magnetic hyperthermia of cancer cells
 - Chito-FIONs, application of 410
- magnetic hysteresis 31, 52, 133
- magnetic induction 365
- magnetic insulators 209
- magnetic liposomes 414
- magnetic Lorentz force 73
- magnetic loss 483
- magnetic materials
 - classes 38–42
 - – permanent magnets 39
 - for etching back process approach 462
 - other applications 41
 - for prepatterned substrate approach 463
 - for template growth 464
- magnetic-metal sections 262
- magnetic micro/nanopumps 413
- magnetic modules 261
 - superparamagnetic behavior 254
- magnetic moment 29, 32, 53, 133
- magnetic nanocarriers, photosensitizer-loaded 396
- magnetic nanocomposites 83, 516–518
 - carbon nanohybrids 517
 - catalytic degradation of wastewater, use in 526
 - detection and analysis of pollutants, use in 532
 - detection and analysis of trace elements, use in 532
 - dye removal in 522
 - heavy metals removal, use in 520
 - microalgal harvesting, use in 531
 - oil/organic pollutants removal, use in 524
 - organic dyes removal, use in 523
 - polymer-functionalized nanomaterials 517
- magnetic nanocrystallites 482
- magnetic nanomaterials 291, 365, 367, 386, 393, 439, 473, 516
 - for adsorption and removal of pollutants in water 516–524
 - in adsorption of pollutants 524
 - applications 530
 - biomedical applications 393
 - biosensors 393
 - for catalytic degradation of wastewater 525–529
 - 1D 127, 128
 - data storage applications 439
 - for dye removal 521

- magnetic data storage and requirements 439–442
- microalgal harvesting using 529, 530
- for monitoring and analysis technologies 530–534
- patterned 454
- surface functionalization of 368–372
 - for phase transfer 369, 370
 - for targeting 370–372
 - tools and rules of 368, 369
- for wastewater resources recovery 529
- magnetic nanomedicine 387
- magnetic nanoparticle-conjugated polymeric micelles (MNP-PMs) 415
- magnetic nanoparticles (MNP) 83, 91, 103, 327, 328, 345, 371, 394, 450
 - adsorption of 517
 - biocompatibility of 366–368
 - design considerations for 368
 - biological toxicity assessment 366, 367
 - controlled synthesis 417
 - delivery 418
 - dispersibility and chemical stability 347
 - as drug carriers 451
 - factors influencing size and shape of 86
 - general toxicity 367, 368
 - magnetic field 345
 - magnetite (Fe_3O_4) core and starch shell, consisting of 420
 - magnetization value of 345
 - as model material 385
 - monodisperse
 - synthesis, phase transition, orientation control, and nanocomposites 450–453
 - near-infrared dye-labeled 425
 - storage and operation 347
 - surface coating of 347
 - surface modification 370
 - synthesis 83, 84
 - chemical approaches 85–103
 - chemical deposition 102, 103
 - chemical reduction 94–97
 - coprecipitation 85–87
 - hydrothermal and solvent thermal synthesis 87–89
 - microemulsion reactions 97–100
 - microwave-assisted synthesis 100–102
 - sol-gel method 83, 91–93
 - thermal decomposition 89–91
 - ultrasonic chemical reactions 93
 - issues related to methods 83
 - composition control 83
 - crystallinity and crystal structure 83
 - large-scale preparation 83
 - morphology control 83
 - particle size control 83
 - particle size distribution 83
 - mechanism 85
 - bottom-up approaches 85
 - top-down approaches 85
 - new approaches 83
 - rapid injection method 83
 - thermal decomposition 83
 - physical approaches
 - high-energy ball milling method 108, 109
 - metal evaporation method 104–108
 - plasma method 109–113
 - synthetic methods
 - chemical methods 84
 - coprecipitation 83
 - hydrothermal synthesis 83
 - microemulsion synthesis 83
 - physical approaches 84, 103–113- magnetic nanostructures 50
 - fabrication of 84
 - patterned
 - for bit patterned media, through bottom-up approach 453–462
 - for bit patterned media, through top-down approach 462–465
 - typical geometries 32
- magnetic nanotubes 127
- magnetic nanowires 131
- magnetic ordering temperature 200
- magnetic oxides 35, 41
- magnetic particle imaging (MPI) 365, 381, 382, 384
 - basic principles 381
 - magnetic nanoparticles, role of 383
- magnetic permeability 489
- magnetic properties 262
- magnetic pulse 380
- magnetic recording 31, 439–442, 450, 465
 - development of L1_0 FePt film for 447–450
 - devices 261
 - heat-assisted 441
 - high-density 450
 - longitudinal 442
 - media 41
 - microwave-assisted 441
 - perpendicular 442, 443, 445
 - CoPt-oxides-based 446
- magnetic red blood cells-based drug delivery system 417
- magnetic relaxation switching (MRS) 356
- magnetic resonance (MR) 39, 90, 207, 394
 - contrast effect 375
- magnetic resonance imaging (MRI) 91, 147, 233, 365, 372, 373, 378, 394, 411
 - blood oxygenation level-dependent 396
 - contrast agent 239, 255
 - pH-activated 400

- guided surgery 403
- magnetic nanoparticles, mechanism and phenomenon of 372–374
- portable microNMR diagnostic device 377, 378
- magnetic resonance switching 377
- magnetic/semiconductor Co-decorated TiO₂ nanorods 264
- magnetic/semiconductor-oxide associations 233
- magnetic separation 249
 - principle 353
 - technology 516
- magnetic skyrmions 61
- magnetic softness 123
- magnetic solid-phase extraction (MSPE) 531
 - adsorbent 532
- magnetic supracrystals 331
 - amorphous cobalt (CoA) nanoparticles, as building blocks 331
 - physical properties 333
 - – analogy between atomic crystalline structures and 333
 - quasi supracrystals 333
- magnetic susceptibility 30
- magnetic switches 413
- magnetic targeting 416, 419
- magnetic thin films
 - Co-based, layer structures 442
- magnetic transition metal 137
- magnetic triggering 414
- magnetic tunnel junction (MTJ) 231, 356
- magnetic viscosity 64
- magnetic yolk-shell structured anatase-based NPs
 - schematic illustration of 293
- magnetism 29, 33, 367
 - anomalous Hall effect 67
 - Berry phase 68
 - exchange
 - – interatomic exchange 34, 35
 - – intraatomic exchange 34, 35
 - functional derivatives and materials equations 71
 - fundamental considerations 32–34
 - itinerant magnetism 35–38
 - magnetic anisotropy 45–48
 - magnetization dynamics 61
 - – magnetic viscosity 63
 - – nuclear magnetic resonance 63
 - – spin waves and ferromagnetic resonance 62
 - magnetoresistance 65
 - – mechanisms 67
 - – metallic conductivity 65
 - origin of 30
 - relativistic physics 72
 - soft-in-hard geometries 59
 - spin-dependent transport 51–64
 - spin dimensionality 42
 - spin structure and interlayer exchange 60
 - topological orders 68
 - unit conversion 74
- magnetite 375, 475
- magnetite nanoparticles 87, 94
 - synthesis 93
- magnetization 29, 30, 32, 38, 48, 54, 71, 121, 137, 235, 496
 - angle 70, 72
 - behavior 381
 - inhomogeneities 53
 - measurements 194, 203
 - reversal 55
 - temperature dependence 44, 233
- magnetization, spontaneous 29, 54
- magnetized medium
 - magnetization of 442
- magnetoacoustic tomography (MAT) 365, 378–381
 - basic principles 378–380
 - magnetic nanoparticles, role of 380, 381
 - schematic illustration 381
- magnetocrystalline anisotropy (MCA) 33, 46, 121, 124, 133, 134, 147, 175, 194, 451
 - constant (K_u) 444
- magnetocrystalline single-ion anisotropy 51
- magnetoelastic anisotropy 47
- magnetofection 423
- magneto-optical
 - activity 227
 - characteristics 197
 - devices 192
- magnetoplasmonic Au@Fe₃O₄ 240
- magnetorelaxometry 408
- magnetoresistance (MR) 32, 48, 65, 195, 355
- magnetoresistive perovskites 35
- magnetostatic
 - energy 39, 124, 134
 - interactions 54
 - intergranular interactions 504
 - self-interaction field 54
- magnetostrictive materials 42
- magnetotransport phenomena 33
- magnetron sputtering 149
- malachite green 533
- maltose binding protein (MBP) 349
- MAMR. *see* microwave-assisted magnetic recording (MAMR)
- manganese acetylacetonate, surfactant-assisted pyrolysis 235
- manganese oleate, pyrolysis 235
- manganese oxide 478
- mannose binding lectin (MBL) 351
- mass magnetization 346

- mass transfer 132
- MAT. *see* magnetoacoustic tomography (MAT)
- material precursors 242
- materials equations 71
- Matrigel 413
- MBE. *see* molecular beam epitaxy (MBE)
- McLachlan equation 503
- MCNP-PEI/plasmid complex 417
- MCNPs, composition 417
- mean-field Curie temperature 44
- mechanical alloying 122, 180, 493
- mechanical compaction method 499
- mechanical milling 122, 123, 125
- media anisotropy field 441
- medical diagnostic agents 393
- medical imaging modalities 400
- melt spinning 181
- melt-spun ribbons 152
- mercaptopropionic acid (MPA) 351
- mercury (Hg)
 - detection and removal of 531
- mesenchymal stem cell (MSC) 358, 416
- mesoscopic supracrystals, physical properties of 327
- mesopore-wall growth 528
- mesoporous composite nanocapsule (MCNC) 404
 - dark-field STEM (scanning transmission electron microscopy) image 404
 - element mapping 404
 - TEM images 404
- mesoporous nanocomposite 484
- metal alkoxides 92
- metal alloy 96
- metal-carboxylate precursors 255
- metal-chalcogenide
 - NCs 240
 - precursor 231
- metal-complex precursor 251
- metal-coordinating species 240
- metal deposition 255
- metal evaporation
 - mechanism 104
 - synthesis
 - – characteristics of MNP synthesized with 105
 - – limitation 107
 - – process and influence factors 104
- metal intermetallics 58
- metal ion precursors 228
- metallic conductivity 67
- metallic magnetic alloys 499
- metallic magnetic materials 474
 - permeability 474
 - saturation magnetization 474
- metallic magnetic nanosized powders 474–504
 - chemical routes 474–490
 - high-energy ball milling 493–499
 - physical compaction 499–504
- metallic oleates 89
- metallic oxide 94
- metallocene 102
- metallo-organic precursors 93
 - thermal decomposition 249
- metal–metal bonds formation 191
- metal nucleation 261
- metal oxides
 - nanostructured 91
- metal seeds 233
- metal shell screening 233
- metal sulfides 255
- metal–surfactant complexes 90
- 2-methoxy ethanol 92
- methylene blue (MB)
 - nZVI, removal by 521
 - photoelectrocatalytic degradation of 525
 - ZVI, removal by 522
- Mg nanoparticles 106
- Mg nanopowders 112
- mice groups
 - corresponding tumor growth curves 401
- microbubble (MB) 419
- microcapsule formation flow, scheme of 306
- Microcystis aeruginosa* 530
- microemulsions 98
 - mechanism 97
 - MNP synthesis, role in 99, 100
 - polymerization reactions in 100
 - process and influence factors 97–99
- microfabrication 104
- micromagnetics 51–64
 - free energy 53, 56, 61
 - magnetization reversal 55
 - – localized nucleation 56
 - – magnetization curling 55
 - – pinning 57
 - scaling 54
 - spin structures 62
 - susceptibility 64
- microtubule nucleation 428
- microwave
 - absorption 101, 239, 480, 492, 498
 - – composites 495
 - – performance 492
 - – properties 479
 - assisted synthesis
 - – characteristics of MNP synthesized with 101
 - – mechanism 100
 - – process and influence factors 100
 - electromagnetic properties 479
 - heating 88
 - hydrothermal method 89

- microwave-assisted magnetic recording (MAMR) 441
 - milling time 125
 - mineralization 525
 - minimum inhibitory concentration 350
 - miRNA depletion, particle-based
 - schematic drawing 426
 - Misfit strain 261
 - MnBi compound
 - anisotropic powders
 - hysteresis loops 185
 - binary alloy 179
 - ferromagnetism in 179
 - high-spin polarization 179
 - induction melting 180
 - low-temperature phase 179
 - magnetic anisotropy 179
 - magnetic field 186
 - magnetic separation 180
 - magnetization reversal mechanism for 184
 - magneto-optical Kerr effect 179
 - neutron diffraction 182
 - sintering method 180
 - lattice parameters 184
 - XRD patterns of 182
 - MnO nanoparticles, OLAC-stabilized 236
 - MNP. *see* magnetic nanoparticles (MNP)
 - MnSe precursor seeds 242
 - MNW. *see* multilayered nanowires (MNW)
 - molecular beam epitaxy (MBE) 129
 - molecular precursors 242
 - molybdenum 191
 - monodisperse iron oxide 90
 - mononuclear phagocyte system 372
 - morphological homogeneity 125
 - Mossbauer data 111
 - Mossbauer spectroscopy 124
 - Mott insulator 66
 - mouse treated with TOOKAD
 - tumor response 398
 - MPI. *see* Magnetic Particle Imaging (MPI)
 - MR. *see* magnetic resonance (MR)
 - MRI. *see* magnetic resonance imaging (MRI)
 - MSNCs/Ag nanotubes 529
 - MSPE. *see* magnetic solid-phase extraction (MSPE)
 - multicomponent dyes, removal of 522
 - multicomponent magnetic NPs 291
 - multifunctional inorganic seed precursors 256
 - multifunctional nanoparticles 399
 - multifunctional polymer nanoparticles, synthetic procedure 418
 - multilayered nanorods (MNR) 127
 - multilayered nanowires (MNW) 127, 129
 - multimodal imaging 242, 384–386
 - engineered multifunctional magnetic nanoparticles 385, 386
 - magnetic nanoparticles for 384, 385
 - tools 400
 - multimodal theranostic nanoplatfoms 400
 - multimodal therapy, imaging-guided 400
 - multinonlinear dielectric loss behavior 234
 - multiple magnetite cores, TEM image 420
 - multiseeding-step reaction 262
 - multiwalled nanotube (MWNT) 102
 - into nanocomposite 354
 - MWNT. *see* multiwalled nanotube (MWNT)
- n**
- nabla operator 70, 71
 - Nannochloropsis maritima* 529
 - nanoboxes 240
 - nanocages 240
 - nanocomposites 99, 473
 - Nd₂Fe₁₄B/Fe₃B magnets 164
 - nanocntainer 250
 - nanocrystal heterostructures growth, from anisotropically shaped seeds 257
 - nanocrystalline
 - microstructures 123
 - permanent magnet powders 150
 - powders preparation 150
 - RFeB-based powders 161
 - SmCo₅ magnets 157, 158
 - SmCo₅ sintered magnet
 - demagnetization curves 156
 - nanocrystalline SmCo₅ permanent magnets
 - hot-deformed, XRD patterns of 158
 - hot pressed 157
 - nanocrystallites 504
 - nanocrystals (NCs) 217, 226
 - HNCs
 - high-angle annular dark-field STEM images 241
 - nucleation 242
 - seeds 240
 - cation exchange mechanism, scheme of 241
 - semiconductor magnetic NCs 236
 - surfactant-capped Co (or Fe) NCs 237
 - nanodisks 312
 - high-density information storage, application in 312
 - nanodroplets 97, 98
 - nanodumbbells
 - NiPt-tipped CdS nanorods
 - low-magnification TEM 258
 - Pt@Co-tipped CdS nanorods
 - low-magnification TEM 258

- nanofibers 127
- nanoflakes 108
- nanoflowers 399
- nanogeometry and micromagnetism 58
 - grain-boundary micromagnetism 60
 - hard-soft two-phase nanostructures 58
 - micromagnetic topological protection 61
- nanohetero-oligomer architectures 245
- nanoheterostructures 83
- nanohybrids 518, 519
 - preparation of 522
- nanomagnetism 33
- nanomaterials 515
 - preparation 99
 - reactivation property of 530
- nanomedicines
 - accumulation 405
 - active targeting 405
 - passive targeting 405
 - therapy 405
- nanoparticles (NPs) 85
 - based drug-delivery 395
 - carbon coated 102
 - chemically homogeneous oxide 92
 - crystalline structure 328
 - diameters and size distributions 328
 - ferromagnetic amorphous, preparation 95
 - of metals and ferrites 473
 - monodisperse 87, 90, 97
 - remotely triggered in vivo release from 412
 - single-component magnetic NPs 291
 - synthesis of 310
 - cell imaging and drug delivery, applications 310
 - nitrogen adsorption-desorption isotherms of 311
 - one-step solvothermal methods 311
 - physical and chemical methods 310
 - soft templates 311
 - in vivo MRI images 412
 - yolk-shell Au@Fe₃O₄ NPs
 - TEM images of 296
 - yolk-shell NPs
 - schematic procedure by Ostwald ripening 295
 - schematic procedure for 294
- nanoplateles 259
- nanoplatfom 403
- nanopowders 112
 - generation chamber 112
 - nonmetallic magnetic 504–506
 - rare earth-based 91
 - synthesis 94
- nanoreactors 97
- nanorings 312
 - high-density information storage, application in 312
- nanorods 133, 256, 259–261, 299
 - seeds 260
 - solvothermal method 301
 - templating synthesis method 299
 - termini 260
- nanoscale
 - Kirkendall effect 329
 - Ni₂P
 - formation 244
- nanoscale zero-valent iron (nZVI) 516
 - adsorption behavior of 517
- nanoscopic hot spots 427
- nanosilica-AgNPs nanocomposite 522, 525
- nanosized carbon materials
 - with magnetic components 506–509
- nanostructured alkoxides
 - hydrothermal synthesis of 518
- nanostructured FePt thin films 447
- nanostructured magnetic films 439
 - for data storage 441
 - FePt media for HAMR 446–450
 - PMR media 442–446
- nanostructured rare-earth permanent magnet, development of 147
- nanostructured soft magnets 121
 - chemical synthesis 121
 - mechanical alloying 121
 - plasma processing 121
 - sputtering techniques 121
- nanostructures 442
 - programmable synthesis of 217
 - tube furnace for synthesis 104
 - synthetic methods 83
- nanotechnology 83, 387, 473, 515
 - development of 403
- nanotubes 127
- nanowires (NW) 127, 133, 256, 259, 299, 489
 - solvothermal method 301
 - templating synthesis method 299
- α-naphthol, removal of 524
- β-naphthol, removal of 524
- native oxide 127
- Nd₂Fe₁₄B
 - based magnets 163
 - grains 162, 165, 166
 - magnetically aligned nanoflakes
 - SEM images 151
 - nanoflakes 151
- Nd₂Fe₁₄B/Fe₃B nanocomposite magnets 149
- Nd₂Fe₁₄B/α-Fe nanocomposite magnets 164
- Nd-Fe-B magnet 148, 157
 - based melt-spun ribbons 162
 - hot deformed, magnetic hysteresis loops 163
- Nd₃Fe₈₆B₆ melt-spun ribbons

- TEM micrographs and SAED pattern 164
 - Nd-Fe-B nanoflakes 162
 - near-field transducer (NFT) 446
 - near-infrared (NIR) 386, 397
 - biological windows 234
 - necrosis 410
 - Néel–Brown law 62
 - Néel relaxation 124, 234, 407
 - Néel temperatures 200
 - net magnetization 31, 372
 - neurodegenerative diseases 399
 - Newton's kinetic energy 72
 - NFT. *see* near-field transducer (NFT)
 - nickel chloride 480
 - hexahydrate 475
 - nickel magnetic nanowires
 - synthetic procedure 300
 - Ni-core-catalyzed organics decomposition 244
 - Ni fibers, SEM images 481, 482
 - Ni-filled paraffin composites, reflection losses 484
 - Ni nanoparticles 106, 244
 - Ni²⁺–ODA complexes 255
 - Ni₂P@Ni HNCs
 - low-magnification TEM and selected HRTEM images 243
 - Ni30 powder, TEM image 506
 - Ni1000 sample, reflection loss curves 507
 - Ni-tipped CdS nanorods
 - low-magnification TEM 258
 - nitrate reduction 525, 527
 - nitridation 127
 - nitrotriacetic acid 348
 - Ni_{0.7}Zn_{0.3}Fe₂O₄ powders, XRD patterns 505
 - N-nitrosodiphenylamine nitrosamine 533
 - NNSS-spin configuration 199
 - noble metals 99
 - noncore–shell HNCs
 - formation 245
 - nonepitaxial deposition 232, 245
 - nonhydrolytic sol–gel routes 233
 - nonhydrolytic synthetic routes 369
 - nonmagnetic metals 67
 - nonmagnetic oxides 234
 - non-rare earth magnets 47
 - nonsimultaneous nucleation 131
 - nonylphenol
 - removal of 524
 - nonzero hysteresis 127
 - novel magnetic tracers 383
 - n-type charge transport 231
 - nuclear imaging 400
 - nuclear magnetic relaxation 367
 - nuclear magnetic resonance 63, 372
 - nuclear proteins 415
 - nucleating agent 127
 - nucleation 53, 55, 57, 60, 87, 102, 125, 136
 - fields 57, 72
 - growth dynamics 224
 - processes 255
 - nucleic acids 378
 - nude mice
 - bearing HCT116 tumors
 - – in vivo NIR imaging 399
 - – in vivo T1-weighted MR images 399
 - in vivo T1-weighted MRI images 397
 - NW. *see* nanowires (NW)
 - nZVI. *see* nanoscale zero-valent iron (nZVI)
 - nZVI nanomaterials 518, 521
- O**
- OA. *see* oleic acid (OA)
 - octadecene (ODE) 204
 - octadecylamine (ODA) 202
 - ohmic drop 133
 - oleate-capped Fe₃O₄ MNPs 348
 - oleic acid (OA) 86, 88, 90, 93, 96, 106–108, 127, 195, 328, 346
 - as stabilizers 96
 - as surfactant 108
 - oleylamine (OLA) 88, 96, 108, 127, 195, 228, 346
 - as stabilizers 96
 - yielded nanocacti 195
 - oncological diseases 415
 - one-dimensional (1D) magnetic nanostructures 127, 128
 - axial growth rate 132
 - summary 130
 - one-pot methods 255
 - single-step approaches 242
 - ophthalmic macular degeneration 396
 - opsonization effect 367, 372
 - optical detection 249
 - optical dual modal imaging system 425
 - optical imaging 400
 - optimal microstructure 138, 139
 - optoelectronically active semiconductor materials 224
 - optoelectronics 217, 218, 261
 - orbital moment quenching 47
 - organic dyes 521
 - organic microdroplets 254
 - organic pollutants 515
 - organic stabilizers 220
 - organometallic chemistry 261
 - organometallic iron precursor 263
 - Ostwald ripening mechanisms 252
 - oxidative corrosion 237
 - oxide-based sputtering 444
 - oxide core–shell HNCs 237

- oxide nanoparticles 383
- oxidizing reagents 237
- oxygen activation degradation 525
- oxygen disproportionation 487
- ozonation 525, 527

- P**
- PA. *See* photoacoustic (PA)
- PAA-Co₉Se₈
 - -DOX, as theranostic platform 402
 - nanoplates 402
 - - PA images 402
 - - T2-weighted MR images 402
- PAI. *See* photoacoustic imaging (PAI)
- palladium acetylacetonate 233
 - as precursors 96
- paraffin 488
 - composite 483
 - wax 492
- paramagnetic particles 63
- paramagnetism 30, 374
- parasitic homogeneous nucleation 226
- partial cation exchange reactions 240, 241
- partial shell dewetting 231
- particle agglomeration 452
- particle/grain size refinement 148
- pathogenic bacteria 351
- Pauli expansion 73
- Pauli matrices 69, 73
- Pauli paramagnetism 36, 37, 49
 - wave vector interpretation 36
- Pauli principle 34, 36
- Pauli susceptibility 36
- Pb/Se-surfactant complexes 253
- PDMS. *see* poly (dimethylsiloxane) (PDMS)
- PDT. *See* photodynamic therapy (PDT)
- PEG. *see* polyethylene glycol (PEG)
- PEI. *See* polyethylenimine (PEI)
- penetration depth 60
- pentacarbonyliron 90
- percolation 490
- perivascular host cells
 - MNP/TNP distribution 407
 - take up
 - - MNP vs. TNP 407
- permanent magnets 31, 39, 175
 - body-centered cubic (bcc) 175
 - coercivity, size dependence of 148
 - energy product of 175
 - magnetocrystalline anisotropy (MCA) of 175
 - plot of high K_u materials, for high-energy product 176
- permeability 121, 124, 496, 504, 505
 - frequency-dependent imaginary part 502
- permeable reactive barrier (PRB) 516
- permittivity 486, 490, 505
- perpendicular magnetic recording (PMR) 439, 442
 - media 441, 442
 - - Co-based 442
 - - making 439
 - - overview 442-446
 - - recording density 440
 - - writing field 440, 441
- perpendicular magnetization 63
- personalized treatment 394, 396
- perturbation theory 33, 48
- PET. *see* positron emission tomography (PET)
- pH-activated nanodots 400
- ϵ -phase Co nanocrystals, synthesis 328
- phase-controlled iron 235
- phase segregation 242, 244
 - development 245
- phase separation 444
- phase transformations, kinetics of 102
- phenyl ether solvents 249
- phosphate-buffered saline (PBS) 419
- photoacoustic imaging (PAI) 399
- photocatalytic systems 261
- photochemical catalysis 525
- photochemical oxidation 99
- photodeposition process 262
- photodetectors 191
- photodynamic anticancer agent 396
- photodynamic therapy (PDT) 396, 415
 - imaging-guided 396
- photogenerated charge carriers 261
- photoluminescence 99
 - quantum yield 233
- photosensitized BOLD-contrast MRI 396
- photosensitizer 396, 415
- photothermal therapy (PTT)
 - imaging-guided 397
 - nanoagents 397
- pH-sensitive magnetic nanogrenades (PMNs) 396
 - pH-dependent structural transformation 399
 - related magnetic/photoactivity change 399
- physically localized therapy 408
- physical vapor deposition (PVD) 104
 - techniques
 - - laser ablation 104
 - - molecular beam epitaxy 104
 - - sputtering 104
 - tube furnace, used for 104
- pinning
 - and nucleation 58
- PI-PLA. *see* polystyrene-poly lactide (PI-PLA)
- planar flow 136
- plasma

- etching 464
- jet
- – reactor 110
- technique 109–111
- – characteristics of MNP synthesized with 110–112
- – limitation 113
- – mechanism 109
- – process and influence factors 109
- polymerization treatment 110
- torch 125
- plasma pressure compaction (PPC) 154
- plasmid transfection
 - fluorescence microscopy images 424
- plasmonic devices 227
- plasmonic properties 234
- plasmon resonance 227, 251
- plasmon-to-exciton coupling 218
- platinum (Pt)
 - dome arrays 465
 - electron enrichment 253
 - nucleation 228
 - tipped Au nanorods 228
 - tipped Cd@CdS core-shell nanorods 262
- platinum acetylacetonate 233
 - Pt(acac)₂ 451
- PLD. *see* pulsed-laser deposition (PLD)
- PLGA
 - embedded nanoparticles, TEM images 418
 - PEG, fluorescently labeled 406
- PMMA. *See* polymethylmethacrylate (PMMA)
- PMR. *see* perpendicular magnetic recording (PMR)
- polar electron-donor solvent 250
- polarizations 483, 490
- polar media 249
- pollutants
 - diffusion 515
 - refractory 525
 - removal
 - – by ZVI-ZVI/H₂O₂ system, mechanism 527
- polybenzoxazine 522
- polycarbonate membrane templates 300
- polychlorinated biphenyls (PCB)
 - isomers 524
- polycrystalline material 85
- polycrystalline nanorings
 - schematic illustration of 313
- polydentate bridging ligands 90
- polydopamine 518
- polyelectrolytes 98
- polyethylene glycol (PEG) 91, 297, 367
- polyethylenimine (PEI) 356, 423
- polyhistidine-tagged proteins 349
- polymer
 - brushes 456, 458
 - polyamic hydrazide 519
- poly(methacrylic acid) pentaerythritol tetrakis (3-mercaptopropionate) 307
- polymethylmethacrylate (PMMA) 200
- poly(N-isopropylacrylamide) (PNIPAM)
 - based nanogels 413
 - microgels 413
- polyols 474
 - method 127
 - process 91, 95
 - as reducing agent 91
- poly (dimethylsiloxane) (PDMS) 457
 - dot patterns 461
- polystyrene 303
 - brushes 456
- polystyrene-block-poly (ethylene oxide) (PS-PEO) 458
- polystyrene-polydimethylsiloxane (PS-PDMS) films 458
 - solvent annealing 460
 - thermal annealing 458, 459
- polystyrene-poly lactide (PI-PLA) 458
- polyvinylpyrrolidone 91
 - coated magnetite nanoparticles 524
- pore density 129
- porosity 500
 - reduction 516
- porous nanoparticles, synthesis of
 - thermal decomposition method 311
- positron emission tomography (PET) 365, 399
- postannealing process 447, 448
- postdeposition coalescence-crystallization 254
- postdeposition ion milling 129
- potassium permanganate 479
- potassium stannate
 - hydrothermal treatment 234
- potential energy 36
- Pourbaix diagram 128
- PRB. *see* permeable reactive barrier (PRB)
- precursor concentration ratio 251
- precursor injections, slow 242
- precursor oxide 488
- prednisolone acetate 395
- preformed HNCs
 - reactions induced between 256
- preomagnetization 517
- prostate cancer 409
- protein separation 347
 - advantages 347
 - chromatography 347
 - gel electrophoresis 347
- PS-PDMS. *see* polystyrene-polydimethylsiloxane (PS-PDMS)

- PS-PEO. *see* polystyrene-block-poly (ethylene oxide) (PS-PEO)
- pulsed electrodeposition 131
- pulsed-laser deposition (PLD) 129, 149
- pulse excitation 365
- pulse thermal processing (PTP) 154
- PVD. *see* physical vapor deposition (PVD)
- pyromelitic dianhydride 519
- pyrrhotite nanocrystals 193
- pyrrole monomer 92
- q**
- quantum mechanical origin magnetism 34
- quantum mechanics 32
- quartz tube 103
- quenched MnBi ribbons melt-spun
- SEM image of 182
- quenching reaction 133
- quench rate 137
- r**
- rabbit liver tumors, *in vivo* coagulated necrotic-tumor volume 404
- radiation therapy 415
- radio frequency (RF) 365, 372, 412
- induction heating 137
- radiotherapy 408
- Raman-active modes 205
- Raman-active outer layer 403
- Raman scattering responses 226
- RanGTP proteins 427
- Ran/RCC1 signaling 427
- rapid solidification technique 136
- rare earth anisotropy 47
- rare-earth permanent magnets (REPM) 83, 147
- bulk fully dense magnets 152
 - films 152
 - low-dimensional materials 149
 - nanoparticles 151
 - nanostructured powders 149, 150
 - nanostructured preparing techniques 149
- rare earth transition metal intermetallics 41
- RCC1/Ran signaling network
- simplified schematic 428
- RCO_x-based magnet powders 156
- magnetically anisotropic magnets 156
 - magnetically isotropic magnets 155
 - single-phase magnets 155
- RCO_x-based nanocomposite magnets 158
- magnetically anisotropic magnets 160
 - magnetically isotropic magnets 158
- reactant delivery techniques 220
- reaction temperature 480
- reactive oxygen species (ROS) 366, 396
- reactive radicals 526
- recorded information
- thermal stability of 440
- recording density 440, 447, 455
- *vs.* grain size 440
- recording layer 443, 445, 446
- Co-based 443, 444, 448
 - film morphologies and crystalline structures 442–445
 - fabrication of 442
 - granular film morphology of 444
 - oxygen reactive sputtering of 444
 - soft magnetic underlayer and, interaction between 445
- recording media 443, 450, 454
- Co-based 448
 - CoPtCr-SiO₂-based 445
 - FePt as 446
 - granular 454
 - making of 439
 - perpendicular 443
- reducing agents 95, 474
- NaBH₄ as 95
- reduction temperature 477, 486
- reflection loss (RL) 483, 494
- frequency dependence 489
- refrigerant capacity (RC) 209
- regenerative medicine, magnetic nanoparticles for 358
- relative permeability 490, 496
- effective 500
- relative permittivity 496
- relative standard deviation 131
- relativistic physics 33
- relaxation enhancement 374
- relaxation time 68, 374
- remote intravenous TOOKAD administration
- experimental setup 398
- renal cell carcinomas 408
- REPM. *See* rare-earth permanent magnets (REPM)
- resin-bonded MnBi magnets
- hysteresis loops of 181
- resin composites, reflection losses 498
- resistivity 68
- resonance
- frequency 502, 503
 - width 502
- Resovist[®]
- *in vitro* T₂-weighted MR image and MR signal intensities 395
- Resovist, T₂^{*}-weighted MR images 395
- reverse micelles formation 126
- reverse microemulsion 97
- reverse transcription-PCR (RT-PCR) 356

- $R_2Fe_{14}B$
 – based magnets 149, 163
 – based nanocomposite magnets
 – – magnetically anisotropic magnets 164
 – – magnetically isotropic magnets 163
 – based single-phase magnets 161
 – – magnetically anisotropic magnets 162
 – – magnetically isotropic magnets 161
 R-Fe-B-based magnets 147
 R_2Fe_{17} compound
 – microstructural variation, schematic diagrams 487
 rhodamine B 522
 ricinoleic acid 107
 RL. *see* reflection loss (RL)
 RNA interference technology 425
 room temperature magnetizations 29
 Ruderman–Kittel (RKKY) exchange 35
 – interactions 49
 Ru layer 446, 462
- S**
- saccharomyces cerevisiae 351
 SAM. *see* self-assembly monolayer (SAM)
 samarium dihydride 487
 samples A–F, reflection loss 509
 saturation magnetic moment 177
 saturation magnetization 93, 94, 121, 133, 265
 SAXS. *see* small-angle X-ray scattering (SAXS)
 Scherrer's formula 493
 Schrödinger equation 33, 36, 57, 61, 69, 73
 second-order expression 46
 second-order perturbation theory 176
 seeded-growth synthesis 223, 245
 selected nude mice, in vivo magnetic resonance images 401
 selective heterogeneous nucleation 256
 – surfactant-controlled 264
 selective heterogeneous nucleation
 – – growth mechanism 262
 self-assembly monolayer (SAM) 456
 self-controlled nucleation growth 242
 – sequential 225
 self-doped metallic-like semiconductor 234
 self-regulated heterogeneous nucleation 245
 self-regulated homogeneous nucleation 255
 semiconductors 99, 224
 – magnetic-metal associations 261
 – modules 251
 – and transition-metal associations 231
 sensing 249
 sepsis 351
 shadowing phenomenon 107
 shape anisotropy 46, 134, 259
 SHE. *see* spin Hall effect (SHE)
- shear banding 125
 shell deposition 226
 shell formation 224
 – by redox replacement or conversion reactions 237
 shell-to-core volume ratio 233
 shell transformation, via cation-exchange reactions 240
 shock wave 94
 shock-wave compaction (SWC) 153, 154
 signal processing 439
 silica-based micron-sized iron oxide (sMPIO) 425
 silica coating 235
 – approach 236
 silica nanocapsules 528
 silica shell growth 224, 225
 silicate-anion-assisted hydrothermal method 315
 silicon-containing polymer 457
 silicon organometallic molecules 236
 silver nanoparticles 528
 single-crystal grains 182
 single-crystal hematite (α - Fe_2O_3) nanorings 312
 single domain size 148
 single- γ - Fe_2O_3 -functionalized anatase TiO_2 nanorods
 – binary heterostructures made, low-magnification TEM and HRTEM images 260
 single imaging modality 400
 single-material nanocrystals synthesis 219
 single source precursor (SSP)
 – thermolysis of 193
 single stranded DNA
 – fluorescein-labeled 412
 single-tipped Au–CdSe nanomatchstick counterparts 262
 single-walled nanotube (SWNT) 102
 SiO_2
 – nanoparticles 97
 – network covering 236
 – yolk–shell nanoreactors 236
 siRNA delivery 425
 site-specific heterogeneous nucleation 257, 259
 site-specific therapies 407
 skin-depth effect 474, 490
 skyrmions 61
 small-angle X-ray scattering (SAXS) 106
 $SmCo$
 – based magnets 156
 – Fe multilayer film 152
 Sm_2Co_{17}
 – based powders
 – – magnetic properties of nanostructured 155
 – – TEM dark field micrograph 155

- nanoparticles 109
- SmCo₅
 - SEM images 151
- Sm₁₇Co₈₃
 - energy-ball milling of 156
- SmCo₅
 - FeCo 149
 - grain boundaries 159
 - magnet 156
 - nanoflakes 156, 160
 - powders 161
 - SEM images of 160
- Sm Fe ingot powders, XRD patterns 488
- sMPIO-a-Let7g
 - schematic drawing 426
- SnCl₂ precursors 239
- SOC. *see* spin-orbit coupling (SOC)
- sodium borohydride (NaBH₄) 329
- sodium fluorescein, on-demand controlled release 413
- sodium hydroxide 474, 480
- soft magnetic materials 121
 - dimensionality, schematic diagram 123
- soft magnetic nanomaterials
 - nanoparticles 123–127
 - nanorods 127–134
 - ribbons 135–140
 - crystallization 137–140
 - rapid solidification 136, 137
 - thin films 134, 135
- soft magnetic nanoparticle fabrication 126
- soft magnetic underlayer 445
- soft magnets 41
- soft nanocarriers 416
- soft template-based methods 305
- soft underlayer (SUL) 442
- solar cells 191
- solar oven 403
- sol-gel method 133
 - advantages 93
 - characteristics of MNP synthesized with 93
 - mechanism 91
 - precursor solution 132
 - process and influence factors 92
 - reaction 348
 - synthesis process 92
- solidification 136
- solid-phase extraction (SPE) 531
- solid-phase immobilization 356
- solid-state diffusion 225, 254
 - atomic 245
- solid-state drive (SSD) 439
- solid-state magnetism, features 30
- solid-state physics 73
- solid-state reductive annealing 233
- solid-tumor model 396
- solution-liquid-solid (SLS) 253
- solvated oxygen species 237
- solvation energies 240
- solvents 88
 - annealing 457–459
 - diethylene glycol 88
 - equilibrium vapor pressure 460
 - ethylene glycol 88
 - evaporation process 336
 - induced self-assembly 484
 - solubility parameter 460
- solvothermal method 87, 88
 - monodisperse magnetite fabrication 88
 - precipitation reactions 233
 - synthetic process 369
- Sommerfeld's fine-structure constant 31
- sonochemical method 93, 94
- spark plasma sintering (SPS) 153
 - process, schematic 153
- S-participated selective coalescence 256
- spatial biochemical switch triggering microtubule nucleation
 - principle 429
- SPE. *see* solid-phase extraction (SPE)
- specific absorption rate (SAR) 407
- specific loss power (SLP) 407
 - nanoparticles 416
- spherical Pt@Fe₂O₃ HNCs 229
- spherical-shaped Ni seeds 231
- spin coating 122
- spin direction, adiabatic change 69
- spinel CuCr₂Te₄ 205
- spinel ferrites 126
- spin gapless ferromagnetism 67
- spin Hall effect (SHE) 67
- spin memory 35
- spin moment 29
- spin-only magnetism 35
- spin-orbit coupling (SOC) 48, 68, 74
- spin-orbit interaction 176
- spin structures 39
 - antiferromagnet 39
 - ferrimagnet 39
 - ferromagnets 39
- spin torque oscillator (STO) 441
- spintronics 208
- SPIO. *see* superparamagnetic iron oxide (SPIO)
- SPION. *see* superparamagnetic iron oxide nanoparticles (SPION)
- SPR. *see* surface plasmon resonance (SPR)
- sputtering 464
- square root magnetization law 334
- SSD. *see* solid-state drive (SSD)
- stabilizing agents 98

- stacking faults 261
 - standard deviation 475
 - standard pyrolytic organometallic routes 261
 - standing-wave type 47
 - Staphylococcus antibodies 351
 - Staphylococcus aureus 350
 - Staphylococcus epidermidis 350
 - starting seeds 261
 - Fe₃O₄
 - TEM images 241, 248
 - static magnetic field 382
 - stimuli-responsive nanoparticle (SRNP) 419
 - stimulus-responsive membrane
 - proposed mechanism 414
 - in vitro triggering 414
 - STO. *see* spin torque oscillator (STO)
 - stochastic thermal energy 124
 - Stoner transition 49
 - Stoner-Wohlfarth (SW) model 53, 184, 186
 - particles 62, 64
 - sTRAIL-EGFP. tumor volume 417
 - strain-driven heterostructure formation 266
 - Stranski–Krastinov mode 222
 - streptavidin 533
 - coated magnetic nanomaterials, detection labels 533
 - SUL. *see* soft underlayer (SUL)
 - sulfonamides 532
 - superconducting quantum interference devices (SQUID) magnetometer 124, 204, 206, 208
 - superficial tumors 396
 - superlattices 97
 - three-dimensional 96
 - superparamagnetism 124
 - behavior 124, 233
 - superparamagnetic effect 440
 - superparamagnetic iron oxide (SPIO) 93
 - superparamagnetic iron oxide nanoparticles (SPION) 90, 93, 94, 97, 381, 395
 - in magnetic field-guided drug delivery vehicles 90
 - polymer coating 91
 - dextran 91
 - polyethylene glycols (PEG) 91
 - streptavidin-DyLight549 (orange)-coated 414
 - superparamagnetic nanoparticles 365
 - superparamagnetism 127, 409
 - supersaturation 126
 - superspin glass phase 328
 - superstructures 218
 - supracrystals 327
 - ZFC/FC curves of 334, 335
 - surface anisotropy 52
 - surface-binding surfactants 252
 - surface-confined redox reaction, followed by hollowing
 - via Kirkendall effect 225
 - surface energy 135, 266
 - balance 245
 - surface engineering 371
 - surface-enhanced Raman scatter (SERS) 400
 - surface functionalization 233
 - surface-interface energy balance 263
 - surface ligands 245
 - surface plasmon oscillations 226
 - surface plasmon resonance (SPR) 106, 218
 - surfactant 86, 88, 89, 91, 96–98, 108, 109, 126
 - adsorption 98
 - amphoteric 99
 - assisted two-step solution synthesis 235
 - capped Fe 231
 - controlled site-selective deposition 257
 - mediated synthesis method 313
 - surfactant-assisted ball milling (SABM) 151
 - surgery, imaging-guided 403
 - SW620 cells, confocal fluorescence images 401
 - SWNT. *see* single-walled nanotube (SWNT)
 - symmetric CoPt₃–Au heterodimer HNCs
 - low-resolution TEM images 247
 - synergistic thermoradiotherapy 242
 - synthesis method 131
 - synthetic sophistication 246
- t**
- tadpole-like HNCs 262
 - target cancer cells 418
 - target cells 404
 - targeted drug delivery 416–419
 - targeted gene delivery 419
 - targeted tumor cells 394
 - targeted tumor silencing 425
 - target FePt cores 240
 - target protein 371
 - target selectivity index 419
 - Tb₂Fe₁₄B nanoflakes 162
 - (TbLa)FeB-based nanocrystalline ribbons 161
 - TCNM. *see* trichloronitromethane (TCNM)
 - Teflon autoclave 194
 - template-assisted electrodeposition 129, 132, 133
 - template-engaged redox etching 239
 - template-free approach 309
 - TEOS. *see* tetraethyl orthosilicate (TEOS)
 - terephthalohydrazide 519
 - ternary Au@Fe₃O₄@SiO₂ HNCs 231
 - ternary chalcogenides 192
 - ternary Fe₃O₄–Au–Fe₃O₄ HNC 256
 - ternary Fe₃O₄–Au–Fe₃O₄ HNCs with Au bridging section

- low-magnification TEM and HRTEM images 249
- ternary metal oxide hollow spheres 305
- ternary PdS_x-Co₉S₈-PdS_x HNCs
 - low-magnification TEM and HRTEM images 249
- tetraethyl orthosilicate (TEOS) 348, 484, 488, 507
- tetragonal Li₀FeCo 175
 - maximum energy product 175
- tetraphenyl phosphonium tetra (diethyldithiocarbamate)-europium complex 198
- theranostic nanocarrier 396
- theranostic nanotechnology 386
- theranostic porphyrin dye nanoparticles (TPD NPs) 396
 - formation 397
- theranostics 387
- therapeutic apoptotic hyperthermia 411
- therapeutic nanomedicine efficacy
 - prediction 404
- thermal ablation 407
 - MNP-mediated 408
 - MRI-guided 408
 - therapeutic agents 409
- thermal activation 124, 137
- thermal agitation effect 374
- thermal annealing 234, 239, 458, 459, 487, 496
- thermal control 140
- thermal decomposition 89, 101, 369
 - characteristics of MNP synthesized with 91
 - influence factors 89–91
 - mechanism 89
- thermal demagnetization 55
- thermal energy 124
- thermal equilibrium 43
- thermal excitations 48
- thermally driven crystal-phase segregation 225
- thermally induced solid-state atomic diffusion 242, 244
- thermal reductive annealing 235
- thermal stability 440, 441, 443, 455
- thermal therapy 400
- thermal transformation processes 312
- thermochemotherapy 415
- thermodynamic modeling 261
- thermolabile azolinker 413
- thermolabile linker 412, 413
- thermolabile polymers 414
- thermoreponsive copolymer 414
- thermoreponsive polymers 413
- thermosensitive ferromagnetic particle 409
- thermosensitive polymers 413, 415
- thin film deposition 129
- thioacetamide (TAA) 195, 210
- thiohydraacrylic acid 193
- TiO₂
 - nanorod 265
 - nanostructures 525
 - as photocatalyst for water purification 525
 - powders
 - solvothermal treatment 244
 - seeds 266
- tissue culture infective dose (TCID) 355
- tissue necrosis 408
- TMR. *see* tunnel magnetoresistance (TMR)
- TNF-related apoptosis inducing ligand (TRAIL) 416
- tobamovirus, schematic illustration of 302
- TOOKAD-treated mouse, reduction in signal intensity 398
- topological selectivity 261
- total surface energy 256
- toxicity 369
- TPC. *see* track-etched polycarbonate (TPC)
- trace elements 531
 - detection and analysis of 531
- track-etched polycarbonate (TPC) 129
- trans-cyclooctene (TCO) 357
- transfection efficacy 419
- transfer foreign materials 419
- transformation, mediated by solid-state cation exchange 240
- transition metal atoms 29
- transition metal ions, spin alignment of 376
- transition-metal oxide 231, 233, 259
 - nanocrystals 239
- transmetalation reactions 237, 242
- transmission electron microscopy (TEM) 162, 226
 - and HRTEM images 508
 - overviews 229
- transverse relaxation time 373
- triblock copolymer nanotemplates 232
- tributylphosphine 127
- trichloronitromethane (TCNM) 525
- triethanolamine 199
- tri-n-octyl phosphine (TOP) 240
- tri-n-phenylphosphine ligand 245
- trioctylphosphine oxide (TOPO) 328
- TRPV1, magnetic field stimulation
 - experimental scheme 430
- T₁-T₂ MRI dual-modal imaging 384
- tumors
 - bearing mice 400
 - after injection with PBS or PAA-Co₉Se₈-DOX
 - IR thermal images 402
 - cells 371, 415
 - MRI 234

- interstitium 394
 - killing efficiency 408, 411
 - microenvironment 394
 - nanoparticles, accumulation of 395
 - targeting 370
 - therapy 394
 - tungsten carbon (WC) mold 153
 - tungsten dichalcogenides 191
 - tunnel device, traditional 209
 - tunnel magnetoresistance (TMR) 67, 208, 356
 - typical hysteresis loop 52
- u**
- ultrasonic chemical reactions
 - characteristics of MNP synthesized with 94
 - mechanism 93
 - process and influence factors 93
 - ultrasonic irradiation 254
 - ultrasonic knife technology 404
 - ultrasound attenuation 381
 - ultrasound contrast agent 419
 - ultrathin EuSe nanostructures 199
 - ultrathin films 135
 - uniaxial anisotropy 139
 - upconversion luminescence 386
 - upconversion nanoparticle (UCNP) 399
 - urchin-like TiO₂ shell 239
 - uterine leiomyomata 408
- v**
- vacuum evaporation (VE) 106
 - vacuum infiltration method 301
 - valerate 395
 - van der Waals forces 126
 - vapor deposition 134
 - vapor-phase techniques 220
 - vapor-transport deposition 264
 - vascular occlusion 368
 - vasodilation
 - heating-mediated stimulation 405
 - VE. *see* vacuum evaporation (VE)
 - Verdet constant 210
 - very weak itinerant ferromagnetism (VWIF) 38, 49
 - Volmer–Weber regime 223
- w**
- Wagner–Mermin theorem 45
 - wastewater
 - remediation
 - nanomaterials in 515
 - treatment 516
 - traditional methods 515
 - waterborne pathogen
 - detection and analysis of 533
 - magnetic detection 533
 - water contamination 527
 - water crisis 515
 - water-in-oil microemulsion 232
 - water pollutants 516
 - water quality 515
 - water remediation 515, 525
 - biological methods 515
 - chemical methods 515
 - electrocoagulation 515
 - flocculation 515
 - ion exchange 515
 - reduction and oxidation 515
 - combined technology 515
 - magnetic nanomaterials in 516
 - physical techniques 515
 - adsorption 515
 - filtration 515
 - flotation 515
 - sedimentation 515
 - ZVI, role in 516
 - water treatment 525, 529
 - welding effect 493
 - wet-chemistry routes 217
 - wet etching 458
 - wet-phase synthetic methods 291
 - wireless magnetothermal stimulation 427
 - writing field 446
- x**
- X-ray diffraction (XRD) 157, 194
 - pattern 331
 - X-ray photoelectron spectrum (XPS) 205
- y**
- YCC-DOX, MR contrast effect 395
 - T2*-weighted MR images 395
 - in vitro T2-weighted MR image and MR signal intensities 395
 - Y₂(Fe_{1-x}Co_x)₁₇, XRD patterns 497
 - yolk-shell nanoparticles 292
 - - advantages 292
 - biomedical and biosensing research 292
 - calcination 294
 - hard template-assisted selective etching method 292
 - Kirkendall effect 295
 - soft template-assisted bottom-up assembly method 292
 - Ostwald ripening method 294
 - ship-in-bottle method 294
- z**
- Zeeman energy 54, 69, 73
 - Zeeman interaction 33
 - zeolite 531

– assisted and sol-gel syntheses 197
zero-field cooling (ZFC) 208
– measurements 194
zero remanent magnetization 127
zero-temperature coercivity 64

zero-temperature ferromagnetism 42
zero-valent iron (ZVI) 516
zinc-doped iron oxide nanocrystals 414
ZVI. *see* zero-valent iron (ZVI)
zwitterionic dopamine sulfonate 372