

Index

a

aberration correction 115–116
 acousto-optical modulator (AOM)
 136
 acousto-optical tuneable filter (AOTF)
 136
 adaptive optics (AO) 115, 136
 LLSM 6
 SPIM 5
 strategies 115
 AdaptiveSPIM 5
 add-ons 150, 183
 AFM-LS 5
 AFM-SPIM 5
 agarose 75–77
 beakers 91, 93
 embedded sample 76
 Airy beam light sheet microscope 151
 ALPHA3 light sheet microscope
 applications 158
 detection unit 156–157
 digital light sheet generator 154–155
 high speed 3D acquisition 157–158
 modular and flexible light sheet setup
 155–156
 QtSPIM software 157
 sample chamber and holders 156
 Alzheimer's disease (AD) 273, 279–281
 amyloid β (A β) 279
 amyloid precursor protein (APP) 280,
 281
 angiogenesis 282–285
 anti-angiogenic therapies (AATs) 283
 AO-LSFM 5

APOM 5, 320, 321, 323, 325–327, 329,
 336
 aqueous based clearing methods 80
Arabidopsis thaliana 131, 173, 179, 191,
 270, 297
 Arivis vision 4D 300
 atrioventricular canal (AV) 109
 augmented line-scan focal modulation
 microscope 5
 autocorrelation functions (ACF)
 233–235
 autofluorescence 67, 69, 73, 78, 80, 91,
 169, 171–174, 191, 277, 278, 295,
 300, 333
 axial plane optical microscopy (APM) 5,
 320, 321
 axially swept beams 59–61
 axially swept light sheet microscopy
 (ASLM) 5, 6

b

Bayesian light sheet 318
 beam focusing, Gaussian optics
 description of 18–20
 Bessel beam plane illumination (BBPI) 4
 Bessel–Gauss beams 54, 55, 59
 propagation 54, 58
 bi-directional light-sheet illumination
 microscope 6
 bi-directional triple light sheet
 microscopy (BTLSM-II) 5
 big data awareness 372, 379
 BigDataViewer (BDV) plugin 205, 208,
 213–218, 221, 355

C

Caenorhabditis elegans 95, 98, 111, 112, 118, 121, 131, 153, 221, 324, 351
 Cancer 256, 257, 273, 274, 279, 281–286
 Cardiac LSFM 5
 Carl Zeiss Microscopy 150, 151
 cell-cell interactions 274
 cellular spheroid 84, 91, 93, 94, 142, 270
 agarose beakers for 93
 Center for Regenerative Therapies
 Dresden (CRTD) 346, 353
 Center of Systems Biology Dresden
 (CSBD) 355, 378, 379
 Centre for Genomic Regulation (CRG)
 304
 chemical clearing considerations
 272–273
Chironomus tentans 256
 clarity optimized light-sheet microscopy
 (COLM) 5
 cleared-tissue ASLM 6
 coherent structured illumination LSFM
 (csiLSFM) 5, 139
 commercial systems
 lattice light sheet 151
 light sheet microscopy, history of 151
 ZEISS development 152
 compact axially swept scanned light sheet
 microscope 6
 compactLSFM 5
 complete systems 150, 353
 computed tomography (CT)
 cryptococcal infections 277
 confocal light sheet microscopy (CSLM)
 4, 5, 98
 confocal line 39, 48, 57–59, 113–115, 121
 confocal microscopy 102, 128, 133, 134,
 139, 158, 160, 257, 259, 269, 270,
 277, 282, 286, 298, 300, 304, 317,
 331, 333, 334, 339, 371
 confocal photomanipulation 158
 Confocal Theta Microscope 131
 Content Aware Image Restoration
 (CARE) 223, 355, 357, 359
 correlative microscopy 299
Cryptococci-infected mouse organs 277
Cryptococci infections 276–279

cryptococcosis 276–278
 cubic spline algorithm-based
 depth-dependent fluorescence-free
 three-dimensional light-sheet
 super-resolution microscopy 5–6
 curtailed light sheet microscopy (CSLM)
 4, 5
 cyanoacrylate 169, 171

d

data processing 150, 211, 212, 216, 223,
 334, 355–357, 359, 365, 366, 373,
 375–376, 378, 379
 data rate 249–252, 259
 data storage solution 150
 deconvolution 50, 120, 121, 129, 131,
 139, 175, 208–210, 212, 269, 299,
 334, 356, 376
 decoupled illumination detection LSFM
 (DID-LSFM) 130, 131
 deep-learning on-chip-DSLMS 6
 deformable mirror (DM) 115, 116, 120,
 134, 137
 dendritic cells (DCs) 274–276
 depth of field (DOF) 12, 16, 60, 69, 70,
 72, 104, 106, 120, 129, 131, 134,
 332, 336
 detection objectives, optical setup 105
 detection-side optics
 axial light-sheet systems 325–327
 horizontal-sheet systems 324–325
 single-objective oblique 325–327
 oblique and axial sheet systems
 327–328
 diagonally swept light-sheet microscopy
 (diaSLM) 5
 diffusion tractography imaging (DTI)
 288
 digital confocal-APOM 6
 digital light sheet 6, 151, 154–155
 digitally scanned light sheet microscopy
 (DSLM) 113, 132
 structured illumination 4
 digital scanned laser light sheet
 fluorescence microscopy
 (DSLM) 4–6, 21, 28,
 113–115, 132–134, 136, 245, 247

- DOPM 5
- double helix point spread function
(DH PSF) 245, 246
- Down syndrome (DS) 288
mouse model 289
- Drosophila melanogaster* 95, 120, 131,
153, 162, 220
- dual arm multi-level magnification
light sheet fluorescence
microscopy 6
- (dual-)inverted SPIM ((d)iSPIM) 126
- dual iSPIM (DiSPIM) 5, 117, 118, 151,
211, 318, 331, 332, 336
- dual oblique SPIM (doSPIM) 5
- dual-view adaptive optics SPIM 6
- dual view inclined SPIM 5
- dual-view inverted confocal light sheet
fluorescence microscope
(di2CLFSM) 5
- dual-view OPM 5
- duSPIM 5, 188, 189, 191–197
- dynamic contrast-enhanced
micro computed tomography
(DCE- μ CT) 285
- e**
- eduSPIM (educational SPIM) 188, 189,
191–197
- electrically tunable lens (ETL) 118, 119,
127, 129, 130, 134, 328, 329
- electron microscopy (EM) 2, 75, 207,
222, 272, 298, 299
- electron-multiplying charge-coupled
device (EMCCD) 109, 247, 248,
250, 255, 296
camera 109
- endoscopic optical imaging
cryptococcal infections 277
- enhanced green fluorescent protein
(EGFP) 47, 110, 159, 191, 205,
217, 258
- environmental control system 84, 91, 92
TC-LSFM 92
- epi live-cell CT 5
- eSPIM 5
- European Molecular Biology Laboratory
(EMBL) 152, 162, 176, 181
- European Molecular Biology
Organization (EMBO) 7, 191,
192, 196, 345, 347, 348, 362
- excitation configurations
advanced methods 324
beam-waist considerations 324
horizontal-sheet single-objective
systems 323
oblique-sheet single-objective systems
323
- f**
- Förster radius 239
- Förster resonance energy transfer
(FRET) 232, 238–240, 257, 297,
336
- faster internal MPI-CBG network
(10Gb/s) 374–375
- fast volumetric imaging 116
inverted SPIM 117–118
OPM-SCAPE 119–120
tunable lens 118–119
wave front coding 120
- field of view (FoV) 107, 247
effective 133–134
vs. frame rate 250–251
- Fiji 184, 205, 208–218, 221, 222, 350,
355–357, 359, 376
- fixed-specimen imaging 270
- flexi-SPIM 6
- fluorescence anisotropy (r) 232,
240–241, 257, 258
- fluorescence anisotropy imaging (FAI)
232, 240–241, 247, 249, 252,
257–258
- fluorescence correlation spectroscopy
(FCS) 4, 232–236, 238, 243,
245, 247, 249, 253–255, 259, 370
- fluorescence filter (FF) 113
- fluorescence life time imaging microscopy
(FLIM) 4, 5, 232, 240–242, 247,
249, 258
SPIM 4
- fluorescence loss in photobleaching
(FLIP) 256, 330
- fluorescence recovery after
photobleaching (FRAP) 232,

- fluorescence recovery after photobleaching (FRAP) (*contd.*)
235–236, 245, 247, 249, 252, 253, 255–256
- fluorescence spectroscopy techniques
232, 259
- fluorinated ethylene propylene (FEP)
141
- foils 91
- tubes 195, 296
- four-dimensional cuboid multiangle illumination-based light-sheet super-resolution 5
- 4D imaging
plants live imaging of 295–298
- 4D LSFM 5
- Fourier Transform (FT)-based spectral imaging method 111
- frame rate of camera 120, 250, 251, 337
- frequency domain-FLIM DSLM 5
- full 3D imaging
Alzheimer's disease 279–281
angiogenesis 282–285
metastatic invasion 285–286
shedding light on whole tumours 281–286
- full sample 2.5D analysis 302
- g**
- galvanometric mirror (GM1) 113, 132, 326, 328
- Gaussian function 19, 55, 235, 237
- GCaMP 120, 133, 159, 337, 338
- gelling agent 75, 76
- glues 77, 78, 350
- gold nanorods (GNRs) 257, 258
- gradient index 319
- graphic board units (GPUs) 210, 303, 357
- h**
- high endothelial venules (HEV) 182, 275, 276
- high resolution imaging 51
diffractive limitations for 54–61
geometric limitations for 51–54
- high signal-to-noise ratios 269
- high throughput LSFM 5
- high-throughput light-sheet tomography platform 5
- highly inclined laminated optical (HILO)
4, 139, 233, 321
- fCT* 5
- live-cell CT 5
- hippocampal phenotypes 288
- horizontal-sheet single-objective systems
320
excitation configurations 323
volumetric scanning imaging 328–331
- horizontal-sheet systems
detection-side optics 324–325
- hydrogel 69, 75–77, 80, 81, 91, 140, 272, 367, 368
based clearing methods 80
- hyperspectral imaging 109
- i**
- illumination objectives (IO) 49, 115, 126, 160, 180
- illumination plane homogeneity 156
- illumination units 156
- imaging total internal reflection-FCS (ITIR-FCS) 233
- imaging variable angle-FCS (IVA-FCS) 233
- immunological synapses 274
- immunology 274–277, 286
- iMSD (imaging MSD) 238
- inclined SPIM 4, 5
- incoherent colour holography lattice light-sheet 6
- incoherent holography lattice light-sheet dual lens 6
- incoherent holography lattice light-sheet single lens 6
- individual molecule localization SPIM (IML-SPIM) 4, 138, 139
- induced pluripotent stem cell (iPSC)-based regenerative therapies 286
- information technology (IT)
infrastructure 299, 347, 357, 371–379

- integrated light-sheet imaging flow-based enquiry 6
 - intelligent microscopy 303–304
 - intensity-based registration 206, 208
 - inverted SPIM (iSPIM) 4, 117–118, 126, 318, 332
 - isotropic divide stages-to-process (IDSP)
 - double-ring (DR) 6
 - modulation-SPIM 6
- L**
- large cleared sample SPIM 5
 - large selective plane illuminator (L-SPI)
 - 166
 - design 166–168
 - fluorescence imaging 171–173
 - light-sheet properties and resolution 169
 - price range 175
 - reflectance imaging 173–174
 - sample preparation 169–171
 - software, image processing and data management 174–175
 - large working distances 13, 269
 - laser scanning confocal microscopy (LSCM) 102, 128
 - laser-scanning multi-photon microscopy 47–48
 - late night data processing 355–357
 - lateral root primordia (LRP) 297, 298
 - lattice light sheet (LLS) 5, 6, 59, 97, 98, 126, 129, 139, 140, 151, 211, 270, 379
 - difference microscopy 5
 - by fluorescence differential detection 6
 - microscopy 5, 59, 97, 98, 126, 139, 140
 - LatticeSPIM 5
 - LCS-SPIM 5, 6
 - LEGO light sheet (LEGOLish) 5
 - LEGO motorized light sheet 5
 - Leica TCS SP8 DLS
 - applications 164
 - cleared tissue, imaging of 164
 - combined imaging methods 165
 - convenient software tools 161–163
 - fast dynamic processes, imaging of 164
 - light path 159–160
 - low light intensities 164
 - sample preparation 160–161
 - technical specifications 163
 - light microscopy facility (LMF) 354, 372, 374, 376, 378, 379
 - light scanning photomicrography (LSP)
 - 4
 - light sheet Bayesian microscopy 5
 - light sheet Bayesian super-resolution microscopy (LSBM) 5, 139
 - light sheet degradation, in tissue
 - absorption 29–30
 - refraction 31
 - scattering 31–32
 - light sheet dimensions
 - Gaussian optics description of beam focusing 18–20
 - production methods 20–21
 - light sheet fluorescence microscopy (LSFM) 4, 101, 164, 189
 - advanced detection schemes
 - aberration correction 115–116
 - contrast enhancement 113–115
 - fast volumetric imaging 116–120
 - spectrally resolved 108–112
 - applications 270
 - architectures
 - multiple objective lens configurations 125–126
 - opposing objective lens configurations 128
 - single objective lens configurations 126–128
 - Atlas registration 220, 222–223, 287
 - big data problems 204
 - bigger imaging 137–138
 - big image data management and visualization
 - BDV framework 216
 - ClearVolume plugin 216
 - hierarchical data format 212–214
 - multi-view SPIM data 217
 - parallel processing 214–216
 - 3D data visualization 217

- light sheet fluorescence microscopy (LSFM) (*contd.*)
 - contrast brighter Imaging 135–136
 - data processing 211–212
 - first light sheet
 - increasing sample viability 131–132
 - image data analysis 204
 - image formation
 - practical design 106–108
 - scheme 104–106
 - WFM scheme 102–104
 - image dimensionality reduction 219
 - image processing 204
 - imaging biological samples 203
 - imaging deeper
 - increasing penetration depth 132–133
 - imaging wider
 - effective field of view 133–134
 - isotropy image 134–135
 - multi-view fusion 208–210
 - multi-view registration 206–208
 - open source principles 204
 - recording three-dimensional image data
 - moving detection 130–131
 - moving the sample 128–130
 - segmentation and tracking 219–222
 - smaller imaging 138–140
 - 3D faster imaging 136–137
 - 3D/4D image processing and analysis 203
- light sheet generation
 - scanned light sheets 27–29
 - static and pivoted 21–27
- light sheet imaging cytometry 6
- light sheet iron 352–355
- light sheet micro-spectroscopy (LiShMS) 111, 112
- light sheet microscopy 150, 170, 175, 345
 - across the XXth century 3
 - agarose embedded sample 76
 - axial resolution in 13–16
 - building of a community 6–8
 - cleaning rule 68
 - cleaning, labelling, and storing samples 83–84
 - clearing 79–83
 - course atmosphere 360–362
 - data processing and analysis 359
 - enthusiastic rule 68
 - environmental control 84–88
 - fluorescence microscopes 72
 - general course 345–349
 - glues 77
 - hydrogels 75–77
 - important course 348
 - instructors 347
 - late night data processing 355–357
 - light matter conundrum 74–75
 - light sheet iron 352–355
 - LSFM 73
 - MPI-CBG 357
 - optical sectioning in 13–16
 - perfusion-based environmental control 88–91
 - practical courses on 345
 - preparation 76–77
 - sample geometry matters 71–72
 - sample holders 77–79
 - samples 349–352
 - sample theory 71
 - scan a surface 1
 - scan a volume 1
 - special topic lectures list 347–348
 - technology
 - data and users 379
 - general protocol 367
 - hardware for data handling 373–378
 - hybrid techniques 370
 - image processing software solutions 378–379
 - limitation 371
 - live cell microscopy 367–368
 - material science, tissue engineering 369–370
 - MPI-CBG light sheet data experience 372–373
 - multi-view imaging of fixed, cleared biological samples 369
 - user rules 366
 - three courses 345–346

- three-dimensional cell cultures
 - 91–93, 351
 - use of a plane of light 1
 - light sheet modes
 - homogeneity of 35–39
 - merits of static 39–40
 - parallelization of 32–34
 - pivoted and scanned light sheets
 - 39–40
 - robustness and simplicity of 39
 - sheet illumination 34–35
 - light sheet thickness versus field of view
 - 249–250
 - light sheet tomography 5
 - LightSheet 7, 6, 78, 97, 150–151, 154,
 - 374–375
 - Lightsheet Z.1 4, 84–89, 91, 95, 97,
 - 150–154, 205, 211, 217, 220, 297,
 - 347, 350
 - live-cell lattice light-sheet microscopy 5
 - local-delivery SPIM 6
 - LSLFM 5
 - Luxendo 176
 - general specifications 169–170
 - InVi SPIM 180–182
 - modular approach 176–177
 - MuVi SPIM 178–179
 - Quantitative View Selective Plane
 - Illumination Microscope (QuVi
 - SPIM) 182–183
 - setups 176
- m**
- machine learning algorithms 302–303
 - magnetic resonance imaging (MRI)
 - cryptococcal infections 277
 - Mars-SPIM 5
 - MATLAB 211, 212, 218, 355
 - Max Planck Institute of Molecular Cell
 - Biology and Genetics (MPI-CBG)
 - 191, 345–347, 349–352, 354,
 - 357–361, 372–379
 - mean squared displacement (MSD) 237,
 - 238
 - MegaSPIM 6
 - mesoscopic scale samples 269
 - micro positron emission tomography
 - (μ PET) 282, 298
 - microscopes, categories 349, 352
 - microscopy market 354, 359–361
 - microscopy self reconstructing beam
 - (MISERB) 4, 5
 - Miltenyi Biotec 150
 - minimal photo-damage 269, 298
 - miniSPIM 4
 - molecular dynamics imaging
 - acquisition parameters
 - data rate 251
 - field of view versus frame rate
 - 250–251
 - light sheet thickness versus field of
 - view 249–250
 - photobleaching and phototoxicity
 - 252–253
 - pixel size versus field of view and
 - frame rate 251
 - pixel size versus spatial resolution
 - 251
 - synchronous versus asynchronous
 - read-out 251–252
 - Förster resonance energy transfer
 - 238–240
 - fluorescence anisotropy 240–241
 - fluorescence correlation spectroscopy
 - 232–235
 - fluorescence lifetime imaging
 - microscopy 241–242
 - fluorescence recovery after
 - photobleaching 235–236
 - fluorescence techniques
 - fluorescence anisotropy imaging
 - 257–258
 - fluorescence correlation spectroscopy
 - 254–255
 - fluorescence lifetime imaging
 - microscopy 258
 - fluorescence recovery after
 - photobleaching 255
 - Förster resonance energy transfer
 - 257
 - single particle tracking 256–257
 - instrumentation

- molecular dynamics imaging (*contd.*)
 - light sheet microscope configurations 243–247
 - objectives and cameras 247–248
 - single particle tracking 236–238
 - mouse brains
 - cell and dendritic density mapping 289–290
 - neuronal circuits 288–289
 - 3D neuronal circuits 293–295
 - voxel-based morphometry 290–293
 - moving detection 130–131
 - MPI-CBG 152, 191, 347, 349–352, 354, 357–361, 372–379
 - light sheet data experience 372–373
 - multicellular tumor spheroid (MCTS) 115, 117, 140
 - multidirectional selective plane
 - illumination microscopy (mSPIM) 4, 26, 126, 133–135
 - multimodal imaging 160, 165, 173, 285, 298, 299
 - multi-photon excitation
 - laser-scanning multi-photon microscopy 47–48
 - one-photon light sheet microscopy 45–47
 - two-photon light sheets 40–41
 - two-photon light sheets dimensions 41–45
 - multiple light sheet microscopy (MLSM) 5
 - multiple objective lens configurations 125–126
 - multi-sample *Arabidopsis* Growth and Imaging Chamber (MAGIC) 297
 - multi-view imaging 48–50, 204, 211, 216, 320, 353
 - multi view SPIM 4, 6, 126, 204, 206, 208, 210, 213, 215, 217, 350, 360
 - multiple view SPIM (MuVi SPIM) 126, 135, 176–180, 182, 183
 - multiview tiling SPIM 6
 - mu-SPIM 5
 - MuviSPIM-CS 6
 - MuviSPIM-LS 6
 - MuviSPIM-PM 6
- n**
- NA cylindrical lenses 243
 - Near-InfraRed II Structured-Illumination light-sheet Microscopy 6
 - Near-InfraRed II-ASLM 6
 - numerical aperture (NA) 6, 11, 23, 27, 55, 70, 103, 126, 127, 138, 194, 243, 318, 322
 - Nyquist theorem 251
- o**
- objective coupled planar illumination (OCPI) 4, 117, 130, 319, 328
 - microscopy 130
 - oblique and axial-illumination 320–322, 327–328, 332
 - oblique illumination confocal microscope 131
 - oblique-illumination systems
 - volumetric scanning imaging 330–331
 - oblique light sheet microscope (OLSM) 4
 - oblique light sheet tomography 5
 - oblique light sheets 4, 5, 52, 119, 128, 320, 325, 326, 327, 336–338
 - oblique plane microscopy (OPM) 4–6, 119, 127, 128, 141, 151, 320–322, 323, 325–327, 329, 330, 332–336, 338, 339
 - oblique-sheet single-objective systems
 - excitation configurations 323
 - oblique SPIM (oSPIM) 5
 - oblique v/s horizontal sheet configurations 324
 - one-photon light sheet microscopy 45–47
 - Open Source Software (OSS) 236, 355
 - open source systems
 - biological applications 187–189
 - community 189
 - DIY SPIM 184–187
 - eduSPIM 189–197
 - lattice light sheet 151
 - next generation OpenSPIMs unfolding 185
 - Open-Top Axially Swept LSM 6

- OpenSPIM 5, 79, 183–189, 191, 211, 347, 350, 352, 353, 360
- OpenSpin 5, 184, 187, 189
- OpenTopSPIM 5
- OPM with SIM 6
- opposing objective lens configurations 128
- optical configurations
- applications
 - high-speed functional imaging 337–338
 - SCAPE 337–338
 - single-objective light sheet geometries 335
 - detection-side optics
 - axial light-sheet systems 325–327
 - horizontal-sheet systems 324–325
 - oblique and axial sheet systems 327–328
 - single-objective oblique 325–327
 - excitation configurations
 - horizontal-sheet single-objective systems 323
 - factors and trade-offs
 - confocal microscopy 332–334
 - display, analysis 334–335
 - homogeneity and isotropy 332
 - penetration depth 331–332
 - optical layouts
 - HILO and VAEM 321–322
 - horizontal-sheet single-objective systems 320
 - oblique and axial-illumination 320–322
 - volumetric scanning imaging
 - horizontal-sheet single-objective systems 328–329
 - oblique-illumination systems 330–331
 - stage-scanning 329–330
- optical projection tomography (OPT) 3, 5, 137, 150, 151, 173, 285, 300, 370
- optical projection tomography I SPIM (OPTiSPIM) 5, 137
- optical tissue clearing 75
- optical transfer function (OTF) 14, 120
- organoids 6, 8, 71, 72, 75, 84, 91, 93–97, 150, 153, 180, 183, 191, 258, 347, 350, 351, 368
- orthogonal-plane fluorescence optical sectioning (OPFOS) 4, 131
- OTLS 5
- p**
- parallelized LSFM 5
- particle image velocimetry (PIV) 3–5
- 3P BB LSFM 5
- perfect 3D imaging 325–327
- perfusion-based environmental control 88–91
- 2PE-SPIM 5
- phasemask (PM) 120, 176
- phenylthiourea (PTU) 69
- photobleaching
 - acquisition parameters 252–253
 - fluorescence loss in 256, 330
 - fluorescence recovery after 235–236
- photodamage 7, 11–13, 33, 34, 39, 45, 46, 48, 55, 61, 62, 101, 108, 133, 165, 169, 252, 321, 327, 339
- photo-physical approaches 61
- photosculpture 3
- phototoxicity
 - acquisition parameters 252–253
 - of LSFM 131
- Phytigel 75, 140, 156
- pixel size versus field of view and frame rate 251
- pixel size versus spatial resolution 251
- planar laser induced fluorescence (PLIF) 4
- plants live imaging
 - challenges of 295
 - elements of 295–297
- 3p LSFM 5
- point spread function (PSF) 5, 13–16, 103, 175, 206, 235, 237, 245, 246, 249, 326, 334
- polarised light sheet tomography (PLST) 5
- polydimethylsiloxane (PDMS) 140
- polystyrene (PS) 111
- population-based analysis methods 290

- positron emission tomography (PET)
 - 282, 287
- Prism-Coupled Light Sheet Microscopy
 - 5
- q**
- QLS scope 6
- quantitative view SPIM (QuVi SPIM) 5,
 - 176, 177, 182–183
- quantum efficiency (QE) 46, 47, 248,
 - 252
- r**
- Random Sample Consensus (RANSAC)
 - 207
- rare cell detection
 - bioimage data
 - automated image analysis 300–301
 - image analysis flexibility and accuracy 302–304
 - LSFM applications 299–300
 - reduce computational complexity 302
 - 4D imaging
 - plants live imaging of 295–298
 - full 3D imaging
 - advantage of 279
 - Alzheimer's disease 279–281
 - angiogenesis 282–285
 - metastatic invasion 285–286
 - shedding light on whole tumours 281–286
 - mouse brains
 - cell and dendritic density mapping 289–290
 - cytoarchitectonic variation 288–289
 - neuronal circuits 288–289
 - 3D neuronal circuits 293–294
 - voxel-based morphometry 290–293
 - 3D imaging
 - cryptococci infections 276–279
 - immunology 274–276
 - whole organ imaging 298–299
- recording three-dimensional image data
 - moving detection 130–131
 - moving the sample 128–130
- reflectance imaging 173–174
- reflected light sheet microscopy (RLSM)
 - 5, 128, 139, 243, 245
- reflected light sheets 52–54
- Region of Interest (ROI) 112, 117, 178,
 - 191, 213, 248, 251
- reversible saturable/switchable optical fluorescence transitions light-sheet nanoscope (RESOLFT) 5, 61, 138
- S**
- sample holders 77–79, 83, 91–93, 140,
 - 256, 320, 328, 330, 338, 350
- sample mounting 4, 8, 29, 52, 77–79, 94,
 - 95, 107, 126, 129, 156, 161, 181, 195–196, 317–320, 351, 353, 360
- sample positioning 156, 195, 318
- scanned light sheets 27–29, 35, 36,
 - 39–40, 43–45, 48
- scanned oblique plane illumination 5
- scanning lens (SL) 113
- SCAPE 2.0 5
- SCAPE microscopy 119, 128, 320, 321,
 - 323, 325, 326, 328, 329, 331, 332, 333–339
- scattering-based LSM 6
- scientific complementary metal-oxide semiconductor (sCMOS) camera
 - 102, 107–109, 114, 136, 164, 247, 252, 327–328, 337, 372
- second lens 25, 102
- selective plane illumination differential dynamic microscopy 5
- selective plane illumination microscopy (SPIM) 1, 4, 126, 131, 165, 317
- selective volume illumination-light field microscopy 5
- self-reconstructing beams 134
- Shack–Hartmann wavefront sensor (HSWF) 115, 120
- sideSPIM 5
- simultaneous multiview imaging (SiMView) 4, 126, 130, 135,
 - 220
- single image capture device 109
- single objective cantilever SPIM 5
- single objective lens configurations
 - 126–128

- single objective lens inclined light sheet localization microscopy 6
 - single-objective light sheet geometries 329, 335
 - single-objective light-sheet methods to confocal microscopy 319, 323, 329, 331–334, 339
 - single objective light-sheet microscopy (soLSM) 5, 317–339
 - optical configurations
 - optical layouts 319–322
 - single-objective light sheet systems 319, 320, 322–324, 327, 334–335, 339
 - single objective selective plane illumination microscopy (soSPIM) 127, 139, 141, 243
 - single particle tracking (SPT) 130, 221, 232, 236–238, 256–257
 - single plane illumination microscopy (SPIM) 4, 21, 79, 231, 245
 - single plane optical tomography 6
 - Smart Sample Holder 78
 - Smart-SPIM 6
 - solvent based clearing methods 80
 - spatial light modulator (SLM) 5, 59, 61, 134, 140
 - spatial light modulator-SPIM 5
 - spatio temporal image correlation spectroscopy (STICS) 238
 - SPIM-fluorescence correlation spectroscopy (SPIM-FCS) 4, 5, 233, 234, 253, 255
 - SPIM-micro particle image velocimetry 5
 - SPIM-fluid 5, 142
 - spot variation FCS (svFCS) 254
 - stage scanning 141, 329–330, 332, 336
 - stage-scanning OPM approach (ssOPM) 141, 333
 - standing-wave illumination frequency domain imaging (SWIF) 134
 - static and pivoted light sheets 21–27
 - stereo microscope 69, 78, 367
 - STED MISERB 5
 - stimulated emission depletion (STED) 61, 138, 140, 160
 - Stokes-shifted fluorescence photons 46
 - structured illumination microscopy (SIM) 138, 140, 259
 - super-resolution optical fluctuation imaging (SOFI-SPIM) 259, 366, 370
 - super-resolution radial fluctuations, and optical projection tomography (OPT-SPIM) 366, 370
 - superimposed laser light sheets (STED-SPIM) 138, 140
 - swept confocally-aligned planar excitation (SCAPE) microscopy 5, 119, 128, 212, 270, 320
 - synchronous versus asynchronous read-out 251–252
- t**
- T cell interactions 274
 - TC-LSFM sample chamber 92
 - TgDyrk1A mice 292, 293
 - thin light sheet microscope (TLSM) 4
 - thin sheet laser imaging microscopy (TSLIM) 4
 - 3D cell culture models 352
 - 3D fluorescence imaging
 - advent of 282
 - 3D full organ analysis 273
 - 3D imaging
 - cryptococci infections 276–279
 - immunology 274–276
 - 3D interferometric lattice light-sheet 6
 - 3D light scanning macrophotography (3DLSM) 3–5
 - 3D neuronal circuits 293–294
 - three-dimensional recordings scan 128–131
 - tiling light sheet SPIM (TLS-SPIM) 5, 134
 - tilted light sheet microscopy with 3D point spread functions 5
 - time-dependent beam 39
 - tissue culture LSFM (TC-LSFM) 5, 88, 90–94, 140
 - total internal reflection fluorescence microscopy (TIRFM) 231, 321
 - transmission mode 156
 - transparent samples 67, 137, 169, 271

- Ts65Dn mice 288–289
 tube lens (TL) 24–25, 27–28, 101, 102, 179, 182, 185, 193, 327
 tumour tissues 282, 284
 tunable acoustic gradient (TAG) lens 134, 137
 tunable filters (TF) 111
 tunable lens 118–120
 TwinFlect mirrors 151, 159, 161, 162, 164
 2 photon DSLM 4
 two photon 3 axis DLSM 5
 two-photon excitation (2P) 40–41, 43–48, 56–60, 109, 133, 325
 two photon excitation SPIM 5
 two-photon inverted selective plane illumination microscopy 5
 two-photon light sheets 40–41, 48
 dimensions 41–45
 two-photon microscope 332
 two-photon selective-plane illumination microscopy system (2p-SPIM) 4, 109
 two-photon super-resolution light-sheet imaging *via* stochastic optical fluctuation imaging 5
- U**
- ultramicroscope 1–4, 131, 150, 350
 ultramicroscopy 1–2, 106, 126, 212
 ultramicroscopy microcinematography 2
- V**
- variable angle epifluorescence (VAEM) 321–322
- vascular endothelial growth factor (VEGF) 285
 virtual light sheet 20, 38, 43, 132, 247
 volume acquisition methods 158
 volume flow cytometry-integrated light-sheet flow based enquiry 6
 volumetric scanning imaging
 horizontal-sheet single-objective systems 328–329
 oblique-illumination systems 330–331
 stage-scanning 329–330
 voxel-based morphometry (VBM) 288, 290–293
- W**
- water-miscible solvents 79
 wavefront-coding (WFC) 120
 wavefront sensor adaptive optics SPIM 4–5
 whole organ microscopy imaging 287
 wide-field epi-fluorescence 12, 14, 18, 51
 wide-field fluorescence microscopy (WFM) 102–104
- X**
- X-ray micro tomography (μ CT) 282
- Z**
- ZEISS
 history of 151
 lightsheet 85
 Lightsheet Z.1 system 152–154
 Z.1 LSFM
 FEP-foil cuvette design 97
 sample chamber 85