

Index

a

Absorption 1, 4, 10–14, 18–22, 30, 36, 38, 41, 45, 49–51, 60, 62, 76, 78, 80, 82, 83, 85, 87, 90, 99–102, 105, 108, 116–121, 123, 126, 127, 129, 130, 132–136, 138, 142, 149, 150, 154, 166–176, 178, 179, 181, 183–186, 204, 209, 212, 213, 222, 223, 227, 228, 235, 236

ADC 83, 84, 86, 130, 134

Adiabatic 3, 36, 43, 86, 88, 89, 92, 105, 107

Aggregation-induced emission (AIE) 19, 20, 143, 219–224, 229, 236

4-Aminobenzonitrile (ABN) 35, 37, 39–44, 46, 53, 73, 78, 80, 85, 99–101

Anisotropy 38, 79, 85, 121, 178

Arrhenius 6, 96

Azurin 62

b

Bayliss-McRae model 117

Betaine-30 5, 7, 87, 108–111, 140

BH and HLYP 187

B3LYP 5, 16, 17, 22, 53, 54, 79–81, 83, 141, 155, 156, 158, 161, 163, 165, 168, 174, 187, 213

Bond length alternation (BLA) 83, 163, 166, 174, 179

Boronate 188, 189

Boron-dipyrromethene (BODIPY) 116, 127, 156, 157, 198, 199, 201, 203, 206, 207, 219

B3PW91 188

c

CAM-B3LYP 22, 53, 80, 155, 156, 158, 163, 165, 168, 187, 213

CASPT2 5, 6, 38–40, 73, 75

Centrosymmetric 188

Channel interference 168, 169

Charge transfer
 Intra-ligand charge transfer (ILCT) 56
 Ligand to ligand charge transfer (LLCT) 56
 Ligand to metal charge transfer (LMCT) 56
 Metal to ligand charge transfer (MLCT) 56, 59, 60
 Metal to metal charge transfer (MMCT) 56

Chiral 168, 181

Chlorophyll 56, 62, 63, 81

Chromophore 20, 36, 50, 52, 53, 56, 57, 82, 83, 88, 103, 109, 150, 152–156, 159–165, 168, 174–178, 180–182, 184, 188, 198, 210, 215, 227, 233

Colorimetric sensors 20, 212, 229, 236

Complete active space self-consistent field method (CASSCF) 5, 6, 38–40, 53, 73, 78, 86, 126, 137

Conductor-like polarizable continuum model (C-PCM) 130, 134

Conductor-like screening model (COSMO) 84, 130

Configuration interaction (CI)
 CI singles (CIS) 6, 73, 81, 137
 CI singles and doubles (CISD) 137

- Conical intersection 11, 16, 36, 74, 79, 85, 86, 88, 89, 134
- Coulombic attraction 33
- Coumarin 3, 46, 121, 123, 124, 132, 138, 141, 170, 209, 224, 233
- Coupled cluster singles and doubles (CCSD) 21, 22, 81, 82
- Coupled cluster theory 134
- d**
- Decoherence 97
- Density functional theory (DFT) 5, 16, 17, 21, 22, 79, 102, 108, 130, 140, 141, 155, 156, 161, 174, 181, 184, 187–189, 191, 201, 207, 213, 215, 226
- Density of states 190
- Dipolar 53, 81, 83, 109, 117, 120, 178, 179, 184, 186, 190
- Dipole moment 2, 4, 5, 7, 20, 32, 33, 37, 40, 43, 47, 48, 51, 54, 71, 72, 80, 81, 90, 99, 105, 108–111, 115–121, 130, 140, 141, 143, 144, 150–153, 155, 157, 161, 165, 173, 175, 176, 181, 184, 185, 198, 234, 235
- DMABN 3, 14, 29, 34–41, 43, 44, 52–54, 72–76, 78–84, 86, 87, 99–101, 107, 108, 121–123, 129, 133, 134, 137, 138, 153, 200, 201, 233, 234
- Dual emission/fluorescence 2–4, 10, 11, 13, 29, 31–38, 40, 41, 43, 44, 46, 48, 52, 53, 55, 72, 73, 75, 83, 84, 99, 100, 123, 129, 133, 134, 138, 141, 143, 198, 210, 223, 228, 234
- e**
- Electric field induced second harmonic generation (EFISH) 20, 154, 155, 161, 163, 177, 182, 188, 191
- Electrochromic 19
- Electroluminescence 18, 214, 215
- Electromagnetic 4, 73, 166
- Electron bridge 1–4, 11, 23, 29, 139, 157, 158, 163, 187, 197, 199, 215
- Energy transfer 4, 30, 32, 57, 62, 63, 76
- Exciplex 34
- Excited state 1–7, 10–14, 16–20, 29, 31–34, 36, 38–44, 46–57, 59, 62, 71–90, 101–103, 105–108, 110, 111, 115–121, 123, 125–127, 129, 130, 135–138, 140–144, 150, 154, 155, 164, 165, 170, 172, 173, 176, 183–186, 201, 206, 207, 209, 213–215, 222–225, 228, 234, 235
- f**
- Fermi Golden rule 7, 94
- Ferredoxin 63
- Flash photolysis 105
- Flavin 3, 62
- Fluorazene 3, 52
- Fluorescence
- quenching 16, 57, 126
 - sensors 45, 144, 197–214
 - up-conversion 4, 126, 136, 185
- Fluorescence resonance energy transfer (FRET) 30, 32, 214
- Franck-Condon 3, 10, 71, 117, 185
- g**
- Ground state 1, 2, 4–7, 10–14, 16, 18, 20, 23, 32–34, 36, 41, 44, 47, 48, 51, 54, 58–60, 71, 75–77, 81, 84, 116, 117, 130, 131, 134, 135, 137, 138, 140, 141, 144, 150, 153, 165, 172, 173, 181, 185, 188, 198, 202, 207, 213, 217, 225, 234, 235
- h**
- Hamiltonian 88, 89, 97
- Harmonic generation
- Second harmonic generation (SHG) 22, 23, 149–151, 158
 - Third harmonic generation (THG) 22, 149, 173, 177
- Hartree-Fock 5, 54, 73, 80, 134, 152
- HOMO-LUMO 16, 20, 54
- Hydrogen bonding 7, 46, 60, 72, 115, 119, 120, 133, 136–140, 144, 167, 168, 233, 235

- Hyperpolarizability 20–23, 149–153, 155, 157, 158, 160, 161, 163, 165, 173, 176, 178, 181, 184, 188, 191
- Hyper-Rayleigh Scattering (HRS) 20, 154, 155, 176, 178, 179, 181, 191
- i**
- Infrared (IR) 4, 7, 20, 38, 45, 78, 79, 82, 90, 107, 120, 164, 173, 182, 183
- Intermolecular charge transfer 1, 24
- Intersystem crossing (ISC) 23, 24, 30, 48, 75, 122, 123, 134, 214, 215, 217
- Intramolecular charge transfer (ICT)
- Partially twisted ICT (pTICT) 35, 37, 39, 41
 - Planar ICT (PICT) 3, 35, 41, 43, 52–54, 75, 76, 78, 81, 101, 102, 105, 107, 234
 - Rehybridized ICT (RICT) 3, 35, 41, 43, 52, 78, 234
 - Twisted ICT (TICT) 3, 9–11, 13, 14, 16, 17, 34–37, 39, 41, 43, 44, 47, 48, 52–54, 72, 73, 76–81, 83, 84, 89, 90, 101–103, 105, 107, 108, 122–124, 127, 130, 131, 134, 141, 142, 153, 186, 197–199, 201, 205–211, 219, 221–229, 234, 236, 237
 - Wagging ICT (WICT) 3, 35, 234
- Intramolecular proton transfer 4, 31
- j**
- Jablonski diagram 24, 30, 31, 217
- Jahn-Teller 78
- Julolidine 4, 79, 80, 123, 201
- J-V-L 18
- k**
- Kamlet-Taft 120, 121, 138
- Kerr effect 149
- Kerr gate 107, 177
- l**
- Landauer-Buttiker method 97
- Landau-Zener theory 92
- Laser 17, 19, 37, 101, 105, 109, 149, 166, 175, 181, 188
- Lippert-Mataga 51, 118–120, 130, 141
- Liptay 120
- Locally excited (LE) 2, 29, 35, 72, 123, 136, 158, 197, 215, 234
- m**
- Marcus theory 6, 7, 87, 93, 99, 108, 235
- Merocyanine 187, 188
- Molecular mechanics 141, 172
- Molecular orbital 16, 54, 77, 81, 127, 150, 165, 204, 207, 213
- Molecular switch 24, 186–191
- Molecular tweezers 167
- Mulliken-Hush model 89
- Multiple reference configuration interaction (MRCI) 83, 84, 130
- M06-2X 158, 187
- n**
- Natural transition orbital (NTO) 17
- Nile red 3, 52, 53, 141
- NLO switch 20, 23, 177–179, 186–188, 190, 191
- Nonlinear optical (NLO) 1, 8, 20–23, 29, 45, 149–191, 197, 229, 233, 236, 237
- Nonradiative 134
- N-phenylpyrrole 3, 52, 101
- o**
- ω B97XD 187
- Organic light emitting diode (OLED) 1, 17, 18, 23, 29, 197, 214–219, 233, 236
- Oxazine 3, 46, 177, 179
- p**
- Peridinin 62, 63, 81
- Phosphorescence 23, 24, 30, 215, 217, 234
- Photochromic 187
- Photoinduced electron transfer (PET) 57, 59, 60, 126, 127, 201, 214, 234
- Photoisomerization 10, 11, 13, 78, 79
- Photoswitch 9, 11

- Photosynthesis 1, 29, 55, 62, 84, 90, 233
 Platt's notation 29, 129
p-nitroaniline (PNA) 21, 52, 155, 163
 Polarity 7, 10–14, 16, 17, 19, 22, 32, 37, 41, 46, 48, 51, 62, 75–77, 82, 99, 105, 110, 111, 115, 118–127, 129–131, 133, 134, 137, 138, 140, 141, 144, 153–155, 167, 168, 183, 185, 197, 198, 200, 206, 222, 227, 233–236
 Polarizability 20, 21, 82, 118, 120, 151, 152, 154, 163, 176
 Polarizable continuum model (PCM) 81, 82, 130, 134, 172
 Polyene 21, 29, 45, 72, 81, 82, 84, 154, 166, 168, 173, 175, 197, 224
 Porphyrin 7, 98, 99, 105, 175, 224
 Potential energy surfaces (PES) 2, 3, 6, 33, 36, 37, 43, 73, 84, 85, 87, 92–95, 102, 103, 125, 127
 Proton transfer 4, 16, 31, 32, 137, 191, 214
 Pump-probe 6, 17, 18, 38, 59, 79, 87, 105
- q**
- Quantum dot 90, 167, 225
- r**
- Radiationless decay 43, 126
 Radiative 6, 23, 24, 30, 41, 43, 76, 110, 122, 126, 127, 130, 133, 134, 215, 225, 227, 234
 Raman spectroscopy 106–109, 182, 235
 Redox 22, 53, 56, 57, 59, 62, 90, 92, 177, 178, 186, 187, 224
 Reichardt's dye 5, 110
 Resonance assisted hydrogen bonding (RAHB) 139–140
 Resonance enhanced multiphoton ionization (REMPI) 130
 Resonance Raman 80, 81, 91, 106–109, 235
 Resonance two-photon ionization (R2PI) 7, 116
- Rhodamine 3, 45, 123, 133, 170, 201, 226, 227, 233
 Rotamer 77
 Rotational coherence spectroscopy (RCS) 7
- s**
- Self-consistent reaction field (SCRF) 80, 132, 155
 Semiempirical 5, 53, 80, 99, 153, 155, 163, 167, 235
 Sensing 1, 49, 125, 132, 137, 171, 187, 198, 205, 211–213, 219, 224–229, 233, 235, 236
 Smoluchowski limit 122
 Solvation 7, 18, 33, 34, 52, 72, 73, 77, 78, 80, 82, 84, 88, 105, 106, 108, 115–121, 127–136, 140, 141, 154
 Solvatochromic 13, 105, 120, 121, 129, 140
 Solvent mixture 140–141, 206
 Spin-orbit coupling (SOC) 23, 134, 215
 Spirooxazine 187, 188
 Stark spectroscopy 165, 181
 Stilbene 9, 12, 14, 44, 57, 101, 200
 Sumi–Marcus theory 7, 87
 Sum-over-state (SOS) 161, 163, 167, 173, 175
- t**
- Temperature 6, 22, 23, 40, 43, 46, 53, 59, 63, 71, 72, 83, 90, 94, 96, 111, 121–127, 129, 130, 133–135, 138, 141, 172, 187, 188, 197, 211, 222–229, 235, 236
 Terahertz 4, 73
 Thermally activated delayed fluorescence (TADF) 23, 24, 46, 214–216, 236
 Thermochrome 22
 Time correlated single photon counting (TCSPC) 83, 101, 235
 Time-dependent density functional theory (TDDFT) 4, 6, 52, 79, 80, 85–87, 126, 134, 135, 137, 141, 152, 169, 170, 176, 181, 183, 210, 213, 215, 218

- Time-resolved absorption 10, 11, 14, 101, 135
Time-resolved emission 10, 14, 49, 101
Tinuvin P 14
Transient absorption 4, 38, 78, 136, 185, 235
Two-photon absorption 21, 150, 166–173, 209, 236
Two-state model 20, 72, 73, 82, 83, 87, 88, 153, 155, 158, 168, 181
- U**
- Ultrafast 4, 8, 10, 19, 31, 37, 38, 78, 84–88, 90, 101–106, 108, 125, 126, 135, 183, 185
Ultraviolet (UV) 4, 14, 52, 79, 99, 164, 174, 179, 181–183, 212, 222–224
- Ultraviolet absorbers (UVAs) 14, 19
- V**
- Vibrational spectroscopy 7, 85, 137, 235
Viscosity 19, 101, 103, 105, 115, 121–127, 137, 197–201, 206, 209, 210, 219, 222, 226, 227, 229, 233, 235, 236
- W**
- Wavefunction 24, 32, 33, 73, 82, 83, 94, 152
- Z**
- Z-scan 20, 170, 175–177, 183, 184, 191
Zwitterion 5, 87, 144, 175, 179

