

Index

a

- abiological carbene transfer reactions
 - 145, 165
- acetylcholinesterase (AChE) 338
- Ag nanobiohybrids synthesis 391, 392
- AgNPs-CALB biohybrids 391
- alcohol oxidation 199
- allylbenzene
 - cross-metathesis of 310
- allylic amination of
 - 1,3-diphenylallylacetate 294
- allylic electrophiles 286
- allylic substitution 286, 296
- aminoarene
 - synthesis 326
- amorphous Ru-B catalyst 339
- amyloglucosidase 341
- anionic phenylacetylene analogue 305
- antibodies 19
- antibody 7A3 22
- apo-cyt c synthesis 359
- apo-metalloenzymes 6
- apo-myoglobin 16, 70
- artificial hydrogenases (AHases) 157, 171
 - biotin-avidin interaction 173, 178
 - chemocatalyst embedding 191, 193
 - metalloprotein hybrids, *see* covalent metalloprotein hybrids 184
- artificial metalloenzymes (ArMs)
 - benefits 1
 - hybrid nature 1
 - synthetic challenges 1
- artificial metalloenzymes (ArMs)
 - formation
 - metal binding 2, 8, 11
- artificial metathesases
 - catalytic performance of 308
- artificial oxidases design
 - cofactor replacement 206, 209
 - de novo protein scaffold design 216, 219
 - inorganic catalysts binding strategies 211, 216
 - metal switch 201
 - natural enzymes, structural modulation of 201, 206
 - non-heme systems 220
 - rational design algorithms 209
 - strategies 200
- artificial photosynthesis 353–354
- artificial transfer hydrogenases (ATHases) 171, 178
 - with biocatalyst 334
 - cascade reactions 182, 183
 - imines 180, 182
 - ketones 178, 179
- Asp-128 7
- asymmetric Diels-Alder reaction 230, 232, 233, 236
- Au-CALB nanobiohybrids 387
 - physicochemical characterization 388
 - synthesis 388
- Au-DNA nanoclusters 368
- Au nanobiohybrids synthesis 387, 391
- AuNPs-laccase hybrids 389, 390
- AuNPs-urease biohybrid
 - structural characterization 389

- avidin 20
 2,2'-azino-bis(3-ethylbenzthiazoline-6-sulfonic acid) (ABTS) 325
 aziridination 265, 266
- b**
- benzylamine
 palladium catalyzed allylic amination of 1,3-diphenylallylacetate with 291
- β -barrel protein nitrobindin 309
 β -barrel transmembrane protein 308
 β -glucoside 341
 β -lactoglobulin, aliphatic affinity of 193
- bicyclononyne-substituted cofactors 31
- bilirubin oxidase (BOD) 367, 368
- bioadhesion-assisted bio-inspired mineralization (BABM) strategy 337
- biocatalysis 200
- biocatalyst
 ATHase with 334
 cobalt-based 364
- biocatalytic strategies 69
- bioconjugation process 84
- bioelectrocatalysis
 future directions in 370–372
- bioelectrodes
 for applications in biosensing 366–367
 multicatalytic hybrid system for efficient 367–370
- biofuel cell 364, 367
 photoelectrochemical 361
- biohybrid fuel cell 370
- bioinspired photoelectrochemical cell 365
- bioinspired system
 for O₂ reduction 364–372
- biomineralization synthesis
 metallic NPs 327
- biosensing
 bioelectrodes for applications in 366–367
- biosensor 367
- biotin-Sav artificial metalloenzymes 177
- biotin-streptavidin hybrids 84
- biotin-streptavidin technology 254–256
- biotinylated diphosphine ligands 175, 176
- biotinylated Rh-NBD catalyst 333
- boron dipyrromethane (BODIPY) dyes 302
- bovine- β -lactoglobulin (β LG), CD spectra of 85
- c**
- CALB–copper nanoparticles 394
- CAL-B-Cu nanostructure 394
- CalB-Cu NPs
 SEM image 331
- CalB-Pd hybrid catalyst
 preparation scheme 326
- CalB-Pd hybrid system
 catalytic activity 327
- CAL-B-PdNp nanohybrids 88
- Candida antarctica lipase B (CALB) 327, 384
- carbene transfer reactions 145, 146
- carbonic anhydrases (CAs) 3, 140, 142
- carbon nitride nanosheet 369
- carboxyanhydrase 22
- carboxypeptidase A (CPA) 3
- cascade 321
 chemoenzymatic synthesis of chiral biaryl alcohols 328
 metal-based catalyst hybrids 322, 333
 metal-based materials for 323
- cascade process
 dual activity in 396
- cascade reaction* 322, 324, 326, 329, 340
- catalyst
 earth-abundant hydrogen-evolution 357
 sophisticated homogeneous 285
 amorphous Ru-B 339
 design 285
 gold-based 324

- Hoveyda-Grubbs 307–309, 311, 312
 hybrid 285, 286, 289, 291, 296, 297, 308
 hybrid, *see* hybrid catalyst 324
 hybrid protein-organometallic 333
 hydrogen evolution 356
 for olefin metathesis 307
 phosphonate based palladium pincer 300
 Ru-Cut 310
 Schrock-type 307
 synthetic oligopeptide-palladium 288
 catalytic oxidations 199
 C–C bond formation 285
 C–C bond forming reactions
 conjugate addition reactions 236, 240
 Diels-Alder reaction 225, 236
 C–H amination 266, 267, 269
 chemogenetics 103
 C–H insertion reactions
 biotin-streptavidin technology 254–256
 hemoproteins, repurposing of, *see* repurposed hemoproteins 262
 myoglobin scaffold 257, 260
 POP scaffold 260, 261
 and Si–H insertion 260
 chiral phosphane ligands 286, 287
 choline oxidase (ChO) 338
 citrate synthase (CS) 338
 cobalt-based biocatalyst 364
 cofactor anchoring 13, 19–21
 cofactor replacement 206, 209
 conjugate addition reactions 236, 240
 covalent anchorage 77, 84
 covalent ArM cofactors 25
 covalent linkage 23
 covalently-anchored DNA-hybrid catalysts 57, 58
 covalent metalloprotein hybrids
 human carbonic anhydrase-II (HCA) 191
 hybridization strategy 184
 papain 184, 187
 photoactive yellow protein 188
 serine proteases 188, 191
 cross-coupling
 Suzuki-Miyaura 327
 cross-coupling reaction
 palladium catalyzed 296, 301
 Cu(II) catalyzed Diels–Alder reaction 226
 Cu nanobiohybrids synthesis 392, 394
 Cu(II)–phthalocyanine cofactor 18
 C–X bond formation 285
 C–X bond forming reactions
 fluorination reaction 243
 oxa-Michael addition 240, 243
 cyclopropanation reactions 261, 262–265
 cysteamine-capped Au NPs 325
 cysteine (Cys69) 290
 cysteine residues 28–30
 cytochrome c 151
 cytochrome P450 superfamily 142, 144
- d**
 Darwinian mutagenesis 177
 dehalogenation 301
de novo design 10
de novo metalloenzymes 119, 122, 128
de novo protein scaffold design 216, 219
 density functional theory (DFT) method 108
 deoxyribozymes 41
 didodecyldimethylammonium bromide (DMB) 291
 Diels–Alder reaction 225, 230, 236
 diene moieties 293
 diethylpyrocarbonate (DEPC) 304
 directed evolution 277, 278
 artificial metallocofactors
 Pd-streptavidin metalloenzymes 160
 Rh-proline oligopeptidase conjugate 162, 164
 Rh-streptavidin metalloenzymes 157

- directed evolution (*contd.*)
- Ru-streptavidin metalloenzymes 159, 160, 162
 - Zn-binding protein 155, 157
 - beneficial mutations 137–139
 - chemical transformations 137
 - hemoproteins, *see* non-natural catalysis 144
 - natural metalloenzymes 140
 - carbonic anhydrase 140, 142
 - cytochrome P450 superfamily 142, 144
 - process steps 138
 - protein fitness landscape 139, 140
 - screening 138
- directed evolution optimization 175
- direct metal salt complexation 73, 77
- dirhodium ArMs 31
- 5,5-dithio-bis-(2-nitrobenzoic acid) (DTNB) 388
- DNA-based asymmetric Diels-Alder reaction 226, 228
- DNA based catalysts 88
- DNA-templated Au nanoclusters 367
- DNAzymes 41
- dual supramolecular-covalent anchoring strategy 187, 188
- dynamic kinetic resolution (DKR) 398
- e**
- electrochemical sensor 369
- electron transfer chain 357
- electrophilic fluorination reaction 243
- enantiomer 321, 322
- enzyme
- monooxygenase 330
 - organometallic material hybrid with 333
 - P450BSb 330
- enzyme biofuel cell (EBFC) 369–371
- enzyme-Cu NP hybrid
- preparation scheme 331
- enzyme hybrid
- gold nanoparticle-based 324, 326
 - palladium and platinum nanoparticle-based 326, 329
- η^6 -(benzene)RuCl-(Biot-*p*-L)CS112K (Sav=streptavidin, Biotin-*p*-L=*N*'-(4-Biotinamidophenylsulfonyl)ethylenediamine) 84, 85
- ethylenediamine tetraacetic acid (EDTA) 363
- [FeFe]-hydrogenase
- active center 360
 - active sites 357
 - photoelectrochemical biofuel cell 361
- f**
- Fe-porphyrins 262
- ferric hydroxamate uptake protein component A (FhuA) 308
- ferritin 5, 6, 297
- film electrochemistry (PFE) 357
- fluorination reaction 243
- Friedel–Crafts alkylation 238, 240
- Friedel–Crafts reaction 241
- fuel cell 354, 366
- biohybrid 370
- g**
- G4DNA-Cu based catalysts 91
- G4DNA-Mn-porphyrin complexes 91
- glucoamylase (GA) 325
- glucose oxidase (GOx) 325
- glutamic acid-*p*-nitroanilide transformation 398
- glycosidase
- mechanism 341
- gold-based catalyst 324
- gold catalyst 387
- gold nanoparticle-based enzyme hybrid 324, 326
- gold nanoparticles 367, 387
- graphene-Au NP surface 368
- Grubbs-Hoveyda catalyst 307–309, 312
- h**
- halogenation 276, 277, 279
- Hartree–Fock (HF) method 106
- heat shock protein 310

- Heck reaction
 iodobenzene and dihydrofuran 301
 of iodobenzene and ethyl acrylate 300
- heme oxygenases (HOs) 16
- heme proteins 14, 201
- hen egg white lysozyme (HEWL) 8
- heterogeneous catalysts 384, 386
- horseradish peroxidase (HRP) 201, 325
 HRP-Au NP hybrid catalyst 325
- Hoveyda-Grubbs catalyst 311, 312
- human carbonic anhydrase-II (HCA) 191
- hybrid catalyst 285, 308
 ligand structure 289
 metal-enzyme 321
 oligonucleotide based 291, 296
 palladium 297
 substrate-catalyst interaction by 286
 TEM of 324
- hybrid DNA-templated gold nanoclusters 368
- hybrid protein-organometallic catalyst 333
- hybrid quantum mechanics/molecular mechanics methods (QM/MM) 112
- hybrid systems
 for overall water splitting 364
- hydroformylation 302, 303
 of styrene 304
- hydrogenases 354–363
- hydrogenation reactions 171
- hydrogen evolution 355
 iron-based metalloenzymes for 355–363
 visible light-induced 362
- hydrogen-evolving catalyst (HEC) 354
- hydrogen evolving reaction (HER) 353
- hydrogen production 363
 metal-based biohybrid systems for 363, 364
- hydrolysis reactions 245
- hydrolytic kinetic resolution 244
- i**
 immobilized enzyme 338
 immobilized redox-active enzyme 358
 inorganic catalysts binding strategies 211, 216
in silico design 10
 intramolecular C–H amination 266
 in vitro selected-DNAzymes
 DNAzyme pool design 46
 metallocofactors 53, 54
 optimization 52
 reselection 53
 in vivo recombinant expression and encapsulation 335
- iridium
 catalyzed allylic amination of 1-phenylallylacetate 295
- iron-based metalloenzymes
 for hydrogen evolution 355–363
- iron carbonyl cluster 359
- j**
 Janus γ -Fe₂O₃/SiO₂ nanoparticles (JFSNs) 332
- l**
 laccase-AuNPs biohybrid 396
 lactococcal multidrug resistance Regulator (LmrR) 18
- Lewis acid catalyzed reactions
 C–C bond forming reactions, *see* C–C bond forming reactions 225
 hydrolytic kinetic resolution 225
- ligand
 chiral phosphane 286, 287
 multitude of 298
- linear dichroism (LD) spectroscopy 89
- m**
 malate dehydrogenase (MDH) 338
 metabolon
 mitochondrial electron transport 372
 metal-based biohybrid systems
 for hydrogen production 363, 364
 metal-based catalysis 200

- metal-based catalyst
 - hybrids with enzymes for cascade and multicomponent process 322, 333
 - metal-based materials
 - for hybridizing with enzymes 323
 - metal-based reduction
 - of nitro group to amine 340
 - metal-enzyme
 - complex 321
 - metal-enzyme hybrid catalysts 321
 - metals used for 330, 332
 - in multicomponent cascade reaction 334, 339
 - multistep reactions in 335
 - reaction mechanism of 339, 343
 - metallic nanoparticles 322
 - biomineralization synthesis 327
 - metallo- β -lactamase 4
 - metalloDNAzymes
 - cofactors and reactions 42
 - covalently-anchored DNA-hybrid catalysts 57, 58
 - in vitro selection, *see in vitro selected-DNAzymes* 53
 - supramolecularly-anchored DNA-hybrid catalysts 55, 57
 - metalloenzymes 199
 - metal nanoparticles 383
 - metals
 - used for metal-enzyme hybrid catalyst 330, 332
 - metal salt 383, 394
 - metal substitution strategy 254
 - metal switch 201
 - metathesis
 - olefin 307, 312
 - 2-methoxy-1,1'-binaphthyl 299
 - Michael addition reaction 236, 237
 - microperoxidases 216
 - mitochondrial electron transport
 - metabolon 372
 - Mn(salen)-(L72C/Y03C) 72
 - molecular dynamics (MD) 110
 - molecular mechanics (MM) 109
 - molecular modeling 100
 - molecular modeling methods 106, 107
 - monooxygenase enzyme 330
 - mono-oxygenation of myristic acid 332
 - multicatalytic hybrid system
 - for efficient bioelectrodes 367–370
 - multicomponent cascade reaction
 - metal-enzyme hybrid catalyst in 334, 339, 343
 - multicomponent process 321
 - metal-based catalyst hybrids 322, 333
 - metal-based materials for 323
 - multidimensional chemogenetic space 103
 - myoglobin 16
 - myristic acid
 - mono-oxygenation of 332
- n**
- nanobiohybrids
 - Ag 391, 392
 - Au 387, 391
 - chemical applications 395, 399
 - Cu 392, 394
 - dual activity in cascade process 396
 - Pd 384, 386
 - Pt 394
 - synergistic effect 396
 - nanoclusters 368
 - nanoparticle-based enzyme hybrid
 - palladium and platinum 326, 329
 - nanoparticles (NPs)
 - gold, *see gold nanoparticles* 324
 - metallic 322
 - natural enzymes, structural modulation
 - of 201, 206
 - natural metalloenzymes 2
 - directed evolution
 - carbonic anhydrase 140, 142
 - cytochrome P450 superfamily 142, 144
 - nature's hydrogenase enzymes 354
 - N-H insertion 269–271
 - [NiFe] hydrogenase 357
 - active sites 357
 - structure 357
 - [NiFeSe]-hydrogenase 361, 364

- NiKA 19
 nitrobindin (NB)-based hybrid catalyst 235
 nitrobindin mutant 309
 nitrogen transfer reactions 146, 151
 4-nitrophenyl- β -glucopyranoside 324
 4-nitrophenyl ester 326
 non-covalent supramolecular anchoring 84, 86
 non-natural catalysis
 carbene transfer reactions 145, 146
 cytochrome c 151
 myoglobin-derived catalysts 154, 155
 nitrogen transfer reactions 146, 151
 sperm whale myoglobin 151
- O**
 olefin metathesis 83, 307, 312
 oligonucleotide
 based hybrid catalyst 291, 296
 optimal catalyst environment 286
 O₂ reduction
 bioinspired system for 364–372
 organometallic material
 hybrid with protein/enzyme 333
 oxa-Michael addition 240, 243
 oxidation
 ABTS (2,2-azino-bis (3-ethylbenzothiazoline-6-sulfonic acid) 396
 oxidation reactions 199
 oxygen atom transfer, hybrid reactivity in 202
 oxygen evolving reaction (OER) 353
- P**
 palladium
 catalyzed allylic alkylation of
 1,3-diphenylallylacetate with diethylmalonate 292
 catalyzed allylic amination of
 1,3-diphenylallylacetate 294
 catalyzed allylic amination of
 1,3-diphenylallylacetate with benzylamine 291
 catalyzed cross-coupling reactions 296, 301
 nanoparticle-based enzyme hybrid 326, 329
 papain 184–188
 P450BSb enzyme 330
 Pd(allyl).apo-Fr hybrid 297
 Pd nanobiohybrids (Pd(0)NPs-enzyme hybrids) synthesis 384, 386
 Pd-streptavidin metalloenzyme 160
 PepA-Pt NP
 synthetic scheme 329
 PepA-PtNPs biohybrids 395
 peptide
 synthesis 287
 periodic table of elements 355
 peroxidases 207, 216
 phenylacetylene polymerization 304–306
 phosphane
 modified deoxyuridine 294
 modified proteins 289, 292
 modified synthetic polypeptides 287, 290
 phosphonate
 based palladium pincer catalyst 300
 phosphorous-peptide monomers 287
 photoactive yellow protein (PYP) 80, 188, 189, 291
 photoanodes 363
 photoelectrochemical biofuel cell 361
 photoelectrochemical cells (PECs) 364
 bioinspired 365
 photoinduced H₂ evolution 361
 photosensitizer (PS) 354
 photosynthesis
 artificial 353–354
 platinum
 nanoparticle-based enzyme hybrid 326, 329
 p-nitroanilide 329
 p-nitrophenyl butyrate transformation 397
 polymerization
 of phenylacetylene 304–306

- polypeptides
 phosphane modified synthetic 287, 290
 poly(phenylacetylene) (PPA) 304
 protein
 organometallic material hybrid with 333
 protein databank (PDB) 201
 protein film electrochemistry (PFE) 358
 protein fitness landscape 139
 protein sequence activity relationship (ProSAR) analysis 142
 protein shells (PSs) 327
 proteins
 phosphane modified 289, 292
 Pt nanobiohybrids synthesis 394
- q**
- QDs
 semiconductor 330
- r**
- rational design algorithms 209, 210
 redesigning naturally occurring metalloenzymes 69, 73
 regioselective C–H amination 266
 repurposed hemoproteins
 aziridination 265, 266
 C–H amination 266, 269
 cyclopropanation reactions 263, 265
 halogenation 276, 277
 new-to-nature reactions 262
 N–H insertion 269, 271
 S–H insertion reaction 271, 273
 sigmatropic rearrangements 275, 276
 sulfimidation 274, 275
 repurposed proteins 253
 rhodium–HSA dative complex 303
 rhodium substituted carbonic anhydrase formation 303
 Rh–streptavidin metalloenzymes 157, 158
 ring opening metathesis (ROM) 307
 ring opening metathesis polymerization (ROMP) 307, 309
 RNA-cleaving DNazymes 44
 ROM, *see* ring opening metathesis (ROM) 307
 ROMP, *see* ring opening metathesis polymerization (ROMP) 307
 RosettaMatch 121
 Ru–Cut catalyst 310
 Ru–streptavidin metalloenzymes 159, 161
 ruthenium carbenoid catalyst 307
- s**
- Schrock-type catalyst 307
 Search for Three-dimensional Atom Motifs in Protein Structure (STAMPS) algorithm 201
 semiconductor QDs 330
 serine proteases 188, 191
 serum albumins 7, 17
 sigmatropic rearrangements 275, 276
 S–H insertion reaction 271–273
 Si–H insertion 260, 261
 site-specific metal incorporation 1
 Sonogashira coupling 293
 sorbitol 338
 SP–CHO hybrid activity 300
 sperm whale myoglobin 151, 153
 stereoselective reaction 339
 streptavidin 7, 20
 styrene
 hydroformylation of 304
 sulfimidation 274–276
 supramolecular interactions 13
 supramolecularly-anchored DNA-hybrid catalysts 55, 57
 sustainable fuel cells 354
 Suzuki–Miyaura cross-coupling 327
 Suzuki reaction
 4-iodoaniline and phenylboronic acid 297, 298
 2-iodonaphthalene and 2-methoxy-1-naphthaleneboronic acid 299
 synergistic effect, nanobiohybrids 396
 synthetic chemistry 166
 synthetic oligopeptide–palladium catalyst 288

synthetic polypeptides
 phosphane modified 287, 290

t

Te-Dps-Pd NP
 synthetic scheme 328
3,3',5,5'-tetramethylbenzidine (TMB)
 338
transition metal catalysts 100, 101
tryptamine halogenases 278, 279

u

unnatural amino acids 11–13
urease-Cu nanoflowers 393

v

vanadium-containing ArMs 7
virus-like particle (VLP) 333
visible light-induced H₂ evolution 362

w

water oxidation 364
water oxidation catalyst (WOC)
 354
water-soluble oxanorbornene derivative
 309
water soluble tetrachloroauric acid
 387
water splitting
 hybrid systems for 364
 for overall 365
wild-type cytochrome *c*₅₅₆ (cyt *c*₅₅₆)
 360

x

xylanases 16

z

zero-gradient structures 101

