

Contents

Preface *xv*

About the Editor *xvii*

- 1 Introduction of Mass Spectrometry and Ambient Ionization Techniques** *1*
Yiyang Dong, Jiahui Liu, and Tianyang Guo
 - 1.1 Evolution of Analytical Chemistry and Its Challenges in the Twenty-First Century *1*
 - 1.2 Historical Overview of Mass Spectrometry and Its Role in Contemporary Analytical Chemistry *5*
 - 1.3 Desorption/Ionization in Mass Spectrometry *12*
 - 1.3.1 Electronic Ionization (EI) *13*
 - 1.3.2 Chemical Ionization (CI) *14*
 - 1.3.3 Fast Atom/Ion Bombardment Ionization (FAB) *15*
 - 1.3.4 Electrospray Ionization (ESI) *16*
 - 1.3.5 Matrix Assisted Laser Desorption/Ionization (MALDI) *18*
 - 1.3.6 Field Desorption (FD) or Field Ionization (FI) *19*
 - 1.3.7 Plasma Desorption (PD) (ICP, LTP, DART) *19*
 - 1.4 Ambient Ionization and Direct Analysis in Real Time *21*
 - 1.4.1 Ambient Ionization *21*
 - 1.4.2 Direct Analysis in Real Time *24*
 - 1.4.2.1 Mechanisms *24*
 - 1.4.2.2 Parameters *27*
 - 1.4.2.3 Devices *29*
 - References *30*

- 2 DART Mass Spectrometry: Principle and Ionization Facilities** *43*
David Rondeau
 - 2.1 Introduction *43*
 - 2.2 Metastable Gas Stream Formation *43*
 - 2.3 Ionization Mechanisms in Positive DART *45*
 - 2.3.1 Generation of Primary Ions by Ambient Air Ionization *46*
 - 2.3.2 Formation of the Protonated Molecules *50*

| | | |
|----------|---|-----------|
| 2.3.3 | Formation of the Ammonium Adducts | 54 |
| 2.3.4 | Formation of the Radical Cations and Their Fragments | 55 |
| 2.3.5 | Matrix Effects in DART Due to Sample Solvents | 59 |
| 2.4 | Ionization Mechanisms in Negative DART | 65 |
| 2.4.1 | Generation of Primary Ions by Ambient Air Ionization | 65 |
| 2.4.2 | Formation of Deprotonated Molecules | 68 |
| 2.4.3 | Formation of Radical Anions | 69 |
| 2.4.4 | Formation of Anionic Adducts | 70 |
| 2.5 | Some Parameters Affecting the DART Mass Spectra | 71 |
| 2.5.1 | Substitution of Helium by Nitrogen or Argon | 71 |
| 2.5.2 | The Temperature of the Gas Stream | 75 |
| 2.5.3 | The Internal Energy of Ions in DART-MS | 76 |
| 2.6 | Conclusion | 78 |
| | References | 78 |
| 3 | Sampling and Analyte Enrichment Strategies for DART-MS | 81 |
| | <i>Wen Ma, Xianjiang Li, and Huwei Liu</i> | |
| 3.1 | Dilution Strategy for Sticky Sample Analysis | 81 |
| 3.2 | Purification Strategy for Eliminating the Matrix Interference | 82 |
| 3.2.1 | Liquid Phase Extraction | 82 |
| 3.2.2 | Solid Phase Extraction (SPE) | 86 |
| 3.2.3 | Solid Phase Microextraction (SPME) | 87 |
| 3.3 | Derivatization Strategy to Decrease Polarity and Enhance Volatility | 89 |
| 3.4 | Conclusions | 91 |
| | References | 91 |
| 4 | Optimization of DART and Mass Spectrometric Parameters | 97 |
| | <i>Guohua Wu and Wushuang Li</i> | |
| 4.1 | Introduction | 97 |
| 4.2 | Effect of Working Gas Type, Gas Flow Rate, and Its Temperature | 98 |
| 4.2.1 | Gas Type | 98 |
| 4.2.2 | Gas Flow Rate | 99 |
| 4.2.3 | The Working Gas Temperature of DART Ionization Source | 100 |
| 4.3 | Effects of Grid Electrode Voltage and Sampling Speed | 102 |
| 4.3.1 | Effect of Grid Electrode Voltage | 102 |
| 4.3.2 | Effect of Sampling Speed | 103 |
| 4.4 | Effect of the Sampling Mode | 104 |
| 4.4.1 | Sampling Methods | 104 |
| 4.4.2 | Position and Angle of the DART Ion Source | 105 |
| 4.5 | Effect of Ion Mode | 106 |
| 4.6 | Effect of Solvent Type and Reagents | 108 |
| 4.7 | Summary | 109 |
| | References | 109 |

| | | |
|----------|--|------------|
| 5 | Interfacing DART to Extend Analytical Capabilities | 115 |
| | <i>Yiding Zhang, Shuting Xu, and Yu Bai</i> | |
| 5.1 | Introduction | 115 |
| 5.2 | Interfacing DART with Different Separation Techniques | 116 |
| 5.2.1 | Solid Samples | 116 |
| 5.2.2 | Gaseous Samples | 118 |
| 5.2.3 | Liquid Samples | 119 |
| 5.2.3.1 | Liquid Chromatography | 119 |
| 5.2.3.2 | Capillary Electrophoresis | 123 |
| 5.3 | Techniques of Interfacing DART with Other Analytical Techniques | 125 |
| 5.3.1 | Surface Plasmon Resonance | 125 |
| 5.3.2 | Ion Mobility Spectrometry | 126 |
| 5.4 | Conclusion and Perspectives | 129 |
| | References | 129 |
| | | |
| 6 | Application of DART-MS in Foods and Agro-Products Analysis | 133 |
| | <i>Canping Pan and Lei Wang</i> | |
| 6.1 | Introduction | 133 |
| 6.2 | Applications of DART-MS in Agriculture and Food Science | 134 |
| 6.2.1 | DART-MS in Pesticide Residue Analysis | 134 |
| 6.2.1.1 | Fast Screening Purposes | 134 |
| 6.2.1.2 | Screening Highly Hazardous Pesticides in Agrochemical Formulations | 140 |
| 6.2.1.3 | Quantitative MRM Residue Method | 147 |
| 6.2.2 | Veterinary Drug Residue Detection | 148 |
| 6.2.3 | Fast Detection of Melamine in Milk | 149 |
| 6.2.4 | Detection of Mycotoxins in Cereals | 150 |
| 6.2.5 | Food Component Rapid Analysis | 151 |
| 6.2.6 | Contaminations in Food Contact Materials (FCMs) | 156 |
| 6.3 | Conclusion | 156 |
| | References | 157 |
| | | |
| 7 | Application of DART-MS for Industrial Chemical Analysis | 163 |
| | <i>Qiang Ma</i> | |
| 7.1 | Application on Household Items | 163 |
| 7.1.1 | Polydimethylsiloxane (PDMS) Analysis in Articles for Daily Use | 163 |
| 7.1.2 | Identification of Sulfides in Drywall | 165 |
| 7.1.3 | Phosphoric Acid Esters Screening in Aqueous Samples | 168 |
| 7.2 | Application on Food Packaging Safety and Quality Control | 172 |
| 7.2.1 | Identification of PDMS in Food Packaging Materials | 172 |
| 7.2.2 | Identification of Polymer Additives in Food and Food Packaging | 175 |
| 7.2.3 | Identification of Residue Primary Aromatic Amines (PAAs) in Food Packaging Materials | 176 |
| 7.3 | Application on Pharmaceutical Products | 177 |
| 7.3.1 | Toxic Glycols Identification | 177 |

- 7.3.2 Identification of Active Ingredients in Chinese Herbal Medicines 179
- 7.4 Application on Cosmetics Quality Control 182
- 7.4.1 Screening of Glucocorticoids Illegal Addition 182
- 7.5 Application on Other Industrial Chemical Fields 184
- 7.5.1 Ink Discrimination on Questioned Document 184
- 7.5.2 Ionic Liquids Identification 189
- 7.6 Conclusions 190
- References 190

- 8 Application of Direct Analysis in Real Time Coupled to Mass Spectrometry (DART-MS) for the Analysis of Environmental Contaminants 193**
Maxime C. Bridoux and Sébastien Schramm
- 8.1 Introduction 193
- 8.2 Screening and Quantitative Analysis of Pesticides 194
- 8.3 Flame Retardants DART-MS Analysis 204
- 8.3.1 Organophosphorus Flame Retardants (OPFRs) 204
- 8.3.2 Brominated Flame Retardants (BFRs) 207
- 8.4 Use of DART-MS for the Analysis of Personal Care Products (PCPs) 210
- 8.4.1 Screening of Organic UV Filters in Water 210
- 8.4.2 Screening of Phthalic Acid Diesters 211
- 8.4.3 HPLC-DART-MS Analysis of Parabens 211
- 8.5 Use of DART-MS for the Analysis of Aerosols 212
- 8.5.1 Online DART for Aerosols Analysis 212
- 8.5.2 Offline DART Methods 213
- 8.5.3 Advantages and Limitations of DART-MS for Aerosols Characterization 213
- 8.6 Miscellaneous Environmental Application of DART-MS 214
- 8.7 Conclusions 215
- References 216

- 9 Application of DART-MS in Clinical and Pharmacological Analysis 223**
Yue Li
- 9.1 Introduction 223
- 9.2 Sample Preparation 224
- 9.3 Applications of DART-MS 225
- 9.3.1 Rapid Determination of Small Organic Compounds in Biological Samples 225
- 9.3.1.1 Analysis of a Bitter Herbal Medicine *Gentiana scabra* Root Extract 225
- 9.3.1.2 Simultaneous Determination of 3-Chlorotyrosine and 3-Nitrotyrosine in Human Plasma 226
- 9.3.1.3 Rapid Screening for Methamphetamine, 3,4-Methylene-dioxymethamphetamine, and Their Metabolites in Urine 227

| | | |
|-----------|---|------------|
| 9.3.2 | Newborn Screening for Phenylketonuria | 227 |
| 9.3.3 | DART-MS Analysis of Skin Metabolome Changes in Ultraviolet B-Induced Mice | 228 |
| 9.3.4 | Application in Detection of Breast Cancer | 231 |
| 9.3.5 | Transmission Mode DART-MS for Fast Untargeted Metabolic Fingerprinting | 232 |
| 9.3.6 | Applications of Confined DART Ion Source for Online <i>In vivo</i> Analysis of Human Breath | 233 |
| 9.3.6.1 | Real-Time Analysis of Exhaled Breath | 234 |
| 9.3.6.2 | Real-Time Monitoring of Oral Anesthetic Drug | 235 |
| 9.4 | Challenges and Limitations | 236 |
| 9.5 | Recent Advancements | 237 |
| | References | 238 |
| 10 | DART-MS Applications in Pharmaceuticals | 241 |
| | <i>Karina G. Putri, Qianwen Wu, and Young P. Jang</i> | |
| 10.1 | Pharmaceutical Analysis | 241 |
| 10.2 | Quality Assurance | 243 |
| 10.3 | Illegal Active Pharmaceutical Ingredients and Counterfeit Drugs | 244 |
| 10.4 | Drug Development | 247 |
| | References | 251 |
| 11 | Application of DART-MS in Natural Phytochemical Research | 255 |
| | <i>Vikas Bajpai, Awantika Singh, Brijesh Kumar, and Kunnath P. Madhusudanan</i> | |
| 11.1 | Introduction | 255 |
| 11.2 | Direct Analysis in Real Time (DART) Mass Spectrometry | 256 |
| 11.3 | DART-MS Parameter Optimization for Phytochemical Analysis | 256 |
| 11.4 | Applications of DART-MS in Phytochemical Research | 257 |
| 11.4.1 | Qualitative Phytochemical Analysis | 257 |
| 11.4.2 | Cell Culture Analysis | 261 |
| 11.4.3 | Analysis of Volatiles | 261 |
| 11.4.4 | Species Identification | 262 |
| 11.4.5 | Metabolic Profiling and Multivariate Analysis | 263 |
| 11.4.6 | Quantitative Analysis | 274 |
| 11.5 | Hyphenated DART-MS Techniques for Phytochemical Analysis | 276 |
| 11.5.1 | GC and HPLC-DART-MS | 276 |
| 11.5.2 | TLC/HPTLC-DART-MS | 276 |
| 11.5.3 | Capillary Electrophoresis-DART MS | 277 |
| 11.5.4 | DART-IMS-MS | 277 |
| 11.5.5 | Other Coupling Techniques | 277 |
| 11.6 | Improving Sensitivity of DART-MS for Phytochemical Analysis | 278 |
| 11.6.1 | Solvents and Gases | 278 |
| 11.6.2 | Matrix Suppression | 279 |
| 11.7 | DART -MS as Process Analytical Technology | 279 |
| 11.8 | Future Perspective | 280 |
| | References | 280 |

- 12 Miscellaneous Applications of DART-MS 291**
Yoshihito Okada
- 12.1 Introduction 291
 - 12.2 Usefulness of Negative-Ion Mode 292
 - 12.3 Application to Archeology and Conservation 293
 - 12.4 Application by Using TLC 293
 - 12.5 Application to Low Volatility, Chemical Warfare, and Homeland Security 294
 - 12.6 Pheromone Profiles from Live Animals in Parallel with Behavior 295
 - 12.7 Application to Distinction of Plants with Similarity 296
 - 12.8 Application to Space 298
 - 12.9 Application to Bituminous Coals 298
 - 12.10 Application to Detection of Nicotine 298
 - 12.11 Other Potential Applications of DART-MS 299
 - 12.11.1 Instantaneous Screening for Counterfeit Drugs with No Sample Preparation [26-1] 299
 - 12.11.2 Direct Analysis of Drugs in Pills and Capsules with No Sample Preparation [26-2] 300
 - 12.11.3 Detection of Lycopene in Tomato Skin [26-3] 300
 - 12.11.4 Distribution of Capsaicin in Chili Peppers [26-4] 302
 - 12.11.5 Detection of Unstable Compound Released by Chopped Chives [26-5] 302
 - 12.11.6 Rapid Detection of Fungicide in Orange Peel [26-6] 304
 - 12.11.7 "Laundry Detective": Identification of a Stain [26-7] 304
 - 12.11.8 Detection of the Peroxide Explosives TATP and HMTD [26-8] 306
 - 12.11.9 Instantaneous Detection of Explosives on Clothing [26-9] 306
 - 12.11.10 Rapid Detection and Exact Mass Measurements of Trace Components in a Herbicide [26-10] 308
 - 12.11.11 Rapid Analysis of *p*-Phenylenediamine Antioxidants in Rubber [26-11] 308
 - Acknowledgment 309
 - References 309
- 13 Inherent Limitations and Prospects of DART-MS 313**
Tim T. Häbe, Matthias Nitsch, and Gertrud E. Morlock
- 13.1 Aspects of Inherent Limitations of DART-MS 313
 - 13.1.1 Gas Settings 314
 - 13.1.1.1 Type of Gas 314
 - 13.1.1.2 Gas Temperature 314
 - 13.1.1.3 Gas Flow Rate 317
 - 13.1.2 Voltage of Electrodes 317
 - 13.1.3 Sample Introduction and Positioning 318
 - 13.1.4 Detection System and Mass Range 318
 - 13.1.5 Matrix Effects and the Need for Chromatography 319
 - 13.1.6 Buffer and Salt Effects 321
 - 13.1.7 Sample Carrier and Solvent 322
 - 13.1.8 Humidity Effects 322

| | | |
|---------|---|------------|
| 13.1.9 | Use of Isotopically Labeled Standards | 322 |
| 13.1.10 | Dopant and Derivatization | 323 |
| 13.2 | DART versus Other Ambient Ion Sources | 324 |
| 13.3 | Prospects of DART-MS | 326 |
| 13.3.1 | Automation and Miniaturized DART-MS | 326 |
| 13.3.2 | Sample Preparation, Preconcentration, and Introduction | 327 |
| 13.3.3 | Ion Focusing and Flexible Ion Transportation | 327 |
| 13.3.4 | Quantitative Surface Scanning and Imaging by DART-MS | 328 |
| 13.3.5 | Hyphenation of Effect-Directed Analysis and DART-MS | 331 |
| 13.3.6 | Thermal Separations by Temperature Gradients | 331 |
| 13.3.7 | Aerosol, <i>in situ</i> and <i>in stillo</i> Chemical Reaction and Kinetic Monitoring | 332 |
| 13.3.8 | High Resolution and Data Analysis | 332 |
| 13.4 | Concluding Remarks | 333 |
| | References | 333 |
| | Index | 345 |

