

## Index

### a

- acrylic resins 51, 52
- addition polymer 36
- additives
  - approach 372
  - catalytically active 12
  - special effect 128–130
  - types of 109–110
- adherence
  - coating
    - adhesion testing 338
    - Cu and ABS 340
    - diffusion interactions 335
    - electrostatic interaction 335, 336
    - epoxy-amine coatings 341
    - liquid coating 335
    - mechanical interlocking 335
    - peel test 339, 340
    - PP-EPDM rubber 338
    - silane adhesion promoters 336
  - practical tests 341–343
  - thermodynamic considerations
    - JKR test 320, 321
    - measurements methods 319
    - PDMS 322, 323
    - PE particles 323, 324
    - surface energies 320
  - thermomechanical considerations
    - bimaterial systems 331–335
    - bonding process 335
    - chemical composition of material 326
    - compliance factor 326
    - component materials 332
    - critical stress intensity
      - factor/fracture toughness 327
    - edge effects 325
    - energy release rate 332
    - force approach 326
    - fracture energy 330
    - Griffith approach 330
    - local bond breaking model 329
    - monolithic materials 324
    - plane stress loading 325
    - small-scale yielding 327
    - specific fracture energy 326
    - stress intensity 328, 332
    - surface cracks 333
    - temperature-time equivalence 334
    - von Mises yield criterion 329
- adhesion promoters 109, 116, 118–120, 335, 337, 507
- aesthetics 1, 2, 4, 6, 8, 15, 120, 326, 371, 372, 491
- air entrapment 338, 372
- airless spray gun 137
- Alexander–Orbach conjecture 435
- amorphous polymer
  - end-to-end distance 27
  - equivalent chain 29
  - freely jointed chain model 28
  - freely rotating chain model 28
  - PMMA 26
- amorphous SiO<sub>2</sub> 120
- amphiphilic approach
  - comblike block copolymers 470, 471
  - DRCA measurements 472

- amphiphilic approach (*contd.*)
    - ethoxylated fluoroalkyl side chains 471
    - hydrophobic and hydrophilic domains 469
    - hydrophobic methylated silica surface (HMS) 469, 470
  - amphoteric surfactants 117
  - analysis of variance (ANOVA) 394
  - angular frequency 223, 229, 293, 362
  - anionic surfactants 117
  - annulus 253
  - anodic deposition 147
  - antibiofouling behavior 533
  - anticorrosion coatings 505, 536
  - antifoaming agents 109, 116–118, 199
  - antimony-doped tin oxide (ATO) 430, 431
  - anti-sagging agents 76
  - antiskinning agents 109, 128
  - antistatic coatings 399, 434
  - architectural paints 73
  - Arrhenius-type behavior 282
  - associative thickeners (ATs) 112, 364, 365
  - asymmetric Bruggeman equation 428
  - atactic polymer 21, 23, 26
  - atomic force acoustic microscopy (AFAM) 263
  - atomic force microscopy (AFM) 262
  - attenuated total reflection (ATR) technique 225
  - automotive coatings 502
    - build-up 150
    - electrodeposition 150
    - marine coatings 265
  - autonomous/induced self-repair 483
  - autoxidative drying 57, 58, 63, 64, 66, 91, 93
  - auxochromes 133
  - Avogadro's number 43, 157
  - azobisisobutyronitrile (AIBN) 39
- b**
- backscattering imaging 259
  - Baier curve 449–451
  - ball-drop test 341, 342
  - Bancroft's rule 199
  - band gap 132, 403–405, 411–413, 415, 416
  - base coat 6, 8, 147, 149–151, 153, 284, 285, 502
  - basic coating formulations
    - coating compositions 71
    - chemistries of, high-solid formulations 85
    - high-solid formulations 80
    - solventborne formulations 72–85
  - Bénard cell effects 120, 121
  - $\beta$ -hydroxyalkylamides 81, 82, 103, 104
  - Bethe lattice 424
  - Bezold–Brücke effect 382
  - Binders 1, 2, 5–8, 10, 12, 13, 15, 50, 53, 57, 71, 72, 76, 104, 109, 112, 115, 117, 120, 132, 133, 144, 145, 151, 196, 352, 362, 364, 377, 385–387, 400, 401, 446, 447, 485–488
  - bio-based monomers 60, 62, 63, 534, 535
  - bio-composites 1
  - biofouling process
    - attachment of biofoulants 448
    - detachment of biofoulants 448, 449
    - phases 448
    - prevention of attachment strategy 451
  - Bingham model 350
  - birefringent 255, 256
  - bis-furyl-acetone (BFA) 62
  - bisphenol-A (BPA) 49, 50, 76
  - bisphenol-A diglycidyl ether (DGEBA) 49, 50
  - bisphenol-A (BPA)-epoxy resins 76, 92
  - Bloch
    - equations 231
    - theorem 408
  - Boltorn<sup>TM</sup> 80
  - Boltzmann
    - constant 156, 380
    - distribution 228
    - factor 28, 205, 417
    - ratio 229
    - superposition principle 286

- Burgers model 291
- creep and relaxation function 291, 292
- general series-parallel model 292
- bond percolation 423–425
- Born repulsion 159, 164, 194
- branching index 34–36
- Brownian motion 89, 202, 354, 356
- Brunauer, Emmett and Teller (BET) 279
- Brundtland Report 534
- brush marks 135, 136, 372, 376, 377
- bubble viscometer 351
- buckyballs 431, 433
- Burgers model 288, 290, 291
- C**
- cage reactions 38
- capillary (or Ostwald) viscometer 350, 424
- carbon allotropes 434, 436
- carbon black (CB) 9, 24, 132, 399, 403, 431, 436, 437, 454, 536
- carbon nanotubes (CNTs) 132, 248, 278, 399, 431, 433, 454
- networks 438
- Cassie–Baxter (or fakir) state 190, 191
- Casson equation 350, 356
- catalytically active additives
  - dryers 122–123
  - other catalysts 123–125
- cathodic deposition 149, 150
- cationic surfactants 117
- Cauchy plot 165
- cavitation 136
- CB–polymer composites 434–436
- chain-growth polymerization 38
- chain motion
  - primitive path 306
  - reptation regime 305
  - Rouse regime 304
  - shear thinning 304
  - zero-shear viscosity 303, 305
- chain stopper 31
- charge-transfer (CT) 11, 102, 147, 187, 335, 387, 399, 402, 403, 415–417
- chemical aging 298, 308
- chemical drying 83, 352
- chemical isomerism 21
- chi (or Flory) parameter 170
- chroma 381, 383, 384, 388, 390–392
- chromophores 10, 133
- CIELCH system 384, 388, 391, 392
- CIE 1931 (XYZ) system 383
- CIE94 tolerancing system 392
- clear coat 8, 147, 151, 226, 253, 491, 503, 522, 536
- CMC 1988 tolerancing system 391
- coagulation kinetics
  - hindered coagulation
    - HLB system 207
    - W/O and O/W emulsions 204, 206
  - unhindered coagulation
    - diffusion limited coagulation 202, 203
    - droplet radius 203, 204
- coalescing agents 12, 109, 120–121
- coating compositions 71–72, 75
- coating materials 97, 109, 128, 139, 142, 150, 221, 225, 273, 336, 347, 362, 363, 374, 481, 524, 535, 536
- co-dispersed crosslinkers 93
- colloidal stability 194–196, 198, 363, 390, 434
- color addition and subtraction
  - CIELAB system 388, 389
  - colored pigments 390
  - reflectance measurement 390
  - tri-chromatic systems 387
- color characterization
  - addition and subtraction systems 387–391
  - color perception 382
  - color quantification 383
  - color sensing 381
  - color tolerancing 391–393
  - electromagnetic spectrum 379
  - filtering 387
  - light sources 380, 381
  - reflection and transmission 385, 386
  - refractive index 386
  - scattering 384, 387
- color flop 392

- color perception 3, 379, 382
  - color temperature (CT) 379, 380
  - color tolerancing
    - effect coatings 392
    - CIELCH system 391, 392
    - UV radiation 392
  - complex viscosity 293, 296, 348
  - components-of-surface-tension
    - approach 450
  - compressed air spray gun 136
  - condensation polymer 19
  - conduction band 403, 404, 409–411, 413, 414, 416
  - conductive atomic force microscopy (CAFM) 263
  - confocal scanning microscopy 254–255
  - conjugation length 415
  - consistency index 349
  - contact angle hysteresis (CAH) 191, 460
  - contact leaching 447
  - contrast effect 380, 382
  - controlled depletion paints (CDPs) 447
  - conventional deposition techniques
    - brushing and rolling 135
    - spraying 137
  - conventional thickeners (CT) 364
  - cooperative processes 301–303
  - correlated hindered rotation model 28
  - Couette viscometers 351
  - Coulomb interactions 156, 435, 436
  - coupling agents 336, 340, 341, 374, 430
  - Cox–Merz rule 348
  - cratering 119, 136, 338, 372, 378
  - craters 378
  - critical coagulation concentration (CCC) 194
  - critical micelle concentration (CMC) 87, 197, 209
  - critical pigment volume concentration (CPVC) 9, 387
  - cross-hatch test 342
  - crosslinkers 6–8, 41, 42, 49, 54, 77, 90–93, 103, 104, 121, 123, 127, 144, 145, 151, 236, 455, 461, 462, 488, 489, 509–511, 534
  - crosslinking index 42
  - Cross model 349
  - cross-polarization (CP) 233
  - Crowther criterion 257–258
  - crystallinity 23–26, 29, 222, 247, 248, 283, 306–308, 421, 422
  - curtain coating 137
- d**
- deagglomeration 132, 133
  - deblocking temperature 74
  - Debye–Hückel model 156, 162, 408, 411
  - Debye (or induction) interaction 157
  - defects
    - APTES molecules 374
    - brushing 376, 377
    - coating material 374, 375
    - dewetting 373
    - good wetting 372
    - HS coatings 378
    - nonadditives and additives approach 372
    - organic pigments 374
    - production/application method 371
    - protective quality of coating, deterioration 371
    - surface tension 377, 378
  - degree of branching (DB) 80
  - degree of polymerization (DP) 31, 170, 509
  - Della Volpe parametrization 188
  - deposition efficiency 136, 137
  - Derjaguin approximation 162, 166–167
  - Derjaguin–Landau–Verwey–Overbeek (DLVO) theory 90, 194, 195, 450
  - Derjaguin, Muller and Toporov (DMT) 322
  - detachment, of biofoulants strategy
    - adhesion strength 451
    - mechanical properties 452

- polymers, physical properties 452, 453
  - structural properties 451, 452
  - dewetting 182, 190, 336, 371–374
  - DiBenedetto equation 275
  - dibenzoyl peroxide (BPO) 38
  - dicumene peroxide (Dicup) 38
  - Diels–Alder (DA) reactions 499
  - differential interference contrast (DIC) 252
  - differential scanning calorimetry (DSC)
    - experiment
      - conversion measurements 275
      - endothermic response 275
      - conversion measurements 276
      - heating rates 273
      - MDSC 276
      - samples and temperature sensors 274
      - setup 273, 274
      - $T_g$  measurements 275
  - differential viscometry (DV) 84
  - differential viscosity 348
  - diffuse coarseness (DC) 392
  - diffuse reflection 3, 384–387
  - diffusion limited coagulation (DLC) 202
  - Digital Equipment Corporation 537
  - diisopropanolamine (DIPA) 81
  - dimethylaminoethanol (DMEA) 91
  - dimethylbenzylamine (BDMA) 48
  - dimethylolpropionic acid (DMPA) 79
  - dioctyl phthalate (DOP) 73
  - dip-coating 7, 138, 141–142
  - dispersants 71, 117, 284
  - dispersions
    - CCC 194
    - depletion flocculation 195
    - electrostatic stabilization 194
    - lyophilic and lyophobic colloids 193
    - steric stabilization 194
  - dispersity 21, 32, 81, 83, 131, 221, 241, 242, 244, 283, 309, 355
  - dissipative particle dynamics (DPD) 510
  - doctor blade coating 138–139
  - doctor blade technology 138
  - Doolittle equation 299
  - doping
    - charge conjugate invariant 413
    - conductivity for t-PAC 414, 415
    - conjugated polymers 415
    - electron-electron interaction 415
    - t-PAC for solitons and polarons 414
  - dryers 6, 12, 15, 109, 122–123, 125, 128, 352, 362
  - drying oils 47, 58, 63–66, 77, 78
  - Dundurs parameter 331, 333
  - Du Noüy ring technique 177
  - Durand–Bruneau
    - propagation-expectation theory 34
  - dynamic mechanical (thermal) analysis (DMTA) 144
    - constitutive behavior 307
    - crosslink number density 309
    - elastic and viscous response 308, 309
    - fracture of specimen 310
    - measurement 311
    - noncrosslinked systems 309
    - primary transition 311, 312
    - slippage in clamps 310, 311
  - dynamic recovery contact angle (DRCA)
    - method 192, 514
    - measurements 472
  - dynamic Wilhelmy method 183
- e**
- effect coatings 12, 131, 132, 347, 392
  - effective (or equivalent) alkane carbon number (EACN) 201
  - effective chain length (ECL) 200, 201
  - effective medium theory (EMT) 428–430
  - efflux cup viscometers 351
  - Einstein's law 361
  - elastically active chains (EANs) 75

- elastically active knots (EAK) 41, 43
  - elastically active network (EAN) 41, 53
  - electrical impedance spectroscopy (EIS) 402
  - electrically conductive coatings
    - carbon-black coating 402, 403
    - composite coating 402
    - corrosion protection 400
    - electrode configuration 401
    - electrode materials 402
    - energy harvesting 400
    - frequency aspect 402
    - graphene-printed electronics 400
    - intrinsically conductive polymers 403
    - MWCNTs 399
  - electrical networks modeling (ENM) 431
  - electrochemical impedance spectroscopy (EIS) 506
  - electrocoat 147
  - electrodeposition (ED) 147–150
  - electromagnetic radiation 380
  - electronic transitions 11, 387
  - electron microscopy
    - electromagnetic and/or electrostatic lenses 256
    - sample preparation
      - cryofixation 261, 262
      - sectioning 261
      - sputter coating 261
      - staining 261
      - vacuum and/or electron irradiation 260
    - SEM 259
    - STEM 260
    - TEM 256
  - electrostatic force microscopy (EFM) 264
  - empirical hardness tests 317
  - emulsions
    - coagulation 197
    - coalescence 198
    - HLB Concept 198
    - micro-emulsions 197
    - mini-emulsions 197
    - normal (or macro-) 197
    - oil-in-water (O/W) 196, 197
    - polymerization 436
    - surfactants variety 198
    - water-in-oil (W/O) 196, 197
  - energy dispersive spectrometry (EDS) 259
  - entropic stabilization 90
  - environmental scanning electron microscope (ESEM) 261
  - epichlorohydrin (ECH) 48, 49
  - epoxidized linseed oil (ELO) 144
  - epoxy group 47, 49, 92, 236
  - epoxy resin 47, 49, 50, 76, 92, 100, 103, 151, 456, 495, 500
  - epoxy systems 47–51
  - equation of state (EoS) approach 158, 189
  - Erichsen test 342
  - Ethernet 537
  - Euler's theorem 174
  - European automotive topcoats 503
  - exfoliation 283, 284, 431, 432, 437
  - experimental–simulation approach 481, 508, 509, 521
  - extenders 9, 55, 226
  - extent of reaction 31, 33, 42
  - extrusion stability 146
  - Eyring's activated complex theory 355
- f**
- fast Fourier Transform (FFT) algorithm 225
  - fatty acid process 67
  - feel* or haptic property
    - leather and textile coatings 393
    - perceptual dimensions 394
    - QDA, haptic coatings 394–397
  - Fermi level 404, 409, 411, 417
  - Fick's first law 202
  - finite element modeling (FEM) 431
  - floating 375, 378
  - flocculation 133, 169, 195, 198, 375
  - flooding 374, 375
  - Flory–Huggins theory 170, 209, 228, 510
  - Flory–Stockmayer theory 34
  - Flory temperature 27

- Flory theorem 27  
 flow control agents (FCAs) 378  
 fluids viscosity 353  
 fluorescence microscopy 254  
 fluorescent pigments 11  
 fluorinated films 213, 240  
 fluorinated PMMA 212  
 fluorine-based materials  
   fluoropolymers 458  
   PFPE polymers 460  
   poly(perfluoro(meth)acrylates) 458,  
     459  
   PTFE particulates 458  
   UV photo-curing process 460  
 fluorine-silicon based materials  
   AF coatings 461  
   amine moieties 462  
   amphiphilic copolymers 462  
 fluorochrome 254  
*fovea centralis* 381  
 Fowkes theory 450  
 Fox equation 30, 51, 275, 366  
 Fox–Loshaek equation 30  
 freely jointed chain model 27  
 freely rotating chain model 28  
 Fresnel expressions 385  
 fringed micelle model 25  
 fullerenes 433  
 functional coatings 1, 3, 4, 482, 483,  
   491, 504, 521  
 functional group analysis  
   acid functional polyester 239  
   ASTM methods 236, 238  
   crosslinking 236  
 functionality distribution 52
- g**
- gauche conformations 22, 24  
 generalized Newtonian (GN) behavior  
   349  
 general metal coatings 73  
 general series–parallel model 292  
 Gibbs adsorption equation 174, 175  
 Gibbs energy 158, 160, 162, 170, 173,  
   174, 182, 196, 210, 300  
 Girifalco–Good theory 450  
 glasses 29, 181, 294, 297  
 glass transition temperature ( $T_g$ ) 21,  
   29, 30, 49, 59, 274, 297, 298, 366,  
   368, 421, 453, 490, 495, 503  
 glint impression (GI) 392  
 glyceride-oil process 67  
 good wetting 372, 373  
 Gordon–Dusek approach 34  
 Gordon–Taylor equation 275  
 Gouy–Chapman model 160, 209  
 gradient-at-right-angles-to-field  
   (GARfield) approach 284  
 Grahame equation 163  
 grazing angle Fourier-transform  
   infrared spectroscopy  
   (GA-FTIR) spectra 226  
 Green anti-fouling approaches  
   biocide-release and  
     non-biocide-release based AF  
     coatings 447, 448  
   coatings technology 445  
   contact leaching 447  
   insoluble/soluble matrix coatings  
     447  
   iron ships 445  
   petroleum-based resins 446  
   tributyltin (TBT) moieties 446  
 Griffith analysis 327
- h**
- Hamaker constant 163, 164, 179, 195  
 Hamaker–Israelachvili model 179  
 hardness  
   Berkovich test 313, 314  
   blunt and sharp indenters 312  
   Brinell test 314  
   Knoop test 313  
   microhardness test 313  
   Vickers test 312, 313  
 hazardous air pollutants (HAPs) 13  
 Hazen scale 392  
 heat distortion temperature (HDT) 74  
 Helmholtz energy 27, 158, 170, 173,  
   174, 178, 182, 184–189, 319, 322,  
   324, 325  
 Henry's law 281  
 Herman orientation factor 248

- Herschel–Bulkley model 350  
 Hertzian contact theory 264  
 hexamethylene diisocyanate (HDI) 123  
 high-density polyethylene (HDPE) 307  
 highest occupied molecular orbital (HOMO) 403  
 high solids (HS) coatings 6, 72, 75, 76, 90, 137, 377, 378  
 high-solid solventborne 5, 71  
 high volume low pressure air gun 137  
 hopping  
   charge transport mechanism 416  
   localization length 417  
   mobility gap 416, 417  
   quasi-band structure 417  
   variable range hopping 418  
 Hückel approximations 408, 411  
 hue 132, 381, 383, 384, 388, 391  
 Huggins constant 359  
 hydrophilic-lipophilic balance (HLB)  
   concept  
     Davies' HLB values 200, 202  
     group contributions 199, 201  
     for sodium oleate and Span 60 200  
     surfactants 198, 199  
 hydrophobically end-capped urethane (HEUR) 364  
 hydrophobically modified  
   alkali-swallowable emulsions (HASE) 115  
 hydrophobically modified ethoxylated urethanes (HEUR) 115  
 hydrophobically modified hydroxyethyl cellulose (HMHEC) ethers 115  
 hydrophobic interactions 167, 495  
 hyperbranched (HB) polymers 77–79, 82, 83  
 hysteresis loop 350
- i**
- independent hindered rotation model 28  
 indium-doped tin oxide (ITO) 431  
 industrial paints 73, 95  
 inelastic mean free path (IMFP) 239  
 infinite shear rate viscosity 348  
 infra-red (IR) and Raman spectroscopy  
   ATR FT-IR result 225  
   GA-FTIR mapping 226, 227  
   microscopy 226  
   normal coordinates 222–224  
   PMMA and SAN 226  
   polyolefinic substrate 226  
   TERS 226  
   transmission measurement 224, 225  
   vibrational spectroscopy 223  
 inorganic pigments 9–11, 387  
 inorganic thickeners 110–112  
 interactive chain ends 523–524  
 interface energy 173, 174, 182, 186, 324  
 interfacial aspects  
   estimating surface Helmholtz energy 184–189  
   representative behavior 178–181  
   surface thermodynamics 173–178  
   wetting of ideal surfaces 181–184  
   wetting of real surfaces 189–193  
 intermolecular interactions  
   Born repulsion 159  
   Coulomb (or charge-charge) interaction 156  
   Debye (or induction) interaction 157  
   dipole moment 157  
   Keesom (or orientation) interaction 157  
   London (or dispersion) interaction 158  
   relative permittivity 156  
   Van der Waals interactions 158, 159  
 internal stress analysis  
   assumptions 318  
   film formation 317  
   stress measurements 318  
   surface wrinkling 319  
   tensile stress 319  
 intrinsically conductive polymers  
   conduction mechanism 404  
   conductivity theory 406, 407  
   doping 413, 416  
   hopping 416, 418  
   monomers 405



- semi-conductors and insulators 404
  - simple band theory 407, 413
  - trans*-polyacetylene (t-PAC) 404
  - valence band 403
  - intrinsic viscosity 27, 84, 85, 241, 352, 354, 357, 359
  - iodine number (IN) 63
  - IR absorption 224, 538
  - isocyanates 7, 37, 47, 53–57, 74, 75, 92, 103, 104, 125, 150, 236, 240, 456, 499, 533
  - isophorone diisocyanate (IPDI) 100, 123
  - isotactic polymer 21
- j**
- Johnson–Kendall–Roberts (JKR) test 321
- k**
- Keesom (or orientation) interaction 157
  - Kelvin model 289–291, 294, 295
  - ketone process 92, 93
  - kinematic viscosity 348
  - Kirkwood–Riseman theory 360
  - Köhler illumination 252, 257
  - König/Persoz test 317
  - Kramers–Kronig transform 165
  - Krieger–Dougherty relation 355, 356, 358
  - Kuhn length 29, 168, 169
  - Kuhn model 415
- l**
- laboratory and industrial methods
    - dip coating 141
    - doctor blade coating 138, 139
    - spin coating 140
  - Laccifer Lacca* 58
  - lamellae 25, 26, 213, 419, 421
  - Landau–Levich equation 141
  - Langmuir adsorption isotherm 175
  - Laplace pressure 178
  - Laplace transforms 290, 292
  - large polaron 407
  - Larmor frequency 231
  - latex technology 436, 437
  - Legrand–Gaines relation 181
  - Lennard–Jones potential 159, 181
  - leveling agents 121, 122
  - Lewyt vacuum company 537
  - life cycle analysis (LCA) 60
  - Lifshitz–van der Waals theory
    - acid–base interactions model 165
    - dielectric response 165
    - Hamaker expression 164
  - light emitting diodes (LEDs) 7, 380
  - light sources 380
  - light stabilizers 12, 109, 128
  - liquid crystal displays (LCDs) 59
  - linear elastic fracture mechanics (LEFM) 327
  - local processes 301
  - London (or dispersion) interaction 158
  - loss modulus 293, 295, 310
  - low-density polyethylene (LDPE) 307
  - low dose electron diffraction (LDED) patterns 421
  - low energy ion scattering (LEIS) 239, 240
  - lower critical solution temperature (LCST) 170
  - lowest unoccupied molecular orbital (LUMO) 403
  - low volume low pressure air gun 137
  - lyophilic colloids 193
  - lyophobic colloids 193
- m**
- macrofouling 443, 444
  - macula 381
  - magic angle spinning (MAS) 233
  - Marangoni flow 198, 377
  - marine anti-fouling coatings
    - AF coatings 445, 446
    - amphiphilic approach 469–472
    - coatings technology 445
    - detachment of biofoulants 448, 451
    - insoluble matrix coatings 447
    - marine biofouling 443, 445
    - non-toxic, non-biocide-release based approaches 451–469

- marine anti-fouling coatings (*contd.*)
    - soluble matrix coatings 447
    - topographic approach 472–475
  - marine biofouling
    - conditioning film formation of 443
    - definition 443
    - frictional resistance 445
    - macrofouling 444
    - microfouling 444
    - phases 444
  - Mark–Houwink plot 85
  - Maron–Pierce relationship 358
  - Martin equation 359
  - mass spectrometry (MS) 222, 241
  - matrix-assisted laser
    - desorption/ionization (MALDI) mass spectrometry (MS)
    - conventional ionization methods 242
    - mixture of matrix/analyte 243
    - polycarbonate 244
    - polydisperse polymers 244
    - pulsed laser 243
    - TOFMS techniques 243
  - Maxwell equations 157
  - Maxwell Garnett model 428
  - Maxwell model 288–290, 294, 295, 303
  - Maxwell stress 161
  - mechanical constitutive behavior
    - Boltzmann superposition principle 291, 292
    - Burgers model 290
    - dynamic response 293–296
    - free volume 297–300
    - Kelvin model 289, 290
    - material response 287
    - Maxwell model 288, 289
    - plasticity and viscoelasticity 285
    - stress–strain curve 285
    - time-dependent response 286, 287
    - time–temperature equivalence 296–297
  - mesoscopic (or surface) forces 155
  - mesoscopic interactions
    - double layer repulsion 162, 163
    - electrostatic interaction 159
    - Gouy–Chapman model 160
    - hydration forces 167
    - hydrophobic interactions 167
    - polymers 169
    - solvation forces 167
    - steric interactions 168
    - surfaces approach 161
    - van der Waals interaction expressions 163, 164
  - mesoscopic simulations 536
  - metallic lacquers 12
  - metamerism 390
  - Meter model 349
  - methyl ethyl ketoxime (MEKO) 128
  - microfouling 443, 444
  - microtopographies 472
  - Mie scattering theory 386
  - Miller–Macosko approach 34
  - minimum film formation temperature (MFFT) 87
  - mixing rheometer 351
  - modulated differential scanning calorimetry (MDSC) 276, 277
  - molar mass 21, 30, 33, 78, 84, 85, 168, 176, 222, 241, 242, 244, 303–305, 309, 353, 359–362, 364, 366, 368
  - molecular simulations 508, 536
  - molecular weight distribution (MWD) 77
  - monomers 19–22, 26, 27, 30, 31, 33, 34, 36–40, 51–55, 57, 58, 60–63, 65, 67, 77, 79–82, 87, 90–93, 99, 100, 169, 192, 208, 406, 460, 487, 493, 534, 535
  - Monte Carlo algorithm 431
  - multi-walled carbon nanotubes (MWCNTs) 399, 436, 454
- n**
- nanoclays 112
  - nano-indentation
    - coating thickness 315
    - force-displacement curve 314
    - indentation process 315
  - network formation assessment 151
  - Newtonian flow 138, 139, 376
  - Newtonian fluid 139, 293, 348, 350, 351, 374

- nonadditives approach 372, 378  
 nonideal network 42, 43  
 nonionic surfactants 117, 199–201, 252  
 nonmetallic coatings 266  
 nuclear magnetic resonance (NMR) techniques  
   <sup>13</sup>C NMR spectrum 233, 235  
   CP MAS techniques 233  
   <sup>1</sup>H NMR spectrum 231  
   Lorentz expression 231  
   magnetic field (or Zeeman) effect 230, 231  
   multidimensional NMR and NMR imaging 233  
   RF electromagnetic field 227  
   silica particles 236  
   spin configuration 228, 229  
 nuclear-powered vacuum cleaners 537  
 number average functionality  $f_n$  36
- O**
- Ohmic drop 403  
 oil-in-water (O/W) emulsions 67, 85, 196, 197  
 oligomer 19, 30, 33, 49, 51, 89, 93, 99, 100, 104, 106, 244, 366–368, 417, 509, 523  
 opponent-colors theory 380, 384  
 optical microscopy (OM)  
   compound microscopes 250  
   confocal scanning microscopy 254–255  
   cross-sections, optical micrographs 252, 253  
   fluorescence microscopy 254  
   Köhler illumination 252  
   numerical aperture (NA) 250  
   phase contrast microscopy 253  
   polarized light microscopy 255, 256  
   spherical aberration 252  
 optical photovoltaic (OPV) 139  
 orange peel effects 120, 121, 144, 145, 336, 371, 377, 378  
 organic thickeners 109, 112–116  
 organoclays 110, 283  
 organo-psycho syndrome (OPS) 13, 72
- organosol 73  
 oscillatory test method 352  
 van Oss–Good–Chaudry theory 450  
 Ostwald ripening 193, 198  
 oxidative drying 122, 124
- P**
- paints, *see also* waterborne paints  
   architectural paints 73  
   controlled depletion paints (CDPs) 447  
   industrial paints 73, 95  
   powder coatings 362, 363  
   viscosity during curing  
     temperature-time-transformation (TTT) 367  
     glass transition temperature 366, 367  
   waterborne paints, thickening in 363, 366  
*para*-toluene sulphonic acid (*p*-TSA) 123  
 particulates 133  
 PDMS-*grafted*-(polystyrene-*block*-poly(maleic-anhydride) (PSMA) 513  
 peel test 320, 334, 338–340  
 PEG-based materials  
   hydration layer 463, 464  
   immobilization of 464  
   protein adsorption and cell adhesion 463, 465  
   protein attachment resistance 464  
   surface chain density 464  
 pencil test 317  
 pendant drop technique 178  
 percolation theory  
   bond percolation 424  
   characteristics 424  
   finite 3D systems 427  
   geometrical phase transition 423  
   particle size distribution 427, 428  
   renormalization 425, 426  
   site percolation 423  
 percolation threshold 400, 423–428, 430, 431, 436, 438

- percolation threshold modeling (PTM) 431
- perfluoropolyethers (PFPEs) polymers 458, 460
- permeability–diffusivity–solubility (PDS) experiments
  - equilibrium sorption isotherms 279–281
  - GARfield approach 284
  - for gases in rubber 282
  - gas separation and packaging 283
  - organoclay reinforced polymers 283
  - PALS measurements 284
  - polymer degradation 278
  - solute scavengers 283
  - structural attributes 283
  - time lag method 281
- phase contrast microscopy 253–254
- phosphorescence 254
- photo-curing (UV-LED or even day-light curing) 97, 475
- photoinitiators (PI) 12, 96–98, 109, 500
- phthalocyanines 9, 133, 433
- P3HT/PCBM photovoltaics
  - characteristics 419–421
  - cryo-electron tomography 419, 423
  - LDED pattern 422
  - organic electronics 418
  - structure evolution 421
- physical aging 298, 494
- physical crosslinks 23
- physical drying 7, 66, 83, 95, 253, 352
- pickering stabilization 112
- pigment properties 9
- pigment volume concentration (PVC) 9, 112, 283, 387
- Planck's constant 228, 380
- plastisol 73
- platinum/cobalt (Pt/Co) scale 392
- Poisson–Boltzmann equation 156, 159, 160, 162
- Poisson's ratio 318, 327, 331
- polarized light microscopy 255, 256
- polaron 407, 408, 414, 416, 417
- poly(methyl methacrylate) (PMMA) 20, 26, 29, 140, 212, 226, 228, 242, 311, 312, 431, 432, 492, 496–498
- poly(*N*-vinyl-2-pyrrolidone) (PVP) 144
- poly(styrene-*co*-acrylonitrile) (SAN) 227, 340, 508
- poly(tetrafluoroethylene) (PTFE) 22, 52, 166, 185, 320, 452, 458, 462
- polybutyl terephthalate (PBT) 277, 278
- polycaprolactam (PCL) 117
- polyethylene glycol (PEG) chains 364, 463
- polycyclohexyl methacrylate (PCHMA) 301
- polyester–polyurethane coatings 536
- polyesters 7, 21, 26, 36, 37, 47, 55–57, 59, 61, 62, 65–67, 74, 76, 78–80, 82, 86, 89–91, 99–104, 126, 144, 150, 226, 238, 239, 320, 337, 362, 363, 465, 496–498, 509–511, 513, 536
- polyethylene (PE) 20, 29, 117, 166, 185, 233, 306, 307, 323, 359, 364, 401
- polyisobutylene (PIB) 172, 301, 303
- polymer
  - chain-grown 19
  - crystallinity 24
  - entanglements 23
  - hydrogen bonds 19
  - polymer conformation 22, 23
  - rheological behavior 361
  - step-grown 19
- polymer coating 1
  - additives 12
  - binders and crosslinkers 6
  - coating formulation 5
  - issues 533
  - pigment and filters 12
  - requirements 14
  - solvents
    - transient 12
    - two stage process 13
  - weather factor 4
- polymer formation
  - branched polymer, preparation 36, 37

- branching and gelation 35
  - chain-growth polymerization 38
  - step-growth polymerization 32
  - polymer network 24, 41–45, 263, 278, 309, 455, 486, 490, 493–495, 498, 500, 502, 508, 514, 517, 521, 523
  - polymer solubility
    - bonding effects 171
    - Flory–Huggins theory 170
    - phase separation 170
    - regular solution theory 171
  - poly(ethyleneglycol)monomethylether 91
  - polymorphism 24
  - polypropylene (PP) 20, 29, 226, 227, 436
  - polystyrene (PS) 20, 29, 166, 172, 175, 185, 242, 301–304, 320, 360, 386, 436, 462, 470, 471, 508
  - polytetrafluoroethylene (PTFE) 22, 52, 166, 185, 320, 462
  - polyurethane (PU) 7, 26, 37, 54–56, 63, 76, 82, 89, 90, 92–94, 99–101, 122, 123, 128, 193, 284, 503, 504, 508, 509, 512, 521, 533, 535, 536
  - polyurethane resins (PUR) 92, 503, 533
  - polyurethane–urea dispersion 93
  - polyvinylchloride (PVC) 9, 10, 20, 29, 73, 87, 112, 179, 337
  - polyvinylidenedifluoride (PVDF) 52, 53
  - poly vinyl pyrrolidone (PVP) 117
  - positron annihilation lifetime
    - spectroscopy (PALS) measurements 284
  - powder coatings 72
    - DMA 144
    - pigments 363
    - thickeners 362
    - viscosity behavior 362, 363
    - VOC 142
  - power law model 349
  - preemptive healing
    - damage
      - on coatings 483
    - micro–meso–macro hierarchy 484, 485
    - organic materials 483
    - recovery 485
    - reversible and irreversible effects 485
      - stresses, internal/external 485
    - functional coatings 482
    - reversible and irreversible effects 485
  - prepolymer mixing process 93, 94
  - prevention of attachment strategy
    - acidic polysaccharides 467, 468
    - arginine residues 468
    - nonionic kosmotropes 467
    - PEG-based materials 463, 465
    - PEGylated polymers 466
    - polyglycerol dendroids 468, 469
    - PSBMA 467, 468
    - self-assembled monolayers 465, 466
    - TMAO forms 468
  - primary dispersions 85–87, 101
  - primary electroviscous effect 354
  - primer 7, 8, 10, 50, 146, 147, 150, 226, 253, 446, 454
  - primer-surfacer layer 147, 150
  - primid 103, 104
  - primitive path 306
  - principal components (PC) 372, 395, 396
  - pseudoplastic 111, 112, 349, 363
  - p*-toluenesulfonic acid (PTSA) 100
  - PUR-oligomer emulsion 93
- q**
- quantitative descriptive analysis (QDA)
    - measured attributes 397
    - PC analysis 395
    - sensory attributes 394
    - variability 395
- r**
- radiation curing formulations
    - chemistries of 102
    - dark reactions 96

- radiation curing formulations (*contd.*)
  - photo-initiators (PI) 98
  - powder coating formulations,
    - chemistries 105
    - pros and cons 105
  - radio frequency (RF)
    - electromagnetic field 227
    - identification (ID) tags 400
  - radius of gyration (Rg) 29, 85, 168, 169, 195, 241, 359, 464
  - Rayleigh regime 387
  - reactive diluents 12, 53, 72, 77, 78, 83, 90, 99, 100, 102
  - reflexions 245–247
  - regular fold model 25
  - rejuvenated state 274
  - relative humidity (RH) 287, 485
  - relative viscosity 352, 353
  - $\gamma$ -relaxation process 301
  - relaxation time distribution 294
  - renewable raw materials
    - agro-or bio based 57
    - alkyds 67
    - bio-based monomer 60
    - drying oils 63
  - reptation theory 361
  - residual network reactivity 522–523
  - retardation effect 158
  - retina 380, 381, 383
  - reverse roll coating 139
  - rheological aspects
    - application coatings 347
    - automotive coatings 347
    - characterization 348, 352
    - dissolvable polymers 359, 362
    - hydrodynamic interactions 352, 359
  - rheology modifiers 76, 352
  - Rhus Vernicifera* 57
  - ring-opening metathesis polymerization (ROMP) catalyst 487
  - ring-opening polymerization (ROP) 38, 81, 222, 509
  - roll coating 139
  - Röll equation 318
  - rotating disk rheometer 351
- S**
  - sagging 12, 13, 76, 115, 348, 362, 372, 375–378
  - scanning electrochemical microscopy (SECM) 506
  - scanning electron microscopy (SEM)
    - secondary electron imaging 259
    - electron interactions 259
  - scanning vibrating electrode technique (SVET) 506
  - Scherrer's equation 247
  - Schrödinger equation 408
  - Schulz distribution 40
  - Schulze–Hardy rule 194
  - Schulz–Zimm distribution 32
  - scratch-healing polyurethane coatings 503, 504
  - screening/Debye length 156
  - secondary dispersions 85, 86, 88, 89, 102
  - secondary electroviscous effect 354
  - secondary ion mass spectrometry (SIMS) 222, 239–241
  - self-assembled monolayers (SAMs)
    - adhesion process 465
    - ethylene glycol moieties 466
  - self-assembly process
    - SCF Computations 207
    - segregation 212
    - surfactant modelling
      - concentration of surfactants 210
      - hydrophilic surfactants 210
      - SF–SCF theory 209
      - Span 20 210, 211
      - Tween 20 and 80 211
  - self-consistent field (SCF) equations
    - polymers and polymer-mediated interactions 207, 208
    - SF–SCF theory 209
  - self-healing approach 524
  - self-healing coatings
    - contradictions 482
    - deformation and recovery in networks
      - chain-end segregation models 492, 493
      - elastic deformation and cracking 490, 491

- healing process 491
- molecular inter-diffusion 492
- polymer coating 491
- visco-elasto-plastic behavior 489
- viscous flow and reflow 490
- encapsulation of liquids
  - healing agents 488
  - microencapsulation approach 487, 488
  - solid/porous inorganic micro- and nano-particles 489
- extrinsic and intrinsic approach 486
- functionalities 481
- organic polymers 482
- reversible covalent networks
  - association/dissociation characteristics 498
  - azlactone and phenol 498, 499
  - Diels–Alder (DA) reactions 499
  - hybrid sol–gel intrinsic self-healing polymer network 501, 502
  - imidazole and isocyanate 499
  - intrinsic self-healing mechanisms 496, 498
  - polymeric coatings 501
  - sulfur bonds 500
  - thiol-ene combination 500, 501
- stress relaxation, in reversible networks
  - donor-acceptor  $\pi$ - $\pi$  stacking 498
  - equilibrium state of crosslinks 493
  - H-bonded crosslinks 495
  - internal and external stresses 494
  - ionomers 498
  - molecular interactions 495
  - polymeric networks 493
  - stress relaxation 495
  - supramolecular polymer networks 495
  - time scale of equilibrium crosslinks 494
- self-polishing copolymers (SPC) 447
- self-replenishing coatings
  - autonomous and intrinsic surface-repairing concept 508
  - barrier and corrosion protection
    - anti-corrosion coating 505
    - electrochemical techniques 506, 508
    - inorganic nanoparticles 505
    - intrinsic healing concepts 506
    - liquid healing agents 505
    - quantitative and reliable characterization techniques 506
  - concepts 536
  - dissipative particle dynamics (DPD) 510
  - experimental–simulation approach 509
  - fluorinated species 510, 512, 513
  - functionalities 504
  - low-adherence coatings 508
  - low surface energy films components 509, 511
  - PSMA phase 513
  - PVP–PEO polymer networks 521
  - self-replenishing efficiency (SRE) 510, 513
  - superhydrophobic coatings 509
  - surface functionalities 521, 522
  - surface-structured superhydrophobic polymeric coatings
    - fluorine-beads 519
    - layer-by-layer method 516
    - polymeric coatings 517, 518
    - self-cleaning coatings 521
    - silica nanoparticles 516
    - surface-functionalities 515
  - time-response of surface reorganization
    - DRCA method 514
    - polymer films 514
- shear thinning 304, 349, 350, 358, 362, 364
- shear viscosity 288, 348, 352, 356
- Shuttleworth equation 177
- silicone-based materials
  - detachment of biofoulants strategy 454
  - fillers 454
  - PDMS based coatings 453

- silicone-based materials (*contd.*)
  - poly(siloxane)-based coatings 453, 454
  - poly(siloxane)-oly(urethane) (PU) coatings 455
  - poly(urea), epoxy and oxetane segments 456, 457
  - self-replenishing principle 457
  - self-stratifying coatings 454, 455
  - UV and LED photopolymerization technology 457
- simple band theory
  - band structure for t-PAC 410, 411, 413
  - Fermi level 409
  - Hückel approximations 408, 411
  - tight-binding approximation 407
- site percolation 424
- size exclusion chromatography (SEC) 83
  - chromatographic separation techniques 241
  - molar mass distribution 241
  - of polycarbonate 242
  - polymeric molecules 241
- slippery liquid-infused porous surfaces (SLIPS) 458
- slow drying 421
- small-angle neutron scattering (SANS) 27, 85
- small polaron 407, 408
- sodium dodecylbenzenesulfonate (SDBS) 437
- solvent-induced dewetting 373
- solvent popping 372, 375
- solvent/vapor treatment 421
- spattering 136
- specular reflection 384, 385, 391
- spherulite 26
- spin coating 138–142
- spinel  $\text{MgAl}_2\text{O}_4$  180
- spin–lattice relaxation time 229
- spinodal dewetting 373
- spray-coating 60, 136, 138
- spraying
  - electrostatic spraying 137
  - hot spraying 137
  - multiple pass technique 137
  - single pass technique 137
- static Wilhelmy (plate) technique 183 (Staudinger)–Mark–Houwink–(Sakurada) equation 359
- Stefan’s law 380
- Step-growth polymerization 31–33
- steric interactions 167, 168
- steric stabilization 90, 194, 197
- Stokes-Einstein equation 205
- Stokes equation 138, 163
- Stokes’ law 374
- Stoney equation 318
- storage modulus 293, 295, 310
- stress–strain curve
  - hardness and flow behaviour 316
  - plasticity theory 317
- styrene and butadiene (SBR) 24
- superhydrophobicity 399, 473, 474, 537
- superlocalization 435, 436
- surface active agents
  - adhesion promoters 120
  - anti-foaming agents 117
  - wetting and dispersing agents 117
- surface energy 52, 118, 132, 133, 138, 164, 173, 175–181, 184, 185, 189, 190, 192, 329, 330, 338, 378, 449, 450, 452–461, 463, 472, 481, 504, 505, 508–523
- surface Helmholtz energy
  - critical surface tension 184
  - Della Volpe–Siboni parametrization 188
  - dispersion and polar interactions 185, 186
  - EoS approach 189
  - generalized matrix inversion method 187
  - liquids, data 185
  - STC approach 185
  - two-liquids method 187
  - vOGC method 187, 188
- surface modifiers 12, 109, 120
- surface probe microscopy (SPM)
  - atomic force acoustic microscopy (AFAM) 263



- atomic force microscopy (AFM)
    - 249, 262, 263
  - conductive atomic force microscopy (CAFM) 263–265
  - surface stress 176–178, 320
  - surface tension components (STC)
    - approach 185
  - surface thermodynamics
    - Gibbs approach 173, 174
    - Langmuir adsorption isotherm 174, 175
    - surface tension 176–178
  - Su–Schrieffer–Heeger (SSH) model 412
  - symmetric Bruggeman (BS) equation 428, 429
  - syndiotactic polymer 21, 25
- t**
- telechelic functionality 76
  - telegraphing 15, 95, 150, 338, 372, 378
  - temperature-time-transformation (TTT) 367
  - terahertz radiation 266
  - tertiary electroviscous effect 354
  - tetra-propyleneglycol-diamine (TPGDA) 49
  - thermal annealing 140, 421
  - thermal characterization
    - DSC 273
    - TGA 277
  - thermal dewetting 373
  - thermo-gravimetric analysis (TGA)
    - polybutyl terephthalate 277
    - thermogravimetric balance 277
  - thermogravimetric balance 277
  - thermoplastics 3, 6, 19, 41, 51, 72, 87, 88, 90, 489–491
  - thermoplasts 41, 236
  - thermoset resins
    - acrylates and acrylics 51–53
    - epoxy systems 50
    - isocyanates 53
    - petro-based 47
    - polyesters 56
    - polyurethane 55
  - theta conditions 27, 359, 360
  - thickeners 364
    - inorganic 112
    - organic 115
  - thixotropy 111, 350, 378
  - through-and-through cure 96
  - tight-binding approximation 407, 417
  - time-temperature equivalence principle
    - stress relaxation 297
    - superposition principle 287
    - time-dependent response 297
    - time/frequency range 296
  - tip-enhanced Raman spectroscopy (TERS) 226
  - Titanium Dioxide Manufacturers Association (TDMA) 535
  - topographic approach
    - HBFB–PEG surfaces 474
    - microtopographies 472
    - PDMS elastomers 473
    - settlement assays 473, 474
    - sphere adhesion 472
    - spore adhesion 472, 473
    - superhydrophobic coatings 473, 474
    - surface roughness 472
  - trans* conformations 22
  - transesterification 67, 100, 103, 125, 127
  - translucent 385
  - transmission electron microscopy (TEM)
    - cryomicroscopy 258
    - electron diffraction 257
    - electron pathways 256, 257
    - electron tomography 257
    - spherical and chromatic aberration 257
  - transparency 1, 3, 15, 59, 151, 533
  - trans*-polyacetylene (t-PAC) 404, 405, 410, 413
  - trichromatic theory 379
  - tristimulus values 382, 384, 388
  - triglycidyl isocyanurate (TGIC) 103
  - trimellitic anhydride (TMA) 91
  - trimethylene carbonate (TMC) 222
  - trimethylolpropane (TMP) 65, 67, 80, 99, 222

- tris (dimethylaminomethyl) phenol (DMP-30) 48
- truncated power law model 349
- two-liquids method 187
- two-stage solvent evaporation process 13
- U**
- ultrasonic gauging 265
- undercoats 7, 12
- upper critical solution temperature (UCST) 170
- urethanes (carbarnates) 53
- V**
- valence band 403, 404, 410, 413
- van der Pauw method 402
- van der Waals interactions 19, 117, 158, 180, 373
- van Oss, Good and Chaudhury (vOGC) method 187, 188
- vinyl polymers 20, 21, 51
- vinyl resins 51
- viscoelasticity 29, 285, 286, 326, 330, 339, 350, 489, 490, 494
- viscoplasticity 286
- Voigt/Kelvin–Voigt model 289, 290
- volatile organic components (VOCs) 5, 72, 142, 457
- von Schmoluchowski theory 203, 204
- vulcanization 24
- W**
- waterborne formulations
- chemistries of 93
  - challenges and applications of 95
  - heterogeneous systems 85
  - homogeneous systems 85
  - primary dispersions 87
  - secondary dispersions 88
- waterborne paints
- associative thickeners 364, 365
  - conventional thickeners 364
  - open time 366
  - viscosity behavior 364, 365
- waterborne poly(urethane–urea)s (wPUUs) 226
- water-in-oil (W/O) emulsions 85, 196, 197
- water phase thickeners 112
- water-reducible systems 86
- water-soluble systems 85, 86
- wavelength dispersive spectrometry (WDS) 259
- weather factor 4
- weathering 14, 15, 116, 147, 151, 225, 236, 485, 503, 525, 536
- Wenzel state 190, 191
- wetting
- and dispersing agents 109, 116, 117
  - of ideal surfaces
    - contact angles 183
    - contact configurations 181
    - dynamic Wilhelmy experiment 183, 184
    - liquid surface 182, 183
  - of real surfaces
    - anisotropic surface wetting 192
    - DRCA method 192
    - fluorocarbon side chain orientation 191, 192
    - Wenzel state and Cassie–Baxter state 190, 191
- Wilhelmy plate technique 177
- Williams–Landel–Ferry (WLF) equation 297, 299
- worm-like chain model 415
- wraparound effect 137
- X**
- X-ray diffraction (XRD)
- anisotropy analysis 248, 249
  - direct methods 246
  - grazing angle 248
  - PE XRD pattern 247
  - s-PS XRD pattern 247
- X-ray photoelectron spectroscopy (XPS) 239, 240
- X-Trail model 503
- Y**
- Yasadu–Carreau model 349
- yellowness index 392
- Young–Dupré equation 182

Young's equation 182–187, 322, 372  
Young's modulus 293, 299, 315, 318,  
325, 329, 330, 460

**Z**

zero-shear viscosity 295, 303, 305, 348  
zeta potential 163, 354

