

Index

a

- ablation mechanisms, types 136
- absorption loss 569
- activated carbon 544
- adhesion 603
- Ag/AgCl electrode 467
- Ag₂O nanocrystals 551
- α-Fe₂O₃ based heterostructures
 - co-catalysts decoration 494–497
 - nanotextured conductive substrates 489–491
 - semiconductor heterojunctions 485–489
 - surface passivation 492–494
- α-Fe₂O₃/composite photoelectrode 490
- α-Fe₂O₃/graphene/BiV_{1-x}Mo_xO₄ core/shell nanorod 491
- α-Fe₂O₃/Si nanowire dual-absorber system 487
- AlPO₄-coated LiCoO₂ 21
- Anatase TiO₂ 278
- antimony telluride (Sb₂Te₃) 185, 187
- applied bias photon-to-current efficiency (ABPE) 469
- aqueous-phase hydrogen transfer (APHT) process 316
- artificial photosynthesis (APS) 404
- aspen poplar wood chips 318
- asymmetric capacitor 37
- attapulgite-iron oxide composite 550
- Au and Pt co-decorated TiO₂ nanofibers 419

Au nanoparticles 413

- Au_{0.75}/Pt_{0.25}/TiO₂ nanofibers 419
- Au-TiO₂ core-shell structured photocatalysts 417
- Au-TiO₂ yielded more fruitful photocatalytic hydrogen 417

b

- base metal loading 534–536
- bending/whipping instability 117
- Berlin green (BG) 237
- bifunctional ORR
 - electrocatalysts/supercapacitors 159–166
- bimetallic nanocatalysts 329–332
- bioenergy sources 311
- biofuels production
 - bio-gasoline
 - alcohols and polyols 312
 - carbohydrates 312–316
 - H/C_{eff} ratio 311
 - lactones 320
 - latexes and vegetable oils 311
 - lignocellulosic biomass 316–318
 - lipids and Lactones 318–320
 - bio jet fuels *see* bio jet fuels
 - biomass 309, 310
 - renewable diesel fuel
 - hemi-cellulose/cellulose 333–336
 - lignocellulose derivative platforms 336–337
 - plant oils/fatty acids 337–340

- BiOI/g-C₃N₄ photocatalysts 374, 375
 bio jet fuels 320
 biomass feedstocks 322, 323
 carbohydrates
 hemicellulose/cellulose 322–326
 sugars 322
 HDO 321
 lignin 326
 lignocellulose derived platform chemicals
 bimetallic nanocatalysts 329–332
 noble metal 326–329
 terpenoids 332
 biologically inspired adhesive 615
 biomass 309
 biomass-derived raw materials 311
 bio-oil 310
 bio-refinery process 315
 bismuth ferrite (BFO) nanoparticles 103
 bismuth oxybromide (BiOBr) 383
 bismuth sulfide (Bi₂S₃) 359
 bisphenol A 633
 BiVO₄/Bi₂S₃ mesoporous shell 499
 BiVO₄/inverse opal Al-ZnO heterostructure 500
 Born–Lande equation 95
 boron nitride (BN)
 nanosheets-supported gold nanoparticles 640
 5,5'-(butane-1,1-diyl)bis(2-methylfuran) (BBM) 336
- C**
- Ca₂CoAl-LDHs 532
 Ca₂CoAlO_x and Ca₂CoLa_{0.1}Al_{0.9}O_x catalysts 533
 Ca₂CoLa_{0.1}Al_{0.9}-LDHs 532
 cadmium telluride (CdTe) 67
 calcination temperature 533–534
 carbonaceous nanocomposites 9
 carbon-coated TiO₂ and MnTiO₃ 12, 13
 c-GeNWs-CNFs hybrid materials 12
 CNT 10–11
- Co₃O₄-carbon nanowires array nanocomposite 14
 core-shell nanocomposite 14
 graphene 9–10
 LiC₆ 9
 porous carbons 11–12
 ZnFe₂O₄/carbon nanocomposites 15
 carbonaceous nanofibers (CNFs) 556
 carbon-based nanocomposites 2
 carbon based nanofillers
 chemical reduced graphene (CR-G)/poly-ethylene oxide (PEO) composites 582
 CR-G/PEO composites 580
 dielectric constant 576
 dielectric relaxation and polarization 583
 effective dispersion techniques 576
 EMI parameters 581
 EMI shielding properties 577
 foamed and un-foamed MWNT/PCL PNCs 578
 graphene 576
 lightweight porous conductive polymer composites 579
 open-cell foam 576
 physicochemical properties 576
 polycaprolactone foams 576
 porous PNCs 580
 reflection loss 582
 reflection phenomenon 578
 SEM images 579
 un-foamed and foamed samples 578
- well-dispersed exfoliated CR-G sheets 583
- carbon-based structures 2
 carbon coated Ni nano-capsules 593
 carbon dioxide to methanol
 photocatalytic conversion 593
 bismuth sulfide 359
 cerium oxide 359
 chemical feedstock 357
 CuFe₂O₄/TiO₂ 363
 CuNiAl-LDHs 364
 Gibbs free energy 357

- NiO/InTaO₄ 361, 362
 reaction mechanism 364–365
 Ru(bpy)₃/TiO₂ hybrid nanocomposite 360
 titanium dioxide nanoparticles 358
 carbon foams 593
 carbon nanocomposite electrode
 carbon/carbon nanocomposites
 CNTs/metal oxide 49
 conductive polymers *see*
 conductive polymers
 graphene/carbon black 46
 graphene/CNTs 43–46
 graphene/metal oxide *see*
 graphene/metal oxide
 porous carbon/CNTs 46
 porous carbon/metal oxide 51–52
 electric conductivity 41–42
 pore size 42
 surface area 42
 carbon nanotubes (CNTs) 10, 548–549
 PdAu (PdAu/CNTs) 440
 carbon precursor 624–626
 Carnot efficiency 193
 Casimir regime 179
 catechol 606
 C₆₀-CdS/TiO₂ composites 426
 CdS/MoS₂ nanocrystal p-n junction structure 421
 CdS nanoparticles 383
 CdS nanorods 412
 CdS-ZnS core–shell structure 425
 CdS-WS₂/CdS-MoS₂ hybrid materials 422
 ceramic-based nanocomposites 3
 cerium oxide (CeO₂) 359
 chemical bath deposition approach 472
 chemical reduced graphene (CR-G)/poly-ethylene oxide (PEO) composites 582
 chemical vapor deposition (CVD) method 101, 207
 chlorosulfuric acid (CSA) 255–256
 CH₃NH₃PbI₃ 105
 CNTs/PPy composites 55
 cobalt oxides (CoO/Co₃O₄) 153
 cobalt-based co-catalysts 479
 CO₂ capture and sequestration (CCS) 271
 co-catalyst 409
 co-catalysts decoration 479–482, 494–497
 CO₂ conversion and utilization (CCU) 271
 Co-GO HNCs 165
 CoMgAlO_x catalyst 534
 conducting polymer (CP) 237–239
 conduction band minimum (CBM) 280
 conductive materials modification 482–483
 conductive PNCs 570
 conductive polymer-based nanofillers 590–593
 conductive polymers 52
 CNTs 54–57
 electric energy 52
 graphene 52–54
 porous carbon 57
 ternary structured nanocomposites 57
 conductive shielding materials
 with magnetic property 573
 with negligible magnetic property 571–572
 conjugated Ni(OH)₂/IrO₂ cocatalyst 495
 contrast ratio (CR) 242
 CoO/rGO(N) catalyst 212
 CoOx/N-doped GO hybrid NCs (HNCs) 166
 Co-Pi/α-Fe₂O₃ composite photoanode 495
 copper indium gallium selenide (CIGS) 67
 copper oxide nanocluster-grafted niobate nanosheet 373, 374
 core-shell nanocomposite 14
 titanate composites 550

- counter electrode
 electrochemical measurements 122
 EIS 126
 parameters 128
 R_{ct} and R_s 126
 TCO 121
 TiC/C composite nano-felt possesses 122, 123, 125–128
 TiC/C composite nanofibers 122
 TiC/C-Pt composite nano-felt 123, 125–128
 TiO_2 nanoparticles 121
 Cr-doped SrTiO₃ (CSTO) 370
 CR-G/PEO composites 580
 crystal-seed-assisted hydrothermal method 248
 Cu₂O and CuO based heterostructures
 Cu₂O and CuO photocathodes 504
 heterostructure design 504–509
 Cu₂O and CuO photocathodes 504
 CuO-Cu₂O composite nanorod arrays 506
 Cu-TiO₂ 366
 cyclic voltammetry (CV) 156
 measurements 123
 cycloalkanes 328
 cyclopentanone 332
- d**
- Degussa P25 275
 deionized (DI) water 160
 density functional theory (DFT) 370, 510
 density of states (DOSs) 284
 Diels–Alder reactions 312
 diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS)
 Cu/TiO₂ composites 287
 schematic diagram of 274
 TiO₂-based crystals 282
 diffusion length (L) 114
 5,6-dihydroxyindole (DHI) 611, 622
 3,4-dihydroxy-L-phenylalanine (DOPA) 605
- dopamine (3,4-dihydroxyphenethylamine) 605
 double-sided ZnO nanorod arrays 474
 dye regeneration 115
 dye-sensitized solar cells (DSSCs) 67, 68
 advantages of 113
 dye regeneration 115
 electrospinning process 116, 117
 electrospun TiO₂ nanofibers
 charge transport properties 119
 effect of 118, 119
 light harvesting 119
 morphology of 117
 photoanodes 117
 photocurrent decay 120
 photovoltage decay 119, 120
 photovoltaic characteristics 118
 solar energy absorption 114
 structure and working steps 113
 TiO₂ layer 113
 TiO₂ photoanode 114
- e**
- Earth's magnetic field 175
 eddy current loss 574
 eddy current phenomenon 583
 EELS elemental mapping 151
 effective hydrogen index 311
 effective specific surface area (E-SSA) 42
 electrical conductivity 181
 electrically conductive materials 568
 electric dipoles 569
 electric double layer capacitor (EDLC) 33
 electrochemical active surface areas (ECSA) 457
 electrochemical capacitors 33
 carbon nanocomposite electrode 41
 EDLC 34–35
 electrolyte 37–38
 energy storage property
 capacitance 38–39
 energy density 39–40

- power density 39–40
 stability 40
 pseudocapacitor 35–36
 three-electrode method 37
 two-electrode method 36–37
 electrochemical impedance spectroscopy (EIS) 126
 electrochemical polymerization techniques 3
 electrochemical properties 163
 electrochemical surface area (ECSA) 156
 electrochemistry data, ORR activities 158
 electrochromic (EC) device 76
 ITO 77
 nano-structure electrodes
 conductive nanobeads 79–82
 nanoparticles 78–79
 nanotube 77–78
 nanowires 78
 structure of 77
 electrochromic (EC) materials and devices
 coloration efficiency 243
 conducting polymer 237–239
 contrast ratio 242
 counter-electrode material 241
 cycle life 243
 early research 232
 history of 232
 inorganic and organic materials 231
 memory effect 241
 nanocomposites 240, 255
 nanoparticles 244–246
 one-dimensional (1D) nanostructures 247–251
 Prussian blue 237
 response time 242–243
 TMO *see* transition metal oxides (TMO)
 transition-metal complexes 240
 2D nanostructures 251–254
 viologens 239
 electrochromism 75–76, 82
 electromagnetic (EM)
 energy dissipation 572
 radiations 572
 wave 567
 absorption 569
 absorption material 573
 electromagnetic interference (EMI)
 shielding
 absorption loss 569
 carbon and metal 571
 carbon based nanofillers 575–583
 carbon coated Ni nano-capsules 593
 carbon foams 593
 conductive PNCs 570
 conductive polymer-based nanofillers 590–593
 conductive shielding materials with magnetic property 573
 conductive shielding materials with negligible magnetic property 571–572
 description 567
 eddy current loss 574
 electric dipoles 569
 electrically conductive materials 568
 EM wave absorption 569
 functional electromagnetic shield devices 594
 graphite shells 593
 hollow CNTs 594
 large surface area graphene 594
 magnetic hysteresis loss 574
 magnetic loss 574
 metal based nanofillers 583–590
 minimum percolation threshold 568
 multiple reflections 569
 polyaniline 570
 polycaprolactone (PCL)/CNTs composite foams 571
 polymer nanocomposites 569
 polymers loaded magnetic metal nanoparticles 570
 polyphenyl amine 570
 polypyrrole 570
 porous carbon-based composites 593

- electromagnetic interference (EMI) shielding (*contd.*)
- porous carbon/Co composites 593
- porous carbon/Co nanocomposites 593
- reflection 568
- residual loss 574
- shielding effectiveness 569
- third common conductive system 570
- electron-beam induced current (EBIC) mapping 99
- electron energy loss spectroscopy (EELS) 150
- electron sink 409, 414
- emeraldine salt (ES) 238
- energy dispersive X-ray spectroscopy (EDX) 150
- elemental mapping 151
- mapping 151
- energy flow chart 173, 174
- enzymatic oxidation 606
- Eschenmoser-containing dyes 637
- “eumelanin” model 611
- experimental d-spacing values, SAED 144
- f**
- Fe_2O_3 -NA/RGO/BiV_{1-x}MoxO₄ heterojunction 491
- FeOOH nanosheets 479
- Fermi occupation 177
- fibrous and sponge-like
- BiVO₄/Bi₄V₂O₁₁ photoanodes 498
- field-assisted γ -irradiation 590
- first-generation biofuels 310
- Fischer-Tropsch synthesis 310, 333
- flame ionization detector (FID) 274
- fluid catalytic cracking (FCC) 312
- fluorinated tin oxides (FTO) nanobeads 79, 80
- foamed and un-foamed MWNT/PCL PNCs 578
- full width half maximum (FWHM) 149
- functionalized graphene sheets (FGS) 579
- functional nanostructures 470
- function-analogous dopamine 643
- furfural-acetone-furfural (F-Ac-F) dimer 326
- g**
- galvanic replacement reactions (GRR) 137–139
- γ' -Fe₄N/ α -Fe₂O₃ nanocomposites 487
- γ -valerolactone (GVL) 318, 320
- Ga₂O₃ 366
- gasoline alkanes 316
- gas to liquid (GTL) 335
- g-C₃N₄/Bi₂WO₆ 374
- g-(2,3-epoxypropoxy) propyltrimethoxysilane (KH560) 621
- Gibbs free energy 357, 405
- GO/PANI nanocomposites 53
- GO/PANI nanofibers 53
- gold nanoparticles (AuNPs) 337
- graphene 483
- graphene-based composite anode 9
- graphene catalysts
- energy conversion
 - bifunctional graphene catalyst design 221, 222
 - nitrogen-doped graphene composite, graphitization 216–221
 - NPMCs 206
 - PEFCs 205
 - reduced graphene oxide catalysts 211–216
- feN₄ moiety embedded 204, 205
- metal-free nitrogen doped carbon 204
- nanocrystals 204, 205
- ORR/OER activity 204
- oxygen electrocatalysis 206–207
- physical and chemical properties 203
- preparation of 207–210

- solid foundation 204
 structure of 203
 graphene frameworks (GF) 10
 graphene/metal oxide 47
 Co(OH)_2 48
 Fe_2O_3 nanoparticles 48
 MnO_2 47
 RuO_2 47
 graphene/MnO₂ nanocomposites 47
 graphene oxide (GO) 207, 209,
 211–216, 545
 papers 616
 graphene oxides/carbon nanofibrous
 membranes (GO-CNFs) 384
 graphene/PANI 53
 nanocomposite 52
 nanofibers 54
 graphene/PEDOT nanocomposites
 54
 graphene/PPy composite 52
 graphene related nanomaterials
 545–548
 graphene supported PdAu nanoparticles
 462
 graphite oxide (GtO) 591
 graphite shells 593
 graphitic carbon 7
 green aviation fuels 320
- h***
- halide perovskite solar cells
 cathode 69–70
 $\text{CH}_3\text{NH}_3\text{PbI}_3$ 68, 69
 DSSCs 67, 68
 EC device *see* electrochromic (EC)
 device
 electrochromic materials 75–76
 electrochromism 75–76, 82
 energy conversion efficiency 75
 HTM layer, spiro-MeOTAD 69
 lead (Pb) 74
 nano-structure electrodes
 mesoscopic nano particles 71
 3D nano structures 72
 planar structure 71
 stability 75
 HC-SCR technology 528
- hematite/Si NW dual-absorber system
 489
 hierarchically porous tubular carbon
 (HPTC) 41
 hierarchical supportless nanostructures
 453–463
 high-angle annular dark field (HAADF)
 144, 154
 high frequency EM waves 567
 high-resolution TEM (HRTEM) images
 161
 hole transport material (HTM)
 spiro-MeOTAD 69
 spiro-OMeTAD 69
 Honda–Fujishima effect-water splitting
 405
 hybrid CoOx/N-doped GO NCs
 synthesis 159–166
 hydrodenitrogenation(HDN) 321, 337
 hydrodeoxygenation (HDO) 314, 321,
 329, 330
 hydrodesulfurization (HDS) 321, 337
 catalyst 339
 hydrogen-bonded PVP 616
 5-hydroxyfurfrual (HMF) 333
- i***
- ICP-OES measurements 143, 155
 incident EM wave 567
 incident photon-to-current efficiency
 (IPCE) 118, 469
 indium-tin-oxide (ITO) 77
 5,6-indolequinone 611
 inorganic acid catalysts 322
 inorganic EC materials 76
 International Air Transport Association
 (IATA) 321
 ion exchange nanomaterials 553–554
 iridium oxide 237
- j***
- Jahn–Teller effect 19
 Janus-like PDA/PEI films 621
- k***
- Kelvin Relations 176
 Kirkendall Effect 15

- K/MnMgAlO_x catalyst 534
 K₂PtCl₆ a 411
 Kubelka–Munk function 425
- I**
- laser ablation synthesis in solution (LASiS) 136–138
 description setup 139
 environmental parameters 138
 functional NCs and NAs, synthesis 140–141
 laser pulse penetration 136
 multi-functional 140
 nanosecond laser 137
 surfactant-free technique 136
- laser ablation synthesis in solution-galvanic replacement reaction (LASiS-GRR) 138
 description setup 139
 functional NCs and NAs, synthesis 140–141
 laser pulse penetration 136
 LASiS-GRR technique 138
 layered double hydroxides (LDHs) 295
 layered double hydroxides derived NO_x storage and reduction (NSR)
 catalysts
 base metal loading 534–536
 calcination temperature 533–534
 chemical constituent and structure 529
 harm of vehicle exhausts 527
 influence of LDHs chemical composition 531–533
 mechanism of NO_x storage 530–531
 NO_x treatment technology 527–529
 noble metal loading 535–537
 layered double oxides (LDOs) 295
 lead-acid battery 7
 lead telluride (PbTe) 185
 leucoemeraldine salt (LS) 238
 LiCoO₂ 19
 LiFePO₄ 20
 lightweight porous conductive polymer composites 579
 lignin 326
- lignocellulosic biomass 316–318
 linear sweep voltammogram (LSV) 146
 liquid-confined plasma plume 136
 lithium bis-trifluoromethane sulfonamide (Li-TFSI) 69
 lithium-ion batteries (LIBs)
 anode material
 carbonaceous nanocomposites *see* carbonaceous nanocomposites
 carbon-free nanocomposites 15–17
 chemical reaction 7
 graphite 8
 graphitic carbon 7
 LiCoO₂ 8
 cathode 7
 cathode material
 AlPO₄-coated LiCoO₂ 21
 carbon coating 22
 chemical reaction 7
 C-LiFePO₄ after RuO₂ coating 24
 doping 26–27
 graphene 24–26
 graphite 8
 LiCoO₂ 8
 Li₃V₂(PO₄)₃@C 23
 microstructure and morphology 18
 phosphates 20–21
 redox potential 17
 transition metal oxides 19
 vanadium oxide 19
- Li transitional metal oxides 7
 localized surface plasmon resonance (LSPR) 354, 415
 LSPR enhanced photocatalytic hydrogen evolution systems 417
 lysine amino acids 605
- m**
- Madelung constant (M) 95
 magnesium-aluminum oxide (Mg₇AlO_x) support 531
 magnetic core-shell nanoparticles 633–634

- magnetic hysteresis
 coefficient 574
 loss 574
- magnetic loss 574
- magnetic nanoparticles (MNPs)
 549–551
- magnetic PNCs 575
- man-made Z-scheme photocatalytic
 water splitting system 423
- mean free path (MFP) 179, 180
- mechanism of NO_x storage 530–531
- memory effect 241
- mesoporous carbon- γ -Fe₂O₃
 nanoparticle composite 550
- mesoporous carbon microspheres 550
- mesoporous silica 554–556
- mesoporous ZnS shells 425
- metal-based nanocomposites 2
- metal based nanofillers
 Co nanostructures 587
 eddy current phenomenon 583
 EM parameters 584
 EMI shielding 585
 field-assisted γ -irradiation 590
 γ -Irradiation induced reduction route
 586
 interface polarization 583
 magnetic field-assisted γ -irradiation
 route 586
 magnetic field-assisted synthesis
 589
 magnetic permeability 585
 nickel 583
 nickel nanostructures 584
 Ni nanochains 589
 Ni/Ni(OH)₂ hexagonal plates 583,
 585
 SEM images 589
 shape anisotropy 586
 Snoek's limit 583
 surfactant-assisted γ -irradiation 590
 surfactant sodium dodecyl benzene
 sulfonate 589
- metal-coated semiconductor
 nanoparticles 354
- metal-organic frameworks (MOFs)
 209, 367
- metal oxides 15
- metal-to-ligand charge transfer (MLCT)
 240
- metal/semiconductor interfaces
 Schottky barrier 410–414
 surface plasmonic enhanced
 photocatalytic hydrogen
 production 414–420
- methanol/ethanol/formic acid oxidation
 reactions (MOR/EOR/FAOR)
 140
- methanol to olefin (MTO) process 312
- 5-methyl furfural (5MF) 334
- methyl viologen (MV) 239
- MgAlO_x NSR catalyst 536
- microwave-triggered polymerization
 608
- mineral acids 322
- 1,4 Michael addition 611
- 0.5 M KOH + 1 M CH₃CH₂OH 453
- Mn-CdS QDs/TiO₂/WO₃ 498
- Mn-CdS sensitized WO₃ nanoplate
 499
- MnCo₂O₄ microspheres 375
- Mn₃O₄/rGO nanocomposites 215
- MnO₂ nanocrystalline 556
- MnO₂ nanotubes (MnO₂ NT) 49
- molecular-beam mass-spectrometer
 (MBMS) 316
- multihundred-Watt radioisotope
 thermoelectric generators
 (MHW RTG) 183
- multi-mission radioisotope
 thermoelectric generator
 (MMRTG) 184
- multiple reflections 569
- multiwall carbon nanotubes (MWCNT)
 2, 10, 45, 548
- mumetal 569
- mussel-inspired catalysts 640–643
- mussel-inspired PDA
 carbon precursor 624–626
 good acid resistance and poor alkaline
 resistance 622–623
 Michael-type addition 643
 polymerization conditions and
 process 605–609

- mussel-inspired PDA (*contd.*)
possible structures and adhesion mechanisms 609–615
Schiff base reactions 643
surface modification methods 615–622
ultraviolet resistance 623–624
wastewater treatment *see* wastewater treatment, mussel-inspired PDA:
Mytilus edulis foot protein 5 (Mefp-5) 605
- n**
- nanoalloys (NAs) 135
nano-chemical engineering 3
nanocomposites 309
nanocomposites (NCs) 135
nanoporous CdS 412
nano-processes 3
nano-sized photocatalysts 354
nanostructured materials (NMs) 135
nanotextured conductive substrates 489–491
Na₂Ti₃O₇ (T₃) 553
naturally occurring eumelanin 623
N-doped reduced graphene oxide (rGO) 141, 421
n-heptyl viologen (HV) 239
NH₃-SCR technology 528
nickel-metal hydride battery 7
nickel oxide (NiO) 236
NiCo₂O₄ nanocrystals 50
Ni(OH)₂ nanosheets 479
NiS-polymethyl methacrylate (NiS-PMMA) 556
nitrogen storage properties 528
noble metal loading 535–537
non p-n heterojunction semiconductor system 423–427
Non-precious metal catalysts (NPMCs) 206
normal hydrogen electrode (NHE) 407
NO_x NSR catalyst 530
NO_x storage-reduction (NSR) catalyst 531
technology 527
NO_x treatment technology 527–529
- NP formation mechanism 136
NSR catalyst system 529
nuclear waste management carbonaceous nanofibers 556
carbon nanotubes 549
graphene related nanomaterials 545–548
ion exchange nanomaterials 553–554
magnetic nanoparticles 549–551
mesoporous silica 554–556
MnO₂ nanocrystalline 556
NiS-polymethyl methacrylate (NiS-PMMA) 556
occasional reactor accidents 543
public health ecosystem and stability 543
radionuclide concentration 544
silver-related nanomaterials 551–552
sustainable solution 543
TiO₂/anatase (TiO₂(B)/anatase) core–shell nanofibers 557
- o**
- O₂ and sugar. Z-scheme system 423
OER and ORR comparison 147
1D CdS nanowires 421
1D supportless nanostructure 445–453
ordered mesoporous carbon (OMC) 46
organic EC materials 75, 76
organic hole scavengers 408
organic–inorganic perovskites 92
organic pollutant degradation BiFeO₃ 385
CdS nanoparticles 383
GO/ZnS-CNFs 384
innoxious substance 383
photocatalytic reactors 387–390
ZnO nanoparticle 383
ZSM-5 384
ORR electrocatalytic activities 156–159
ORR/OER catalytic activities 146–147

- graphene catalysts 207–210
oxygen evolution reaction (OER) 140, 408
oxygen-pretreated Pd/MgAlO_x catalyst 531
oxygen reduction reactions (ORR) 140
- p**
PANI-GO composite 547
PBA system 528
PdAu/CRG nanocomposites 440
PdPt bimetallic nanotubes 446
PdPt catalyst 451
PdPt nanomaterials 450
PdPt nanotubes 451
Peltier coefficient 175
Peltier effect 173
pernigraniline salt (PS) 238
perovskite oxides 528
perovskite solar cells (PSCs)
 benefits of 97
 CIGS 99
 fabrication of
 BFO 103
 M13 virus 102
 spin-coating 99–100
 vacuum processing 101
 flexible solar cells 106
 history of 91
 hole transportation material 98
 inorganic 92
 mesoscopic nanostructure 98, 99
 organic-inorganic hybrid materials 92
 organo-lead halides 98
 photovoltaic properties of 92
 planar structure 98, 99
 power conversion efficiency 107
 properties and characteristics
 lattice energy 95
 Madelung constant (M) 95
 phase transition 95
 physical properties 95
 unit cell 93
 silicon solar cells 97, 98
 stability of 104–106
- temperature effects 106
phonon glass electron crystal (PGEC) 182
photocatalytic CO₂ photoreduction
 Cu/TiO₂ composites
 IR features 287, 288
 material synthesis and
 characterizations 286
 unpretreated and pretreated TiO₂ 286
 DRIFTS system 274–275
 experimental system 273
 LDO/TiO₂ 295
 MgAl(LDO)/TiO₂ 297–299
 MgO/TiO₂
 CO production rate 293, 295
 material synthesis and
 characterization 289–291
 mixed-phase crystalline TiO₂
 anatase–brookite (A-B) mixed
 phase 276, 277
 anatase–rutile 275
 photocatalytic activity 277–278
 oxygen-deficient TiO₂ 282–286
 TiO₂-based crystals
 facets 278
 materials synthesis and
 characterization 279–280
 photocatalytic activity 280–281
 in situ DRIFTS 282
 with water 271
 photocatalytic hydrogen evolution
 efficiency
 co-catalyst 409
 sacrificial reagent 408–409
 photocatalytic hydrogen production
 artificial photosynthesis 404
 carbon neutral energy system 403
 charge carriers 427
 co-catalyst 409
 Honda–Fujishima effect-water
 splitting 405
 hydrogen economy 403
 lab-scale photocatalytic systems 428
 long-term stability of the
 photocatalysts 428
 low-cost fabrication techniques 427

- photocatalytic hydrogen production
(*contd.*)
- main processes 405–408
 - non p-n heterojunction
 - semiconductor system 423–427
 - sacrificial reagent 408–409
 - “sacrificial reagent free”
 - photocatalytic system 427
 - Schottky barrier 410–414
 - semiconductor p-n junction system 420–423
 - surface plasmonic enhanced 414, 420
 - sustainable hydrogen fuel community 404
- photocatalytic nanomaterials
- in energy CO₂
 - to carbon monoxide 373–376
 - to formate 365–368
 - to methane 368–372
 - to methanol conversion 357–365
 - reduction 376–381
 - in environment
 - degradation of organic pollutant 382–386
 - reaction mechanism 386–387
 - TiO₂ photocatalysis 382
 - preparation of
 - biogenic synthesis 356
 - hydrothermal reaction 355
 - precipitation method 355
 - sol–gel method 356
 - solid state method 355
 - solvothermal method 356
 - TiO₂ photocatalysts 354
 - photodeposited Au nanoparticles 413
 - photoelectrochemical (PEC) water splitting
 - co-catalysts decoration 479–482, 494–497
 - conductive materials modification 482–483
 - construction of new heterostructures 511
 - Cu₂O and CuO photocathodes 504, 505
 - efficiency evaluation 469–470
 - fundamentals 467–468
 - heterostructure design 504–509
 - materials 470, 471
 - mechanism investigation 510
 - metal oxides based heterostructures 509
 - nanotextured conductive substrates 489–491
 - plasmonic modification 474–478
 - quantum dots sensitization 471–474
 - semiconductor heterojunctions 485–489
 - surface passivation 492–494
 - WO₃ and BiVO₄ based
 - heterostructures *see* WO₃ and BiVO₄ based heterostructures
 - photoelectrochemistry 416
 - P3HT/SWNT complex 107
 - P3HT/SWNT-PC 107
 - Planck's constant 567
 - plasmonic modification 474–478
 - poly(acrylic acid) (PAA) 609
 - polyallylamine hydrochloride (PAH) 78
 - polyaniline (PANI) 36, 238, 570
 - polycaprolactone (PCL)
 - CNTs composite foams 571
 - foams 576
 - poly(DNTD) 256, 257
 - polydopamine (PDA)
 - Au nanocomposites 641
 - capped carbon nanotubes (CNTs) 628
 - coated GO sheets 618
 - compound with lamellar structure 634–637
 - foams 628–630
 - membranes 631–632
 - modified porous polymer membrane 638–639
 - nanoparticles 627
 - textiles 628–629
 - thin film 605

- poly(3,4-ethylenedioxythiophene (PEDOT) 78, 194
 poly(ethylene terephthalate) (PET) 106
 polymer electrolyte fuel cells (PEFCs) 204
 polymer electrolyte membrane fuel cells (PEMFCs) 140
 polymeric nanotubes (PNTs) 11
 polymer nanocomposites (PNCs) 1, 569
 polymers 1
 polymers loaded magnetic metal nanoparticles (NPs) 570
 polynuclear transition metal hexacyanometallates 237
 poly(N-vinyl pyrrolidone) (PVP) 611
 polyphenyl amine 570
 polypyrrole (PPy) 36, 238, 570
 poly-SiGe layer surface 194
 poly(sulfobetaine methacrylate) (PSBMA)/PDA composite films 621
 polythiophene 239
 polyvinyl chloride (PVC) 592
 polyvinylpyrrolidone (PVP) 454
 porous carbon-based composites 593
 porous carbon/Co composites 593
 porous carbon/Co nanocomposites 593
 porous carbons 11–12
 porous PNCs 580
 power conversion efficiencies (PCEs) 67
 power factor (PF) 176
 Praying Mantis DRIFTS accessory 274
 proflavine 633
 Prussian blue (PB) 237
 Prussian white (PW) 237
 pseudocapacitor 35–36
 Pt-based binary and ternary NAs synthesis
 Pt salt concentrations 148–151
 PtCo NAs synthesize, pH conditions 151–153
 Pt-based ternary NAs synthesis 153–156
 Pt botryoidal nanowires (Pt BNWs) 455, 461
 catalysts 462
 Pt₂ BNWs 459
 Pt₃ BNWs 459
 PtCo/CoOx NCs
 ORR/OER bifunctional electrocatalysts
 LASiS-GRR, mechanistic picture 141–142
 structure and composition analysis 142–146
 XRD patterns comparison 145
 PtCo NAs synthesize comparison 152
 PtCo NAs synthesize, pH conditions 151–153
 PtCo NAs through LASiS-GRR 150
 PtCo NA systems 148
 PtCuCo-2 NAs, characterizations 155
 Pt counter electrode 404
 Pt/Cu-Mg-Al-O NSR catalysts 531
 Pt nanospheres 457
 PtPb_xPt_{1-x}O₂ catalyst 529
 Pt salt concentrations 148–151
 Pt/TiO₂ photocatalytic system 411
 (pulsed) laser ablation in liquid (PLAL)
 see laser ablation synthesis in solution (LASiS)
 pure PDA nanoparticles 633
 pyrolysis 310, 311
- q**
- quantum dots (QDs) sensitization 471–474
- r**
- radioisotope thermoelectric generator (RTG) 183–185
 Rayleigh theory 574
 reactive oxygen species (ROS) 607
 redirected electron migration phenomenon 410
 reduced graphene oxide (rGO) 207, 209, 213
 reflection 568
 reflection loss (RL) 569
 residual loss 574

- reversible wet/dry adhesive 615
 rGO nanosheets (RGNSSs) 213
 rhodamine B (RhB) 385
 rotating disk electrode (RDE) 146
 $\text{Ru}(\text{bpy})_3\text{Cl}_2$ 411
 $\text{Ru}(\text{bpy})_3/\text{TiO}_2$ hybrid nanocomposite 360
 RuO_2/WO_3 photoanodes 501
- S**
- sacrificial reagent 408–409
 “sacrificial reagent free” photocatalytic system 427
 saturated calomel electrode (SCE) 467
 saturation magnetization 573
 Schottky barrier 410–414
 second generation biorefineries 310
 Seebeck effects 175–176
 selective catalytic reduction (SCR) 527
 semiconductor heterojunctions 424, 485–489
 semiconductor p-n junction system 420–423
 semiconductor-semiconductor interfaces
 non p-n heterojunction
 semiconductor system 423–427
 semiconductor p-n junction system 420–423
 sepiolite 544
 shielding effectiveness 569
 silicoaluminophosphate (SAPO) 312
 silicon-germanium (SiGe)
 thermoelectric couples 183
 silver nanoparticles 640
 silver-related nanomaterials 551–552
 single wall carbon nanotubes (SWCNT) 107, 548
 PANI composites 54
 ultrathin films 631
 small molecule conversion
 hierarchical supportless
 nanostructures 453–463
 1D supportless nanostructure 445, 453
 supported 0-D structure 439–445
- solar-to-hydrogen efficiency (STH) 469
 solid-state electrolyte 37
 specific surface area (SSA) 41
 “spillover” effects 147
 spin-coating technique 100
 spiro-OMeTAD 69
 SrTiO_3 (STO) 370
 successive ionic layer adsorption and reaction (SILAR) 473
 sulfide NiMo 338
 super-aligned CNTs (SACNTs) 25
 supercapacitor *see* electrochemical capacitor
 super-permalloy 569
 supported 0-D structure 439–445
 surface defects 275
 surface heterojunction 279
 surface modification methods, PDA 615–622
 surface passivation 492–494
 surface plasmonic enhanced photocatalytic hydrogen production 414–420
 surface plasmon resonance (SPR) 139
 surfactant-assisted γ -irradiation 590
 surfactant-free technique 136
 surfactant sodium dodecyl benzene sulfonate 589
 sustainable materials and renewable technology (SMART) 178, 180
 symmetric capacitor 37
 synergistic properties 1, 3
- T**
- tandem cell 511
 TEM images, SAED patterns 143, 149
 Te nanowires 455
 ternary NAs formation 156
 ternary structured composites 57
 terpenoids 332
 4-tert-butylpyridine (TBP) 69
 tetraethoxysilane (TEOS) 622
 tetraethylene glycol dimethyl ether (TEGDME) 219
 tetrahydrofuran (THF) phase 322

- tetrahydrofurfuryl alcohol (THFA) 329
- textile industry 353, 381
- thermal conductivity 179–180
- thermal conductivity detector (TCD) 274
- thermal sulfidation method 412
- thermoelectric (TE) device
- cooling devices 175
 - figure of merit 193
 - force 175
 - power generation 173, 175
- thermoelectric (TE), energy harvesting
- materials development
 - discovery of thermoelectricity 182
 - MMRTGs 184
 - PGEC 182
 - RTG 184, 185
 - TEG design 184
- nanocomposites
- Bi_2Te_3 185
 - nitrides 187–188
 - oxides 190–191
 - PbTe 187
 - Sb_2Te_3 185, 187
 - SiGe 189–190
 - silicides 187–188
- TEG module *see* thermoelectric generator (TEG)
- thermoelectric effect
- electrical conductivity 181
 - figure of merit 181–182
 - history of 175
 - power factor (PF) 176
 - Seebeck effect 176–178
 - thermal conductivity 179–180
- thermoelectric generator (TEG) 175, 192
- fabrication 194–197
 - p-n structure 192
 - power output 193
 - Seebeck coefficient 192
 - 3-D FTO nanobeads 80, 82
 - three-dimensional graphene (3DG) 10
 - three-way catalyst (TWC) technology 527
- TiO_2 /anatase ($\text{TiO}_2(\text{B})$)/anatase core–shell nanofibers 557
- TiO_2 and ZnO based heterostructures
- co-catalysts decoration 479–481
 - conductive materials modification 482–484
 - plasmonic modification 474–478
 - quantum dots sensitization 471–474
- TiSi_2 core/hematite shell structure 490
- TiO_2 ended Au nanorods 418
- TiO_2 -graphene nanocomposites 369
- TiO_2 nanoparticles 369
- TiO_2 photoelectrode 404
- titanium dioxide nanoparticles 358
- transition-metal-loaded titania 358
- transition metal oxides (TMO) 233
- anodic coloration
 - iridium oxide 237
 - NiO 236
 - anodic oxides 233
 - cathodic coloration
 - MoO_3 , TiO_2 , Nb_2O_5 and Ta_2O_5 235
 - WO_3 234–235
- transparent conducting oxide (TCO) 121
- trimethylpentane (TMP) 320
- tungsten carbide (WC) 211
- tungsten oxide (WO_3) 234–235
- 2D MoS₂/CdS p-n nanohybrids 421
- 2D MoS₂ nanosheets 421
- 2-methyl furan (2MF) 335
- u**
- ultrasonic spray pyrolysis (USP) method 277
- ultra-stable Y (USY) zeolite-catalyst 319
- UV light driven photocatalytic hydrogen evolution system 411
- UV-triggered PDA polymerization 607
- v**
- vacuum processing 101–102
- Valcan XC-72 supported PdAu (PdAu/XC) catalysts 440

- vanadium oxide 19
 Vegard's law 150
 viologens 239
 visible light Z-scheme photocatalytic system 426
 Voyager power sources 183
- W**
 waste heat energy 173
 waste-heat-recovery systems 175
 wastewater treatment, mussel-inspired PDA 626
 compound with lamellar structure 634–637
 degradation of organic pollutants 640–643
 foams 628–630
 inorganic materials 637–638
 magnetic core-shell nanoparticles 633–634
 membranes 631–632
 modified porous polymer membrane 638–639
 nanoparticles 627
 pure PDA nanoparticles 633
 textiles 628, 629
- WO₃ and BiVO₄ based heterostructures 497
 coupling with other semiconductors 498–501
 coupling with oxygen evolution catalysts 501, 503
 WO₃ EC device 77
 WO₃ nanoplate 499
 WO₃ nanorods 247
 WO₃ nanostructure 250
- X**
 XRD patterns comparison 150
- Z**
 zeolites 309
 Zinc oxide (ZnO) 190, 191
 Zinc sulphide 354
 ZnFe₂O₄/ α -Fe₂O₃ heterojunctions 487
 ZnO-CuO composite nanowires 373
 ZnO nanoparticle 383
 ZnS-MMT nanocomposites 371
 Z-scheme photocatalytic processes 423
 zwitterionic glutamic acid-and lysine-based peptides 618