

Index

a

- accelerometer piezoelectric 49
- actuator piezoelectric 45
- actuators 138
- ADP 129–132
 - hydrogen bonded radicals 130
- AFE *see* antiferroelectric (AFE)
- AFM *see* atomic force microscope (AFM)
- alternating current (AC) 54, 61, 63, 65, 66, 109, 123, 154, 218, 230, 277, 279
 - VING 63
- antiferroelectric (AFE) 129
- antiferroelectric orthorhombic structure 118
- antiferroelectric phase with orthorhombic structure 118
- atomic displacements 26
- atomic force microscope (AFM) 62
 - piezoelectric based microdevices 205
 - VING 62
 - nanogenerator 59
- atomic force microscopy (AFM) 136
 - graphene-based FeFET 228
- atoms, schematic arrangements of 32
- Aurivillius phases 123

- b**
- barium strontium titanate (BST) 98
 - band pass filter 101
 - dielectric constant of 100
 - structure of 99
- barium titanate (BaTiO₃)
 - crystallographic changes of 90
 - cubic structure of 89
 - dielectric constants of 90
 - frequency dependence of 91
 - MLCs 89
 - multilayer capacitor 92
 - nanowire 65
 - NG 93
 - PTC 89
 - PTC thermistor 93
- BiFeO₃ (BTO)
 - NG 95
- bismuth ferrite (BiFeO₃) 156
- bismuth manganite (BiMnO₃) 157
- bismuth oxide layer structured ferroelectrics (BLSF) 123
 - applications of 125
 - crystal structure of 124
 - definition of 123
- bismuth silicon oxide (BSO)
 - two-wave mixing crystal 284
- BLSF *see* bismuth oxide layer structured ferroelectrics (BLSF)
- Bragg condition 271
- Brewster's law 254
- Brillouin zone 21, 25
- BST *see* barium strontium titanate (BST)
- bulk acoustic wave (BAWs) device 207
- bulk composite multiferroics
 - backscattering emission 153
 - ME composites 152
- bulk micromachining 204

C

capacitive micromachined ultrasonic transducers (cMUTs) 206

capacitor-over-field-oxide (COFO)
 electron microscope 212
 ferroelectric capacitors 211

capacitors
 ceramic actuator technologies 198, 199
 micro-devices 197
 MLCs 196
 solid-solution systems 202

carbon nanotube (CNT) 224
 fabrication of 226, 227
 SWCNT 226, 227
 TEM 225, 226

cellular-automate technique 282

ceramic actuator technologies 198, 199

ceramic polymer composites
 embedded film capacitor 142, 143
 ferroelectric ceramics 143
 materials 142
 piezoelectric composites 142, 144
 thermal stability 141

Clausius-Mossotti relation 13

CNT *see* carbon nanotube (CNT)

complementary metal-oxide semiconductor (CMOS)
 FRAM 213
 thin film 203

composites 203

condensers 195

conduction band 4

conduction electrons *see* conduction band

contact microphone 44

corner sharing oxygen octahedra 88

Coulomb's law 12

coupler interferometer 253

critical point 30

crystal(s)
 characteristic frequency 72
 structures 1
 alloys 33
 phase transition 23

crystalline solid 4

crystallography 1, *see also* crystals structure

crystal oscillator circuit 72

crystal structures pyroelectricity 38

Curie point temperature 84, 101, 110, 132, 150

Curie–Weiss law 25

Curie–Weiss temperature 115

d

depolarization 9–11

diaphragm piezoelectric
 Helmholtz's formula 55, 56
 mounting support methods 54, 55
 operation of 54
 sound component 54

dielectric(s)
 characteristic feature 14
 conductors 4
 crystal 1
 FD distribution function 5
 insulators 4
 losses 14
 materials 14
 dispersion of polarization of 8
 local field 11
 losses of 14
 molecular description of 12
 molecular theory 9
 parallel plate capacitor 10
 polarization of 7
 properties 6
 semiconductors 4
 susceptibility 13

dielectric breakdown 17

dielectric loss angle 15

dielectric susceptibility 30

diode-pumped solid-state (DPSS) 242

diode-pumped solid-state laser (DPL) 265

dipoles
 inside cavity field 12
 Lorentz of 11
 piezoelectric 40
 spontaneous 34

dispersion relation 20–22
 frequency and wave vector 20, 21
 distribution function 5
 domain wall 85
 domain wall motion
 P–*E* hysteresis loop 86
 SPM 88
 TEM images 86
 dynamic gain-fluttering filter (DGFF)
 246, 248

e

EAP *see* electro active polymer (EAP)
 EETs *see* explosive-to-electrical
 transducers (EETs)
 elastomers 6
 electret
 applications of 146
 definition 145
 electric polarization of 145, 146
 small microphone 146, 147
 type of 145
 electric current 56
 electric field pierces 16
 electro active polymer (EAP) 139
 electro-mechanical film (EMFi) 137
 transducers 137
 electron gas 5
 electronic ceramics 195
 electronic polarizability 13
 electronic polarization 7, 9
 electro-optic deflector (EOD) 237
 KTN crystals 237
 KTN deflector 239
 optical coherence tomography 239
 space-charge effect 238
 electro-optic effect 265
 electro-optic field sensors
 common path interferometer 254
 coupler interferometer 253
 electric field 251
 grid type 253
 Mach–Zehnder interferometer 250
 measurement system 250
 structure of 250–252
 two types 249
 waveguides of 251

electro-optic modulators
 intensity modulator 235
 KTN crystal 237
 longitudinal 234
 optical phase 234, 235
 optical switching device 236
 transverse 234
 voltage *V* 233, 234
 waveguide modulator 235, 236
 electro-optic Q-switches 242
 electro-optic tunable filter 240–242
 two kinds of 240
 wavelength division multiplexing
 240
 electrostatic potential 1
 energy band, crystals 1–3
 EOD *see* electro-optic deflector (EOD)
 equation of motion 19
 equivalent electrical circuit 72
 explosive-to-electrical transducers
 (EETs) 201

f

FD *see* Fermi-Dirac (FD)
 FeFET *see* non-volatile ferroelectric field
 effect transistor (FeFET)
 FeRAMs *see* ferroelectric random access
 memory (FeRAMs)
 Fermi-Dirac (FD) 5
 Fermi-Dirac (FD) distribution function
 5
 Fermi energy 5
 ferroelectric(s)
 diatomic chain 21
 three fundamental laws 25
 ferroelectric ceramics
 bulk and films of 195
 capacitors 196
 composites 203
 EETs 201
 electro-optic devices 233
 materials 214
 nanoscale ferroelectrics 219
 photoelastic devices 254
 photorefractive devices 260
 piezoelectric 197
 thin films 203

- ferroelectric field effect transistors (FeFETs) 214
 - ferroelectricity
 - classification of
 - ceramic polymer composites 141
 - corner sharing oxygen octahedra 88
 - electret 145
 - hydrogen bonded radicals 128
 - MFs materials 147
 - organic polymers 132
 - definition of 80
 - domains 80, 85
 - history 81
 - hysteresis 80
 - phase transitions 83
 - tunable microwave applications 208
 - varactors 210
 - wall motion 86
 - ferroelectric random access memories (FRAMs) 210
 - bit cells 211, 212
 - capacitor-on-plug 213
 - CMOS 213
 - PTZ 210
 - 1T1C 213, 214
 - ferroelectric random access memory (FeRAMs) 86
 - ferroelectric tunnel junctions (FTJs) 215
 - ferromagnetic hysteresis 148
 - ferromagnetism 79
 - ferroresistive storage
 - MF interfaces 215, 217
 - Thomas–Fermi screening 215
 - tunnel barrier 215, 216
 - tunnel junction 215, 216
 - fiber optical communication 260
 - field-effect transistors (FeFETs) 86
 - flexensional actuator (FA) 111
 - PMN 111
 - flexensional structure 198
 - forbidden energy 3
 - FRAMs *see* ferroelectric random access memories (FRAMs)
 - free electrons 4, *see also* conduction band
 - Fresnel bipris 265
 - Fresnel biphisms 264
- g**
- gallium nitride (GaN) 39
 - gas lighter piezoelectric 43
 - Gauss's law 10
 - generators piezoelectric
 - cantilever beam energy generator 59
 - energy harvesting of 59
 - PZT 57
 - graphene-based FeFET 228
- h**
- hard disk drives (HDDs) 217, 218
 - SPM 217
 - Helmholtz's formula 55
 - hexagonal manganites (RMnO₃) 158
 - holographic interferometers 281–287
 - BSO 282, 283
 - laser intensity of 286, 287
 - Michelson interferometer 286
 - mirror slopping 284
 - mirror static 283, 284
 - phase techniques 282
 - Pockels effect 281
 - PZL 281
 - PZO 284, 285
 - RTHI 281
 - two-wave mixing, BSO 285
 - Hula Hoop wobble 69
 - hydrogen bonded radicals
 - AFE 129
 - applications 131
 - atomic motions 131
 - representation of 129, 130
 - TGS structure 128, 129
 - hydrothermal method 116
- i**
- implantable telemetric energy receiver 66
 - indium-tin-oxide (ITO) 66, 241, 276
 - NG 95
 - insulators 4

- integrated optical electric field sensor (IOES) 253
- ionic polarization 7, 9
- j**
- Joule–Lenz law 14
- k**
- KH_2PO_4 (KDP)
hydrogen bonded radicals 130
- l**
- laminated composite multiferroics
ME coefficients 154
ME composite 155
micrograph of 154
P(VDF-HFP) 155, 156
- Landau phenomenological theory 26
- Langmuir–Blodgett (LB) polymer 135
- lapidem electricum 39
- lateral nanowire integrated nanogenerator (LING) 63
SWG 63
typical view of 63
- lattice vibrations 19, 21
- lead-free piezoceramics 42
- lead lanthanum zirconate titanate (PLZT)
dielectric constants of 108
ferroelectricity 81
hysteresis loop 109
PT 109
room temperature of 107
- lead magnesium niobate (PMN)
dielectric loss vs. temperature 111
dielectric properties of 110
ferroelectricity 83
NG 112
PMN–PT 111
stacked-FA 111
- lead titanate (PbTiO_3) 101
- lead zirconate titanate (PZT) 42
cantilever actuator in 103
ceramic polymer composites 144
ferroelectricity 81
MPB 103
nano fibergenerator 104
NG 106
oxide nanowire 220
PDMS 106
PET 106
phase diagram of 102
piezoelectric 103
piezoelectric based microdevices 205
piezoelectric generators 57
SPM 219
SQUIGGLE motor 68
VANA 106
- LG Microelectronics 205, 206
- linear dielectric material 37
- linear dielectrics 37
- LING *see* lateral nanowire integrated nanogenerator (LING)
- liquid-filled varifocal lens 139
- local field, dielectric 11
- longitudinal mode piezoelectric element 47
- longitudinal modulators 234
- Lorentz field 12
polarizabilities 13
- Lorentz–Lorentz equation 14
- loss angle, dielectric 15
- low-temperature co-fired ceramic (LTCC) 144
- Lyddane–Sachs–Teller relation 25
- lyngourion 39
- m**
- Mach–Zehnder intensity modulator 235
- Mach–Zehnder interferometer 250
- Mach–Zehnder modulators 251
- macroscopic field 13
- magnetoelectric (ME) composites 152, 160
- magnetoelectric (ME) effect 147
- mean-field (MF) approach 26
- mean-field theory 30
- membrane based micropiezoelectric components 205
- MEMSs *see* micro electro mechanical systems (MEMSs)

- Metal–insulator–metal (MIM) 100
 - BSST 100
 - metalorganic chemical vapor deposition (MOCVD) 125, 156
 - BLSF 125
 - Michelson interferometer 286
 - microcantilever based piezoelectric components 205
 - microdevices based piezoelectric 204
 - micro electro mechanical systems (MEMSs) 156, 203
 - microwave electronics 207
 - piezoelectric microsensors and microactuators 204
 - thin film 203
 - microfluidic pumps 138
 - microphone piezoelectric 50
 - micro pump piezoelectric
 - flat walls diffusers 52
 - silicon micromechanics 51
 - valve less of 52
 - microscopic properties, materials
 - phase transitions
 - displacive of 31
 - Landau phenomenological theory 26
 - order-disorder of 32
 - soft-mode 25
 - structure of 23
 - phonons
 - 1D diatomic chain 21
 - definition 19
 - 1D monatomic chain 19
 - 3D solids 22
 - microwave electronics, polar films
 - bulk acoustic wave (BAWs) 207
 - MEMSs 207
 - RF-MEMS 207
 - SAW 207
 - tunable microwave applications 208
 - MLCs *see* multilayer capacitors (MLCs)
 - molar polarizability 13
 - molecular theory 9
 - morphotropic phase boundary (MPB)
 - PZT 103
 - multiferroic (MFs) materials
 - bulk composite 152
 - laminated composite 154
 - ME effect 147–149
 - perspectives of 160
 - single phase 149
 - thin films 155
 - multilayer capacitors (MLCs) 196
 - ferroelectric of 196
 - multilayer capacitors (MLCs) 92
 - BaTiO₃ 89
- n**
- nanocomposite electrical generator (NEG)
 - typical view of 64
 - nanocomposite generator (NCG) 94
 - BaTiO₃ 94
 - Nano–ferroelectric field Effect transistor (Nano-FeFET)
 - CNT 224
 - graphene-based 228
 - nanotetrapod-based 223
 - nonvolatile memory devices 220
 - oxide nanowire-based 220
 - nanogenerator (NG) 93
 - BaTiO₃ 93
 - BTO 96
 - fabrication process 95
 - ferroelectric 229
 - five layers as 94
 - morphology of 230, 232
 - piezoelectricity
 - applications 65
 - force parallel to 60
 - force perpendicular to 59, 60
 - LING 63
 - NEG 63
 - other types 64
 - VING 61
 - PVDF 139
 - SEM 231
 - ZnO 231
 - nanomaterials 42
 - nano/microwire solar cell 57
 - nanoparticles (NPs)
 - BaTiO₃ 94
 - nanoscale ferroelectrics
 - ferroelectric nanogenerators 229

nano-FeFET 220
 SPM 219
 nanotetrapod-based FeFET 223
 naturally occurring crystals 42
 NCG *see* nanocomposite generator (NCG)
 NG *see* nanogenerator (NG)
 nondestructive testing (NDT) 44
 nonlinear dielectrics 37
 non-volatile ferroelectric field effect transistor (FeFET) 220
 graphene-based 228
 oxide nanowire-based 220
 ZnO NW 222
 nonvolatile memory 135
 nonvolatile random-access-memory (NV-RAM) 135

O

one-dimensional diatomic chain 21
 one-dimensional monatomic chain 19
 organic polymers
 applications of 135
 PVDF 132
 research 133
 TrFE 133
 orientational polarization 7
 orientation polarization 9
 oscillation 22
 oxide nanowire-based FeFET 220

P

parallel plate capacitor 10
 Pauli's exclusion principle 2
 PC *see* polarization controller (PC)
 PEM *see* photoelastic modulator (PEM)
 perovskite
 BaTiO₃ 89
 BST 98
 KNbO₃(KN) 114
 NaNbO₃ 118
 PbTiO₃ 101
 PLZT 107
 PMN 110
 PZT 102
 SrTiO₃ (STO) 97

PET *see* polyethylene terephthalate (PET)
 phase-shifting technique 281
 phase-stepping 281
 phase transitions
 atoms model 23, 24
 1D array 23
 displacive of 31
 ferroelectric 23
 ferroelectricity 83
 Landau phenomenological theory 26
 order-disorder of 32
 soft-mode 25
 phonons
 1D diatomic chain 21
 1D monatomic chain 19
 3D solids 22
 photoelastic devices
 PEM 255
 Q-switch 257
 photoelastic modulator (PEM) 255
 photolithography 261
 photorefractive devices
 effect of 260
 holographic interferometers 280
 switches 275
 tunable filters 267
 waveguides 260
 piezoelectric
 composites 203
 microsensors and microactuators 204
 piezoelectricity
 plate mode of 67
 piezo-electric crystals 43
 piezo-electric effect 71
 piezoelectricity
 accelerometer 49
 actuator of 45
 applications 65
 definition of 39
 gas lighter 43
 generators 57
 historical survey 41
 linear SQUIGGLE motor 68
 materials 42, 64

- piezoelectricity (*contd.*)
 - microphone 50
 - micropump 51
 - moduli 40
 - motors 66
 - nanogenerator 59
 - nanogenerator types 61
 - piezoelectric effect 39
 - plate mode of 67
 - QCM 69
 - quartz crystal oscillator 71
 - sensors 44
 - solar cell 56
 - sound diaphragm 54
 - transformer 47
- piezoelectric linear microdisplacements (PZL) 281
- piezoelectric micromachined ultrasonic transducers (pMUTs) 206
- piezoelectric microsensors and microactuators
 - membrane based micropiezoelectric 205
 - microcantilever based 205
 - microdevices based 204
- piezoelectric nanocomposite (p-NC)
 - BaTiO₃ 94
- piezoelectric polyvinylidene fluoride (PVDF)
 - laminated composite multiferroics 155
 - nonvolatile memory 135
 - transducers 137
- piezoelectrics
 - applications for 197
- piezoelectric transformer (PT) 109
- piezo-motors
 - CAD 66, 67
- piezo-phototronic effect 57
- PMN-PT nanogenerator 112
- p-n cell junction 56
- Pockels effect 275, 277
- polarization
 - dielectric of 7
 - dispersion of 8
 - linear equation 40
 - Lorentz field 12
 - molecular description of 12
 - processes 7
- polarization controller (PC) 245
 - key parameters of 246
 - retarders 245
 - screen print measurement 246, 247
- polarization maintaining fiber (PMF) 250
- polarization vs. temperature 85
- polar molecules 9
- polycrystal 85
- polydimethylsiloxane (PDMS)
 - BaTiO₃ 94
 - NG 95
 - PZT 106
- polyethylene terephthalate (PET) 95
 - NG 95
 - PZT 106
- polystyrene (PS), NG 94
- polyvinylidene fluoride (PVDF) 214
 - NG 139
 - organic polymers 132
 - polymer research 133
- positive temperature coefficient (PTC)
 - 81
 - BaTiO₃ 89
 - BaTiO₃ thermistor 93
- potassium niobate (KNbO₃)
 - cubic-tetragonal 115
 - hydrothermal method 116
 - nanogenerator 116
 - phase diagram of 116
 - rhombohedral structure of 114
- potassium tantalate niobate (KTN)
 - crystals 238
- potential energy levels
 - atoms in crystal 1, 2
 - crystal 2
 - two nucleus 1
 - variation of 2
- potential well 84
- primary pyroelectricity 38
- pyroelectric fusion 39
- pyroelectricity
 - crystal classes 38
 - history of 39
 - vector 38

- PZO 284, 285
 connected mirror 285
 PZT *see* lead zirconate titanate (PZT)
- q**
 Q-switch photoelastic
 fiber laser 257, 258
 laser pulses 259
 retardation 257, 258
 SCPEM 257
 transmission curve 259
 quartz crystal microbalance (QCM)
 applications of 70
 quartz crystal of 69, 70
 quartz crystal oscillator 71
- r**
 radial vibration piezoelectric
 transformer 48
 Raman spectra, solids 22
 real-time holographic interferometry
 (RTHI) 281
 reduced graphene oxide (RGO)
 BaTiO₃ 94
 retarders 245
 Rochelle salt 81
 Rosen piezoelectric transformer
 48
- s**
 scanning electron microscope (SEM)
 backscattering emission 153
 NG 94, 95
 scanning electron microscopy (SEM)
 221
 scanning probe microscopy (SPM) 88,
 217
 ferroelectric films 218
 HDDs 217
 scanning tunnelling microscope (STM)
 224
 Schottky contact 61, 63
 Schottky diodes 215
 secondary pyroelectricity 38
 self-powered nano/micro devices 65
 semiconductor 4
 side-chain liquid crystalline polymers
 (SCLCP) 134
 polymer research 134
 silicon solar cell 56, 57
 single crystal photoelastic modulator
 (SCPEM)
 PEM 255
 Q-switch 257
 single phase multiferroics
 BiFeO₃ 150
 LSMO electrode 150
 ME 150
 TbMnO₃ 151
 TER 149
 single-walled and multi-walled carbon
 nanotubes (SW/MWCNTs) 94
 single-walled carbon-nanotube (SWNT)
 225
 VING 63
 single wire generator (SWG) 63
 LING 63
 sinusoidal filter 247, 248, *see also*
 variable gain tilt filters (VGTF)
 smart wearable systems 65
 sodium niobate (NaNbO₃)
 crystal structures of 118
 frequency range of 119
 NG 120
 solar cell piezoelectric
 energy band diagram of 57, 58
 p–n cell junction 56
 silicon principle of 56, 57
 solidly mounted resonators (SMR)
 BAW 208, 209
 solid solution perovskites (SSP) 159
 solid-solution systems 202
 capacitors 202
 sound pressure level (SPL) 54
 space-charge effect 238
 space charge polarization 8, 9
 SPM *see* scanning probe microscopy
 (SPM)
 SQUIGGLE motor
 linear 68
 PZT 68, 69
 stack actuators 45
 stripe actuator 46
 strongly coupled multiferroics 158
 strontium titanate SrTiO₃ (STO) 97

- supercritical region 30
 - surface acoustic wave (SAW)
 - band-pass filter 127
 - interdigital transducer 128
 - KNbO_3 115
 - microwave electronics 207
 - surface micromachining 204
 - surface-stabilized ferroelectric liquid crystal (SSFLC)
 - polymer research 134
 - suspended membranes 206
 - SWG *see* single wire generator (SWG)
 - switches, photorefractive
 - experimental set-up 275
 - phase conjugate power 279
 - photorefractive crystal 275
 - Pockels effect 275, 277
 - temporal evolutions of 276
 - transmitted power 278
 - voltage V 280
 - synthetic ceramics 42
 - synthetic crystals 42
- t**
- thickness vibration piezoelectric transformer 48
 - thin film, ferroelectric ceramics
 - CMOS 203
 - FRAMs 210
 - MEMSs 203
 - microwave electronics, polar films 206
 - piezoelectric microsensors and microactuators 204
 - thin films multiferroic
 - artificially designed multiferroic materials 159
 - bismuth ferrite 156
 - Bismuth manganite 157
 - hexagonal manganites 158
 - MEMS 156
 - solid solution perovskites 159
 - Thomas–Fermi screening 215
 - three-dimensional solids, phonons 22
 - three-dimensional waveguides (3D-WGs) 263
 - top-seeded solution growth (TSSG)
 - KNbO_3 116
 - tourmaline 39, 43
 - transducers 137
 - transmission electron microscopy (TEM) 223
 - NG 94
 - transparent and flexible devices 65
 - transverse mode piezoelectric element 47
 - transverse modulators 234
 - trifluoroethylene (TrFE) 133, 135, 136, 154
 - organic polymers 133
 - triglycine sulphate (TGS) 128, 129, 131, 214
 - hydrogen bonded radicals 128
 - tunable fabry-perot filter (TFPE)
 - electro-optic tunable filter 240
 - transmission spectrum of 241
 - tunable filters, photorefractive
 - acousto-optic 270, 271
 - angle convention of 270, 271
 - Bragg wavelength 272
 - crystal surface 273
 - fabricated technique 269
 - read-out wavelength 273
 - time development of 274
 - wavelength division LiNbO_3 268
 - wavelength division multiplexing 267
 - wavelength selectivity of 273
 - tunable lyot filter (TLF)
 - electro-optic tunable filter 240
 - 3 stages 241
 - tunable microwave applications 208
 - tungsten bronze compounds
 - application of 123
 - compounds 122
 - definition of 121
 - structure type 121
 - tunnelling electro-resistance (TER) 150
- u**
- ultrasound transducers 44

V

- valence band 4
- variable gain tilt filters (VGTF) 246, 247
- variable optical attenuators (VOA) 243
 - DGFF 248
 - network applications 243
 - optical modulation of 244
 - performance of 244
- vertically aligned nanowire arrays (VANAs) 106, 107
 - PZT 106
- vertical nanowire integrated nanogenerator (VING) 61
 - AFM 62
 - typical view of 61, 62
- vibration energy harvesters (VEH) 147
- VING *see* vertical nanowire integrated nanogenerator (VING)
- VOA *see* variable optical attenuators (VOA)

W

- waveguides, photorefractive
 - CCD-images of 262, 263
 - crystals 262
 - diode-pumped solid state laser 265
 - 3D-WGs 263, 264
 - fabricated technique for 261
 - LiNbO₃ 266
 - photolithography 261
 - rectangular waveguide 266, 267
 - waveguide array 268
- Weiss domains 40
- wurtzite structure 42, 56

Z

- ZnO nanowire 42
- zone-boundary phonons 26
- zone-centre phonons 26

