

Index

a

ABA type block copolymers 10, 190
 acrylic CUP coating lacquers 298–299
 acyclic diene metathesis polymerization (ADMET) 220
 aldehyde-decorated ultrafine single-chain polymer nanoparticles 373
 aliphatic polycarbonates 15
 all-polymer nanocomposites 80, 374–375
 α , ω -bromine functional polymers 218
 α -thiolactone 5
 amphiphilic block copolymers 313
 amphiphilic catalytically functional collapsed polymers 237
 amphiphilic copolymers 313
 amphiphilic/fluorous random copolymers 327
 amphiphilic PEGMA-based random copolymers 315
 amphiphilic poly(OEGMA-co-AEMA) random copolymers 232
 amphiphilic random copolymers 314
 precision self-assembly and self-sorting of 329–332
 anomalous jump diffusion (AJD) model 169
 anthracene-functionalized polymers 114, 199
 9-anthracenylmethyl methacrylate (AMMA) 14, 225
 4-arm star polymer 225

associated water fraction 277
 asymmetrical flow field-flow fractionation (AF4) 204
 atom transfer radical polymerizations (ATRP) 1
 average neutron scattering lengths 132
 aziridine-cured acrylic CUPs resin 299–300

b

bead-spring model 50–53
 bead-spring SP1-SCNPs 73
 Belloni's model 274
 benzene-1,3,5-tricarboxamide (BTA) 17, 190, 243
 benzocyclobutene (BCB) motifs 9, 93
 Bergman cyclizations 12, 94
 β -cyclodextrin (β -CD) 222
 β -hairpin folded polymer 26
 β -ketoester moieties 194
 biosynthetic poly- γ -glutamic acid (PGA) 16
 BiPy-BTA based SCPNs 202
 BiPy-BTA functional polymers 238
 3,3'-bis(acylamino)-2,2'-bipyridine substituted benzene-1,3,5-tricarboxamides (BiPy-BTAs) 201, 238
 Boltzman constant 272
 BTA-based polymer 245
 BTA-containing polymers 191
 BTA-containing triblock copolymers 201

C

- carbon nanodots 368, 369
- carboxylic acid-decorated nanoparticles 368
- catalysis, SCNPs
 - carbon nanodots 368–369
 - controlled radical polymerization 366
 - gold nanoparticles 367
 - quantum dots 367–368
 - ring-opening polymerization 365–366
 - synthesis of chemical compounds 361–365
- catalytically active SCNPs 245
- chiral BTA-bearing methacrylate (BTAMA) 323
- chiral, 1,3,5-tricarboxamide (BTA) 323
- 4-(chloromethyl)styrene (CMS) 12, 14, 219
- circular dichroism (CD) 111
- coarse-grained force-fields 48
- coarse-grained model 48
- collapsed polymeric nanoparticles 96
- colloidal unimolecular polymers (CUPs)
 - acrylic CUP coating lacquers 298–299
 - additive for freeze–thaw stability and wet edge retention 305–306
 - aziridine-cured acrylic CUPs resin 299–300
 - collapse point 265–266
 - conformation of 271
 - cup surface water 291–297
 - dynamic surface tension behavior 288–290
 - effect of salts on rheology 279–280
 - electrokinetic behavior in COO 273–274
 - electroviscous effect in
 - COO 278
 - QUAT 279
 - SO₃ 278–279
 - entropy effect/soap theory 267–269
 - epoxy 302–305
 - equilibrium surface tension behavior 286–288
 - Flory–Huggins theory 270–271
 - F₁₉ NMR T₂ relaxation experiment 297–298
 - formation of 259, 260
 - gel point determination 281
 - Hessingers model 273
 - hydrophilic/lipophilic balance 269–270
 - intrinsic viscosity determination 277
 - vs. latex and polyurethane dispersions 284–285
 - list of polymers synthesized for 261–263
 - maximum packing volume fraction, density and thickness of surface water 282–284
 - melamine cure systems 301–302
 - melamine resin crosslinking 300–301
 - monomers and ratio, molecular weight, glass transition, cup size and functionality 264
 - Nernst–Einstein model 272
 - packing 280–281
 - primary electroviscous effect 275–276
 - reduction 264–265
 - secondary electroviscous effect 276–277
 - size and distribution correlation to molecular weight 266–267
 - surface water determination 277–278
 - tertiary electroviscous effect 277
 - viscosity measurements 281–282
 - zeta potential, Debye–Huckel parameter and electrophoretic mobility 272
- common surfactants 268
- computer simulations, SCNPs
 - bead-spring model 50–53
 - globular 75–79 *see also* globular single-chain nanoparticles
 - homofunctional precursors 54–56
 - nanofillers 80
 - polystyrene model 49

- polystyrene precursor 49
 pulling forces 81
 randomly placed cross-linkable
 benzocyclobutene units 49
 semiflexible bead-spring 49
 solvent conditions 49
 sparse SCNPs 70–75
 synthesis via orthogonal and
 multi-orthogonal protocols
 57–61
 temperature dependence 51
 concentration-sensitive detector 93
 contrast variation methods 135
 controlled radical polymerization 366
 copper
 2-(acetoxy)ethyl methacrylate 229
 antimicrobial agent 236
 aqueous electrophoresis experiment
 229
 Beer–Lambert equation 234
 BiPy–BTA functional polymers 238
 complexation to β -ketoester moieties
 231
 Cu(acac)₂ 230
 Cu(OAc)₂ 230
 Flory exponent 232
 ²H NMR and UV–vis spectroscopy
 229
 imidazole complexation 228
 imidazolium/imidazole ratio 228
 methyl methacrylate 229
 molecular dynamics 232
 optoelectronic properties 234
 oxidative coupling of terminal
 acetylenes 231
 pH-sensitive behavior 228
 phthalocyanine synthesis 234
 polyOEGMA 231
 poly(pentafluorophenyl acrylate)
 (pPEPA) 236
 RAFT polymerization technique
 230
 selective and nonselective solvents
 233
 self-assembly behavior 229
 small angle neutron scattering 229
 thermal gravimetric analysis 229
 1,4- triazole product 235
 triple-detector SEC analysis 232
 UV–vis and IR spectroscopy 231
 water-soluble Cu-ONPs 235
 water-soluble globular Cu-SCNPs
 230, 231
 zeta potential 229
 copper catalyzed azide-alkyne
 cycloaddition (CuAAC) reaction
 3, 218
 copper cross-linked SCNPs 195
 copper phthalocyanine (CuPc) 233
 correlation functions 133
 coumarin-containing polymers 199,
 249
 coumarin SCNPs 249
 Cu(I)-catalyzed azide-alkyne
 cycloaddition 372
 Cu(II)-containing single-chain polymer
 nanoparticles 363
 Cu-complexation, of AEMA units 159
 cucurbiturils (CBs)-based interactions
 192
 Cu-SCNP solutions, NSE results 154
 cup surface water, CUPs
 bound water amount 295–297
 differential scanning calorimetry
 291–293
 electroviscous effect and gel point
 291
 proton NMR spin lattice relaxation
 time constant
 vs. CUP concentration 293–294
 vs. temperature 294–295
 4-cyano-4-((phenyl-carbonylthioyl)
 thio)pentanoic acid 21
 cyanuric acid (CA) 21
 functional ATRP initiator 6
 cyclic polymers 2
 cyclotides 341
 cysteine-any-cysteine (CXC) sequence
 196
- d**
- Debye–Huckel approximation 272
 deGennes renormalization 157
 denatured proteins 71

- dendrimers 184
- deuterated single chain nano-particles (dSCNPs) 163
- diaminonaphthyridine (DAN) functional norbornene 20
- diaminopyridine (DAP) 6
- 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU) 3
- dibromo functional polystyrene 8
- dichloro(1,5-cyclooctadiene)palladium(II) ([Pd(COD)Cl₂]) 28
- Diels–Alder (DA) cycloadditions 3
- diene-containing polymers 241
- differential scanning calorimetry 291–293
- diffusion coefficient 272
- diffusion-ordered NMR spectroscopy (DOSY) 107
- dilute solutions, SCNPs in
 - coarse-grained MD-simulations 150
 - differential cross sections 149
 - chain dynamics 152–157
 - dynamic light scattering 148
 - hydrodynamic radius 148, 149
 - Kratky representation 150
 - macromolecular form factor 151
 - SAXS techniques 151, 152
- dimerized 2-ureido-pyrimidinone (UPy) moieties 373
- 2,2-dimethoxy-2-phenylacetophenone (DMPA) 11
- N-(6-(3-(2,4-dioxo-3,4-dihydropyrimidin-1(2H)-yl)-propanamido)pyridine-2-yl)undec-10-enamide (U-DPy) 192
- 4-hydroxy-2,5-dimethylbenzophenone (DMBP) 120
- N,N*-dimethylaniline (DMA)/benzoyl peroxide (BPO) 11
- 3,6-dioxa-1,8-octane-dithiol (DODT) 11
- 2-(diphenylphosphino)benzaldehyde (PCHO) 240
- diphenylphosphinostyrene (SDP) 243
- disulfide pyridine-bearing
 - amphiphilic/fluorous random copolymer 328
- double differential scattering cross section 132
- drag coefficient 276
- dual gated reversibly folded SCNP system 33
- dynamically folded single-chain polymeric nanoparticles
 - anthracene-functionalized polymers 199
 - β -ketoester moieties 194
 - biomedical applications 184
 - BiPy-BTA based SCPNs 202
 - vs. conventional nanoparticles 184–186
 - dilute solutions 188
 - direct co-polymerization approach 187
 - dynamic covalent bonds 196
 - dynamic covalent bonds based SCPNs 202
 - fluorescent SCPN system 201
 - hydrazones 196
 - hydrogen bonding 188
 - hydrophobic effects 188
 - intra-chain cross-linking 187
 - living radical polymerization 191
 - mechanical unfolding
 - UPy/BTA-based SCPNs 206
 - organocatalyst L-proline 192
 - Pd(II) loaded nanoparticles 194
 - physical characterization of 184
 - poly(norbornene-exo-anhydride)s 196
 - post-polymerization modification strategy 190
 - rheological properties of 205
 - ring-opening metathesis polymerization 187
 - SCPN-based catalyst 192
 - self-complementary hydrogen bonding motif U-DPy 193
 - Sonogashira coupling reaction 194
 - TEMPO-containing polymers 208

- 2,2'-((2-(tert-butyl)-1,4-phenylene)bis(oxy))di(aceto-hydrazide) 196
- 2-Ureido-4[1H]-pyrimidinone 188
- viologen-containing polymers 194
- water-solubility 191
- water-soluble BTA-based SCPNs 203
- dynamic covalent bonds based SCPNs 202
- dynamic covalent chemistry (DCC) 32–33
- dynamic light scattering (DLS) 120, 131, 136
- dynamic surface tension behavior, CUPs
effect of concentration 290
effect of molecular weight 289–290
- e**
- EA-AA copolymer 303
- EA-AAZ CUPs 303
- electrokinetic behavior in COO CUPs 273–274
- electron transfer atom transfer radical polymerization (ARGET ATRP) 218
- electrophoretic mobility 272
- electroviscous effect
in COO CUPs 278
in QUAT CUPs 279
in SO₃ CUPs 278
- entropy effect/soap theory 267–269
- EPIKURE 8290-Y-60 crosslinker 304
- epoxy 302–305
- equilibrium surface tension behavior, CUPs
effect of concentration 286–287
effect of molecular weight 287
effect of surface active groups 288
- ethyl 4-cyano-4-((phenylcarbonothioyl)thio)pentanoate 24
- 2-ethylhexyl methacrylate (EHMA) 21
- f**
- FeFe hydrogenase mimetic SCNP 225
- Fe^{III}-PCNP1 225
- Fe-SCNPs 224
- finitely extensible nonlinear elastic potential (FENE) 52
- flexible and semiflexible bead-spring model 49
- Flory–Huggins theory 270–271
- fluorene homopolymers 10
- fluorene/thiophene copolymers 10
- fluorescein-containing
poly(norbornene)-based single-chain polymer nanoparticles 348
- fluorescein isothiocyanate-labeled peptides 351
- fluorescence imaging 356–360
- fluorescence spectroscopy 111
- fluorescent bipyridine-containing single-chain nanoparticles 370
- fluorescent polystyrene nanoparticles 360
- fluorous perfluorinated pendants 326–329
- F₁₉ NMR T₂ relaxation experiment 297–298
- folded proteins 71
- folding process 183
- FU-loaded POEGMA-U-DPy single-chain polymer nanoparticles 354
- Fulton's dynamic covalent bond systems 201
- functional dual folding systems 33
- functional nanoparticles for bioscience 372–373
- functional SCNPs 184
- g**
- gadolinium 250–251
- gallium 251–253
- Ga loaded SCNPs 252
- gel permeation chromatograph (GPC) 92
- gel point determination 281
- globular bead-spring SCNPs 75
- globular proteins 343

globular single-chain nanoparticles
75–79
 bonding mediated by long linkers
 63–64
 solvent-assisted routes 64–70
globular single-chain polymer
 nanoparticle 343
gold 247–250
gold nanoparticles 367
Grubbs catalysts 217
Guinier domain 146

h

Hamilton–Wedge (HW) 21
hard nanofillers 159
heme protein model 225
Hessingers model 273
hexafluoroisopropanol (HFIP) 190
highly oriented pyrolytic graphite
(HOPG) 116
hinokitiol 353
homofunctional precursors 54–57
homotelechelic polymers 219
host-guest interactions 192
Hoveyda–Grubbs second generation
catalyst 220
hydrazone bonds based SCPNs 198
hydrazones 196
hydrodynamic radii of SCNPs 93
hydrogen-bonding-based
 supramolecular motifs 188
hydrophilic anticancer drug,
 5-fluorouracil (FU) 354
hydrophilic/lipophilic balance (HLB)
 269–270
hydrophobic alkyl pendants
 316–320
hydrophobic/hydrogen-bonding
 pendants 321–326
N-hydroxyethylacrylamide (HEAm)
 224
2-hydroxyethyl methacrylate (HEMA)
 20, 32
2-((11-hydroxyundecyl)oxy)-6-methyl-
 benzaldehyde 3
hyperbranched and star polymers
 184

i

incoherent scattering function, KWW
 characteristic time 168
inductively coupled plasma (ICP)
 analysis 234
intramolecular self-assembly process
 314
intrinsically disordered proteins (IDPs)
 70, 343
intrinsic viscosity determination 277
iridium 239–242
iron 222–225
isobornyl methacrylate 190

k

Kohlrausch–Williams–Watts (KWW)
 function 142, 166
Krieger–Dougherty equation 281

l

latex and polyurethane dispersions
 284–285
lauryl-based polymer 245
linear poly(styrene) (PS) precursor 3, 6
long tendril-like fibrils 204

m

macrocyclic aliphatic polyesters 3
magnetic resonance imaging 355
N-maleimide (Mal) 120
Manning condensation 287
maximum bubble pressure method
 286
mechanical unfolding UPy or
 BTA-based SCPNs 206
melamine cure systems, CUPs
 301–302
melamine resin crosslinking with CUPs
 300–301
metal containing single chain
 nanoparticles
 copper 228–239
 gadolinium 250–251
 gallium 251–253
 gold 247–250
 iron 222–225
 palladium 218–222

- rhodium, iridium and nickel 239–242
 - ruthenium 242–246
 - zinc 246–247
 - metalloenzyme-like SCNP 225
 - metallo-folded SCNPs 232
 - methyl group dynamics 165
 - methyl methacrylate (MMA) 14, 225
 - methyl silsesquioxane (MSSQ) thin films 371
 - Michael addition-mediated multidirectional self-assembly procedure 149
 - Michael nanocarriers 353
 - modular ligation reactions 33
 - molecularly imprinted polymer (MIP) nanoparticles 349
 - molecular simulation, SCNPs 47
 - monofunctional precursors 55
 - monomer-resolved system 77
 - morphological characterization, SCNPs
 - AFM 114–120
 - scattering 120–121
 - TEM 112–115
 - multi-angle light scattering (MALS) 92
 - multi-particle collision dynamics (MPCD) simulations 75
 - myelin basic protein (MBP) solutions 157
- n**
- nanofillers 80
 - nanomedicine
 - controlled delivery
 - of chiral amino acid derivatives 349–350
 - of drugs 353–355
 - of peptides 350–351
 - of vitamins 351–353
 - cytotoxicity 347
 - definition 347
 - enhanced permeability and retention 347
 - fluorescein-containing poly(norbornene)-based single-chain polymer nanoparticles 348
 - fluorescence imaging 356–360
 - HeLa cell viability 348
 - magnetic resonance imaging 355
 - poly(methacrylic acid) 348
 - single photon emission computerized tomography 356
 - nanometer size control 91
 - nanoporous MSSQ thin film 371
 - natural macromolecules 1
 - Nernst–Einstein model 272
 - neutron scattering (NS) 130
 - nickel 239–242
 - Ni(0)-SCNPs 241
 - nitroxide-mediated polymerizations (NMP) 1
 - non-fluorescent polystyrene nanoparticles 360
 - norbornene octyl ester (NOE) 20
 - ¹H nuclear Overhauser effect (NOE) 327
- o**
- olefin-bearing amphiphilic random copolymers 332
 - oligo(ethylene glycol) (OEG) 191
 - ω -acrylate polyester chains 3
 - ω -dithiobenzoate functional linear polystyrene 5
 - 1D, ¹H NMR 103
 - organic nanoparticles 184
 - organobimetallic SCNPs 241
 - organocatalyst L-proline 192
 - orthogonal and multi-orthogonal protocols 57–61
 - Overhauser dynamic nuclear polarization (ODNP) 200
- p**
- PAA-based nanoreactors 247
 - palladium 218–222
 - Pd complexation 218
 - Pd(II)-containing single-chain polystyrene nanoparticles 364
 - Pd(II) cross-linked single-chain nanoparticles (SCNPs) 219
 - Pd(II) loaded nanoparticles 194
 - Peclet number 275

- PEG-functionalized random copolymers 323
- PEGMA-based amphiphilic random copolymers 315
- PEGMA-based random copolymers 315
- PEGMA/BPUMA random copolymers 321, 323
- PEGMA/13FOMA random copolymer 328
- PEGMA/RFMA random copolymers 327
- PEGMA/RMA copolymers 314
- perfluoro-activated ester (PFPA) 103
- phosphine-bearing PEGMA/BTAMA random copolymer 325
- photoactivated radical-mediated Thiol-Yne coupling reaction 151
- photodegradable single-chain nanoparticles 373
- photodimerizations of coumarin/anthracene 94
- photoinduced [4 + 2] cycloadditions 94
- photosensitive α -*o*-methylbenzaldehyde 3
- photo-triggered Bergman cyclization 12
- plastic antibodies 349
- PMMA-AEMA precursor solutions, DLS results 153
- PMMA-PEO nano-composites 160 *see also* polymer nano-composites
- poly(acrylic acid) 10
- polyacrylate nanoparticles 10
- polyacrylic acid nanoparticles (PAA) 247
- poly(benzyl acrylate) (PBzA) 246
- 1,4-polybutadienes (PBD) 241
- poly(*n*-butyl acrylate) 6
- polycaprolactone (PCL) 3
- polycarbonates 15
- poly(1,5-cyclooctadiene) (PCOD) 239
- poly(*N,N*-dimethyl acrylamide) (PDMAa) 8
- poly(2-(dimethylamino)ethyl methacrylate)-block-polystyrene (PDMAEMA-*b*-PS) linear diblock copolymers 15
- polydisperse star-like micelles 78
- polydispersity indexes (PDIs) 218
- poly(ethylene glycol) methyl ester methacrylate (PEGMA) 28, 243
- poly(ethylene glycol) methyl ether methacrylate [PEGMA, pendant-(OCH₂CH₂)_{*l*}CH₃; *l* = 8.5, 4.5] 314
- poly(ethylene oxide)-*b*-poly(2-cinnamoyl ethyl methacrylate) (PEO-*b*-PCEMA) 113
- poly(IBMA-*co*-HEMA)-block-poly(IBMA-*co*-PMA)-block-poly(IBMA-*co*-HEMA) 20
- polylactide (PLA) 3
- polymer melts, scattering techniques in 140–146
- polymer nano-composites 159, 160
 - binary mixtures 159
 - deuterium labeling, component selection 163–164
 - dynamic asymmetry 162–163
 - interpenetration of components 160
 - linear polymer matrix dynamics 165–172
 - SANS experiments 161
 - scattering techniques 160
 - WAXS experiments 160, 161
- polymer solutions, scattering techniques in 146–148
- polymer-bound Fe₂-H₂ase model complex 226
- polymersomes 185
- poly(methacrylic acid) (PMAAc) 251
- poly(methyl acrylate) 15
- poly(methyl methacrylate) 18
- poly(methyl methacrylate-based SCNPs) 74
- poly(*N*-(2-hydroxyethyl)acrylamide) 222
- poly(*N*-isopropylacrylamide)-based, thermoresponsive SCNPs 109
- poly(norbornene-*exo*-anhydride)s 196

- poly(oligo(ethylene glycol) acrylate) 15
 poly(oxanorbornene anhydride-co-cyclooctadiene) 17
 poly(pentafluorophenyl acrylate) (pPEPA) 236
 32 nm polyurethane dispersion 268
 polystyrene 15
 polystyrene-co-poly[4-((4-vinylbenzyl)oxy)phthalonitrile] 27
 poly(vinylbenzaldehyde) (PVBA) 32, 196
 porogens 371–372
 porphyrin-cored single-chain polymer nanoparticles 227
 primary electroviscous effect 275–276
 L-proline-containing nanoparticles 362
 propargyl, 2-bromoisobutyrate 3
 propargyl methacrylate (PMA) 20
 4'-(propoxyurethane ethyl acrylate)-2,2'6', 2''(EMA-Tpy) 224
 propylenedioxythiophene (ProDOT-Sty) units 95
 proteins 369–370
 purely repulsive Lennard–Jones potential 51
 purely steric crowding effects 71
 pyridine functionalized SCNPs 248, 370
 pyridyl disulfide (PDS) ethyl methacrylate (PDSEMA) 32
- q**
 quantum dots 367–368
 quasielastic experiments 131
 quasielastic neutron scattering (QENS) 138
 experiments 132
 SCNP dynamics 165
 QUAT CUPs-36K 279
- r**
 random amphiphilic block copolymers 185
 random close packing (RCP) 281
 randomly placed cross-linkable benzocyclobutene units 49
 Redox-initiated RAFT polymerization 11
 repeating-unit approach 2
 reptation model 171
 relaxation mechanisms 143
 tube concept 143
 reversible addition fragmentation chain transfer (RAFT)
 reaction 222
 polymerization 1
 reversible deactivation radical polymerization (RDRP)
 techniques 1
 reversible hydrogels 373
 reversible self-folding processes 1, 5
 Rh(I)- and Ir(I)-based SCPNs 194
 Rh(I)-ONPs 239, 242
 rheology modifiers 374
 rhodium 239–242
 ring opening metathesis polymerization (ROMP) 187, 234
 ring-opening polymerization 365–366
 RMA comonomers 319
 Rouse dynamic structure factor 143
 Rouse model
 Gaussian approximation 146
 melt chain dynamics 142
 polymer melt dynamics 145
 validity 143
 Rouse/Zimm model with internal friction (RIF/ZIF) 148
 Ru catalyst 361
 Ru(II)-loaded SCPNs 192
 Ru(Ind)Cl(PPh₃)₂/*n*-Bu₃N-catalyzed living radical copolymerization 316
 ruthenium 242–246
- s**
 scaling exponent 147
 scattering experiments 130–136
 average neutron scattering lengths 132
 diffraction 136–138

- scattering experiments (*contd.*)
 - quasielastic neutron scattering
 - 132–138
 - schematic representation 131
 - sources 136
- scattering length 132
- scattering length density (SLD) 134
- scattering vector 130
- schematic bead-spring model 48
- secondary electroviscous effect
 - 276–277
- selective point folding 2
- self-avoiding precursor 55
- self-folded PEGMA/DMA random copolymers 319
- self-folded polymers 332
- self-folding PEGMA/DMA star random copolymers 320
- self-folding/self-assembly amphiphilic random copolymers 315
- sensing, SCNPs
 - metal ions 369–370
 - proteins 369–370
- 8-shaped cyclic diblock copolymers 6
- silyl-protected propargyl methacrylate 190
- simple bead-spring models 49
- single-chain crosslinked star polymers 332–334
- single-chain folding amphiphilic random copolymers
 - aqueous, organic, and fluorinated media 316
 - design and folding properties 315
 - fluorous perfluorinated pendants 326–329
 - hairy hydrophilic PEG pendants 315
 - hydrophobic alkyl pendants 316–320
 - hydrophobic/hydrogen-bonding pendants 321–326
 - selective single-chain folding 315
- single-chain folding technology 33
- single-chain intramolecular CuAAC reaction 10
- single-chain nanoparticles (SCNPs)
 - 129
 - advantages 129
 - in bulk 158–159
 - dilute solutions 148–157
 - dispersed in linear polymer matrix 159–172
 - dual gated reversibly folded SCNP system 33
 - dynamic covalent chemistry 32–33
 - dynamics, QENS 165
 - functional dual folding systems 33
 - normalized form factor 162
- polymer nano-composites *see also* polymer nano-composites
 - repeating-unit approach 2
 - scattering experiments 130–136
 - selective point folding 2
 - single-chain folding technology 33
 - via irreversible and reversible bonds 2–8
 - via irreversible bonds 8–17
 - via supramolecular chemistry 17–31
 - XR structure factors 158
- single-chain PDMAEMA-*b*-PS nanoparticles 115
- single-chain polymer nanoparticles (SCNPs)
 - all-polymer nanocomposites 374–375
 - catalysis *see* catalysis, SCNPs
 - characterization of 92–102
 - functional nanoparticles for bioscience 372–373
 - main applications 346–347
- nanomedicine *see* nanomedicine
- porogens 371–372
- reversible hydrogels 373
- reversible *versus* irreversible 345–346
- rheology modifiers 374
- sensors and biosensors 377
- single-chain soft nano-objects 341–345

- size exclusion chromatography *see* size exclusion chromatography (SEC), SCNPs
- supramolecular films 373
 - surfactants 375
 - thermal degradation 376
- single-chain soft nano-objects 341–345
- single-electron transfer living radical polymerization (SET-LRP) 12
- single-molecule force spectroscopy (SMFS) 119, 200
- single photon emission computerized tomography (SPECT) 356
- single-ring and complex multi-ring systems 341
- size exclusion chromatography (SEC) 92, 122
- molecular weight 92
 - molecular weight distribution 92
 - SEC-MALS 98–100
 - standard calibration 92–98
 - viscometry 100–102
- size-tunable carbon nanodots 368
- small-angle neutron scattering (SANS) 55
- small-angle X-ray scattering (SAXS) 55, 136
- smart drug nanocarriers 346
- soft colloids *see* globular SCNPs 75, 79
- soft matter-based particles 184
- soft nanofillers 159
- “soldiers–sergeant–soldiers” type block polymer P[BB*B] 200
- solution-free microscopy techniques 92
- solvent-borne epoxy systems 302
- Sonogashira coupling reaction 194
- sparse bead-spring SCNPs 72
- sparse single-chain polymer nanoparticle 70–75, 343
- spectroscopic characterization of SCNPs
- IR, UV–vis, CD, and fluorescence spectroscopy 110–112
 - NMR 104–109
 - $^1\text{D } ^1\text{H}$ NMR 103
 - other nuclei, ^1D NMR 103–104
- standard calibration SEC 92–98
- static and dynamic properties of polymers 48
- styrene (S) 12
- sulfonate-functional CUPs 287
- supramolecular films 373
- surface water determination 277
- surfactants 375
- swollen globular SCNPs 65
- symmetric α , ω -diene monomers 220
- synthetic somatostatin analogue PTR86 356
- t**
- TEMPO-containing polymers 208
- 2,2'-(2-(tert-butyl)-1,4-phenylene) bis(oxy)di(aceto-hydrazide) 196
- tertiary electroviscous effect 277
- tetrahydrofuran (THF) 365
- thermoreponsive poly(OEGMA) hydrogels 232, 366
- thiolated lysozyme (Lyz-SH) 328
- thiol–ene or thiol–yne radical addition reactions 11
- thymine (Thy) 6
- tightly-linked P72 system 77
- time-of-flight (ToF) spectrometer 138
- topological polydispersity of the SCNPs 58
- transmission electron microscopy (TEM) 112–115
- triazabicyclodecene (TBD) 3
- type I epoxy systems 303
- type II epoxy systems 303
- u**
- Ubbelohde capillary viscometer 282
- ultrafine L-phenylalanine anilide (L- ϕ AA)-imprinted polymer single-chain nanoparticles 349

- ultra-small polymethyl methacrylate (PMMA) nanoparticles 33
 - UPy-containing polymers 189
 - urea-functionalized methacrylate 321
 - ureidoguanosine (UG) norbonene monomer 20
 - 2-ureido-4[1H]-pyrimidinone (Upy) 18, 188, 243
 - urethane (BPOMA)-functionalized random copolymer 323
 - UV light-induced cycloadditions 11
 - UV-light triggered Diels–Alder (DA) reaction 12
- V**
- van Hove correlation functions 133
 - vinylbenzofluorene (VBS) 9
 - 4-((4-vinylbenzyl)oxy)phthalonitrile (VBOP) 27, 233
 - viologen-containing polymers 194
 - viscometry 100–102
 - viscosity measurements 281–282
 - vitamins 351–353
- W**
- waterborne polyurethane 284
 - water-compatible SCNPs 313, 314
 - water-soluble BTA-based SCNPs 203
 - water-soluble Cu-ONPs 235
 - water-soluble globular Cu-SCNPs 230, 231
 - water-soluble SCNPs 194
 - water soluble segmented terpolymer chiral BTA-bearing methacrylate (BTAMA) 243
 - wide-angle XR scattering (WAXS) 136
- X**
- X-ray photoelectron spectroscopy (XPS) 220
- Z**
- zeta potential (ζ) 272
 - Zimm dynamic structure factor 147
 - Zimm model 147, 154, 155
 - zinc 246–247
 - ZnS nanocrystals 246