

Contents

Preface *xiii*

- 1 Controllable Self-Assembly of One-Dimensional Nanocrystals 1**
Shaoyi Zhang, Yang Yang, and Zhihong Nie
 - 1.1 Introduction 1
 - 1.2 Assembly Strategies 2
 - 1.2.1 Templated Assembly 2
 - 1.2.1.1 Geometrically Patterned Template 2
 - 1.2.1.2 Chemically Patterned Template 4
 - 1.2.2 Field-Driven Assembly 7
 - 1.2.2.1 Assembly under Electric Field 7
 - 1.2.2.2 Magnetic Field 10
 - 1.2.2.3 Flow Field 12
 - 1.2.3 Assembly at Interfaces and Surface 13
 - 1.2.3.1 Liquid–Liquid Interface 14
 - 1.2.3.2 Liquid–Air Interface 15
 - 1.2.3.3 Evaporation-Mediated Assembly on Solid Surface 17
 - 1.2.4 Ligand-Guided Assembly 19
 - 1.2.4.1 Small Molecules 19
 - 1.2.4.2 Polymeric Species 21
 - 1.2.4.3 Biomolecular Ligand 23
 - 1.3 Properties and Applications 25
 - 1.4 Perspectives and Challenges 28
 - References 29

- 2 Self-Assembled Graphene Nanostructures and Their Applications 39**
Dingshan Yu, Zhongke Yuan, Xiaofen Xiao, and Quan Li
 - 2.1 Introduction 39
 - 2.2 State-of-the-Art Self-Assembly Strategies of Graphene Nanostructures 40
 - 2.2.1 Langmuir–Blodgett (LB) Method 40
 - 2.2.2 Layer-by-Layer (LbL) Assembly Method 42

2.2.3	Flow-, Evaporation-, and Interface-Induced Self-Assembly	43
2.2.4	Template-Directed Self-Assembly and Hydrothermal Processes	45
2.2.5	Spin- and Space-Confinement Self-Assembly	46
2.2.6	Composites with Carbon Nanomaterials	49
2.2.7	Composites with Polymers	51
2.2.8	Composites with Metal or Metal Compounds	53
2.3	Applications of Self-Assembled Graphene Nanostructures	57
2.3.1	Optoelectronics and Photocatalysis	57
2.3.2	Electrochemical Energy Storage	59
2.3.3	Electrocatalysis	60
2.4	Outlook	61
	References	62

3 Photochromic Organic and Hybrid Self-Organized Nanostructured Materials: From Design to Applications 75

Ling Wang and Quan Li

3.1	Introduction	75
3.2	Photochromic Organic and Hybrid Nanoparticles	76
3.2.1	Noble Metal Nanoparticles with Photochromic Molecules	77
3.2.2	Fluorescent Nanoparticles with Photochromic Molecules	81
3.2.3	Mesoporous Silica Nanoparticles with Photochromic Molecules	83
3.3	Photochromic Carbon-Based Nanomaterials	87
3.3.1	Carbon Nanotubes with Photochromic Molecules	87
3.3.2	Graphene Derivatives with Photochromic Molecules	90
3.4	Photochromic Chiral Liquid-Crystalline Nanostructured Materials	91
3.4.1	Cholesteric Liquid-Crystalline Superstructures	93
3.4.2	Liquid-Crystalline Blue Phase Superstructures	97
3.4.3	Liquid-Crystalline Microshells and Microdroplets	98
3.5	Summary and Perspective	100
	Acknowledgments	101
	References	101

4 Photoresponsive Host–Guest Nanostructured Supramolecular Systems 113

Da-Hui Qu, Wen-Zhi Wang, and He Tian

4.1	Introduction	113
4.2	Photoresponsive Supramolecular Polymers and Their Assemblies	114
4.2.1	Supramolecular Interactions in the Main Chain	115
4.2.2	Supramolecular Interactions in the Side Chain	133
4.2.3	Supramolecular Complexations as Cross-Linkers between Branched Polymer Chains	139
4.2.4	Photoresponsive Supramolecular Micelles, Vesicles, and Other Assemblies	140
4.3	Photoresponsive Host–Guest Systems Immobilized on Surfaces	148
4.4	Conclusions and Prospects	157

Acknowledgments 157
Abbreviations 157
References 158

5 π -Electronic Ion-Pairing Assemblies Providing Nanostructured Materials 165
Yohei Haketa and Hiromitsu Maeda

5.1 Introduction 165
5.2 Nanostructures Based on Self-Assembling π -Electronic Charged Species 167
5.2.1 Formation of Nanofibers 167
5.2.2 Formation of Nanotubes and Others 172
5.3 Ionic Liquid Crystals Based on π -Electronic Charged Species 175
5.4 Assemblies Based on Genuine π -Electronic Ions 177
5.5 Ion-Pairing Assemblies Based on π -Electronic Anion-Responsive Molecules 184
5.5.1 Solid-State Assemblies Based on π -Electronic Anion-Responsive Molecules 184
5.5.2 Solid-State Assemblies of Receptor–Anion Complexes 186
5.5.3 Ion-Pairing Supramolecular Gels 186
5.5.4 Ion-Pairing Liquid Crystals Based on π -Electronic Charged Species 188
5.6 Conclusion 193
References 194

6 Stimuli-Responsive Nanostructured Surfaces for Biomedical Applications 203
Bárbara Santos Gomes and Paula M. Mendes

6.1 Introduction 203
6.2 Thin-Film Formation by Assembly on Surfaces 204
6.3 Lithographic Techniques 206
6.4 Electrically Driven Nanostructured Responsive Surfaces 209
6.5 Photodriven Nanostructured Responsive Surfaces 216
6.6 Thermo-Driven Nanostructured Responsive Surfaces 222
6.7 Chemically Controlled Nanostructured Surfaces 227
6.8 Concluding Remarks and Perspectives 234
References 235

7 Stimuli-Directed Self-Organized One-Dimensional Organic Semiconducting Nanostructures for Optoelectronic Applications 247
A.S. Achalkumar, Manoj Mathews, and Quan Li

7.1 Introduction to Discotic Liquid Crystals 247
7.2 Application of Columnar Phases in Organic Electronics 250
7.3 Alignment of Col LC Phases through Different Stimuli 253
7.3.1 Alignment Control by Molecular Design 255

- 7.3.2 Alignment Control of Columnar Phase through Physical Methods 262
 - 7.3.2.1 Surface Treatment 262
 - 7.3.2.2 Langmuir–Blodgett (LB) Deposition 266
 - 7.3.2.3 Application of Self-Assembled Monolayers 269
 - 7.3.2.4 Application of Chemically Modified Surfaces and Dewetting 273
 - 7.3.2.5 Application of Sacrificial Layer 276
 - 7.3.2.6 Alignment in Nanopores and Nanogrooves 277
 - 7.3.2.7 Zone Casting 281
 - 7.3.2.8 Zone Melting 282
 - 7.3.2.9 Dip Coating, Solvent Vapor Annealing, and Solvent-Induced Precipitation 283
 - 7.3.2.10 Magnetic-Field-Induced Alignment 287
 - 7.3.2.11 Electric-Field-Induced Alignment 288
 - 7.3.2.12 Photoalignment by Infrared Irradiation 290
 - 7.3.2.13 Other Alignment Techniques 291
- 7.4 Conclusions and Perspective 293
 - References 295

- 8 Stimuli-Directed Helical Axis Switching in Chiral Liquid Crystal Nanostructures 307**
Rafael S. Zola and Quan Li
 - 8.1 Introduction 307
 - 8.2 Self-Organized Chiral Nematic LCs 308
 - 8.3 Field-Induced Helical Axis Switching: Dielectric/Magnetic Torque and Flexoelectric Effect 311
 - 8.4 Optically Driven Helical Axis Switching 319
 - 8.5 Confinement Mediated Helical Axis Change 328
 - 8.6 Helical Axis Switching in CLC Polymer Composites 339
 - 8.7 Summary and Outlook 345
 - References 346

- 9 Electrically Driven Self-Organized Chiral Liquid-Crystalline Nanostructures: Organic Molecular Photonic Crystal with Tunable Bandgap 359**
Suman K. Manna, Thomas F. George, and Guoqiang Li
 - 9.1 Introduction 359
 - 9.1.1 Photonic Crystal 359
 - 9.1.2 Photonic Bandgap 359
 - 9.1.3 Light Propagation in 1D Photonic Bandgap Medium 361
 - 9.2 Self-Assembled Photonic Crystals 362
 - 9.2.1 Opal Structure 363
 - 9.2.2 Cholesteric Liquid Crystal 363
 - 9.2.2.1 Liquid Crystal 364
 - 9.2.2.2 Nonchiral Liquid-Crystalline Phase 364
 - 9.2.2.3 Chiral Liquid-Crystalline Phase (Cholesteric) 365
 - 9.3 Electric-Field-Induced, Self-Assembled, Tunable Photonic Crystals 366

9.3.1	Self-Assembled Tunable Opal	367
9.3.2	Electric-Field-Induced, Self-Assembled, Tunable CLC	367
9.3.3	Transverse-Electric-Field-Induced Tunable CLCs	368
9.3.4	Polymer-Stabilized Tunable CLCs	371
9.3.5	Lower Elastic Constant LC Host	373
9.3.6	Negative LC Host	374
9.4	Conclusions	377
	Acknowledgments	378
	References	378
10	Nanostructured Organic–Inorganic Hybrid Membranes for High-Temperature Proton Exchange Membrane Fuel Cells	383
	<i>Jin Zhang and San Ping Jiang</i>	
10.1	Introduction	383
10.2	Nanostructured Nafion-Based Hybrid Membranes	386
10.2.1	Nafion Hybrid Membrane Based on Metal Oxides	387
10.2.1.1	Casting Method	388
10.2.1.2	In situ Sol–Gel Method	391
10.2.1.3	Liquid-Phase Deposition Method	393
10.2.2	Nafion Hybrid Membrane Based on Proton Conductors	394
10.3	Hydrocarbon Polymer-Based Hybrid Membranes	394
10.4	Nanostructured PBI-Based Hybrid Membranes	396
10.4.1	Addition of Non-proton Conductors	398
10.4.2	Conductive Inorganic Fillers	400
10.4.2.1	Functionalization of Inorganic Fillers	400
10.4.2.2	Proton-Conductor-Incorporated Inorganic Fillers	402
10.5	Alternative PA-Doped Hybrid Membranes	404
10.6	Conclusions and Outlook	405
	Acknowledgment	408
	References	408
11	Two-Dimensional Organic and Hybrid Porous Frameworks as Novel Electronic Material Systems: Electronic Properties and Advanced Energy Conversion Functions	419
	<i>Ken Sakaushi</i>	
11.1	Introduction	419
11.2	Electronic Function Control in Two-Dimensional Organic and Hybrid Porous Frameworks	422
11.3	Electronic Functions in 2D Organic Frameworks and Applications	424
11.4	Electronic Functions in Two-Dimensional Hybrid Porous Frameworks and Applications	433
11.5	Concluding Remarks	437
	Acknowledgments	439
	References	439

12	Organic/Inorganic Hybrid Nanostructured Materials for Thermoelectric Energy Conversion	445
	<i>Yucheng Lan, Xiaoming Wang, Chundong Wang, and Mona Zebarjadi</i>	
12.1	Introduction	445
12.1.1	Inorganic Thermoelectric Materials	447
12.1.2	Organic Thermoelectric Materials	449
12.1.3	Hybrid Thermoelectric Nanostructured Composites	453
12.2	Organic/Inorganic Thermoelectric Nanostructured Materials	454
12.2.1	PEDOT Hybrid Nanocomposites	455
12.2.2	PANI Hybrid Nanostructured Composites	458
12.2.3	CNT/Polymer Nanostructured Composites	460
12.2.3.1	CNT/PVAc Composites	461
12.2.3.2	CNT/PANI Nanostructured Composites	462
12.2.3.3	CNT/PEDOT:PSS Nanostructured Composites	464
12.2.3.4	CNT/Bi ₂ Te ₃ Nanostructured Composites	465
12.2.3.5	Three-Component CNT Nanostructured Composites	465
12.2.4	Other Hybrid Nanostructured Composites	467
12.2.4.1	P3OT Hybrid Nanocomposites	467
12.2.4.2	PTH Hybrid Nanocomposites	468
12.2.4.3	PPy Hybrid Nanocomposites	468
12.2.4.4	PC Hybrid Nanocomposites	468
12.2.4.5	PHT Hybrid Nanocomposites	468
12.2.4.6	PPT Hybrid Nanocomposites	468
12.2.4.7	P3HT Hybrid Nanocomposites	468
12.2.4.8	PA Hybrid Nanocomposites	469
12.3	Surface-Transfer Doping of Organic/Inorganic Thermoelectric Nanocomposites	469
12.4	Outlook	472
	Abbreviations	473
	References	473
13	Hybrid Organic–Nitride Semiconductor Nanostructures for Biosensor Applications	485
	<i>Paul Bertani and Wu Lu</i>	
13.1	Introduction	485
13.2	AlGa _N /Ga _N Functionality and Active Region	487
13.3	Device Fabrication	491
13.4	Au-Linking and Thiol Group Employment	492
13.5	Oxidation of Nitride Surfaces in Preparation for Functionalization	494
13.6	Silanization of Oxidized Nitride Surfaces	497
13.7	DNA Immobilization and Hybridization	500
13.8	Biotin–Streptavidin	504
13.9	ImmunoFETs	507
13.10	Summary and Outlook	511
	References	512

14	Polymer–Nanomaterial Composites for Optoacoustic Conversion	519
	<i>Taehwa Lee, Hyoung Won Baac, Jong G. Ok, and L. Jay Guo</i>	
14.1	Introduction	519
14.2	Optoacoustic Conversion in Nanomaterials	520
14.2.1	Fundamentals of Optoacoustic Generation	520
14.2.2	Heat Transfer from the Nanomaterial Absorber to the Surrounding Polymer	521
14.3	Polymer–Nanomaterial Composite for Optoacoustic Conversion	522
14.3.1	Polymer Materials with Light-Absorbing Carbon Fillers	522
14.3.1.1	Carbon Nanotube (CNT) Composite	523
14.3.1.2	Other Carbon-Based Composites	523
14.3.2	Metal-Based Polymer Composites	527
14.3.2.1	Polymer–Metal Nanoparticle Composites	528
14.3.2.2	Polymer–Metal Film Composites	529
14.3.3	Performance Comparison	531
14.4	Applications of Optoacoustic Conversion in Nanocomposites	531
14.4.1	Optoacoustic Generation of Focused Ultrasound for Therapeutic Applications	531
14.4.2	Optoacoustic Generation in Polymer Composites for Ultrasound Imaging	537
14.4.3	CNT–PDMS Composite for Real-Time Terahertz Detection	539
14.5	Outlook and Future Direction	541
14.5.1	New High-Efficiency Optoacoustic Composites with Mechanical Robustness	541
14.5.2	New Optoacoustic Applications	543
	References	544
15	Functional Nanostructured Conjugated Polymers	547
	<i>Satoshi Matsushita, Benedict San Jose, and Kazuo Akagi</i>	
15.1	Introduction	547
15.1.1	Circularly Polarized Luminescence	547
15.1.2	CPL in Conjugated Polymers	547
15.1.3	CPL with High g_{em} Using Selective Reflection Property of N^* -LCs	548
15.1.4	Dynamic Switching of CPL	549
15.1.5	Chirality Transfer and Chiral Transcription	549
15.1.6	Polyacetylenes	550
15.2	diLCPAs with Blue and Green LPL	551
15.2.1	Liquid Crystallinity of diLCPAs	552
15.2.2	Linearly Polarized Luminescence of diLCPAs	553
15.3	Lyotropic N^* diLCPAs with Green CPL	554
15.3.1	Liquid Crystallinity of diLCPAs	555
15.3.2	Circularly Polarized Luminescence of diLCPAs	557
15.4	Dynamic Switching of CPL by Selective Reflection through a Thermotropic N^* -LC	558
15.4.1	Preparation of N^* -LC Cells	559

15.4.2	Dynamic Switching of CPL	559
15.5	Liquid-Crystallinity-Enforced Chirality Transfer from Chiral MonoLCPA to Achiral LCPPE	561
15.5.1	Liquid Crystallinity of MonoPAs	563
15.5.2	Chirality of MonoPAs	565
15.5.3	Chirality Transfer from Chiral MonoLCPA to Achiral LCPPE	566
15.6	Conclusions and Outlook	567
	Acknowledgments	568
	References	569

16 Nanostructured Self-Organized Heliconical Nematic Liquid Crystals: Twist-Bend Nematic Phase 575

Hari K. Bisoyi and Quan Li

16.1	Introduction	575
16.1.1	Liquid Crystals	575
16.1.2	Twist-Bend Nematic (Ntb) Phase	578
16.2	Characterization of Ntb Phase	581
16.3	Ntb Phase in Different Classes of Liquid Crystal Compounds	583
16.3.1	Ntb Phase in a Bent-Core Compound	583
16.3.2	Ntb Phase in Dimers	585
16.3.2.1	Methylene-Linked Dimers	585
16.3.2.2	Ether-Linked Dimers	594
16.3.2.3	Imino-Linked Dimers	595
16.3.2.4	Other Dimers	597
16.3.3	Ntb Phase in Trimers	600
16.3.4	Ntb Phase in Tetramers	603
16.4	Ntb Phase in Mixtures	604
16.5	Heliconical Cholesteric Phase	606
16.6	Summary and Outlook	609
	References	610

Index 623