

## Index

### a

- δ-acetoxy allenoates 67, 97, 114, 115, 172, 332
- (-)-actinophyllic acid
  - synthesis 346–349
- α<sub>1a</sub> adrenergic receptor antagonist 331
- aldimines 46, 51, 52, 54, 192
- aldol-lactonization process 38
- alkaloid-catalyzed acyl halide-aldehyde cyclocondensations (AAC) 30
- (*E*)-3-alkenoic acids 48
- α-alkylidene-β-diketone 130
- 4-alkylidene-β-lactones 34, 36
- 2-alkylidene-1H-indene-1,3(2H)-diones 63, 106, 107, 122
- α-alkylidene-β-diketone 130
- alkynyl ketones 51, 52
- allenoates
  - activated double bonds 56–57
  - and aldimines 54
  - [4+2] cycloadditions
    - δ-acetoxy allenoates 97–98
    - with *N*-acyldiazenes 97
  - allenic esters and ketones 87
  - benzofuran-2(3H)-one
    - derivatives 94
  - 2,3-dioxopyrrolidine
    - derivatives 96
  - with disubstituted oxodienes 89
  - with enones 90
  - enynals/enynones 96
  - with ethyl 2,3-butadienoate 2, 89
  - four-carbon synthon 97–99
  - isatin derived electron deficient
    - alkenes 92
  - Z*-isomers 91
  - olefinic benzofuranone
    - derivatives 94
  - 3-olefinic oxindoles 91
  - 1,3,4-oxadiazine 97
  - pyrano[2,3-*b*]indol and dihydropyrano [2,3-*b*]indol 91
  - salicylaldehyde 87
  - salicyl *N*-tosylimines 87
  - salicyl *N*-Ts imines 88
  - N*-sulfonyl-1-aza-1,3-dienes 94
  - two-carbon (α, β or β, γ) synthons 86
  - α,β-unsaturated carbonyl compounds 89
  - α,β-unsaturated ketones 88
- dithioesters 57
- with imines 51–52
- ketimines 53, 55
- with ketones 52–56
- (±)-allosecurinine formal
  - synthesis 342
- (+)-alstonerine 349
- amine-catalyzed cycloaddition reactions 50, 97
- ammonium ylides 102–103, 105, 130
- arylacetic acid 47
- aryl azomethine imines 163
- aryl α-bromoketone 105
- aza-Baylis–Hillman reactions 51
- aza-β-lactams 48

aza-Morita–Baylis–Hillman (MBH) 52  
aziridination 105

**b**

1,5-benzothiazepines 129  
benzoylquinine (BzQ) 41, 42  
benzylic chlorides 106  
2-benzyloxyacetaldehyde 33  
 $\alpha$ -bromoacyl bromide 34  
 $\alpha$ -bromo esters 102, 104  
2,3-butadienoates 166

**c**

calyxin I formal synthesis 332  
carboxylic acid-tethered  
aldehydes 38  
cascade thia-Michael addition 129  
1C,3O-bisnucleophiles 114, 115, 332  
chiral amine 99, 114, 334  
chiral  $\beta$ -lactones 143  
chiral diols synthesis 58  
chiral epoxides 106  
 $\alpha$ -chiral oxaldehyde 143  
cinchona alkaloid thiourea 61  
cyclopropenones 25, 68

**d**

Darzens reaction 106  
6'-deoxy-6'-perfluorobenzamido-  
quinine 332  
1,4-diazabicyclo-[2.2.2]-octane  
(DABCO) 3, 51, 52, 57, 67, 91,  
97, 102, 114, 125  
dibenzyl 2-methylenemalonate 118  
Diels–Alder reaction 83  
3,4-difluorocinnamoyl chloride 330  
( $\pm$ )-dihydropyridone 331  
dihydroquinine-2,5-diphenyl-4,  
6-pyrimidinediyl diether 49  
di-isobutylaluminium hydride  
(DIBAL-H) 334, 342, 343,  
351, 358  
domino reactions 117–125

**e**

enamine 330  
ethyl fumaroyl chloride 118

**f**

fatty acid synthase (FAS) 315  
formal [3+3] cycloaddition  
 $\beta'$ -acetoxy allenoates 111  
 $\delta$ -acetoxy allenoates 114–115  
acid anhydrides 107, 108  
acid chlorides 109  
alkylidenemalononitriles 114, 116  
allenoate and sulfur ylides 113  
 $\alpha$ - or  $\beta$ -aminomalonates 109  
 $\alpha$ -arylidene pyrazolinones 114, 116  
1,3-binucleophiles 112  
dihydropyranones 109, 110  
dihydropyridone 109, 110  
*in situ* generated pyridinium  
ylide 111  
isatyliidene malononitriles 114, 116  
MBH carbonates 114, 116  
nitroalkenes 117  
 $\alpha, \beta$ -unsaturated acylammonium  
salts 107  
 $\alpha, \beta$ -unsaturated acyl  
cyanides 110–111

**g**

$\gamma$ -amino- $\beta$ -hydrobutyric acid  
(GABOB) 28  
(+)-geniposide synthesis 342  
Ghaffer–Parkins catalyst 342

**h**

$\alpha$ -halo carbonyls 106  
 $\alpha$ -halo ketones 25, 102, 110  
heteroatom tethered aldehyde acids 40  
hetero-Diels–Alder (HDA)  
reactions 83, 85  
(–)-hinesol synthesis 338  
(+)-hirsutine synthesis 339,  
351–352  
homobenzotetramisole  
(HBTM) 39  
HPA-12 synthesis 319–320  
 $\beta$ -hydroxyamide 324  
 $\gamma$ -hydroxy- $\alpha, \beta$ -unsaturated  
carbonyls 59, 61  
 $\omega$ -hydroxy- $\alpha, \beta$ -unsaturated  
thioesters 129

**i**

- (+)-ibophyllidine synthesis 345–346
- imines 130
- inthomycins synthesis
  - E*-aldehyde and  $\beta$ -lactone 320
  - inthomycin B, *Z,E*-iododiene 321
  - (–)-inthomycin C 324
  - $\beta$ -lactone 320, 321
  - Stille coupling 321
- intramolecular
  - aza-Morita–Baylis–Hillman reaction 346
- intramolecular ketone–lactone
  - pinacol coupling 348
- $\beta$ -isocupreidine ( $\beta$ -ICD) 107
- $\alpha$ -isocupreine ( $\alpha$ -IC) 63, 107
- isocyanate 59, 61
- isoquinolinium methylides 165

**k**

- ketenes 125
  - aldimines 47
  - aromatic aldehydes 32
  - azodicarboxylate 49
  - aldehydes 30–31, 34
  - 4-alkylidene- $\beta$ -lactones 34
  - 2-benzyloxyacetaldehyde 33
    - with chloral 26
    - with chlorinated aldehydes 27
  - dichlorinated aldehydes 29
  - electrophilic aldehydes 29
  - ethyl glyoxylate 29–30
  - heterodimerization 36, 37
  - homodimerization 36
  - polymeric cinchona
    - alkaloids 28
  - [2+2] cycloadditions,  $\beta$ -lactones
    - synthesis 26–39
  - [3+2] cycloadditions
    - aziridines and CO<sub>2</sub> 62
    - chiral diols synthesis 58
    - cinchona alkaloid thiourea 61
    - oxazolin-4-one
      - diastereoisomers 58
    - planar-chiral 4-(pyrrolidino)
      - pyridine (PPY) 58
  - [4+2] cycloadditions
    - 3-alkenoic acids 82
    - arylacetic acids 78–80
    - arylacetic acids and
      - $\alpha$ -keto- $\beta,\gamma$ -unsaturated esters 78
    - 2-arylacetic anhydrides 82–83
    - N*-aryl-*N*-aroyldiazenes 79, 81
    - aryltrifluoromethyl enones and
      - N*-aryl-*N*-aroyldiazenes 79, 82
    - o*-benzoquinone imides/*o*-benzoquinone diimides 70–72
    - benzoylquinidine 70
    - o*-Bromanil and
      - 9,10-phenanthrenequinone 71
    - carboxylic acids 79, 81
    - cinchona alkaloid derivatives 73
    - dihydropyranone products 78
    - electron-deficient Michael
      - acceptors 77
    - enone-acid methodology 74
    - enone tethered acid 74–77
    - LA/LB interaction 73
    - $\alpha$ -oxygenated carboxylic acid
      - derivatives 71
    - syn-or anti-tetrahydrofuran
      - carboxylates 77
    - N*-thioacyl imines 73, 74
    - O*-Trimethylsilylquinine (TMSQN) 73
    - $\alpha$ ,  $\beta$ -unsaturated ketimine 79, 81
    - $\alpha$ ,  $\beta$ -unsaturated
      - ketophosphonates 79
    - vinyl ketene 83–86
    - zwitterionic ammonium 77, 82
  - diversified cycloadditions 127
  - formal [2+2+2]
    - cycloaddition 125, 127
  - imine 45
  - lanthanide and pseudolanthanide
    - triflates 31
  - nitrosobenzene 48, 49
  - with *N*-Ts imines 42
  - oxaziridine 57, 58
- ketimines 53, 55
- ketoacids cyclization 41
- keto diesters and diketones 118
- $\beta$ -ketoester 118, 317
- ketones, allenates 52–56

**I**

- $\beta$ -lactams 125
- $\beta$ -lactones
  - carnitine 28
  - [2+2] cycloadditions 26–57
  - enantioselective synthesis 27
  - GABOB 28
  - polyketides 35
  - synthesis
    - benzoylquinine (BzQ) 41
    - bifunctional enantioselective catalytic approach 44, 45
    - column asymmetric catalysis 44
    - N*-tosyl imino ethyl ester 46
    - PPY derivative 46, 47
    - solid-phase reagents and catalysts 42
    - $\alpha$ -phenoxy- $\beta$ -aryl- $\beta$ -lactams 44
    - $\beta$ -substituted aspartic acid derivatives 42, 43
    - synthetic utility of 27
- Lewis acids and bases (LA\*-LB\*), bifunctional catalysts 33
- Lewis base bifunctional catalyst 33–34

**m**

- (+)-maculalactone A 36, 326–327
- $\alpha$ -methacryloyl chloride 118
  - formal [2+2+2] cycloaddition reaction 127
  - methylidenemalononitriles
- $\alpha$ -methylene- $\gamma$ -butyrolactone motifs 66–67
- N*-methylpyrrolidone (NMP) 337
- Michael addition 188, 249, 284, 288, 305
- Michael–Michael-formal [2+2] cycloaddition process 118
- Michael–Henry reaction 334
- Moffatt oxidation 340
- Morita–Baylis–Hillman adduct derivatives (MBHADs) 25, 59
  - $\beta'$ -acetate/ $\beta'$ -tertbutyl carbonate group 173
- activated alkenes 173–179
  - with activated ketones 63, 64
  - with activated olefins 65
- barbiturate-derived alkenes 181
- cis-cycloaddition products 175

- cyclic 1-azadienes 180
  - with cyclic sulfonimines 66
- [4+2] cycloadditions
  - 1,3-azadienes 101
  - cyclohexenes/ tetrahydropyridines 100
  - N*-Me isatylidene malononitriles 101
- diquinane and tetrahydrocyclopenta[c]furan derivatives 173
- electron-deficient olefins 179–181
- imines 175
- isatins and *N*-phenylmaleimide 178
- isatins and propargyl sulfones 62
- isothiocyanates 66, 67, 181, 182
- mechanism 174
- $\alpha$ -methylene- $\gamma$ -butyrolactone motifs 67
  - with nitroolefins 63, 64
- 3-OBoc-oxindoles 67
- regiochemical selectivity 173
- spirobiindane-based chiral phosphine 175
- spirooxindoles 67
- thioureaphosphine catalyst 176
- Mukaiyama's reagents 38

**n**

- N*-acyl- $\alpha$ -chloroglycines 42
- N*-alkyl aziridines 59
- Nazarov cyclization 130, 131
- N*-diphenylphosphinoyl (DPP) imines 166
- N*-heterocyclic carbenes (NHCs)
  - Breslow intermediate 238
  - NHC-catalyzed [2+2] cycloaddition reaction
    - aldehydes 281
    - azolium enolates 279, 281, 282
    - diphenylketene and *N*-tosyl imines 277
    - enolate intermediate 277
    - imidazolium-2-enolates 283
    - ketenes 277–279, 284
    - perfluorinated ketones and  $\alpha$ -aroyl-oxyaldehydes 282

- reduction and ring closure 283
- spirocyclic oxindole- $\beta$ -lactones 279
- N*-sulfinylanilines 277, 279
- NHC-catalyzed [2+2+2]
  - cycloaddition reaction
    - azolium enolate 299
    - isocyanates 300
    - ketenes 301–302
    - proposed reaction
      - mechanism 298, 301
- NHC-catalyzed [3+2] cycloaddition
  - reaction
    - alkyl-enal 294, 296
    - aromatic-enal 295
    - azolium enolates
      - and 2-nitrovinylindoles 285
    - cinnamaldehyde derivatives 284
    - $\alpha$ -chloro aldehydes 284, 290
    - dioxindole and
      - alkyl-enal 294, 297
    - enals 286, 288
    - $\beta$ -functionalize saturated
      - carboxylic acid 292
    - Michael addition 284, 288
    - saturated carboxylic acids and
      - saturated carboxylic acids 293
    - $\alpha, \beta$ -unsaturated acid
      - fluoride 291–292
    - $\alpha, \beta$ -unsaturated aldehydes 287
    - $\alpha, \beta$ -unsaturated
      - ketones 286–287
- NHC-catalyzed [4+2] cycloaddition
  - reaction
    - addition/elimination/lactonization
      - of enals 274, 275
    - aldehydes and 5-alkenyl
      - thiazolones 249
    - aliphatic carboxylic acids 252
    - alkylacetic esters 254, 256
    - $\alpha$ -aroyloxyaldehydes 242–244
    - aryl and aliphatic enals 269
    - azolium dienolate
      - intermediate 255, 261–262, 266–267
    - azolium dienolate
      - intermediates 260
    - N*-(benzothiazolyl)imines with a
      - $\alpha$ -chloroaldehydes 242
      - $\alpha$ -branched benzofuran and
        - benzothiophene aldehydes 270
      - Breslow intermediate 242, 247, 254, 258, 262
      - bromoaldehydes with
        - isatins 261, 263, 264
      - $\alpha$ -bromo enals 260, 262
      - 2-(bromomethyl)
        - benzaldehyde 266
      - $\alpha$ -bromo- $\alpha, \beta$ -unsaturated
        - aldehydes 273–274
      - $\gamma$ -carbons,  $\alpha, \beta$ -unsaturated
        - esters 273
      - carboxylic acids 252
      - catalytic cycle 246, 250, 256, 259
      - $\alpha$ -chloroaldehydes 239, 241, 242
      - cinnamaldehyde derivatives 274
      - dienyl products 248
      - dihydroquinolones 252, 254
      - electron-donating effect 239
      - enal and isatins 265
      - enals with trifluoromethyl
        - ketones 257, 259
      - heterocyclic and aliphatic imines
        - and enals 238
      - hetero-Diels-Alder
        - reactions 244, 254, 255
      - hetero-Diels-Alder
        - cycloaddition 262
      - HOBt esters 272
      - isatins 263–265, 269–271
      - ketenes, with 5-alkenyl
        - thiazolones 252
      - ketenes, with benzoyldiazenes 246
      - $\alpha$ -ketoesters 275, 276
      - 4-methoxyphenylethylketene 245
      - methyl/phenyl ketone 238
      - 4-oxo-2-butenolate 238–239
      - $\gamma$ -preoxidized enal and isatins 263
      - racemic  $\alpha$ -chloroaldehydes
        - and unsaturated
          - $\alpha$ -ketoesters 241
      - silyl dienol ethers 250, 253
      - trifluoromethyl ketones 257, 259, 260, 270, 271
      - trichloromethyl ketone
        - substrates 242, 244

*N*-heterocyclic carbenes (NHCs)*(continued)*

- $\alpha,\beta$ -unsaturated acid fluorides 250, 253
  - $\alpha,\beta$ -unsaturated acid fluorides and TMS dienol ethers 251
  - $\alpha,\beta$ -unsaturated acids 270
  - $\alpha,\beta$ -unsaturated acyl azolium and dienolate 248
  - $\alpha,\beta$ -unsaturated aldehydes 258, 261, 262, 264, 265
  - $\alpha,\beta$ -unsaturated carboxylic acid 266–268
  - $\alpha,\beta$ -unsaturated ketenes 257–258
  - vinyllogous Michael addition 249
  - NHC-catalyzed domino reactions 302, 305
  - nitroethylene 334
  - N*-Ts imines, alkynyl ketones 52
  - nucleophilic trimethylphosphine catalyst 163
- O**
- organoamine-catalyzed cycloaddition reactions
    - $\alpha_{1a}$  adrenergic receptor antagonist 330–331
    - with  $\beta$ -ammonium allenolates 68
    - aromatic *N*-(*p*-anisidyl)sulfonyl aldimines 52
    - arylacetic acid derivatives 47
    - aza- and oxo-heterocycle-fused  $\beta$ -lactones 39
    - Aza- $\beta$ -lactams 48
    - calyxin I formal synthesis 332
    - C21–C34-segment of aplyronines 327–330
    - [2+2] cycloadduct  $\beta$ -lactones
      - 4-alkylidene- $\beta$ -lactones 312
      - amino acid synthesis 312
      - $\alpha$ -amino acid synthons 310
      - $\alpha$ -azidobutyrolactone 312
      - $\beta$ -ketoamide 314
      - $\beta$ -lactone 311
      - Calter's ketene dimerization methodology 315
      - C<sub>1</sub>-C<sub>10</sub>'segment of pamamycin 621A 314
      - fatty acid synthase inhibitors 315, 316
      - homoserine Synthron, (*S*)- $\alpha$ -Azidobutyrolactone 312
      - ketene 309, 310, 312
      - methylketene
        - homodimerization 313
        - stoichiometric palladium 314
        - trichloromethylcarbinol 310
      - 4-trichloromethyl-2-oxetanone 310
      - $\alpha,\beta$ -unsaturated ketone and  $\beta$ -hydroxyamide 312
      - cyclopropenones 68, 69
      - 1,4-diazabicyclo[2.2.2]octane (DABCO) 67, 68
      - HPA-12 synthesis 319–320
      - $\beta$ -ICD 52
      - in situ* zwitterion formation 68
      - inthomycins synthesis
        - E-aldehyde and  $\beta$ -lactone 320
        - inthomycin B, Z,E-iododiene 321
        - (-)-inthomycin C 323–324
        - $\beta$ -lactone 321
        - Stille coupling 321
      - ketenes and analogues,  $\beta$ -Lactones synthesis 26–39
        - (+)-maculalactone A 326–327
        - (-)-patchouli alcohol synthesis 335–336
      - platencin formal synthesis 332–335
      - schulzeines synthesis 315–319
      - siphonarional synthesis 324–325
      - siphonarienolone and siphonarienedione synthesis 325–326
      - in situ* zwitterion formation 68
      - ketenes 57
      - $\gamma$ -substituted carboxylic acid-tethered aldehyde 39
      - sulfonyl chlorides 49, 50
    - organocatalytic cycloaddition reactions
      - carbo- and heterocyclic compounds 1, 2
      - catalyst influence 19–22

- mechanism 2  
 nucleophilic catalyst  
   alkoxide 3  
   allenoates and dithioesters 5  
   amines 4  
   DABCO-catalyzed  
     cycloaddition 8  
   density functional theory (DFT) 5  
   dihydropyridine derivatives 3  
   ketenes and aldehydes 2, 3  
   methylallenoate 8–10  
    $\gamma$ -methyl allenoate and  
     phenyl(phenyldiazenyl)  
     methanone 6, 7  
   N-tosylimines 3  
   zwitterionic intermediate 2, 3, 5,  
     8, 13, 14, 16  
 zwitterion-oriented  
   cycloadditions 2  
 organocatalytic cyclopropanations 102  
 organophosphine-catalyzed  
   cycloaddition reactions  
   (–)-actinophyllic acid  
     synthesis 346–349  
   (±)-allosecurinine formal  
     synthesis 342  
   (+)-alstonerine 349  
   (+)-geniposide synthesis 342  
   (–)-hinesol synthesis 338  
   (±)-hirsutene synthesis 339–340  
   (+)-hirsutine synthesis 339, 351–352  
   (+)-ibophyllidine  
     synthesis 345–346  
   pentabromopseudilin synthesis 336  
   phosphine-catalyzed [3+2]  
     cycloaddition 354–358  
   phosphine-catalyzed [3+3]  
     cycloaddition 358  
   phosphine-catalyzed [4+1]  
     cycloaddition 364  
   phosphine-catalyzed [4+2]  
     cycloaddition 359–360, 363  
   phosphine-catalyzed [4+3]  
     cycloaddition 364  
   reserpine synthesis 352–354  
   (±)-ricciocarpin A formal  
     synthesis 340  
   (+)-trachelanthamidine formal  
     synthesis 344–345  
 organophosphorus catalysis,  
   phosphine-catalyzed [3+2]  
   cycloaddition reactions  
   allenoates 3-acyl-2H-chromen-ones  
     148, 149  
    $\delta$ -aryl-substituted  
     allenoates 169, 170  
   enantioselectivity 158  
   isatin-derived ketimines and  
     allenoates 170  
   by Loh's group 155  
   pyrrolinyl spirooxindoles 170  
 2-oxazolidinone synthesis 59  
 oxazolomycin 31
- p**
- (–)-patchouli alcohol 335–336  
 pentabromopseudilin synthesis 336  
 1,2,2,6,6-pentamethylpiperidine  
   (PMP) 49  
 $\alpha$ -phenoxy- $\beta$ -aryl- $\beta$ -lactams 44, 46  
 phosphine-catalyzed cycloaddition  
   reactions  
   acrylates, imines, and aldehydes 13  
   allenoates 11–14  
   benzofuranone 14  
   cyclohexenes 17  
   DFT calculations 14  
   ethyl 3-butadienoate 2, 11  
   Ts-imines and  $\alpha$ -substituted  
     allenoates 15  
   intramolecular Michael-type  
     addition 16  
    $\alpha$ -methylallenoate and  
     benzylidenemalononitrile 18–19  
   Morita–Baylis–Hillman  
     alcohol derivatives  
     (MBHAD) 15  
   phosphorus ylide 14, 20  
   zwitterionic intermediate 11  
 phosphine-catalyzed [2+1+2]  
   cycloaddition reactions 230, 231  
 phosphine-catalyzed [2+2]  
   cycloaddition  
   reactions 142–144

- phosphine-catalyzed [3+2]  
 cycloaddition reactions  
 activated alkynes, with electrophiles  
 and asymmetric variant  
 but-3-yn-2-one, isatin  
 derivatives 184  
 electron-deficient olefins 185  
 thioamides and 2-alkynoates 182  
 ynones 184
- allene–imine variants  
 aryl azomethine imines 163  
 2,3-butadienoates 166  
 dihydropyrroles synthesis  
 163, 164  
 isatine-derived ketimines 170  
 isoquinolinium methylides 165  
 ketimines 171  
*N*-phosphinylimine 167  
 pyrrolidine derivatives 161  
 sulfamate-derived cyclic  
 imines 169  
 tetrahydro-  
 pyrazolopyrazolones 163, 165
- allenes with electrophiles 171
- allenoates, olefinic azalactones 152
- allenyl methyl ketone, substituted  
 exocyclic enones 152
- bifunctional *N*-acyl amino  
 phosphine 155, 156
- binaphthyl-derived chiral  
 phosphine 150
- chiral phosphine 150
- cyclopentene-fused  
 dihydrocoumarins 146
- diastereoselective formation 146
- dihydrocoumarins synthesis 146
- dipeptide-based chiral  
 phosphines 157
- diquinane and quinolin-2-one  
 derivatives 161
- diquinanes synthesis 146
- ethyl 2,3-butadienoate 145, 148
- functionalized  
 cyclopentenenes and  
 dihydropyrroles 146
- MBHADs, electrophiles and its  
 asymmetric variant 173–181
- $\beta$ -pentafluoroethyl and  
 $\beta$ -heptafluoropropyl enone 159
- 2,3,4-pentatrienoate and  
 arylidenemalononitriles 147
- planar chiral 2-phospha[3]  
 ferrocenophane 151
- polysubstituted  
 cyclopentenenes 147–148
- polysubstituted cyclopentenenes and  
 spirocyclic products 147
- $\alpha$ -regioisomer 159
- regioselectivities and  
 diastereoselectivities 147
- $\gamma$ -substituted allenoates and  
 $\alpha$ -cyano- $\alpha,\beta$ -unsaturated  
 ketone 149
- $\alpha$ -TMS 148
- zwitterionic intermediate 145
- phosphine-catalyzed [3+3]  
 cycloaddition reactions  
 electron-deficient  $\pi$ -systems  
 allenoates 184  
*N,N*-bicyclic hydroxyridazine  
 derivatives 186  
 MBH carbonates 187  
 modified tert-butyl allylic  
 carbonates 186, 187  
 spirocyclic chiral phosphine 186  
 tert-butyl allylic  
 carbonates 186, 187  
 tetrahydropyridines 185  
 ynones and azomethine  
 imines 186  
 ynones and *C,N*-azomethine  
 imines 187
- phosphine-catalyzed [3+6]  
 cycloaddition reactions 228
- phosphine-catalyzed [4+1]  
 cycloaddition reactions  
 allenoates and bisnucleophiles 207  
 allenoates and chalcones 208  
 biphenyl-derived  
 phosphepines 206  
 dicyano-2-methylenebut-3-  
 enoates 203, 205  
 isatin-derived  $\alpha,\beta$ -unsaturated  
 ketones 205, 206

- MBH carbonates 202–205  
 oxindole-derived  $\alpha,\beta$ -unsaturated  
   imines 205, 206  
 phenylglycine-derived dipeptide  
   phosphine 205  
 salicyl *N*-thiophosphinyl imines and  
   allylic carbonates 203, 204  
 4-spiro-5-pyrazolones 207, 208  
 $\gamma$ -substituted allenates and  
   sulfonamide 208, 209  
 trans-2,3-disubstituted indoline  
   derivatives 207  
 $\alpha,\beta$ -unsaturated imines and allylic  
   carbonates 205  
 phosphine-catalyzed [4+2]  
   cycloaddition reactions  
 alkynes 201  
 allenes  
   3-aryl coumarines and  
   allenones 199  
 acrylates and  $\alpha,\beta$ -unsaturated  
   imines 193, 195  
 allenates  
   and pyrrolidine-2,3-diones 201  
 amino acid-based chiral  
   phosphines 193  
 and  $\beta,\gamma$ -unsaturated  
    $\alpha$ -ketoesters 198, 199  
 aryl trifluoromethyl  
   ketones 189  
 barbiturate-derived alkenes 200  
 2-benzyl-2,3-butadienates  
   188–190  
 binaphthyl-based  $C_2$ -symmetric  
   phosphine 191  
 cyclobutenones 196, 197  
 cyclobutenones and  
   isatylidenemalononitriles  
   196, 197  
 dioxanes 2-pyranones, and  
   dihydro-2-pyranones 190, 191  
 dual activated alkenes 193, 195  
 hexamethylphosphorous  
   triamide (HMPT) 189  
 hydrogen-bonding  
   interactions 193, 198  
 with imines 193  
 ketones and 2-benzyl-2,  
   3-butadienates 190  
 Michael-addition 196  
 N–H and enolate moieties 193  
 nitrogen–carbon bond 188  
 $\alpha$ -substituted allenates and  
   pyrrolidine-2,3-diones 201  
 $\alpha$ -substituted buta 2,  
   3-dienate 193  
 tetrahydropyridines and  
   cyclohexenes formation 189  
*N*-tosylaldimines and  
   2-benzyl-2,3-butadienates  
   188, 189  
 trimethylphosphine 190, 191  
 vinyl ketones, with  
   oxindole-derived  
    $\alpha,\beta$ -unsaturated  
   imines 194, 196  
   vinyl phosphonium ylide 188  
 phosphine-catalyzed [4+3]  
   cycloaddition reactions  
 $\alpha$ -alkyl allenates 210  
 allenates and chalcones 209, 210  
 3-(*N*-aryliminomethyl)  
   chromone 209  
 azomethine imines 209, 211, 212  
   and allenates 209  
*C,N*-cyclic azomethine  
   imines 209, 211–212  
 MBH carbonates 209  
 methyl coumalate 210  
 phosphine-catalyzed domino reactions  
 $\beta'$ -acetoxy allenates 216  
 alkynyl ketones 220, 222  
 amino acid-derived chiral  
   phosphine 219  
 aza-bicyclo[3,3,0]-octanes 219  
 azomethine imines 212, 215  
 $\gamma$ -benzyl allenates and  
   ketimines 219, 221  
 bicyclic dihydrofuran  
   derivatives 213  
 cis-2,3-dihydrobenzofurans via  
   an aza-MBH/umpolung  
   addition domino  
   reaction 218

- phosphine-catalyzed domino reactions  
(*continued*)  
conjugated diene and  
   $\beta,\gamma$ -unsaturated- $\alpha$ -  
  ketoester 213–214  
1,4-diheteroatom  
  dinucleophiles 215  
enantioenriched trifluoromethylated  
  tetrahydropyridines 227  
isatylidenemalononitriles and  
  activated dienes 222, 226  
MBH carbonates 215  
Michael addition 220, 222  
oxy-Michael and Rauhut–Currier  
  reactions 227  
pyrazoloquinazoline derivatives 220  
 $\alpha$ -nitroethylallenic esters 220, 224  
vinyl ketones 222, 225  
Wittig reaction 214  
*N*-phosphinylimine 167  
platencin formal synthesis 332–336  
poly (cinchona alkaloid acrylate 28  
poly(cinchona  
  alkaloid-co-acrylonitrile) 28  
polyketides 30  
4-pyrrolidino pyridine (4-PPY) 31,  
  32, 39  
3,2'-pyrrolidinyl-spirooxindoles 356
- r**  
reserpine synthesis 352–354  
( $\pm$ )-Ricciocarpin A formal  
  synthesis 340
- s**  
siphonarienal synthesis 324–325  
siphonarienolone and  
  siphonarienedione  
  synthesis 325–326  
spirooxindoles synthesis 67  
 $\beta$ -substituted acid chlorides 118  
 $\gamma$ -substituted aldehyde acid 38
- N*-sulfonylaldimines 46–48  
sulfonyl chlorides  
  aldehydes 50  
  imines 50  
Suzuki–Miyaura cross coupling 356
- t**  
tetrahydropyrazolopyrazolones  
  163, 165  
thiol lactonization 129  
*N*-tosylated imines, allenates 51  
(+)-trachelanthamidine 345  
(+)-trachelanthamidine formal  
  synthesis 344  
*O*-trimethylsilyl (TMS) 30  
 $\alpha$ -trimethylsilyl ( $\alpha$ -TMS) 148  
triphenylphosphine 145, 320, 342
- u**  
 $\alpha,\beta$ -unsaturated acid chlorides 83–86,  
  118, 120  
 $\alpha,\beta$ -unsaturated acid fluoride 58, 60  
 $\alpha,\beta$ -unsaturated  
  acylammonium 107, 109–111,  
  118, 121, 128  
 $\alpha,\beta$ -unsaturated ketones 88, 130
- v**  
vinyl Breslow intermediate 263, 266
- w**  
Wittig-type reactions 141  
Wynber's process 28
- x**  
X-ray crystallographic  
  analysis 318, 348, 356
- z**  
zwitterion-oriented synthetic  
  strategy 1