

Index

a

- acid phosphatase (ACP) detection 337
- adenosine deaminase (ADA) 174, 178
- aggregation-caused quenching (ACQ) 185
- ammonium conjugated polyelectrolytes (CPEs)
- atom transfer radical polymerization (ATRP) 17
- direct polymerization strategy 15
- Gilch coupling reaction 19
- Heck coupling reaction 17
- postpolymerization method 14–15
- Sonogashira reaction 19
- Suzuki cross-coupling conditions 14
- Suzuki polymerization 15
- Williamson reaction 14
- Witting–Horner condensation reaction 17
- Witting polymerization method 17
- antifouling 362–363
- atom transfer radical polymerisation (ATRP) technique 374

b

- Bacillus subtilis* 327
- bilirubin detection 338
- bioluminescence 277
- biomarkers 258
- biosensing 365–366
- bis(diphenylaminostyryl)benzene (DPSB) 150
- boron dipyrromethene (BODIPY) 62

c

- C. albicans* fungus 326
- calmodulin (CaM) 183
- cancer biomarker detection
 - DNA Methylation 330
 - hyaluronidase (HAase) detection 335
 - MicroRNAs (miRNA) detection 334
 - spermine detection 335
- cancer photothermal therapy
 - donor-acceptor (D-A) conjugated polymers 299–301
 - PANI nanoparticles 296–297
 - PEDOT:PSS-PEG nanoparticles 298–299
 - PPy nanoparticles 297
- cellular imaging, fluorescence imaging
 - boron dipyrromethene (BODIPY) units 74
 - fluorescent PLGA nanoparticles 74
 - in vitro* imaging 74
 - in vivo* imaging 76
 - NIR cellular imaging 74
- combined photothermal-chemotherapy 309–312
- concanavalin A (Con A) 183
- conducting polymers (CPs), biointerfaces
 - antifouling 362–365
 - biosensing 365–366
 - emerging bioelectronics materials based 372
 - stimuli-responsive materials 367–372
- tissue engineering 366–367

- conjugated polyelectrolytes (CPEs) 150
 - anionic CPEs 2, 4–14
 - carboxylated CPEs
 - Gilch dehydrochlorination polymerization 11
 - Heck and Gilch polymerization method 10
 - oxidative polymerization 9
 - postfunctionalization approach 9
 - postpolymerization method 11
 - Sonogashira coupling reaction 11
 - Sonogashira reaction
 - conditions 12
 - Stille coupling polymerization 8
 - Suzuki–Miyaura reaction
 - conditions 10
 - Suzuki polymerization 9
 - Yamamoto polymerization 8
 - cationic CPEs 2, 14–21
 - CpCo(CO)₂ catalyzed
 - homopolycyclotrimerization 2
 - phosphonated CPEs 13–14
 - phosphonium CPEs 21
 - polymerization methods 3
 - pyridinium CPEs 20
 - zwitterionic CPEs 2, 21–22
- conjugated polymer nanoparticles (CPNPs)
 - anion detection and imaging 72
 - aqueous oxidative polymerization 35
 - bio-imaging and cell tracking applications 38
 - biological imaging and sensing 62
 - cell culture and cell tracking experiments 38
 - cell labeling and fluorescence imaging 63
 - cellular imaging, fluorescence imaging 74–77
 - conjugated polyelectrolytes (CPEs) 150–152
 - direct functionalization method 63
 - direct polymerization
 - emulsion polymerization 46–47
 - microemulsion polymerization 49–50
 - miniemulsion polymerization 48–49
 - dye-doped dielectric particles 35
 - emission of 38
 - fabrication
 - miniemulsions 26–28
 - nanoprecipitation 28–30
 - fluorescent probes and vehicles 35
 - hybrid materials 152–158
 - Knoevenagel-type dispersion
 - polycondensation 38
 - mini-emulsion method 60
 - molecular fluorescent dyes 35
 - multimodality imaging 77–80
 - nanoprecipitation method 60
 - 2PEM contrast agents 146–158
 - photoacoustic imaging 77
 - photo-oxidation and photo-bleaching 35
 - polyacetylene (PA) 35
 - post-polymerization techniques
 - microfluidic techniques 42–45
 - miniemulsification 41–42
 - nanoprecipitation technique 39–41
 - self-assembly 45
 - protease detection 71
 - self-assembly method 60
 - two-photon fluorescent properties 62
- conjugated polymers (CP)
 - bio-dopants 361
 - bioelectronics materials 372
 - biointerfaces
 - antifouling 362
 - biosensing 365
 - stimuli-responsive materials 367
 - tissue engineering 366
 - biomolecule attachment 361
 - cancer treatment
 - combined photothermal-chemotherapy 313
 - photodynamic and photothermal therapy 307–309
 - copolymers and polymer blends 361
 - CP-based graft copolymers
 - ATRP techniques 374

- CRP technique 373
- grafting from approach 378, 382
- grafting from method 373
- grafting through
 - approach 374–377
 - grafting through method 372
 - grafting to approach 377–378
 - grafting to method 373
 - polymerisation reactions 373
- dual-modality imaging 99–101
- and oligomers 321–322
- one-photon excitation imaging
 - contrast agents 138–140
- PDT 271, 277
- photosensitizers
 - energy transfer systems 274
 - far red and near IR emitting
 - conjugated polymers 274
 - hybrid photosensitizers 277
- photothermal therapy 314
- Conjugated polymers (CP)-based
 - fluorescent probes
 - in vivo* cell tracking 95–97
 - in vivo* tumor imaging
 - CP dots studies 91
 - EPR effect 89
 - nanotechnology 88
 - NIR light and nanotechnology 89
 - NIR-II emissive CP dot 101
 - sentinel lymph node (SLN)
 - mapping 101
 - stimuli-responsive fluorescence
 - imaging 92–95
 - two-photon fluorescence imaging
 - (TPFI) 98–99
- controlled radical polymerisation (CRP)
 - techniques 373
- conventional cell harvesting
 - techniques 367
- conventional one-photon excitation
 - (1PE) fluorescence
 - microscopy 135
- d**
 - diketopyrrolopyrrole (DPP) 119
 - dimethylformamide (DMF) 50
 - direct polymerization
 - emulsion polymerization 46, 48
 - microemulsion polymerization 49
- disease diagnostics
 - acid phosphatase (ACP)
 - detection 337
 - bilirubin detection 338
 - cancer biomarker detection
 - DNA Methylation 329–330
 - hyaluronidase (HAase)
 - detection 335
 - MicroRNAs (miRNA)
 - detection 333–334
 - spermine detection 335
 - pathogen detection 322–327
- donor-acceptor (D-A) conjugated
 - polymers 299
- dual-mode fluorescence 80
- e**
 - E. coli* 323
 - electroactive gating 256
 - electrochemical
 - polymerization 251–252
 - electrochemical synthesis 252
 - electro-conductive hydrogels 253, 260
 - electropumping 255
 - enhanced permeability and retention
 - (EPR) 188, 270, 299
 - Ethidium bromide (EB) 177
 - ethylenedioxythiophene (EDOT) 47
 - exogenous contrast agent labeling
 - method 95
- f**
 - Far-red/near-infrared probes 190
 - FBT 183
 - fibronectin 142
 - fluorescence/dark-field Imaging
 - 193, 206
 - fluorescence resonance energy transfer
 - (FRET) 137
 - one-step FRET 172
 - two-step FRET 177
- g**
 - Gadolinium ion (Gd³⁺) 204
 - galvanostatic polymerization 251

gene delivery

CP

- anionic nucleic acids 218
- backbone flexibility and biodegradability 221
- backbone rigidity and hydrophobicity 218
- biodegradable polymeric nanoparticles 222
- caveolae-mediated endocytosis (CvME) 220
- cellular interactions and entry pathways 220
- CPN hydrophobicity 219
- CPNs and CPEs labeling and delivery efficiency 221
- disulfide-containing carriers 220
- fluorescent core-shell nanoparticles 220
- hydrophobic units and positive charges 218
- micropinocytosis 220
- nanoparticle entry mechanism 219
- Pearson's correlation coefficient (PCC) 222
- PPB properties 222
- π -electron system 216
- transfection efficiency 220
- fluorescent imaging agents 216
- functional organic fluorescent dyes 216
- non-invasive visualization 216
- non-viral vectors 217
- plasmid DNA (pDNA) delivery
 - BIP-PGEA2 nanoparticles 226
 - cationic polythiophene derivatives 225
 - charge density and hydrophobicity 222
 - DNA alkylation and gene regulation 225
 - HCPEPEI-1 and HCPEPEI-2 conjugates 224
 - nuclease degradation 224
 - OFBT-A/TR-T5 nanocomposites 225

- polyethyleneimines (PEIs) 224
- positively charged synthetic carriers 215
- real-time setting 216
- small interfering RNA (siRNA) delivery
 - cationic CPE nanoparticles 230
 - cationic dendritic polyfluorene (PFP) 230
 - cationic PFNBr nanoparticles 230
 - conjugated polythiophenes 229
 - endosomal disruption 230
 - enzymatic degradation 232
 - hydrophobic moieties 228
 - minimal toxic side effect 228
 - PEI-co-polythiophenes copolymers 229
 - plant protoplasts 228
 - reverse transcription quantitative polymerase chain reaction (RT-qPCR) 229
 - therapeutic intervention 228
 - viral carriers 228
 - viral vectors and polyethylene glycol 228
 - viral and non-viral systems 215
- G-quadruplex 175

h

- Heck polymerization 6
- hybrid materials 152, 154–159
- hydrophobic fluorophore magnesium phthalocyanine (MgPc) 152

i

- implantable biosensors 259, 261
- inductively coupled plasma-atomic emission spectrometry (ICP-AES) 297
- in vivo* real-time sentinel lymph node (SLN) imaging 190

k

- Knoevenagel polymerization 6

l

- label-free biosensors 174

m

- magnetic resonance imaging (MRI) 80
 - fluorescence imaging 201
 - photoacoustic imaging 209
- matrix-encapsulation method 140
- micelle/silica coprotection
 - strategy 157
- microfluidic techniques 42–45
- miniemulsification 41
- multi-modal imaging 77, 79–80, 125, 127, 128

n

- NanoDRONE 92
- nanoprecipitation technique 39–41
- near-infrared (NIR) fluorescence 87
- neural regeneration, neural cell and
 - tissue scaffolds 257
- neural therapy
 - biosensors and prostheses 258–260
 - conductive polymers
 - conductive polymer-based
 - nanofibers 250
 - doping process 246
 - electrical stimulation and
 - modulation 247
 - electroactive conductive
 - polymers 246
 - electrospinning, for micro-and
 - nanoscale fibers 253–254
 - functionalization 254
 - hydrogels and nanofibers 245
 - modification of 255
 - polyaniline (PAni) 248
 - polymer hydrogels 249–250
 - polypyrrole (PPy) 247
 - polythiophene (PTh) and
 - PEDOT 248
 - synthesis and doping 251–252
 - electroactive biomaterials 244
 - electro-conductive hydrogels 252
 - electro-stimulated drug
 - delivery 255–256
 - neural regeneration 257
 - physicochemical properties 243
 - and regenerative medicine 243
 - neurodegenerative disorders

CP, diagnostics

- amyloidoses 350
- blinded cluster assignments 350
- conjugated polyelectrolyte
 - (CPE) 346
- early diagnosis and
 - modulation 346
- laboratory and approaches 346
- LCP 347
- oligo (*p*-phenylene ethynylene)s
 - (OPEs) 351
- protein aggregation diseases 350
- protein misfolding disorders 349
- therapeutic
 - strategiesWSCPs 351–355

o

- oligo (*p*-phenylene ethynylene)s
 - (OPEs) 351
 - one-photon absorption (1PA)
 - processes 135
 - one-photon excitation imaging contrast
 - agents
 - bioimaging and biosensing
 - applications 139
 - bio-sensing and bio-imaging
 - applications 139
 - cell apoptosis monitoring 138
 - charged side-chains 138
 - direct polymerization 139
 - far-red or near-Infrared range 139
 - hydrophobic conjugated polymers
 - 139
 - matrix-encapsulation method 140
 - poly(*p*-phenylene vinylene) derivative
 - (PPV-1) 138
 - reprecipitation
 - and mini-emulsion 139
 - Suzuki cross-coupling
 - polymerization 139
 - optical-logic system 178
 - organic polymers 360
 - oxygen sensitization mechanism 271
- p**
- Pearson's correlation coefficient
 - (PCC) 222

- photoacoustic (PA) imaging 77, 305
 - biological applications 111
 - biological environment 113
 - carbon and 2D materials 111
 - non-ionizing laser pulses 112
 - photostability and
 - biocompatibility 112
 - π -conjugated/semiconducting
 - polymer nanoparticles (SPNs)
 - amphiphilic biocompatible
 - polymers 114
 - amphiphilic polymers 114
 - brain vasculature 116–119
 - chemical structures 115
 - electron donor-acceptor
 - structure 114
 - energy dissipation
 - mechanism 114
 - in vivo* imaging 114
 - lymph nodes 123–125
 - multi-modal imaging 125, 127, 128
 - ROS 125, 126
 - structural modification 114
 - tumor imaging 119–123
 - porphyrins 112
 - region of interest (ROI) 111
 - spatial resolution and tissue
 - penetration 111
 - ultrasonic transducers 112
 - photochemical mechanism 271
 - photodynamic antimicrobial
 - chemotherapy (PACT) 180
 - photodynamic therapy (PDT)
 - antimicroorganism
 - activity 277–285
 - aggregate formation 279
 - cationic polymer PPE 279
 - CP9 polymer 283
 - E. Coli* bacteria 277
 - hematoporphyrin (HP) 282
 - oxygen and white light
 - irradiation 283–284
 - PPV polymer 281
 - PTP and porphyrin (TPPN) 283
 - P. variotii* fungus 281
 - QA pendant 281
 - quaternary ammonium moieties
 - 277
 - silica colloidal particles 277
 - switch off mode 284
 - antitumor therapy
 - bioluminescence 287
 - near IR wavelength
 - irradiation 285
 - Pdots 290
 - ratiometric sensor 286
 - ROS generation 286
 - tumor killing efficiency 285
 - concept and history 269
 - conjugated polymers
 - antitumor therapy 285–290
 - role of 271
 - conventional therapies 340
 - design aspects 272
 - historical development 270
 - mechanism of action 340
 - NADPH 342
 - NIR laser irradiation 341
 - photochemical mechanism 271
 - photosensitizer 269, 340
 - tumor destruction 340
 - upconversion nanoparticles
 - (UCNPs) 341
- photosensitizer (PS) 269
- photothermal ablation 316
- photothermal therapy (PTT)
 - for cancer 295–301
 - imaging-guided photothermal
 - therapy
 - efficiency and specificity 301
 - IONP@PPy-PEG
 - nanoparticles 301
 - NIR absorption 305
 - non-ionizing laser pulses 305
 - PFTTQ and PFBT 304
 - radioactive labeling 305
 - SLNs biopsy 305
 - surface functionalization 301
 - therapeutic response 301
 - tumor metastasis 305
 - ultra-small iron oxide
 - nanoparticles 301
- PFTTQ 345

- PorCP NP formation 344
 porphyrin-based CP (PorCP) 343
 π -conjugated/semiconducting polymer nanoparticles (SPNs)
 amphiphilic biocompatible polymers 114
 amphiphilic polymers 114
 brain vasculature 116
 electron donor-acceptor structure 114
 energy dissipation mechanism 114
 in vivo imaging 114
 lymph nodes 123–125
 multi-modal imaging 125, 127, 128
 ROS 125, 126
 structural modification 114
 tumor imaging 119–123
 polyaniline (PANI)
 nanoparticles 296–297
 poly(9,9-dihexylfluorene-alt-2,1,3-benzothiadiazole) (PFBT) 157
 poly(ethylene glycol) (PEG) 140
 poly(phenylene-vinylenes) (PPV) 38
 polypyrrole (PPy) nanoparticles 251, 297
 poly(styrene-co-maleic anhydride) (PSMA) 150
 poly(vinyl alcohol) (PVA) 43, 297
 post-polymerization techniques
 microfluidic techniques 42–45
 miniemulsification 41
 nanoprecipitation technique 39–41
 self-assembly 45
 Pyridinium CPEs 20
- q**
- quantum dots (Qdots) 59
 quaternary ammonium (QA) 271
- r**
- reactive oxygen species (ROS) 125, 126
 red-emitting fluorophores 150, 152
 reverse transcription quantitative polymerase chain reaction (RT-qPCR) 229
- s**
- self-assembly 45
 self-healing polymers 372
 semiconducting polymer dots (Pdots)
 amphiphilic polymer coprecipitation method 63
 anodic ECL system 72
 biorthogonal labeling 65
 encapsulation method 65
 fluorescence emission 71
 fluorescence imaging 74
 metal-ion sensing 65–66
 nanoparticle size 59
 optical properties 60
 oxygen and reactive oxygen species detection
 optical properties and surface modification 67
 PtOEP 66
 TCPO 68
 pH and temperature monitoring 69–71
 sensing
 one-step FRET 172
 polythiophene (PT) and polydiacetylene (PDA) 183
 superquenching
 α -glucosidase inhibitors (AGIs) 179
 Coulomb interactions 178
 gold nanoparticles 180
 graphene oxide 183
 polythiophene derivative (PMNT 1) 180
 ThNI. 80
 SI-RAFT approaches 383
 SLNs biopsy (SLNB) 305
 Sonogashira coupling reaction 7
 spermine detection 335
 sulfonated conjugated polyelectrolytes (CPEs)
 direct polymerization method 6
 electropolymerization 4
 FeCl₃-catalyzed oxidative polymerization methods 4
 Heck polymerization 6
 Knoevenagel polymerization 6
 poly(*p*-phenylenevinylene) 6

- sulfonated conjugated polyelectrolytes (CPEs)(*contd.*)
 - potassium 3-(4-methoxyphenoxy) propanesulfonate 6
 - Sonogashira coupling reaction 7–8
 - Suzuki polymerization 5
 - Witting polymerization 6
- surface-initiated RAFT (SI-RAFT) polymerisation 383
- Suzuki coupling 142
- Suzuki polymerization 5, 299
- t**
- thermoresponsive poly(N-isopropylacrylamide) (PNIPAM) 367
- thioflavin T (ThT) 175
- tissue engineering 366
- two-photon excitation microscopy (2PEM)
 - CPN 146–158
 - development and practical applications 137
 - in vivo* imaging 136
 - NIR light 136
 - nonlinear optical properties 140
 - PFP 145
 - PFV, PFVMO, and PFVCN 146
 - PPE derivatives 144
 - two-photon absorption (2PA) 135
 - water-soluble conjugated polymers 142
- two-photon fluorescence imaging (2PFI) 98–99, 193, 195, 196
- u**
- ultrasonication 40
- w**
- water-soluble conjugated polymers (WSCPs) 23–25
- multi-modal imaging
 - fluorescence/dark-field imaging 206
 - MRI/fluorescence imaging 201
 - MRI/photoacoustic imaging 209
- sensing
 - aggregation-caused quenching (ACQ) 185
 - conformation conversion 183
 - one-step FRET 172
 - superquenching 178–183
 - two-step FRET 177
- single-modal imaging
 - far-red and NIR imaging 190, 192
 - fluorescence-based optical imaging 188
 - multicolor imaging 196–197, 199, 201
 - two-photon fluorescence imaging (2PFI) 193
- Witting polymerization 6