

Index

a

absorption efficiency 243, 244
 adenosine triphosphate (ATP) 281
 adsorption 189
 AFM *see* atomic force microscopy (AFM)
 amphiphile self-assembly 169–170
 amphoteric materials 316
 AN2690 284
 AN2728 284
 anisotropic nanocrystals growth 41
 apoptosis 323
 aqueous synthesis, of quantum dots 35, 36
 architectonics, of nanoparticles 9–25
 functional architectures, on nanoparticle surface 23–24
 Janus (asymmetric) nanoparticles 21–23
 soft nanoparticles 10–15
 solid nanoparticles 15–21
 armchair edge 111–113, 115, 119
 armchair nanoribbons 113, 114
 ASSURED criteria 304
 atomic force microscopy (AFM) 49
 ATP *see* adenosine triphosphate (ATP)
 azobenzene 228, 229

b

band edge discretization, in semiconductor nanocrystals 34
 BCP *see* block copolymers (BCP)
 benzoxaborole-based copolymers (BOP) 286

bioconjugation, of nanocrystals 46
 biological and biomedical diagnostics
 immunoassays 304, 306
 nucleic acid testing (NAT) 306
 stimuli-responsive biomarker separations 306–308
 stimuli-responsive diagnostics, in developing world 308–309
 biological and biomedical
 immunoengineering 313–324
 immune-activating biomaterials 318–320
 immunovasive biomaterials 314–318
 immunosuppressive biomaterials 321–324
 biological therapy, multi-responsive polymer nanoparticles for 10–12
 biomedical applications 125–135, 141–150
 hollow structured multilayers and 126–130
 layer-by-layer assembly 142–144, 146–149
 multilayer shells 130–135
 bio-mimetic assembly nanoparticles 13–15
 biosensing 146–148
 blebbistatin 297
 block copolymer nanolithography 298, 299
 block copolymers (BCP) 173, 176

- BMPs *see* bone morphogenetic proteins (BMPs)
- bone morphogenetic proteins (BMPs) 148, 149
- BOP *see* benzoxaborole-based copolymers (BOP)
- Brillouin zone (BZ) 112
- BZ *see* Brillouin zone (BZ)
- C**
- cadmium-alkyldithiocarbamates 39
- cancer treatment and carbon nanotubes 90
- carbon nanotubes (CNTs) 203
- carbon nanotubes, for drug delivery 86–91
- carbon-nitrogen-frameworks (CNFs) 158–160
- catalysis 62–65
- cation exchange reactions 47
- cavitation 190
- CB6 177
- CdS NRs 47
- cellular and tissue engineering 148
- cellular internalization 134
- cellulose nanocrystals 202
- cetyltrimethyl ammonium bromide (CTAB) 46
- chemotherapy 129, 131
- Chern metallic phase 161
- chirality 169, 170, 173
- CI *see* configuration interaction (CI)
- clathrin-mediated endocytosis 97
- clay nanosheets 268
- CMs *see* conjugated microporous polymers (CMPs)
- CNFs *see* carbon-nitrogen-frameworks (CNFs)
- CNTs *see* carbon nanotubes (CNTs)
- COFs *see* covalent organic frameworks (COFs)
- configuration interaction (CI) 115
- confocal microscopy 87, 89
- conjugated microporous polymers (CMPs) 193, 194
- conjugated polymer nanoparticles (CPNs) 13
- CoS hierarchical architecture (CSHPS-G) 207
- counter electrodes 204
- covalently functionalized halloysite nanotubes 93, 94
- covalent organic frameworks (COFs) 192–193
- covalent triazine-based frameworks (CTFs) 159–160
- CPNs *see* conjugated polymer nanoparticles (CPNs)
- Cryptococcus neoformans* 96
- crystalline microporous aluminosilicates 187
- crystalline seed materials 43
- CSHPS-G *see* CoS hierarchical architecture (CSHPS-G)
- CTAB *see* cetyltrimethyl ammonium bromide (CTAB)
- CTFs *see* covalent triazine-based frameworks (CTFs)
- Cu₂S 47
- d**
- DAE *see* diarylethene (DAE)
- DCPD *see* dicyclopentadiene (DCPD)
- density of states (DOS) 111–119
- DHP *see* Dialdehyde heparin (DHP)
- dialdehyde heparin (DHP) 127, 128
- diarylethene (DAE) 227–232, 234, 235
- diblock copolymers 173
- dicyclopentadiene (DCPD) 266
- Diels–Alder reaction 267
- dipping coating 142
- Dirac points 112
- Dirac's equation 156
- directed self-assembly
- of block copolymers 173–175
 - DNA 176–179
 - of nanoparticles 179–181
- dodecanethiol 44
- doping, in channel/dielectric layers 229, 230
- DOS *see* density of states (DOS)
- doxorubicin (DOX) 129, 134, 135, 283, 286

- drain current 228–230, 232, 234, 235
 drug carriers and uptake mechanisms 95–100
 drug delivery, biomedicine 148
 drug delivery system
 current thermo-responsive drug carriers 281–283
 disease diagnosis, using nanomaterials 279–281
 smart nanocarriers, for benzoxaborole-based drugs 284–287
 dual drug delivery systems 94–95
 dye-sensitized solar cells 204
- e**
- EB nanolithography 299
 edge states 112–115
 EDS *see* energy-dispersive X-ray spectroscopy (EDS)
 EELS *see* electron energy loss spectrometry (EELS)
 electric field induced half-metallicity 117–119
 electrochemical impedance spectroscopy 97
 electron energy loss spectrometry (EELS) 48
 electron paramagnetic resonance (EPR) spectroscopy 49
 electrospinning 38, 40, 64
 electrostatic interactions hydrogel network 268
 ELISA *see* enzyme-linked immunosorbent assay (ELISA)
 endocytosis inhibitors 95
 energy-dispersive X-ray spectroscopy (EDS) 48
 energy-filtered transmission electron microscopy (EFTEM) 48
 enhanced permeability and retention (EPR) effect 279
 enzyme-linked immuno-sorbent assay (ELISA) 303, 305
 1, 2-ethylenediamine 39
 EXAFS *see* extended X-Ray absorption fine structure (EXAFS)
- extended X-Ray absorption fine structure (EXAFS) 49
 extinction efficiency 243, 244
- f**
- fabrication process 2, 3, 9, 14, 16, 19–22, 199–203, 205–207
 facile synthesis method 204
 F₁₆CuPc phototransistor 226
 Fermi energy 111, 112, 114, 115, 117–119
 fiber sensor, cage in 260–261
 field effect transistors 54–57
 fluorescence microscopy 96, 98
 folate-lipid-conjugated mesoporous silica-coated graphene oxide 133
 four-dimensional (4D) printing 217, 218
 Fröhlich interaction 49
 Fröhlich condition 243
- g**
- gas physisorption 188
 Ge *see* germanium (Ge)
 gene therapy and carbon nanotubes 90
 germanium (Ge) 242, 247–249
 GID *see* Grazing incidence diffraction (GID)
 GISAXS *see* grazing incidence small-angle scattering (GISAXS)
 gold nanorods 131, 133, 202
 graphene *see* integrated composites and hybrids
 graphene system 111–119
 electronic states 112
 nanoribbons and edge states 112–115
 spintronic properties 115–119
 grazing incidence diffraction (GID) 49
 grazing incidence small-angle scattering (GISAXS) 49
- h**
- HAADF *see* high-angle annular dark field (HAADF)
 Haldane model 157, 158

- halloysite nanotubes 91–95
 - hard-template matrices 39
 - HCPs *see* hyper cross-linked polymers (HCPs)
 - hexylphosphonic acid (HPA) 42, 43
 - hierarchic carbon capsule sensor 258–260
 - high-angle annular dark field (HAADF) 48
 - high resolution TEM (HRTEM) 48, 51, 53
 - hole doping effect 116
 - hollow structured multilayers 126–130
 - homogeneous doping approach 20
 - host-guest interactions, hydrogel network 267, 268
 - hot injection approach 37
 - HRTEM *see* high resolution TEM (HRTEM)
 - H-type aggregation 170–172
 - Hubbard model 115
 - hybrid materials and carbon nanotubes 88, 89
 - hydrogel network and self-healing materials 267–269
 - hydrothermal method 201, 203, 206, 207
 - hydrothermal synthesis method 39
 - hyper cross-linked polymers (HCPs) 193
 - hypocrellin B (HB) 129
 - hysteresis loops 189
 - types of 189–190
- i**
- immune-activating biomaterials 318–321
 - immunoassays 304, 306
 - immunoevasive biomaterials 314, 318
 - immunosuppressive biomaterials 321–324
 - immunotherapy 90
 - incident-photon-to-carrier conversion efficiencies 59
 - infrared spectroscopy (IR) 49
 - inorganic asymmetric particles 22
 - integrated composites and hybrids 199–207
 - assembled form 0D–2D materials 199–201
 - assembled from 1D to 2D nanomaterials 201–203
 - assembled from 2D–2D nanomaterials 203–205
 - interface engineering 228, 229
 - International Union of Pure and Applied Chemistry (IUPAC) 187–189
 - ionic immunoevasive biomaterials 316
 - IR *see* infrared spectroscopy (IR)
 - isotherms, types of 188–189
 - IUPAC *see* International Union of Pure and Applied Chemistry (IUPAC)
- j**
- J-type aggregation 170–172
- k**
- Kane–Mele model 158
 - kinetically induced anisotropic growth mechanism 42–44
- l**
- Landau levels 156
 - Langmuir–Blodgett method 52, 181
 - Langmuir monolayer film balance measurements 97
 - laser patterning, of electrical circuits 232–235
 - lateral flow tests (LFA) 305, 306
 - layer-by-layer (LBL) assembly 126–129, 142–144 *see also* sensing
 - biomedicine 146–149
 - layer architectures with tunable properties 144–146
 - layered graphene sensor 257–258
 - layered mesoporous carbon sensor 256–257
 - layered nanoparticles 19–21
 - LCST *see* lower critical solution temperature (LCST)
 - LFA *see* Lateral flow tests (LFA)
 - liquid-liquid interface precipitation method 40

- lithographic techniques 35
 LLCs *see* lyotropic liquid crystals (LLCs)
 long chain alkylamine 37
 lower critical solution temperature (LCST) 281, 282
 lyotropic liquid crystals (LLCs) 192
- m**
- macropores 188
 magnetic fields and block copolymers 175–176
 Majorana fermions 158
 materials nanoarchitectonics 3–4 *see also* biological and biomedical immunoengineering; drug delivery system; biological and biomedical diagnostics
 MCMs *see* multicompartment micelles (MCMs)
 mechanobiology 291–300
 micropatterning 292–297
 nanopatterning 297–299
 mercaptoundecanol 46
 mesenchymal stem cells (MSCs) 148
 mesopores 188–192, 201
 mesoporous platinum nanospheres 18
 mesoporous silica nanoparticles *see* porous nanoparticles
 metal carbamates 37
 metal chalcogenide complexes 45
 metal-ligand interactions
 hydrogel network 268, 269
 metal-organic frameworks (MOFs) 158, 160, 194–195
 microcapsules 129, 130
 microfluidic device reactor 40
 micropatterning
 of cellular shape and cluster geometry 292–294
 dynamic 294–297
 micropores 188, 193
 microscale constructions 125
 Mie resonance nanoparticles, for solar heat applications 242
 analytical calculations 246–247
 experiments 247–249
 monorods 39
- Moore's law 1
 MPC *see* poly(2-methacryloyloxyethyl phosphorylcholine)(MPC)
 MSCs *see* mesenchymal stem cells (MSCs)
 multicompartment micelles (MCMs) 22
 multilayer shells and biomedical applications 130–135
 multipods 39
 multi-responsive polymer nanoparticles 10–11
 multi-walled nanotubes (MWNTs) 86, 87, 96
 MWNTs *see* multi-walled nanotubes (MWNTs)
- n**
- nanocrystals (NCs) *see* one-dimensional (1D) nanocrystals
 nanofibers (NFs) 38, 40, 57, 64, 214
 nanoparticles directed self-assembly 179–181
 nanopatterning 297–299
 nanopores 188
 nanoribbons (NRBs) 55–57
 nanoribbons and edge states 112–115
 nanorods (NRs) 22, 37–40, 42–44, 46–54, 56, 62–65, 202
 nanosheets 204, 205
 nanowires (NWs) 37, 39, 40, 42, 51, 52, 54, 56–60, 202, 205, 206, 226
 NAT *see* Nucleic acid testing (NAT)
 NMR *see* nuclear magnetic resonance (NMR) spectroscopy
 NRBs *see* nanoribbons (NRBs)
 NRs *see* nanorods (NRs)
 nuclear magnetic resonance (NMR) spectroscopy 49
 nucleic acid testing (NAT) 303–306
 NWs *see* nanowires (NWs)
- o**
- OFETs *see* organic field-effect transistors (OFETs)
 OLED *see* organic light-emitting device (OLED)

- oleyl-functionalization 46
 - one-dimensional (1D) nanocrystals
 - 33–66
 - applications 50–65
 - essential characterization techniques 48–50
 - growth mechanisms 40–44
 - post-synthetic chemical transformation 47–48
 - post-synthetic surface modification 44–46
 - synthesis 35–40
 - one-pot heating-up method 20
 - one-pot synthesis method 16
 - one-step aerosol method 203
 - optical polarization 50–54
 - opto-electrical polymer nanoparticles 12–13
 - organic field-effect transistors (OFETs) 223–236
 - photochromism in 227–235
 - phototransistors 224–226
 - organic-inorganic hybrids, porous 194
 - organic ligands 45
 - organic light-emitting device (OLED) 203
 - organometallic synthesis method 37
 - oriented attachment growth mechanism 40–42
 - ORR *see* oxygen reduction reaction (ORR)
 - Ostwald ripening process 44
 - oxygen reduction reaction (ORR) 203
- p**
- paclitaxel 126
 - particle replication in non-wetting templates (PRINT) 19
 - PbS NCs 44, 51
 - PbS NRs 47
 - PDDA *see* poly(diallyldimethylammonium chloride) (PDDA)
 - PEG *see* poly(ethylene glycol)(PEG)
 - peptide-functionalized single-walled carbon nanotubes 91
 - peptide self-assembly 172–173
 - perovskite solar cell device (PSC) 203
 - PfHRP2 *see* Plasmodium falciparum histidine-richprotein 2 (PfHRP2)
 - photocatalytic activity 205
 - photochromism, in OFETs 224, 227–235
 - doping in channel/dielectric layers 229–230
 - interface engineering 228–229 and laser patterning of electrical circuits 232–235
 - thin film as transistor channel 230–231
 - photoconductivity 60
 - photodetection and sensing 60–62
 - photodynamic therapy 129–131
 - photoluminescence quantum yields 50
 - phototransistors 223–226
 - single crystal-based and nanowire-based phototransistors 224–226
 - thin film-based 226
 - photovoltaic applications 57–60
 - P3HT *see* poly(3-hexylthiophene-2, 5-diyl) (P3HT)
 - physisorption 188
 - physisorption isotherms 188
 - π -conjugated molecules self-assembly 170–172
 - PIMs *see* polymers with intrinsic microporosity (PIMs)
 - π - π stacking 170, 172
 - Plasmodium falciparum* histidine-richprotein 2 (PfHRP2) 309
 - plasmon resonance nanoparticles 243–246
 - analytical calculations 243–245
 - experiments 245–246
 - PNIPAAm *see* poly(N-isopropylacrylamide) (PNIPAAm)
 - POC *see* point-of-care (POC)
 - point-of-care (POC) 303
 - polarized Raman spectroscopy 316
 - poly[bis(4-phenyl)(2, 4,6-trimethylphenyl)amine] (PTAA) 230
 - poly(ϵ -caprolactone) (PCL) 213

- poly(diallyldimethylammonium chloride) (PDDA) 144, 145
- polyelectrolytes 127
- poly(ethylene glycol)(PEG) 87, 314, 316
- poly(ethylene-co-vinyl alcohol) (EVOH) 286
- poly(ethylene-co-vinyl alcohol) (EVOH) 286
- poly(3-hexylthiophene-2, 5-diyl) (P3HT) 226, 229, 230
- polymer network architecture classification 212
- polymers with intrinsic microporosity (PIMs) 193
- poly(2-methacryloyloxyethyl phosphorylcholine)(MPC) 316, 318
- poly(N-isopropylacrylamide) (PNIPAAm) 307, 309
- poly(4-phenoxy methylstyrene) (P4PMS) 226
- polypropylic acid (PPAA) 319
- poly(sodium 4-styrenesulfonate) (PSS) 144, 145
- polystyrene-block-polymethylmethacrylate (PS-b-PMMA) 175
- poly(ω -pentadecalactone) (PPDL) 216
- porous materials, functional 187–196
 - classification of 188–190
 - frameworks 190–195
- porous nanoparticles 15, 19
- porphyrin 170, 172
- post-graphene-era 155
- post-synthetic chemical transformation, of nanocrystals 47–48
- post-synthetic surface modification 44–46
- powder X-ray diffraction (PXRD) 48
- PPAA *see* polypropylic acid (PPAA)
- PPDL *see* poly(ω -pentadecalactone) (PPDL)
- pre-graphene-era 155
- PRINT *see* Particle Replication in Non-wetting Templates (PRINT)
- printing, four-dimensional (4D) 217, 218
- printing, three-dimensional (3D) 217
- protein biomarkers 303
- PS-b-PMMA *see* polystyrene-block-polymethylmethacrylate (PS-b-PMMA)
- PSC *see* perovskite solar cell device (PSC)
- PSS *see* poly(sodium 4-styrenesulfonate) (PSS)
- PTAA *see* poly[bis(4-phenyl)(2,4,6-trimethylphenyl)amine] (PTAA)
- PXRD *see* powder X-ray diffraction (PXRD)
- Pyrex tubes 193
- q**
- QA-TPE *see* tetraphenylethene derivative (QA-TPE)
- QCM *see* quartz crystal microbalance (QCM)
- QDs *see* quantum dots (QDs)
- quantum confinement effect 34, 35
- quantum dots (QDs) 24, 33–35, 37, 46, 50, 52, 53, 62, 64, 280
- quantum Hall effect 156, 157
- quantum yields 50
- quartz crystal microbalance (QCM) 256, 258, 259
- quasicrystals 16
- r**
- Raman spectroscopy 49
- rbSME *see* thermally-induced two-way shape-memory effect (rbSME)
- reduced graphene oxide (rGO) 200, 201, 203, 204, 207
- resonant nanoparticles, for solar heat applications 241–250
 - applications 249–250
 - electromagnetic applications 243
 - Mie resonance nanoparticles 246–249
- plasmon 243–246

- rGO *see* reduced graphene oxide (rGO)
- Ringsdorf model 279
- S**
- SAED *see* selected area electron diffraction (SAED)
- Saccharomyces cerevisiae* 96
- scanning electron microscope (SEM) 49
- scanning tunneling microscopy (STM) 49
- scanning tunneling spectroscopy (STS) 49
- scattering efficiency 243, 244
- Schottky barrier 228
- SDAs *see* structure-directing agents (SDAs)
- selected area electron diffraction (SAED) 48
- self-assembly 167–182
- amphiphile self-assembly 169–170
 - of block copolymers (BCP) 173–176
 - DNA directed self-assembly 176–179
 - nanoparticles directed self-assembly 179–181
 - peptide self-assembly 172–173
 - π -conjugated molecules self-assembly 170–172
- self-healing materials 265–273
- engineering applications 271–273
 - history of 266–267
 - hydrogels 267–269
 - medical applications 269–271
- SEM *see* scanning electron microscope (SEM)
- semiconductor quantum dots 33
- sensing 255–262
- cage, in fiber sensor 260–261
 - hierarchic carbon capsule sensor 258–260
 - layered graphene sensor 257–258
 - layered mesoporous carbon sensor 256–257
- SERS *see* surface enhanced Raman spectroscopy (SERS)
- SFSC *see* shape-memory fiber-shaped supercapacitor (SFSC)
- shape-changing materials 209–211, 216
- shape-memory alloys (SMAs) 210
- shape-memory effect (SME) 211, 212, 214, 216, 217
- shape-memory fiber-shaped supercapacitor (SFSC) 214, 215
- shape-memory materials 209–218
- shape-memory polymers (SMPs) 210–211, 215, 217
- categorization of 212–213
 - with different architectures 213–216
 - future applications of 218
 - new directions 216–217
- shape-memory surfaces (SMS) 214, 215
- short-chain hydrophilic thiols 35
- single crystal-based and nanowire-based phototransistors 224–226
- single-source molecular precursor methods 37–39
- single-walled nanotubes (SWNTs) 87, 90, 95, 97
- SLBL *see* successive layer-by-layer method (SLBL)
- smart nanocarriers, for benzoxaborole-based drugs 284
- smart polymer nanoparticles 10, 13
- SMAs *see* shape-memory alloys (SMAs)
- SME *see* shape-memory effect (SME)
- SMPs *see* shape-memory polymers (SMPs)
- SMS *see* shape-memory surfaces (SMS)
- soft nanoparticles 10–15
- solid nanoparticles 15–21
- solution–liquid–solid (SLS) growth approach 40
- solvothermal synthesis method 39
- spin coating 143–144
- spin-spin correlation 115, 116
- spintronic properties, of graphene system 115–119
- spirooxazine 228

- spiropyran 227–230
 spray coating 144
 spray drying strategy 19, 20
 stimuli-responsive biomarker separations 306–308
 stimuli-responsive diagnostics, in developing world 308–309
 STM *see* scanning tunneling microscopy (STM)
 structure-directing agents (SDAs) 192
 STS *see* scanning tunneling spectroscopy (STS)
 successive layer-by-layer method (SLBL) 20
 supramolecular assembly 125–126
 surface energy and selective ligand adhesion 42–43
 surface enhanced Raman spectroscopy (SERS) 178–179
 surface plasmon(s) 65
 surface plasmon resonance 201
 surfactant 36, 39, 42–44, 46
 SWNTs *see* single-walled nanotubes (SWNTs)
- t**
- tannic acids 256, 257
 TBA *see* thrombin-binding aptamer (TBA)
 TEM *see* transmission electron microscopy (TEM)
 template-assisted growth methods 39–40
 TEMPO *see* 2,2,6,6-tetramethylpiperidine 1-oxyl (TEMPO)
 2,2,6,6-tetramethylpiperidine 1-oxyl (TEMPO) 322
 tetraphenylethene derivative (QA-TPE) 12
 thermal decomposition 37, 39
 thermally-induced two-way shape-memory effect (rbSME) 216, 218
 thermodynamic and kinetic growth regimes 43–44
 thermo-induced immunoseparation system 307
 thin film-based phototransistors 226
 three-dimensional (3D) and hierarchic nanoarchitectonics 199–209, 217
 thrombin-binding aptamer (TBA) 131
 time extended effect, on drug release 91, 93
 time-resolved (TR) PL spectroscopy 50
 TiN *see* titanium nitride (TiN)
 titanium nitride (TiN) 242–246, 248, 250
 toxicity, carbon nanotubes 90, 91
 TR *see* time-resolved (TR) PL spectroscopy
 TRAIL *see* tumor necrosis factor-related apoptosis-inducing ligand (TRAIL)
 transmission electron microscopy (TEM) 48
 triblock copolymers 173
 triblock terpolymers 22
 tubular nanocontainers, for drug delivery 85–102
 carbon nanotubes 86–91
 drug carriers 95–100
 halloysite nanotubes 91–95
 tumor necrosis factor-related apoptosis-inducing ligand (TRAIL) 134–135
 two-dimensional (2D) confined system 34
 two-dimensional (2D) materials 155–162
 emerging 158–161
 graphene uniqueness as archetype of 155–158
- u**
- UCNPs *see* upconversion nanoparticles (UCNPs)
 UCST *see* upper critical solution temperature (UCST)
 ultrafast techniques 50
 ultrasmall asymmetric nanostructures 22
 ultrathin film 125–135

- ultraviolet photoelectron spectroscopy (UPS) 49
 - upconversion nanoparticles (UCNPs) 20
 - upper critical solution temperature (UCST) 282
 - UPS *see* ultraviolet photoelectron spectroscopy (UPS)
- V**
- vaccine treatment and carbon nanotubes 89, 90
- W**
- WHO *see* World Health Organization (WHO)
 - World Health Organization (WHO) 303
 - Wyle semimetals 158
 - Wyle's equation 158
- X**
- XANES *see* x-ray absorption near edge structure (XANES)
 - XPS *see* X-ray photoelectron spectroscopy (XPS)
 - X-ray absorption near edge structure (XANES) 49
 - X-ray diffraction (XRD) 245
 - X-ray photoelectron spectroscopy (XPS) 49
 - X-ray reflectivity (XRR) 49
 - X-rays diffraction techniques 48, 49
 - XRD *see* X-ray diffraction (XRD)
 - XRR *see* X-ray reflectivity (XRR)
- Z**
- zeolites 187, 190–191, 194
 - zero-dimensional quantum dots 34
 - zigzag edge 111–113, 115, 116, 119
 - zigzag nanoribbons 111, 113–115, 117–119
 - zinc ethylxanthate 37
 - ZnS NCs 37, 42
 - ZnS NRs 37, 42
 - z-scheme photocatalysis 65
 - zwitterionic materials 316