

## Index

### **a**

acid alkaline buffer solution 49  
 AC impedance method 72  
 AC polarography 48, 59, 68, 69  
 adsorbent-assisted *in situ*  
     electrocatalysis 85, 344  
 adsorption ability 84, 85, 87, 91, 92, 94,  
     96, 143, 158, 209, 219, 229, 238,  
     282, 306, 312, 338, 344, 346, 347,  
     360, 363, 366, 457  
 adsorption capacity 86–88, 92, 94, 97,  
     125, 128, 129, 132, 153, 157, 162,  
     166, 205, 226, 228, 230, 237, 244,  
     277, 287, 292, 309, 313–315, 326,  
     327, 330, 337, 344, 346, 347, 360,  
     362, 363, 455, 457, 497, 514  
 adsorption coefficient 57  
 adsorption measurements 83, 125,  
     238, 309  
 adsorption performance of  
     nanomaterials 84–92  
 adsorption selectivity 138, 269, 293,  
     294  
 adsorptive accumulation process 57  
 adsorptive stripping voltammetry  
     (AdSV) 56–57  
 Ag-based nanomaterials 103  
 (A-G)-enzyme modified platinum  
     ultra-microelectrode based  
     sucrose sensor 462  
 Ag<sup>+</sup> ions 344  
 alkyne-coded surface-enhanced Raman  
     scattering (SERS) 342  
 AlOOH-reduced graphene oxide  
     nanocomposites 290

α-Fe<sub>2</sub>O<sub>3</sub> nanoflowers  
     DFT 217–219  
     EXAFS 241–244  
     morphology 215–217, 239  
     phase-dependent stripping behavior  
         239–241  
     structure 215–217, 239  
     XPS 241–244  
 α-MnO<sub>2</sub> nanocrystals 345  
 aminofunctionalized carbonaceous  
     microspheres 484  
 3-aminopropyl-trimethoxysilane  
     (APTMS) 163, 414, 455  
 amperometry 2, 4, 48, 138, 315, 320  
 anisotropy 106, 229  
 anodic stripping voltammetry (ASV)  
     51–54, 57, 58, 230  
     As(III) 52  
     Hg(II) 53  
     HMIs 51  
     Pb(II) 53  
     typical potential profile 51  
 anodic stripping voltammogram 51, 52  
 antibody-functionalized 3D Ni foam  
     substrate 321  
 A Q-switched Nd:YAG laser 486  
 aquatic environment 15  
     heavy metal pollutants  
         arsenic ions 27  
         cadmium ions 26  
         chromium ions 26–27  
         cobalt ions 30–31  
         copper ions 28  
         lead ion 24  
         mercury ions 25

- aquatic environment (*contd.*)  
 nickel ions 31–32  
 silver ions 29–30  
 zinc ions 28–29
- POP  
 hydrazine 22  
 mercaptan 22–23  
 OCPs 19–20  
 PAHs 20–21  
 PCBs 18–19
- arsenic ions 16, 23, 53  
 arsenite detection, at neutral pH 446  
 artificially added interference ions  
     277–294  
 As(III) 444, 445, 447–460, 465  
 ASV 52  
 electrochemical detection 200–201
- as-prepared amination-functionalized  
 porous SnO<sub>2</sub> nanowire bundles  
 (NH<sub>2</sub>/SnO<sub>2</sub>) 331
- as-prepared mesoporous MgO  
 nanosheets 328
- as-prepared porous Si nanowires 368
- atomic absorption spectrometry (AAS)  
 473
- atrazine detection 101
- Au-based nano-composites 514
- Au–Cu bimetallic nanoparticles 104,  
 370
- Au microelectrode 406, 425, 444, 445,  
 455–459, 461, 463
- Au microwire electrode 445, 446, 448,  
 449, 452, 459, 460
- Au nanoelectrode array 464, 465
- Au nanoparticles 84, 85, 101, 102, 104  
 α-MnO<sub>2</sub> nanocomposite 85, 344  
 CeO<sub>2</sub>–ZrO<sub>2</sub> 85, 86  
 noble metal-based nanomaterials  
 98–106  
*o*-aminothiophenol 102
- AuNP-pearl-chains 432, 433
- AuNPs/CeO<sub>2</sub>–ZrO<sub>2</sub> nanocomposite  
 85, 86, 285, 286
- Au–Pd bimetallic nanoparticles 106
- auxiliary electrode 49, 50, 58, 61, 475,  
 479, 498
- azacrown-modified Au electrodes 108
- azacrown monolayer/Au electrode  
 109, 110
- b**
- Bessel-type differential equation 73  
 β-CD-decorated AuNPs film 408  
 β-CDs  
     hydrophobic interactions 110  
     SAMs 111  
 β-cyclodextrin polymer (β-CDP) 96  
 Bi-based nanomaterials 334–336  
 bimetallic Au–Pt nanoparticles/organic  
 nanofibers 373  
 binding energy 337, 360, 362, 366, 428,  
 430, 434, 458, 483
- biotin-streptavidin  
 detection 418–421  
 electrochemical impedance  
 spectroscopy 413  
 fabrication of nanogap electrode  
 413–418
- in situ seeded growth method 413  
 quantum dots 413
- bismuth-antimony film screen-printed  
 electrode (Bi-SbSPE) 336
- bismuth-coated porous screen-printed  
 carbon electrode (Bi-P-SPCE)  
 336
- bismuth film coated mesoporous silica  
 nanoparticles 354
- bismuth oxide (Bi<sub>2</sub>O<sub>3</sub>) 336
- Bi/SPE(-) sensors 335
- bovine serum albumin (BSA) 101,  
 296
- bovine serum albumin  
 (BSA)/anti-atrazine/gold  
 nanoparticles (AuNPs) 101
- Brunauer–Emmett–Teller (BET)  
 method 207, 226
- bulk α-TiP 364
- bulk-modified screen-printed carbon  
 electrode 336
- c**
- cadmium ions (Cd) 16, 26, 333, 334
- carbon-based materials 101, 125, 148,  
 287, 294

- carbon based nanomaterials 5, 126–174, 287, 305, 367
- carbon-fiber microelectrodes (CFMs) 460
- carbon fiber ultra-microelectrodes 460
- carbon hybridized TiO<sub>2</sub> nanotube arrays (C-TiO<sub>2</sub> NTs) 355
- carbon paste electrode (CPE) 97, 171, 349, 515
- carbon nanotubes (CNTs) 87, 89, 91, 96, 112, 113, 125–148, 157, 159, 160, 166, 169, 171, 174, 195, 200, 239, 269, 287, 291, 292, 298, 319, 350, 367, 461, 513
- catalytic effect 277
- cathode ray oscilloscope 66
- cathodic stripping reduction current 55
- cathodic stripping voltammetry (CSV) 16, 54–56, 97, 444, 513
- CdSe quantum dot-labeled streptavidin (CdSe QD-SAv) 413, 421, 434
- cetyltrimethylammonium bromide (CTAB) 90, 142
- charge conduction inhibition 107–115
- chemical functionalization 127
- chitosan modified graphene oxide (CS-GO) 497–500
- chlorobenzene micropollutants 74, 112, 113
- chronopotentiometry 48, 513
- climbing image nudged elastic band (CI-NEB) method 209
- Co-based oxide nanomaterials 313–323
- cobalt based spinels 320
- cobalt ions 16, 30–31
- cobalt-nickel bimetallic carbonate hydroxide nanoparticles 318
- (Co, Mn)<sub>3</sub>O<sub>4</sub> nanowires/Ni composite foam electrode 322
- Co<sub>3</sub>O<sub>4</sub> nanocrystals 205, 206, 208 DFT 208–210
- heavy metal ions (HMIs) 205, 207–208
- morphology and structure 206–207
- Co<sub>3</sub>O<sub>4</sub>/nafion modified GCE 313
- competitive adsorption 57, 165, 263, 283, 361, 362, 482
- concentration information 51, 55
- concentration range 59, 85, 91, 99, 103, 105, 109, 111, 130–134, 143, 150–152, 155, 162, 165, 172, 200, 216, 222, 223, 270–277, 283–285, 288, 306, 307, 309–311, 319, 322, 323, 327, 330, 333, 335, 336, 339, 343, 345, 354, 358, 359, 362, 371, 445, 459, 461, 463, 479, 480, 484, 489–491, 494, 501
- constant negative potential 51
- copper-containing wastewater 28
- copper ions 16, 28, 166, 295, 296, 335, 351, 372, 464
- correlation coefficient 85, 88, 100, 101, 109, 130, 132, 134, 138, 151, 155, 157, 162, 165, 169, 222, 240, 274, 288, 306, 307, 310, 311, 319, 326, 333, 335, 345, 346, 354, 364, 405, 409, 482, 483, 500
- covalent modification 142–143, 460
- Cr(VI)
- azacrown-modified Au electrodes 108
  - azacrown monolayer 109, 110
  - EIS 109
  - noble-metal-modified electrodes 108
- crown ethers 75, 108
- Cu<sub>2</sub>O microcrystals 106, 196, 202–204
- density functional theory 204
- facet-dependent electrochemical behavior 203
- morphology and structure 202
- current signal 49, 50, 60, 63, 68, 69, 71, 280, 306, 418
- current–voltage curve 48
- cyanocobalamin 30
- cyclic voltammetry (CV) 4, 48, 58, 61–64, 97, 102, 161, 200, 315, 334, 341, 349, 373, 414, 448, 460, 491, 513

- cyclodextrins (CDs) 110, 113, 403  
 cylindrical ultra-microelectrodes  
     443  
 cytosine–cytosine (C—C) 95
- d**  
 DC polarography 66–68  
 density functional theory (DFT) 18,  
     515  
 $\alpha\text{-Fe}_2\text{O}_3$  nanocrystals 217  
 calculations 94, 106, 208–210  
 $\text{Co}_3\text{O}_4$  nanocrystals 208  
 $\text{Cu}_2\text{O}$  microcrystals 204  
 nm- $\text{Fe}_3\text{O}_4$  nanocrystals 219–224  
 OCPs 19–20  
 $\text{SnO}_2$  nanocrystal 233  
 deposition process 52, 55, 57, 263, 283,  
     287, 293, 475  
 deposition sites 264, 266, 267, 273,  
     282, 306  
 derivative pulse voltammetry 61  
 differential pulse cathodic stripping  
     voltammetry (DPCSV) 97  
 differential pulse polarography 48, 61,  
     71, 72  
 differential pulse voltammetry (DPV)  
     4, 50, 61, 72, 88, 102, 139, 144,  
     145, 170, 328  
 diffusion rate 59, 68, 353  
 2,3-dihydroxynaphthalene (DHN) 56  
 disc ultra-microelectrodes 443  
 dithiol-linked nanoparticles 401  
     AuNPs 95  
 DNA-based carbon hybridized  $\text{TiO}_2$   
     nanotube arrays 269  
 DPASV 136–138, 142, 147, 293, 294,  
     298, 357, 513  
 duty cycle 60, 61, 70  
 dynamic equilibrium 27, 62, 310
- e**  
 EA-XRF 480, 482–484  
 EC-XRF 475, 476, 478, 479  
 electrical DNA biosensor 402  
 electric double layer capacitance 3, 60,  
     69, 443  
 electroactive metal 138, 270, 294  
 electroadsorption 474, 480–484, 496  
 assisted for laser induced breakdown  
     spectroscopy 496–502  
 assisted for X-ray fluorescence  
     479–484  
 electroanalysis chemical methods 47  
 electroanalytical chemistry 47–49, 63,  
     75, 98, 443  
 electroanalytical sensors 2  
 electrocatalytic activity 88, 91,  
     102–104, 135, 138, 140, 141, 146,  
     149, 195, 205, 296, 320, 340, 370,  
     444, 457, 459  
 electrochemical deposition 86, 90, 91,  
     97, 136, 137, 151, 474–476,  
     485–487, 490  
 electrochemical detection  
     As(III) 200–201  
     of atrazine 90  
     Cd(II) 232–233  
     equipment 48  
     heavy metal ions (HMIs) 207–208  
     Hg(II) 226  
     nm- $\text{Fe}_3\text{O}_4$  nanocrystals 219–224  
     Pb(II) 232–233  
 polarography  
     AC polarography 68–69  
     DC polarography 66–68  
     EIS 72–75  
     pulse polarography 70–72  
     square wave polarography 69–70  
 voltammetry  
     AdSV 56–57  
     ASV 51–54  
     CSV 54–56  
     CV 61–64  
     linear sweep voltammetry 58–59  
     pulse voltammetry 60–61  
     SWV 59–60  
 electrochemical DNA-based biosensors  
     355  
 electrochemical flow-through cell 475  
 electrochemical impedance  
     spectroscopy (EIS) 72–75, 107  
 electrochemical impedance technique  
     111–113

- electrochemical integrated with laser induced breakdown spectroscopy 496  
electroadsorption-assisted 496  
electrodeposition-assisted 485–496  
electrochemical integrated with X-ray fluorescence 474–479  
electroadsorption-assisted 479–484  
electrodeposition-assisted 474–479  
electrochemical laser induced breakdown spectroscopy (EC-LIBS) 487  
electrochemical methods 3–5, 16, 47–49, 51, 75, 107, 108, 112, 114, 125, 197, 229, 238, 244, 308, 311, 315, 344, 480, 485, 488, 497  
electrochemical preconcentration 311, 474, 502, 503  
electrochemical reaction 48–50, 55, 62, 63, 65, 67, 68, 453, 485  
electrochemical sensitivity 195, 196, 219, 244  
electrochemical sensors, 2, 4, 22, 48, 91, 101, 125, 127, 135, 139, 140, 142, 143, 145, 146, 148, 150, 153, 159, 167, 172, 205, 210, 237, 312, 315, 334, 336, 337, 354, 367  
electrochemical signal  
As(III) 85, 87  
AuNPs/CeO<sub>2</sub>-ZrO<sub>2</sub> 85, 86  
CTAB 90  
nano-TiO<sub>2</sub>-DHP 89  
poly(JUG-HATZ) 90  
PRhB/GO/MWCNTs/GCE 91  
rGO 88  
SWV 89  
XPS 86  
electrochemical stripping behaviours 210–215, 239, 244  
electrochemical voltammetry analysis system 49  
electrochemistry assisted preconcentration 474  
electrochemistry with LIBS (EC-LIBS) 485–490  
electrode gaps 403, 431–434  
electrodeposition 474, 475, 478, 479, 491–494, 503  
assisted for laser-induced breakdown spectroscopy 485–496  
assisted for X-ray fluorescence 474–479  
of MoO<sub>x</sub> on Au microwire 459  
electrode potential 48, 52, 53, 58–60, 62, 64, 71, 491  
electrode reaction mechanism 72  
electronic structures 198, 205, 215, 223, 229  
electron-paramagnetic-resonance (EPR) 224  
electron-transfer process 52, 98, 202  
electron transfer rate 87, 103, 131, 142  
electron-transfer resistance ( $R_{et}$ ) 72, 74, 109–111, 113, 114, 163, 165, 419, 420  
electropolymerized microporous poly(2-mercaptopbenzothiazole) films 269  
electropolymerized surface ion imprinting films 293  
electrostatic attraction 88, 486, 500  
energy barriers 209, 210  
enhanced As(III) stripping signal 85  
enhanced electrochemical signal 5, 83, 115, 515  
enhanced reactivity 94  
enhanced stripping signal 331, 346, 457  
environment-friendly electrochemical sensors 91  
environmental pollutants 1, 350  
enzyme inhibition 461  
etch gold microelectrodes 451  
ethylenediaminetetraacetate (EDTA) 278  
excellent electrocatalytic ability 86, 285  
performance 98–106  
excellent electrochemical platform 88  
excellent electron transfer efficiency 91  
excellent multilayer adsorption 85, 344

- excellent selectivity 89, 138, 269, 294, 319  
 exfoliated 198  
 ZnP 92–95  
 extended X-ray absorption fine structure (EXAFS) 105, 107, 115, 228  
 $\alpha$ -and  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> nanoflowers 241  
 Pb L<sub>III</sub>-edge 237
- f**  
 facet-dependent electroanalysis  
 $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> microcrystals 215  
 Co<sub>3</sub>O<sub>4</sub> nanocrystals 205  
 Cu<sub>2</sub>O microcrystals 202  
 Fe<sub>3</sub>O<sub>4</sub> nanocrystals 210  
 nm-Fe<sub>3</sub>O<sub>4</sub> nanocrystals 219–224  
 SnO<sub>2</sub> nanocrystal 229  
 SnO<sub>2</sub> nanosheets 197  
 TiO<sub>2</sub> nanosheets 224  
 facet effect 205, 206, 211, 215  
 [Fe(CN)<sub>6</sub>]<sup>3-</sup> and [Fe(CN)<sub>6</sub>]<sup>4-</sup> 64  
 Fe<sub>3</sub>O<sub>4</sub> 201, 210–214, 219, 220, 222, 223, 305–312, 321, 338–343, 347–350  
 characterization of 211–213  
 heavy metal ions (HMIs) 213  
 nanocrystals 211–213  
 nanorods 309  
 room temperature ionic liquid 211  
 single-crystal nanomaterials 211  
 theoretical calculations 214–215  
 triangular nanoprisms 309  
 Fe<sub>3</sub>O<sub>4</sub>-[C<sub>4</sub>dmim][NTf<sub>2</sub>] composite 308  
 Fe(III) affects the interference 448, 450, 451  
 Fe-based oxide nanomaterials 305–313  
 first-principles theoretical studies 206, 230  
 fluorimetric/colorimetric mercury(II) sensor 350  
 Fourier-transform infrared (FTIR) 224, 448  
 Freundlich isotherm 346
- g**  
 $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> nanoflowers  
 morphologic and structure 239  
 phase-dependent stripping behavior 239–241  
 XPS 241–244  
 gas-assisted localized liquid discharge apparatus 497–502  
 glassy carbon electrode (GCE) 48, 64, 84, 85, 88, 90, 103, 129, 168, 170, 200, 267, 269, 293, 309, 311, 313, 315, 328, 336, 341, 347, 354, 373, 515  
 glutathione (GSH) 25, 422  
 gold-band microelectrode array 463  
 gold nanoparticles (AuNPs) 401, 405, 408, 416, 417  
 BSA 101  
 CFs 100  
 inside carbon foam frameworks 100  
 gold-palladium (Au-Pd) nanoparticles 373  
 gold particles 401, 403, 404  
 gold plated Ir-based microelectrode 447  
 good adsorption affinity 88  
 gradually decreases 266  
 graphene oxide (GO) 88, 91, 92, 96, 102, 125, 148, 150, 152, 156, 267, 287–290, 319, 455, 485, 487, 497  
 greater binding affinity 92, 162, 292  
 GSH NPs 422, 424–427, 430, 434
- h**  
 halloysite nanotubes-iron oxide–manganese oxide NC (HNTs-Fe<sub>3</sub>O<sub>4</sub>-MnO<sub>2</sub>) 349  
 heavy metal ions (HMIs) 23, 83, 84, 87, 88, 94, 95, 98, 101, 103, 112, 197, 198, 201, 207, 210, 211, 214, 215, 229, 238, 239, 244, 421, 422, 424, 428, 429, 455, 459, 461, 463, 464, 473, 485, 490, 491  
 Co<sub>3</sub>O<sub>4</sub> nanocrystals 205  
 electrochemical detection 207  
 Fe<sub>3</sub>O<sub>4</sub> nanocrystals 213  
 Pb(II) 237

- heavy metal pollutants  
 arsenic ions 27  
 cadmium ions 26  
 chromium ions 26–27  
 cobalt ions 30–31  
 copper ions 28  
 lead ion 24  
 mercury ions 25  
 nickel ions 31–32  
 silver ions 29–30  
 zinc ions 28–29
- heparin and chitosan 88
- hexavalent chromium [(Cr(VI))] 497
- hexazinone 97, 98
- Hg(II)  
 adsorption, EXAFS 228  
 ASV 53  
 electrochemical detection 226  
 detection 98
- high-adsorption MnFe<sub>2</sub>O<sub>4</sub> nanocrystal clusters 87
- high-energy (001) facet 224
- high-energy (221) facet 230, 232
- highest sensitivity and lowest LOD 86
- highly catalytic ability 89
- high-resolution As 3d XPS scans 484
- high-resolution TEM (HRTEM)  
 α-Fe<sub>2</sub>O<sub>3</sub> 215  
 Co<sub>3</sub>O<sub>4</sub> nanocrystals 206  
 Cu<sub>2</sub>O microcrystals 202  
 nanocrystals Fe<sub>3</sub>O<sub>4</sub> 213  
 nm-Fe<sub>3</sub>O<sub>4</sub> nanocrystals 220  
 SnO<sub>2</sub> nanocrystal 231  
 SnO<sub>2</sub> nanosheets 198
- high sensitivity 2, 47, 53, 57, 69, 75, 86, 87, 90, 95, 101, 103, 112, 125, 130, 132, 134, 138, 139, 143, 144, 156, 162, 171, 174, 198, 210, 264, 314, 316, 322, 328, 329, 334, 337, 341, 342, 347, 364, 369, 370, 413, 417, 421, 422, 462, 485, 513
- host-guest inclusion complexes 111
- HS-β-Cyclodextrin (β-CD) 403
- hydrated hydrazine 22
- hydrazine amperometric sensors 338
- hydrogen bond 74, 75, 88, 108, 109, 112, 161, 223, 428, 446
- hydroxyl 16, 17, 32, 87, 103, 129, 139, 140, 142, 148, 153, 160, 161, 167–170, 360
- hydroxylated polychlorinated biphenyl(OH-PCB) 97
- hydroxyl groups, of CeO<sub>2</sub>-ZrO<sub>2</sub> 87
- i**
- Idaho Cobalt Belt (ICB) 31
- identification of Hg<sup>2+</sup> 92
- in situ underwater electrosorption 499
- inductively coupled plasma atomic emission spectrometry (ICP-AES) 446
- inductively coupled plasma mass spectrometry (ICP-MS) 473
- industrial products 17, 21, 24
- inert electrode 55
- inhibition, of charge transport 402–405, 408, 409, 411
- inorganic mercury 25, 515
- inorganic pollutants 23
- inside out Ostwald-ripening process 317, 318
- insoluble film 51
- installation location 50
- integral pulse voltammetry 61
- interdigital gold electrodes 401
- interdigitated gold microelectrodes 414
- interference elimination 296–298
- interference mechanism 263
- intermetallic compounds 52, 54, 151, 166, 263, 264, 266, 269–271, 273, 276–278, 280, 283, 284, 287–291, 293
- ion-transfer process 52
- iron oxide 213, 220, 238, 239, 241, 243, 244, 282, 312, 323, 349
- k**
- Katanga Copperbelt (KC) 31
- l**
- Langmuir isotherm 346
- large active surface area 88, 322, 354
- large amplitude excitation signal 48

- laser ablation in liquid (LAL) method 101  
 laser-induced breakdown spectroscopy (LIBS) 473, 484–502  
 layered double hydroxides (LDHs) 171, 358  
 lead dependent optical DNAzyme biosensors 355  
 lead ion ( $\text{Pb(II)}$ ) 24  
 less-dense electrodeposition film 493  
 limit of detections (LODs) 3, 53, 69, 70, 84, 104, 130, 264, 306, 308, 309, 312, 314, 319, 320, 322, 323, 333, 335, 340, 343, 345, 358, 362, 364, 366, 372, 422, 443, 513, 514  
 limit of quantity (LOQ) 309  
 linear equations 86, 103, 132, 343, 354, 405, 456  
 linearization equations 130, 134, 151, 155, 162, 165, 207, 310, 319  
 linear sweep (DC) polarography 66–68  
 linear sweep voltage 58, 60, 61, 65, 66, 71  
 linear sweep voltammetry (LSV) 4, 48, 58–59, 101, 200, 337  
 long-range atmospheric transport (LRAT) 17, 18  
 long storage stability 89  
 low detection limits 88, 95, 96, 102, 138, 143, 224, 314, 321, 334, 337, 353, 413, 427  
 low-energy (110) facet 230, 232  
 lower LOD 69, 130, 132, 134, 146, 158, 347, 460  
 lowest detection 87, 109, 326  
 LSASV 513
- m**
- magnetic glassy carbon electrode (MGCE) 311, 342  
 magnetic nanomaterials 342  
 major interference 264  
 malondialdehyde (MDA) 25  
 manganese-coated gold microwire electrode 444
- mercaptans 22–23  
 mercapto- $\beta$ -cyclodextrin ( $\beta$ -CD) 110  
 PCB-77 111  
 2-mercaptopbenzimidazole 269  
 2-mercaptopbenzothiazole 269  
 mercapto functional groups 22  
 1-mercaptop-6-hexanol (MCH) 432  
 mercury drop electrode 50, 61, 64–67, 287  
 mercury electrode 50, 57, 58, 60, 61, 64–67  
 mercury ions  
 detection 424–430  
 fabrication, of nanogap electrode 422–424  
 glutathione (GSH) 422
- mesoporous MgO nanosheets 327  
 metal-insulator-metal ensemble (MIME) sensors 430  
 metal intermetallic compound 263  
 metallic oxide nanocrystals 344  
 metal oxide composite nanomaterials  
 noble metals and metal oxide 339–346  
 noble metals free and metal oxide 347–357
- metal oxide nanomaterials 305, 357, 367, 373, 514  
 Bi-based 334–336  
 Co-based oxide 313–323  
 Fe-based oxide 305–313  
 Mg-based 326–330  
 Mn-based oxide 323–326  
 $\text{SnO}_2$  330–334  
 tungsten oxide 337  
 zinc oxide nanoparticles 336
- metal oxide nanostructures 135, 140, 148, 367, 514
- metal phosphate nanomaterials 363  
 methylene blue (MB) 95, 145, 342, 355  
 Mg-Al-layered double hydroxides (Mg-Al-LDHs) 358  
 Mg-based nanomaterials 326–330  
 microcrystals,  $\text{Cu}_2\text{O}$  202  
 microcrystals morphologies 202  
 microelectromechanical systems 463

- micro/nanostructured manganese dioxide/carbon composite based electrodes 325
- mild condition 104, 149, 277, 458–460
- MIP membranes (MIPM) 102
- Mn-based oxide nanomaterials 323–326
- Mn doped mesoporous  $\text{MnFe}_2\text{O}_4$  nanocrystal clusters 312
- $\text{MnO}_2$  nanoparticles/nafion 270
- molybdenum oxides (MoOx) 459
- monodispersed  $\text{Fe}_3\text{O}_4$  nanocrystals 305, 306
- MoOx-Au microwire electrode 460
- multi-component interference carbon-based materials 287–294 metal oxide and their complexes 277–287 rat brain 295–296 rice sample 294–295
- multi-walled carbon nanotube-ionic liquid composite 89
- multi-walled carbon nanotubes (MWCNTs) 87, 91, 96, 112, 298
- mutual interference 263, 277 of  $\text{Cd}^{2+}$  and  $\text{Pb}^{2+}$  273–276 of  $\text{Cd}^{2+}$  and  $\text{Zn}^{2+}$  270, 271, 273 of  $\text{Cu}^{2+}$  and  $\text{Hg}^{2+}$  270 of  $\text{Cu}^{2+}$  and  $\text{Pb}^{2+}$  269
- n**
- nafion-coated thin mercury film electrode 514, 515
- nanoband electrode arrays, 462nanocrystals
- $\alpha\text{-Fe}_2\text{O}_3$  215–217
  - $\text{Co}_3\text{O}_4$  205–206
  - $\text{Fe}_3\text{O}_4$  210–211
  - nm- $\text{Fe}_3\text{O}_4$  219–224
  - $\text{SnO}_2$  229–231
- nanoeffects 205
- nanoelectrochemical method 3, 5
- nanoelectrochemical sensing interface 83, 92, 115 charge conduction inhibition 107–115 crystal facet 106–107
- electrochemical signal 84–92
- nanomaterial adsorption 92–98 noble metal-based nanomaterials 98–106
- nanogap biosensors 402, 413, 414, 419 biotin-streptavidin 413–421 devices 401–405, 407–410, 412, 413, 421, 434 electrodes 401, 403–405, 413–418, 431–432 mercury ions 421–430 organic thiols 430–433 polychlorinated biphenyls (PCBs) 403, 404, 406, 413 streptavidin biosensor 402
- nanogapped microelectrode-based biosensor array 402
- nanomaterial adsorption  $\beta\text{-CD/rGO}$  96 Cytosine-cytosine (C-C) 95 DFT 95 DNAzyme 95 DPCSV 97 OH-PCB 97 T-Hg(II)-T 92 XPS 94 ZrP 94
- nanomaterials 195, 196, 205, 211, 220, 224, 229, 230, 237, 238, 244 advantages 4 noble metal-based alloy 370, 371, 373 without noble metal 358, 359, 369
- nanometer gap 401
- nanomolar sensitivities 95 nanoplate-stacked  $\text{Fe}_3\text{O}_4$  309–311 nanoporous gold 98, 277 nanoporous metal oxides 320
- nanosheets
- $\text{SnO}_2$  197–204
  - $\text{TiO}_2$  224–229
- nanosized hollow CuO nanospheres 351
- nanostructured magnesium silicate 283, 284
- nanotechnology 83, 127, 320, 513

- nano-TiO<sub>2</sub>-dihexadecylphosphate 89  
 National Secondary Drinking Water Regulations (NSDWR) 29  
 NH<sub>2</sub> functionalized materials 455  
 NH<sub>2</sub>-GO modified Au microelectrode 455–459  
 NH<sub>2</sub>-RGO modified Au microelectrode 455–457, 459  
 NH<sub>2</sub>/SnO<sub>2</sub>-RTIL nanocomposite 331  
 NH<sub>3</sub>-plasma treated carbon nanotubes 292  
 nickel ions 16, 31–32  
 nitrogen-doped graphene 88  
 nitrogens, of pyrrole 92, 162  
 nm-Fe<sub>3</sub>O<sub>4</sub> nanocrystals  
   DFT 223  
   electrochemical detection 219–224  
   morphology 220  
 noble metal particles 135  
 noble metal-based alloy nanomaterials 370–373  
 noble metal-based nanomaterials 98  
   As(III) 100, 104  
   AuNPs 98  
   AuNPs/CFs 100  
   Cr(VI) 98  
   molecularly imprinted polymer membranes 102  
   PANI 103  
   PCB77 102  
   rGO 103  
   RSD 101  
 noble metals 308, 338, 350, 351, 357, 358, 372, 373  
 adsorbent assisted in situ electrocatalysis 344  
 adsorption 346  
 Ag<sup>+</sup> ions 344  
 As(III) 338  
 electrochemical signal changes 341  
 Fe<sub>3</sub>O<sub>4</sub>-RTIL SPCE 341  
 Freundlich isotherm 346  
 gold 338  
 inelastically scattered electrons 340  
 in situ electrocatalysis 340  
 Langmuir isotherm 346  
 metal nanoparticle-modified electrodes 338  
 metallic oxide nanocrystals 344  
 MGCE 342  
 paper-based colorimetric array test strip 341  
 polyadenine-DNA-mediated approach 342  
 shielding effects 339  
 simple drop casting method 341  
 steady-state diffusion-limited current 339  
 theoretical limit of detection 345  
 X-ray diffraction 340  
 noncovalent modification 143–145  
 nonspecific adsorption 363  
 NZn/NCu 494
- O**
- o*-aminothiophenol (ATP) 102  
 functionalized Au nanoparticles 102  
 obvious influences 264  
 one-component interference  
   Ag<sup>+</sup> on detection of Pb<sup>2+</sup> 269–270  
   Cu<sup>2+</sup> on detection of As<sup>3+</sup> 263–267  
   Hg<sup>2+</sup> on detection of Pb<sup>2+</sup> 267–269  
   mutual interference of Cd<sup>2+</sup> and Pb<sup>2+</sup> 273–276  
   mutual interference of Cd<sup>2+</sup> and Zn<sup>2+</sup> 270–273  
   mutual interference of Cu<sup>2+</sup> and Hg<sup>2+</sup> 270  
   Sn<sup>2+</sup> on the detection of Pb<sup>2+</sup> 276  
 optimal conditions 94, 156, 157, 162, 280, 328, 344, 347, 464, 482  
 organic thiols 430  
   detection 432–433  
   fabrication, of nanogap electrode 431–432  
 1D arrangements of metal nanoparticles 430  
 organochlorine pesticides (OCPs) 1, 18–20

- organophosphate pesticides 96, 166, 169  
 organophosphorus pesticides 104  
 oscillographic polarography 67  
 oxidation, of 2-chlorophenol 89
- p**
- Pb(II) 24  
 $\alpha$ -and  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> 238  
 ASV 53  
 PCB-77, mercapto- $\beta$ -CD 111  
 peak current 264, 266, 267, 269, 270, 272–275, 278, 280, 283, 286, 290–293  
 peak potential 307, 330  
 pearl-chain 432, 433  
 persistent organic pollutants (POPs) 17, 110, 114  
 hydrazine 22  
 mercaptan 22  
 OCPs 19  
 PAHs 20  
 PCBs 18  
 substances 18  
 persistent toxic organic pollutants 15  
 persistent toxic substances (PTS) 15, 23, 47, 48, 50, 75, 83, 107, 112, 305, 443, 513  
 electrochemical methods 16  
 substances 15, 16  
 ultra-micro array electrode 462, 465  
 ultra-micro disc electrode 444, 462  
 phase-dependent electroanalysis,  $\alpha$ -and  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> (Pb(II)) 238, 239  
 EXAFS 239, 241  
 Fe<sub>2</sub>O<sub>3</sub> 238  
 morphology and structure 239  
 stripping behavior 239  
 XPS 241  
 phase-dependent 5, 195–244  
 physicochemical properties 16  
 plasma technique 127  
 platinum and gold microelectrode arrays 464  
 platinum nanotube array electrodes (PtNTAEs) 104, 200  
 platinum ultramicroelectrode 461  
 pn-WMCNTs 293  
 polarographic wave 66, 68, 69, 71  
 polarography  
 AC 68–69  
 DC polarography 66–68  
 EIS 72–75  
 pulse polarography 70–72  
 square wave polarography 69–70  
 polished  $\alpha$ -Al<sub>2</sub>O<sub>3</sub> nanoparticle 96  
 pollutant, physicochemical properties 16  
 pollutions, cadmium 26  
 poly(dimethylsiloxane) (PDMS) 56  
 poly(JUG-HATZ) 90  
 polyadenine-DNA-mediated approach 342  
 polyaniline nanowires 402  
 3,3'4,4'-polychlorinated biphenyls (PCB77) 102, 110  
 polychlorinated biphenyls (PCBs) 18, 96, 102, 103, 403  
 electrical detection 403  
 fabrication of nanogap electrode 403–405  
 structures 18  
 polycondensation reaction 167  
 polycrystalline boron doped diamond (pBDD) electrode 476  
 polycyclic aromatic hydrocarbons (PAHs) 20, 21  
 poly(Rhodamine B)/graphene 91  
 polymer nanowires 402  
 polypyrrole (PPy)/multiwalled carbon nanotube 461  
 polysaccharide templated silver nanowires 402  
 poly-T<sub>(15)</sub> oligonucleotide-functionalized graphene 92  
 porous Co<sub>3</sub>O<sub>4</sub> microsheets 84  
 porous magnesium oxide nanoflowers 279  
 porous nanomaterials 84, 315, 329, 350  
 porous screen-printed carbon electrode (P-SPCE) 336

- potential-controlled electrodeposition 491  
 potential drift 49, 50  
 potentiometry 3, 48, 513  
 potentiostat 49, 50, 479, 485, 498  
 PPy-RGO nanocomposite modified glassy carbon electrode 267  
 practical applicability 87, 312  
 preconcentration technique 473  
 P-type silicon (Si) substrate 463  
 pulse polarography 48, 60, 61, 68, 70–72  
 pulse voltammetry 3, 4, 50, 60, 61, 71, 88, 139, 144, 145, 170, 328, 443  
 PyCD, SWCNT 113, 114  
 pyrolytic graphite electrode (PGE) 96, 358
- r**  
 real electroplating effluent samples 88  
 redox electroactive substance 63  
 reduced graphene oxide (rGO) 88, 92, 95, 148, 150, 152, 267, 287–290, 319  
 reduction reaction 51, 62–64, 67, 68, 70, 74, 224, 351, 488  
 reference electrode 2, 3, 49, 50, 58, 61, 65–67, 315, 336, 463, 475, 476, 479, 498  
 reference potential 49  
 relative standard deviation (RSD) 89, 101, 130, 237, 315, 319, 335, 343, 344, 349, 448, 483  
 reverse potential scan 50  
 reversible electrode process 58, 59  
 rice sample 294–295  
 robust adsorption capacity 457  
 room temperature ionic liquids (RTILs) 112, 211, 264, 306, 330, 338  
 root-mean-square (RMS) 403, 417
- s**  
 saturated calomel electrode (SCE) 49, 67, 216, 476  
 screen-printed carbon electrode (SPCE) 112, 158, 211, 306, 336, 338  
 selected area electron diffraction (SAED) 202  
 $\text{Co}_3\text{O}_4$  206  
 $\text{nm-Fe}_3\text{O}_4$  220  
 $\text{SnO}_2$  nanocrystal 231  
 selective adsorption ability 92, 158, 282  
 self-absorption effect 495  
 semiconductor quantum dots (QDs) 90  
 shielding effects 339  
 $\text{SiO}_2/\text{Fe}_3\text{O}_4$  electrode 347  
 $\text{SiO}_2/\text{Fe}_3\text{O}_4$  porous magnetic microspheres 347  
 Si PNWs-Nafion/GCE 353  
 signal-to-noise 50, 100, 153, 343, 349, 354  
 silver ions 16, 29–30  
 silver nanoparticles (AgNPs)-doped polyaniline (PANI) 103  
 silver nanoparticles/nafion film composite 103  
 silver sulphadiazine (SSD) 29  
 single pulse irradiation scheme 495  
 single-walled carbon nanotube (SWCNT)/pyrenecyclodextrin (PyCD) 113, 114  
 size-controllable nanogap devices 402  
 small amplitude excitation signal 48  
 smooth surface spherical tin oxide particles 334  
 $\text{SnO}_2$  HRTEM 198  
 $\text{SnO}_2$  nanocrystal  
 DFT 233–235  
 HMIs 229, 230  
 morphologic and structure 231–232  
 $\text{Pb}(\text{II})$  and  $\text{Cd}(\text{II})$  232–233  
 XAFS 230  
 $\text{SnO}_2$  nanomaterials 330–334  
 $\text{SnO}_2$  nanoparticles 107  
 $\text{SnO}_2$  nanosheets 197–201  
 adsorption mechanism 201–202  
 arsenic 197  
 $\text{As}(\text{III})$  electrochemical detection 200  
 ultrathin 198  
 $\text{SnO}_2$  quantum dots (QDs) 333

- S**
- SnO<sub>2</sub>/reduced graphene oxide nanocomposite 287–289
  - SnO<sub>2</sub> tube-in-tube nanostructures 280, 281
  - solution resistance 3, 49, 50, 61, 63, 67, 167, 420
  - specific recognition, of DNAzyme 95
  - square wave anodic stripping voltammetry (SWASV) 129, 130, 132, 133, 151, 153, 155, 157, 158, 162, 163, 165, 169, 172, 198, 222, 326, 513
  - $\alpha$  and  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> nanoflowers 239
  - As(III) 85, 100
  - Hg(II) 92
  - Pb(II) 87, 88, 94, 203, 207, 239
  - ZrP 94
  - square wave polarography 48, 59, 60, 68–72
  - square wave voltammetry (SWV) 3, 50, 58–61, 89, 130, 335, 443
  - Stockholm Convention on POPs 18, 20
  - streptavidin (SAv) 413
  - streptavidin biosensor 402
  - stripping current 50, 51, 53, 54, 56, 57, 86, 92, 94, 99, 132, 158, 162, 222, 269, 273–275, 280–282, 319, 333, 368, 369, 445, 451, 457
  - stripping peak 52–54, 85, 86, 130, 137, 151, 165, 166, 200, 201, 203, 207, 210, 213, 226, 237, 238, 264, 266, 267, 276–278, 283, 286, 294, 295, 307–309, 311, 315, 319, 326, 329, 334, 345, 347, 357, 362, 364, 369
  - stripping voltammetry
    - AdSV 56–57
    - ASV 51–54
    - CSV 54–56
  - strong hydrophobic interaction 90
  - sulforhodamine B 321
  - Sulfo-NHS-LC-biotin
    - (sulfosuccinimidyl-6-[biotin-amido] hexanoate) 414
  - supporting electrolyte solution 49
  - surface active sites 100
  - surface diffusion 62, 230
  - surface-electronic-state modulation 229
  - surface plasmon resonance (SPR) 54, 75, 405, 406
- t**
- target metal ions 53, 84, 132, 155, 204, 238, 282–284, 288, 290, 314, 347, 367
  - tension current peak 57
  - terrestrial food 25
  - 1,2,4,5-tetrachlorobenzene (TeCB) 112, 114
  - tetraethyllead (Et<sub>4</sub>Pb) 514
  - tetramethyllead (Me<sub>4</sub>Pb) 514
  - thiol and amino-functionalized Si porous nanowires 369
  - thiolated DNA 1 probe 342
  - 3D porous Ni foam 321
  - three-electrode system 49, 58, 60, 61, 72, 475, 478, 480, 486
  - thymine-Hg(II)-thymine (T-Hg(II)-T) coordination 92
  - TiO<sub>2</sub> nanosheets
    - defect-dependent adsorption capability 226
    - electrochemical performance of 226
    - morphology and structure 225
  - Togtoh water sample 446
  - toxicity characteristic leaching procedure (TCLP) 29
  - triple effect 17
  - tripod-shaped Au-decorated Tel 106
  - tungsten oxide 337
  - 25 nm nanogapped gold microelectrode 417
  - two-channel ratiometric electrochemical biosensor 296
  - two-electrode system 50, 475
  - typical potential profile 52
- u**
- ultra-micro array electrode 462
  - Au nanoelectrode array 465
  - automatic trace metal monitoring system 463
  - electroanalysis 462

- ultra-micro array electrode (*contd.*)
    - electroanalytical sensing, of
      - chromium(VI) 464
    - MEMS 463
    - nanoband electrode arrays 462
    - platinum and gold microelectrode arrays 464
    - polydimethylsiloxane microfluidic channel 463
    - P-type silicon (Si) substrate 463
    - three-electrode system integration 462
  - ultra-micro disc electrode 444
    - adsorption capacity 457
    - (A-G)-enzyme modified platinum ultra-microelectrode based sucrose sensor 462
  - alkaline phosphatase 461
  - anodic stripping voltammetry 459
  - anti-interference ability 458
  - Au microwire electrode 446
  - binding energy 458
  - carbon-fiber microelectrodes 460
  - cyclic voltammetry 448
  - deposition efficiency 454
  - deposition mechanism, of As(III) and As(V) 454
  - detection limit 444
  - Electro-Fenton reactions 454
  - electrocatalytic activity 444
  - electrochemical etching 451
  - electrochemical parameters 454
  - electrochemical response of As(III) 448
  - electrode surface blockage 451
  - environmentally toxic As(III) 458
  - enzyme inhibition 461
  - etched Au-ME 454
  - gold plated Ir-based microelectrode 447
  - graphene oxide (GO) 455
  - HA concentrations 448
  - humic acid 447
  - manganese-coated gold microwire electrode 444
  - molybdenum oxides (MoO<sub>x</sub>) 459
  - MoO<sub>x</sub>-Au microwire electrode 460
  - negative potential 453
  - NH<sub>2</sub> functionalized materials 455
  - NH<sub>2</sub>-GO modified Au microelectrode 455, 457
  - point of potential breakdown 451
  - polypyrrole (PPy)/multiwalled carbon nanotube 461
  - relative standard deviation 448
  - sensitive detection of As(III) 457
  - spin-orbital splitting 451
  - square wave anodic stripping voltammetry 451
  - stripping peak potential 449
  - stripping voltammograms for As(III) 445
  - surface adsorption 451
  - 3-aminopropyl-trimethoxysilane 455
  - Togtoh water samples 446
  - ultra-microelectrode arrays 443, 453, 464, 465
  - ultra-micro nanoelectrode array 464
  - ultra-sensitive detection, of As(III) 264
  - ultrathin materials 198
  - ultrathin SnO<sub>2</sub> nanosheets 266
  - uniform 3D flower-like spheroids 358
  - United States Environmental Protection Agency (USEPA) 21
  - unlabeled immobilized DNA-based sensor 114
  - US Environmental Protection Agency and the International Agency for Research on Cancer 473
- V**
- van der Waals 145, 148, 149, 160
- Veeco Autoprobe CP AFM 417
- voltammetry 48–49, 58–64
- W**
- wall-jet EC-XRF cell 479
- without significant interference 87
- WO<sub>3</sub> nanomaterials 337

- working electrode 48–53, 56, 58, 61, 66, 68  
World Health Organization (WHO) 132, 139, 155, 158, 162, 163, 174  
 $\text{WS}_2$  nanosheet 341
- X**  
X-ray absorption fine structure (XAFS) 105, 230, 515  
DFT 233–235  
evidence 235–237
- X-ray absorption fine structure spectroscopy 195, 197
- X-ray absorption near edge structure (XANES) spectrum 458
- X-ray fluorescence (XRF) 473, 474, 479  
 $\alpha\text{-Fe}_2\text{O}_3$  nanoflowers 241  
 $\gamma\text{-Fe}_2\text{O}_3$  nanoflowers 241  
X-ray fluorescence spectroscopy 473, 484
- X-ray photoelectron spectroscopy (XPS) 86, 94, 106, 129, 197, 201, 224, 308, 406, 408, 448, 483
- Z**  
zinc ions ( $\text{Zn}(\text{II})$ ) 28  
zinc oxide nanoparticles 336  
Zn emission line 492–494  
 $\text{ZnO}$  nanocones 337  
 $\text{ZnSe}$  QDs 90, 91

