

## Index

### **a**

- amido–phosphine macrocycle 80  
 antiferromagnetic coupling 81, 469  
 asymmetric H-addition pathway 23  
*Azotobacter vinelandii* 4

### **b**

- BCF (tris-pentafluorophenyl borane)  
 245  
 $\beta$ -diketiminate 288, 302, 304  
 $\beta$ -diketiminato ligand 356–358, 375,  
 386, 417  
 $\beta$ -diketiminates 355, 357, 364, 369,  
 405, 417, 420, 421  
 $\beta$ -diketiminato scaffold 417–420  
 Birkeland–Eyde electric arc process  
 1, 3  
 bis( $\alpha$ -imino)pyridine ligands 297, 319,  
 355, 358–359, 374–375  
 bis( $\alpha$ -imino)pyridine scaffold 374  
 bis(imino)pyridine framework 321  
 bis(imino)pyridine ligands 297, 319  
 bis(*o*-diisopropylphosphinophenyl)-  
 phenylborane 367  
 bis( $\eta^5$ -cyclopentadienyl) 180

### **c**

- calix[4]pyrrolide(4–) 453, 454, 457,  
 458, 462, 463  
 Chatt cycle 22, 23, 235  
 Chatt-type distal mechanism 42  
 cobalt–dinitrogen complexes  
 assorted ligands 367–368

### monodentate phosphine donors

338–345

### multidentate ligand

337  
 tripodal polyphosphine ligands  
 345–355

### copper, binary/ternary compounds

423–425

crystallographic analysis 84, 90, 97, 99,  
 102, 104, 111, 133, 162–164, 167,  
 168, 171, 174–176, 178, 181, 182,  
 184, 189, 190, 192, 208

cyclopentadienyl (Cp) ligands 86,  
 98–100, 117, 170, 455

### **d**

decamethyltitanocene ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>Ti  
 82, 83

density functional theory (DFT) 91,  
 160, 234, 281, 357, 418

Dewar–Chatt–Duncanson model 15,  
 221, 228

dianionic homobimetallic dinuclear  
 dinitrogen complex 460

1,3-dicyclohexylimidazol-2-ylidene  
 scaffold 359

1,3-dimesitylimidazol-2-ylidene 359,  
 390

1,2-dimethoxyethane (DME) 117, 169,  
 231, 453, 463, 464

1,4-dioxane 453

dipyrrolide(2–) 459, 462

diuranium(III)–nitrido complex 460,  
 466

**e**

end-on dinitrogen complexes  
 arene and phosphine ligands  
*cis*-[Mo(P<sup>E</sup>tN<sup>B</sup>nP<sup>E</sup>t)<sub>2</sub>(N<sub>2</sub>)<sub>2</sub>] 224  
*cis/trans* geometry 222  
 mono(tertiary phosphine)  
 complexes 222  
 Na/Hg reduction 224  
 tetradeятate and pentadentate  
 phosphines 224  
*trans* Mo analog [Mo(depf)<sub>2</sub>(N<sub>2</sub>)<sub>2</sub>]  
 223  
*trans*-[Mo(PP)<sub>2</sub>(N<sub>2</sub>)<sub>2</sub>] complexes  
 223  
 tungsten bis dinitrogen analogues  
 222  
 bridging dimers 230  
 hetero-bimetallic bridging N<sub>2</sub>  
 complexes 228  
 hetero-polymetallic complexes 229  
 photochemical splitting 232  
 thioether ligands 226  
 trimetallic Re-N<sub>2</sub>-M-N<sub>2</sub>-Re  
 complex 228  
 zig-zag transition state 231

**f**

f-block element-dinitrogen complex  
 18, 19, 442, 443  
 Fe bis(diphosphine) complexes 286,  
 287, 308, 311–313  
 ferredoxin flavodoxin 8  
 Frank–Caro cyanamide process 1, 3

**g**

gold 20, 21, 423, 429–430  
 group 3 transition metal  
 cerium and uranium 441  
 lanthanide, and actinide-dinitrogen  
 complexes  
 cleavage, protonation, and  
 functionalization 462–466  
 coordination modes 452  
 preparation and characterization  
 444–451

side-on-bound {(N<sub>2</sub>)<sup>2-</sup>}-bridged  
 dinuclear group 443–456  
 side-on-bound {(N<sub>2</sub>)<sup>3-</sup>}-bridged  
 dinuclear group 456–457  
 side-on-bridged uranium  
 complexes 455  
 single-molecule magnets  
 468–469  
 transformation of small molecules  
 466–468  
 group 4 transition metals  
 alkyl halides and equivalent reactions  
 131–136  
 amido-phosphine macrocycle 80  
 bis(cyclopentadienyl)titanium  
 derivatives  
 antiferromagnetic coupling 81  
*ansa*-bis(cyclopentadienyl) ligands  
 87  
 Bercaw's ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>Ti system  
 83  
 C<sub>5</sub>Me<sub>4</sub> rings 84  
 co-crystallized mononuclear  
 complex 82  
 Cp-ring substitution 84  
 crystallographic study 86  
 IR absorption bands 83  
 metastable titanocene(II) dimer  
 [Cp<sub>2</sub>Ti]<sub>2</sub> 81  
 pentamethylcyclopentadienyl  
 ligand ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>) 82  
 bis(cyclopentadienyl)zirconium and  
 hafnium derivatives  
 C–H reductive elimination  
 mechanism 93  
 crystallographic analysis 90, 94,  
 97  
 electronic and IR spectra 91  
 hydrocarbyl and/or hydrido ligands  
 92  
 Si-*ansa*-bridged zirconocenes 94  
 X-ray crystallographic analysis  
 89, 94  
 X-ray diffraction study 93, 95, 96  
 carbon dioxide and cumulenes  
 reactions 138–141

- carbon monoxide reactions 142–148  
 cyclopentadienyl ligands 98–100  
 dinitrogen ligand substitution 148–150  
 heterobimetallic dinitrogen complexes 109–112  
 hydrogen reaction 1,2-addition mechanism 123  
 cyclometalated hafnocene dimer 124  
 cyclopentadienyl and guanidinate 121  
 imido and nitrido ligands 127  
 IR spectroscopy 125  
 1D-and 2D-NMR techniques 125  
 single-crystal X-ray analysis 120  
 protonation 112–114  
 reduction 115–119  
 single-crystal X-ray analysis 118  
 styrene-p-bromostyrene co-polymers 117  
 titanocene dichloride derivative 117  
 Si–H and B–H bond, reactions with 129–131  
 $\sigma$ -donor ligands acyclic NPN-type dianions 107  
 bimetallic coordination 101  
 crystallographic analysis 102  
 hydrazido(4-) character 102  
 N–N stretching mode 106  
 phenolates, amines or silylamides 101  
 PNP-type tridentate ligand 104  
 tetradentate tripodal ligand 103  
 X-ray diffraction study 106  
 group 5 transition metals CPAM group 5 bimetallic ( $\mu\text{-}\eta^1\eta^1\text{-N}_2$ ) complexes 206–212  
 N–N bond cleavage 187–201  
 niobium 174–178, 192–197  
 nitrogen fixation processes 159, 201, 212  
 tantalum 178–187, 197–201  
 vanadium 188–192  
 crystallographic analysis 163  
 cyclopentadienyl (Cp) ligands 170  
 hetero-bimetallic  $\mu\text{-N}_2$  complex 170  
 operational mechanism 160  
 Raman vibrational spectra 169  
 secondary Na–N interactions 167  
 $\sigma$  /  $\pi$  electron donation 166  
 $\sigma$ -donor /  $\pi$ -acceptor ligands 161  
 tetrapodal ligand 172  
 group 6 transition metal–dinitrogen complexes  
 arene and phosphine ligands 222–226  
 nitrogen and Cp ligands 226–228  
 group 7 dinitrogen complexes aryldiazenido complexes 273  
 bimetallic dinitrogen rhenium complex 275  
 1,2-bis(diphenyphosphino)ethane 275  
 chelated benzoyldiazenido complexes 272  
 chromium porphyrin complexes 278  
 cyclopentadienyl (Cp) 272  
 iron porphyrin complexes 277  
 manganese complex 274  
 with  $\text{N}_2$  bonds diazomethane formation 280–281  
 photolysis 280  
 rhenium(I) precursor 279  
 rhenium(III) complex 281  
 1,1,1-trifluorodiazomethane 279  
 N–N stretching vibration 276  
 rhenium complexes 271  
 transition metal Lewis acids 276  
 unsymmetrical nitride cleavage 277  
 group 8 dinitrogen complexes bis(imino)pyridine and tris(phosphino)silyl ligands 293  
 catalytic  $\text{N}_2$  fixation 317–319  
 cleavage and coordinated  $\text{N}_2$  ligand 301–309

- group 8 dinitrogen complexes (*contd.*)  
 EP<sup>R</sup><sub>3</sub>-supported systems, NH<sub>3</sub>  
 production of 313–317  
 Fe-based systems 287  
 Fe bis(diphosphine) systems 311–313  
 Fe diazoalkane complex 297  
 group 8 TM–N<sub>2</sub> complex catalytic reactions 319  
 heterogenous alkali metal reductants 293  
 hydrazine hydrate 295  
 hydridic reducing agents 294  
 ligand substitution 288  
 NH<sub>3</sub> quantification 287  
 N<sub>2</sub> substitution reactions and lability 297–301  
 precursor reduction 292–296  
 Ru dihydride complex 296  
 Ru–N<sub>2</sub> and Os–N<sub>2</sub> complexes 287  
 Sacconi-type ligand systems 287  
 single electron reductants 295  
 stoichiometric reactivity 309–311
- group 10 transition metal–dinitrogen nickel  
 binary/ternary compounds 406–408  
 coordination compounds 408–420  
 dinitrogen interaction 406  
 palladium 422–423  
 platinum 422–423
- group 11 transition metal–dinitrogen copper  
 binary/ternary compounds 423–425  
 coordination compound 425–427  
 structural relationships and comparisons 427–429  
 gold 429–430  
 silver 429–430
- h**  
 Haber–Bosch ammonia process 1  
 Haber–Bosch catalysts 3, 51, 441
- Haber–Bosch process 1–4, 31, 50, 51, 120, 206, 237, 285, 337, 392, 441, 442, 462, 469
- hafnocene oxamidide complex 145  
 homo-bimetallic W complexes 229  
 hydrochloric acid (HCl) 24, 28, 163  
 hydrotris(3-*p*-tolylpyrazolyl)borate ligand 385  
 hydrotris(3-*tert*-butyl-5-methyl pyrazolyl)borate 355, 454
- i**  
 iridium dinitrogen complexes  
 β-diketiminate ligand 386  
 $\nu_{N_2}$  functions of 392  
 phosphine ligands 383–385  
 pincer ligands 386–390  
 tris(pyrazolyl)borate (Tp) ligands 385–386
- k**  
 Kellogg advanced ammonia process (KAAP) 2, 285
- l**  
 laser ablation method 407  
 Lowe–Thorneley kinetic model 7, 8
- m**  
*meso*-octaethylcalix[4]pyrrolide(4–) 453  
 2-methyltetrahydrofuran 12  
 modified Lowe–Thorneley kinetic model 8  
 monoanionic (N<sub>2</sub>)<sup>3–</sup> -bridged rare earth–dinitrogen complexes 456, 457  
 monodentate phosphine donors cobaltate complexes 342–345  
 $CoH(N_2)(PR_3)_3$  and Co(I) complexes 338–341  
 mononuclear thorium(IV) complex 463
- n**  
 NacNac ligand 419

- N–C Bond formation  
 dialkyhydrazido(2–) 241  
 electrochemical synthetic cycle 238  
 hydrazido(2–) intermediates 239  
 Mo tetra-thioether complex 239  
*N*-aminopyrrolidine 239  
 nucleophilic reactivity 238  
 pyrazole derivatives 239  
 pyrrole derivatives 239  
 W tetrahydride complex 241
- N-element bond formation 241–247
- N*<sub>2</sub>-functionalization catalysis  
 cobalt-based catalysts 392–396  
 fixation 395–396  
*N*<sub>2</sub> silylation 393
- N–H bond formation  
 bidentate dialkylphosphines 236  
 Chatt cycle 235  
 electrochemical process 236  
 heterobimetallic complexes 236  
 hydrazido(2–) derivative 237, 238  
 hydrosulfide-bridged complexes 238  
 metal hydrides 236  
 RCOCl hydrolysis 234  
 [Ru(dppp)(Cl)(η<sub>2</sub>-H<sub>2</sub>)]X 237
- N-heterocyclic carbenes (NHCs) 39, 289, 359–360, 365–367, 380, 390
- nickel  
 binary/ternary compounds 406–408  
 coordination compounds  
   β-diketminate ligand scaffolds 417–420  
   double decker system 416  
   industrial and biological dinitrogen fixation 415  
   pincer ligand systems 411  
   tetrapodal phosphorous-based ligands 415–417
- dinitrogen interaction 406  
 structural relationships and comparisons 420–422
- niobium 174–178  
 N–N bond cleavage 192  
 nitrogen fixation processes 204
- niobium N<sub>2</sub> complexes 174, 176, 178
- niobium nitrido complexes 199
- nitrogenase enzyme 160, 286, 294, 311, 327
- N,N*-dimethylacetamide 29
- p**
- palladium 405, 422–423  
 pentalene 455  
 1,2,3,4,5-pentamethylcyclopentadine 442
- phosphine ligands 222–226, 258, 261, 287, 289, 295, 309, 312, 337, 338, 345, 359, 372–373, 380, 383–385
- photolysis 169, 170, 182, 188, 232, 234, 279, 280, 292, 297, 301, 387, 407
- pincer ligands  
 diazaborole PBP-pincer ligand 380  
 monoanionic PNP-type and PBP-type ligands 361  
 N-heterocyclic carbene-based pincer ligands 365–367  
 nickel 411  
 N/P donors 363–364  
 PCP-and PSiP-type pincer ligands 388–390  
 PCP pincer ligand 376–378  
 PNP pincer ligands 378–380
- platinum 405, 422–423
- potassium graphite 293, 418, 427, 456, 457, 464
- protonation 7, 8, 21–25, 38, 42, 45, 81, 99, 100, 111–116, 136, 141, 143, 205, 230, 231, 233, 235, 236, 238, 239, 245, 247, 252, 256–258, 260, 261, 309–311, 315, 345, 413, 427, 462, 464, 465
- proton-coupled electron transfer (PCET) mechanism 315
- r**
- rhodium dinitrogen complexes  
 β-diketminate scaffold 375  
 bis(α-imino)pyridine scaffold 374–375
- monodentate phosphines 371
- N*-heterocyclic carbenes (NHCs) 380, 390

- rhodium dinitrogen complexes (*contd.*)  
     phosphine ligands 372–373  
     pincer ligands 375–376  
     Rh–N<sub>2</sub> complexes 370–372  
 Ru ammine complex 292  
 Ru–N<sub>2</sub> complex 286, 300
- s**
- S*-adenosylmethionine 13  
 Schrock cycle 36, 37  
 side-on-bridged trinuclear  
     samarium–dinitrogen complex  
         459  
 silver 190, 276, 429–430  
 sodium naphthalenide 115, 441, 463
- t**
- tantalum 18, 20, 24, 25, 29, 118, 159,  
     160, 178–187, 197–201  
     nitrogen fixation processes 206  
 tantalum N<sub>2</sub> complexes 197  
 tantalum nitrido complexes 201  
 thioether ligands 226  
 transition metal–dinitrogen complexes  
     activation energy and turnover  
         frequency 2  
     anionic octanuclear molybdenum  
         complex 34  
 BASF-type Haber–Bosch process 3  
 biological nitrogen fixation  
     bacterial and archaeal organisms  
         4  
     diazotrophic bacteria 4  
     dihydrogen and coordination 8  
     ferredoxin flavodoxin 8  
     iron-only nitrogenase 5  
     Lowe–Thorneley kinetic model 7  
     modified Lowe–Thorneley kinetic  
         model 8  
     molybdenum–iron protein 6  
     molybdenum nitrogenase 4–7  
     protonation reactions 8  
     reaction conditions 7  
     vanadium nitrogenase 5  
 bis(nitrido)-bridged complexes 20  
 catalytic ammonia formation  
     cobalt–dinitrogen complex 42
- ferrocenyl ruthenocenyl moieties  
     37  
 iron–dinitrogen complexes 40  
 2,6-lutidinium  
     trifluoromethanesulfonate  
         ([Lut]OTf) 37  
 molybdenum nitrido complexes  
     39  
 Schrock’s catalysts 36  
 tetradentate triamidoamine ligands  
     35  
 vanadium–dinitrogen complexes  
     45  
 Dewar–Chatt–Duncanson model  
     15  
 electrochemical and photochemical  
     conversion 31  
 end-on–bound bridging  $\mu\text{-}\eta^1$   
      $\eta^1$ -dinitrogen 16  
 end-on–bound dinitrogen ligand 15  
 fulvalene-bridged tetranuclear  
     titanium complex 20  
 functionalization of 29  
 hexanuclear gold complex 20  
 historical background  
     biomimetic reactions 12  
     cobalt–dinitrogen complex 10  
     heterobimetallic complex 11  
     2-methyltetrahydrofuran 12  
     molybdenum–dinitrogen complex  
         12  
     *S*-adenosylmethionine 13  
     X-ray and neutron diffraction  
         studies 12  
     X-ray crystallographic analysis 12  
 hydrazine reduction 45  
 hydrogen halide 25  
 intramolecular linkage isomerism  
     16  
 Kellogg advanced ammonia process  
     (KAAP) 2  
 mononuclear and dinuclear complex  
     14  
 N–N bond lengths 19  
 osmium–dinitrogen complex 16

- paramagnetic zirconium–dinitrogen complex 15  
 protonation of 21  
 reaction of 25, 26  
 ruthenium-loaded electrode catalysts 4  
 side-on-bridged dinitrogen complexes 19  
 side-on-bridged transition-metal–dinitrogen complex 18  
 silylamine catalytic formation 47  
 thermal photochemical methods 18  
*trans*-diazene 13  
 Vaska-type rhodium–dinitrogen complex 15  
 triamidoamine 35, 44, 45, 151, 272, 455  
 triethylammonium tetraphenylborate 464  
 tripodal ligand systems 306  
 tripodal polyphosphine ligands  
   apical main group 347–350  
   apical transition metalloligand donor 350–355  
    $\beta$ -diketiminate ligands 356–358  
   bis( $\alpha$ -imino)pyridine ligand 358–359  
 1,1,1-tris(dimethylphosphinomethyl)-ethane 345  
 tris(phosphine) ligands 345–346, 369, 384  
 tris(phosphino)borane 293, 347  
 tris(phosphino)borate ligand 346–347, 355  
 tris(pyrazoyl)borate (Tp) ligands 355–356, 385–386  
 2,4,6-tri-*tert*-butylphenol 460, 464
- U**  
 uranium carbide 441  
 uranium(III) complex bearing calix[4]pyrrolide [K(dme)(Cy<sub>4</sub>calix[4]pyrr)-U(dme)] 463  
 uranium–nitride complexes 441, 442, 466
- V**  
 vanadium  
   nitrogen fixation processes 202–204  
   N–N bond cleavage 188–192  
   operational mechanism 160  
    $\sigma$ -donor /  $\pi$ -acceptor ligands 161  
   vanadium N<sub>2</sub> complexes 160–162, 172, 190  
   vanadium nitrido complexes 192  
   vaped samarium metal 442  
   Vaska-type rhodium–dinitrogen complex 15
- X**  
 X-ray crystallographic analysis 12, 94
- Y**  
 ytterbium compounds 442

