

## Contents

**Preface** *xvii*

- 1 Characterization of Protein Molecules Prepared by Total Chemical Synthesis** *1*  
*Stephen B. H. Kent*
  - 1.1 Introduction *1*
  - 1.2 Chemical Protein Synthesis *2*
  - 1.3 Comments on Characterization of Synthetic Protein Molecules *8*
    - 1.3.1 Homogeneity *8*
    - 1.3.2 Amino Acid Sequence *9*
    - 1.3.3 Chemical Analogues *10*
    - 1.3.4 Limitations of SPPS *10*
    - 1.3.5 Folding as a Purification Step *10*
  - 1.4 Summary *12*
  - References *12*
  
- 2 Automated Fast Flow Peptide Synthesis** *17*  
*Mark D. Simon, Alexander J. Mijalis, Kyle A. Totaro, Daniel Dunkelmann, Alexander A. Vinogradov, Chi Zhang, Yuta Maki, Justin M. Wolfe, Jessica Wilson, Andrei Loas, and Bradley L. Pentelute*
  - 2.1 Introduction *17*
  - 2.2 Results *19*
    - 2.2.1 Summary *19*
      - 2.2.1.1 Mechanical Principles *20*
      - 2.2.1.2 Chemical Principles *20*
      - 2.2.1.3 User Interface Principles *20*
      - 2.2.1.4 Data Analysis Method *20*
      - 2.2.1.5 Outcome *21*
    - 2.2.2 First-generation Automated Fast Flow Peptide Synthesis *21*
      - 2.2.2.1 Key Findings *21*
      - 2.2.2.2 Design of First-generation AFPS *21*
      - 2.2.2.3 Characterization of First-generation AFPS *23*
    - 2.2.3 Second-generation Automated Fast Flow Peptide Synthesis *24*

2.2.3.1	Key Findings	24
2.2.3.2	Design of Second-generation AFPS	24
2.2.3.3	Characterization and Use of Second-generation AFPS	26
2.2.4	Third-generation Automated Fast Flow Peptide Synthesis	32
2.2.4.1	Key Findings	32
2.2.4.2	Design of Third-generation AFPS	34
2.2.4.3	Characterization of Third-generation AFPS	39
2.2.4.4	Reagent Stability Study	43
2.2.5	Fourth-generation Automated Fast Flow Peptide Synthesis	45
2.2.5.1	Key Findings	45
2.2.5.2	Effect of Solvent on Fast Flow Synthesis	45
2.2.5.3	Design and Characterization of Fourth-generation AFPS	45
2.3	Conclusions	49
	Acknowledgments	53
	References	53
<b>3</b>	<b><i>N,S</i>- and <i>N,Se</i>-Acyl Transfer Devices in Protein Synthesis</b>	<b>59</b>
	<i>Vincent Diemer, Jennifer Bouchenna, Florent Kerdraon, Vangelis Agouridas, and Oleg Melnyk</i>	
3.1	Introduction	59
3.2	<i>N,S</i> - and <i>N,Se</i> -Acyl Transfer Devices: General Presentation, Reactivity and Statistical Overview of Their Utilization	61
3.2.1	General Presentation of <i>N,S</i> - and <i>N,Se</i> -Acyl Transfer Devices	61
3.2.2	Relative Reactivity of <i>N,S</i> - and <i>N,Se</i> -Acyl Transfer Devices	63
3.2.3	A Statistical Overview of the Synthetic Use of <i>N,S</i> - and <i>N,Se</i> -Acyl Transfer Devices for Protein Total Chemical Synthesis	64
3.3	Preparation of SEA/SeEA <sup>off</sup> and SEALide Peptides	68
3.3.1	Preparation of SEA and SeEA Peptides	68
3.3.2	Preparation of SEALide Peptides	70
3.4	Redox-controlled Assembly of Biotinylated NK1 Domain of the Hepatocyte Growth Factor (HGF) Using SEA and SeEA Chemistries	71
3.5	The Total Chemical Synthesis of GM2-AP Using SEALide-based Chemistry	75
3.6	Conclusion	79
	References	80
<b>4</b>	<b>Chemical Synthesis of Proteins Through Native Chemical Ligation of Peptide Hydrazides</b>	<b>87</b>
	<i>Chao Zuo, Xiaodan Tan, Xianglong Tan, and Lei Liu</i>	
4.1	Introduction	87
4.2	Development of Peptide Hydrazide-based Native Chemical Ligation	88
4.2.1	Conversion of Peptide Hydrazide to Peptide Azide	88
4.2.2	Acyl Azide-based Solid-phase Peptide Synthesis	88
4.2.3	Acyl Azide-based Solution-phase Peptide Synthesis	89
4.2.4	The Transesterification of Acyl Azide	90

4.2.5	Development of Peptide Hydrazone-based Native Chemical Ligation	90
4.3	Optimization of Peptide Hydrazone-based Native Chemical Ligation	91
4.3.1	Preparation of Peptide Hydrazides	91
4.3.1.1	2-Cl-Trt-Cl Resin	91
4.3.1.2	Peptide Hydrazides from Expressed Proteins	92
4.3.1.3	Sortase-mediated Hydrazone Generation	93
4.3.2	Activation Methods of Peptide Hydrazone	94
4.3.2.1	Knorr Pyrazole Synthesis	94
4.3.2.2	Activation in TFA	94
4.3.3	Ligation Sites of Peptide Hydrazone	95
4.3.4	Multiple Fragment Ligation Based on Peptide Hydrazone	96
4.3.4.1	N-to-C Sequential Ligation	96
4.3.4.2	Convergent Ligation	96
4.3.4.3	One-pot Ligation	96
4.4	Application of Peptide Hydrazone-based Native Chemical Ligation	99
4.4.1	Peptide Drugs and Diagnostic Tools	99
4.4.1.1	Peptide Hydrazides for Cyclic Peptide Synthesis	99
4.4.1.2	Screening for $\text{D}$ Peptide Inhibitors Targeting PD-L1	99
4.4.1.3	Chemical Synthesis of DCAF for Targeted Antibody Blocking	101
4.4.1.4	Peptide Toxins	101
4.4.2	Synthesis and Application of Two-photon Activatable Chemokine CCL5	102
4.4.3	Proteins with Posttranslational Modification	103
4.4.3.1	The Synthesis of Glycosylation-modified Full-length IL-6	103
4.4.3.2	The Chemical Synthesis of EPO	105
4.4.3.3	Chemical Synthesis of Homogeneous Phosphorylated p62	105
4.4.3.4	Chemical Synthesis of K19, K48 Bi-acetylated Atg3 Protein	105
4.4.4	Ubiquitin Chains	108
4.4.4.1	Synthesis of K27-linked Ubiquitin Chains	108
4.4.4.2	Synthesis of Atypical Ubiquitin Chains by Using an Isopeptide-linked Ub Isomer	109
4.4.4.3	Synthesis of Atypical Ubiquitin Chains Using an Isopeptide-linked Ub Isomer	109
4.4.5	Modified Nucleosomes	110
4.4.5.1	Synthesis of DNA-barcoded Modified Nucleosome Library	110
4.4.5.2	Synthesis of Modified Histone Analogs with a Cysteine Aminoethylation-assisted Chemical Ubiquitination Strategy	111
4.4.5.3	Synthesis of Ubiquitylated Histones for Examination of the Deubiquitination Specificity of USP51	111
4.4.6	Membrane Proteins	112
4.4.7	Mirror-image Biological Systems	112
4.5	Summary and Outlook	113
	References	114

<b>5</b>	<b>Expanding Native Chemical Ligation Methodology with Synthetic Amino Acid Derivatives</b>	<b>119</b>
	<i>Emma E. Watson, Lara R. Malins, and Richard J. Payne</i>	
5.1	Native Chemical Ligation	120
5.2	Desulfurization Chemistries	120
5.3	Aspartic Acid (Asp, D)	122
5.4	Glutamic Acid (Glu, E)	124
5.5	Phenylalanine (Phe, F)	125
5.6	Isoleucine (Ile, I)	127
5.7	Lysine (Lys, K)	130
5.8	Leucine (Leu, L)	133
5.9	Asparagine (Asn, N)	135
5.10	Proline (Pro, P)	138
5.11	Glutamine (Gln, Q)	139
5.12	Arginine (Arg, R)	139
5.13	Threonine (Thr, T)	140
5.14	Valine (Val, V)	142
5.15	Tryptophan (Trp, W)	144
5.16	Application of Selenocysteine (Sec) to Ligation Chemistry	146
5.17	Aspartic Acid (Asp, D)	147
5.18	Glutamic Acid (Glu, E)	148
5.19	Phenylalanine (Phe, F)	149
5.20	Leucine (Leu, L)	151
5.21	Proline (Pro, P)	151
5.22	Serine (Ser, S)	153
	References	155
<b>6</b>	<b>Peptide Ligations at Sterically Demanding Sites</b>	<b>161</b>
	<i>Yinglu Wang and Suwei Dong</i>	
6.1	Introduction	161
6.2	Ligations Using Thioesters	162
6.2.1	Exogenous Additive-promoted Ligations	162
6.2.2	Ligations Using Reactive Thioesters	167
6.2.3	Internal Activation Strategy in Peptide Ligations	169
6.3	Ligations Using Oxo-esters	170
6.4	Peptide Ligations Based on Selenoesters	170
6.5	Microfluidics-promoted NCL	175
6.6	Representative Applications in Protein Synthesis	178
6.7	Summary and Outlook	181
	References	181
<b>7</b>	<b>Controlling Segment Solubility in Large Protein Synthesis</b>	<b>185</b>
	<i>Riley J. Giesler, James M. Fulcher, Michael T. Jacobsen, and Michael S. Kay</i>	
7.1	Solvent Manipulation	185

- 7.2 Isoacyl Strategy 187
- 7.3 Semipermanent Solubilizing Tags 191
  - 7.3.1 N- or C-Terminal Solubilizing “Tails” 192
  - 7.3.2 Reversible Backbone Modifications as Solubilizing Tags 194
  - 7.3.3 Building Block Solubilizing Tags 195
  - 7.3.4 Extendable Side-chain-based Solubilizing Tags 195
- References 198
  
- 8 Toward HPLC-free Total Chemical Synthesis of Proteins 211**  
*Phuc Ung and Oliver Seitz*
- 8.1 Introduction 211
  - 8.1.1 Capture and Release Purification 212
  - 8.1.2 Solid-phase Chemical Ligations (SPCL) 212
- 8.2 Synthesis of Peptide Segments for Native Chemical Ligation 213
  - 8.2.1 HPLC-free Preparation of N-terminal Peptide Segments for NCL 213
  - 8.2.2 HPLC-free Preparation of C-terminal Peptide Segments for NCL 217
- 8.3 Synthesis of Proteins Using the His<sub>6</sub> Tag 220
  - 8.3.1 Reversible His<sub>6</sub>-based Capture Tags 220
  - 8.3.2 His<sub>6</sub>-based Immobilization for C-to-N Assembly of Crambin 221
  - 8.3.3 His<sub>6</sub>-based Immobilization for Assembly of Proteins on Microtiter Plates 222
  - 8.3.4 His<sub>6</sub> and Hydrazide Tags for Sequential N-to-C Capture and Release 225
- 8.4 Synthesis of Proteins via Oxime Formation 227
  - 8.4.1 Reversible Oxime-based Capture Tags 227
  - 8.4.2 Oxime-based Immobilization for N-to-C Solid-phase Chemical Ligations 227
  - 8.4.3 Oxime-based Immobilization for C-to-N Solid-phase Chemical Ligations 233
  - 8.4.4 Oxime-based C-to-N Solid-phase Chemical Ligations 237
- 8.5 Synthesis of Proteins via Hydrazone Formation 238
  - 8.5.1 Reversible Hydrazone-based Capture Tags 238
  - 8.5.2 Hydrazone-based Immobilization for Assembly of Proteins on Microtiter Plates 239
- 8.6 Synthesis of Proteins Using Click Chemistry 242
  - 8.6.1 Click-based Immobilization for N-to-C Solid-phase Peptide Ligations Using a Protected Alkyne 242
  - 8.6.2 Click-based Immobilization for N-to-C Solid-phase Peptide Ligations Using a Sea Group 243
- 8.7 Synthesis of Proteins Using the KAHA Ligation 244
  - 8.7.1 The KAHA Ligation 244
  - 8.7.2 HPLC-free Synthesis of Proteins Using the KAHA Ligation 245
- 8.8 Synthesis of Proteins Using Photocleavable Tags 246
  - 8.8.1 Synthesis of Proteins Using a Photocleavable Biotin-based Purification Tag 246

8.8.2	Synthesis of Proteins Using a Photocleavable His <sub>6</sub> -based Purification Tag	247
8.9	Conclusion	249
	References	251
<b>9</b>	<b>Solid-phase Chemical Ligation</b>	<b>259</b>
	<i>Skander A. Abboud, Agnès F. Delmas, and Vincent Aucagne</i>	
9.1	Introduction	259
9.1.1	The Promises of Solid Phase Chemical Ligation (SPCL)	259
9.1.2	Chemical Ligation Reactions Used for SPCL	260
9.1.3	Key Requirements for a SPCL Strategy	261
9.2	SPCL in the C-to-N Direction	262
9.2.1	Temporary Masking Groups to Enable Iterative Ligations	262
9.2.2	Linkers for C-to-N SPCL	264
9.2.2.1	Use of Same Linker and Solid Support for SPPS and SPCL	265
9.2.2.2	Re-immobilization of the C-Terminal Segment	266
9.3	SPCL in the N-to-C Direction	268
9.3.1	Temporary Masking Groups to Enable Iterative Ligations	268
9.3.2	Linkers for N-to-C SPCL	270
9.3.3	Case Study	272
9.3.4	SPCL with Concomitant Purifications	274
9.4	Post-Ligation Solid-Supported Transformations	274
9.4.1	Chemical Transformations	274
9.4.2	Biochemical Transformations	275
9.5	Solid Support	275
9.6	Conclusion and Perspectives	278
	Acknowledgment	278
9.A	Appendix	278
	References	280
<b>10</b>	<b>Ser/Thr Ligation for Protein Chemical Synthesis</b>	<b>285</b>
	<i>Carina Hey Pui Cheung and Xuechen Li</i>	
10.1	Serine/Threonine Ligation	287
10.2	Epimerization Issue	289
10.3	Other Aryl Aldehyde Esters	289
10.4	Preparation of Peptide Salicylaldehyde Esters	289
10.5	Scope and Limitations	294
10.6	Strategies of Ser/Thr Ligation for Protein Chemical Synthesis	294
10.7	C-to-N Ser/Thr Ligation	294
10.8	N-to-C Ser/Thr Ligation	296
10.9	One-pot Ser/Thr Ligation and NCL	296
10.10	Bioconjugation	296
10.11	Solubility Issues	298
10.12	Extension of Ser/Thr Ligation	298
10.13	Conclusion	302
	References	303

- 11 Protein Semisynthesis 307**  
*Nam Chu and Philip A. Cole*
- 11.1 Background 307
  - 11.2 Expressed Protein Ligation (EPL) 308
    - 11.2.1 Method Development 308
    - 11.2.2 Applications of EPL for Studying Protein Posttranslational Modifications 309
    - 11.2.3 Site-specific Protein Labeling with *N*-Hydroxysuccinimide Esters 311
  - 11.3 Cysteine Modifications 311
    - 11.3.1 Dehydroalanine Generation and Applications in Semisynthesis 312
    - 11.3.2 Cysteine Alkylation-related Methods to Introduce Lys Mimics 313
  - 11.4 Enzyme-catalyzed Protein/Peptide Ligations 314
    - 11.4.1 Sortase 314
    - 11.4.2 Butelase-1 316
    - 11.4.3 Subtiligase 317
    - 11.4.4 Trypsiligase 318
  - 11.5 Enzyme-catalyzed Expressed Protein Ligation 318
  - 11.6 Summary and Outlook 319
    - Acknowledgments 320
    - References 320
- 12 Bio-orthogonal Imine Chemistry in Chemical Protein Synthesis 327**  
*Stijn M. Agten, Ingrid Dijkgraaf, Stan H. E. van der Beelen, and Tilman M. Hackeng*
- 12.1 Introduction 327
  - 12.2 Carbonyl Functionalization 328
  - 12.3 Aminoxy, Hydrazine, and Hydrazone Functionalization 335
  - 12.4 Oxime Ligation 337
  - 12.5 Hydrazone Ligation 342
  - 12.6 Pictet–Spengler Reaction 344
  - 12.7 Catalysis of Oxime and Hydrazone Ligations 346
    - References 348
- 13 Deciphering Protein Folding Using Chemical Protein Synthesis 357**  
*Vladimir Torbeev*
- 13.1 Introduction 357
  - 13.2 Modification of Protein Backbone Amides 358
  - 13.3 Insertion of  $\beta$ -turn Mimetics 361
  - 13.4 Inversion of Chiral Centers in Protein Backbone and Side Chains 362
  - 13.5 Modulating *cis*–*trans* Proline Isomerization 366
  - 13.6 Steering Oxidative Protein Folding 368
  - 13.7 Covalent Tethering to Facilitate Folding of Designed Proteins 371
  - 13.8 Discovery of Previously Unknown Protein Folds 373

- 13.9 Site-specific Labeling with Fluorophores 373
- 13.10 Foldamers and Foldamer–Peptide Hybrids 375
- 13.11 Conclusions and Outlook 377
- Acknowledgement 378
- References 378
  
- 14 Chemical Synthesis of Ubiquitinated Proteins for Biochemical Studies 383**  
*Gandhesiri Satish, Ganga B. Vamiseti, and Ashraf Brik*
- 14.1 The Ubiquitin System 383
- 14.2 Non-enzymatic Ubiquitination: Challenges and Opportunities 386
- 14.2.1 Chemical Synthesis of Ub Building Blocks 387
- 14.2.2 Isopeptide Ligation 387
- 14.2.3 Total Chemical Synthesis of Tetra-Ub Chains 390
- 14.3 Synthesis and Semisynthesis of Ubiquitinated Proteins 393
- 14.3.1 Monoubiquitinated Proteins 393
- 14.3.2 Tetra-ubiquitinated Proteins 395
- 14.3.3 Modification of Expressed Proteins with Tetra-Ub 400
- 14.4 Synthesis of Unique Ub Conjugates to Study and Target DUBs 401
- 14.5 Activity-based Probes 403
- 14.6 Perspective 405
- List of Abbreviations 406
- References 407
  
- 15 Glycoprotein Synthesis 411**  
*Chaitra Chandrashekar, Kento Iritani, Tatsuya Moriguchi, and Yasuhiro Kajihara*
- 15.1 Introduction 411
- 15.2 Total Chemical Synthesis of Glycoproteins 411
- 15.3 Semisynthesis of Glycoproteins 413
- 15.4 Chemoenzymatic Synthesis 413
- 15.5  $\alpha$ -Synuclein 414
- 15.6 Hirudin P6 415
- 15.7 Saposin D 416
- 15.8 Interleukin 2 417
- 15.9 Interleukin 25 417
- 15.10 Mucin 1 419
- 15.11 Crambin 421
- 15.12 Tau Protein 422
- 15.13 Chemical Domain of Fractalkine 423
- 15.14 CCL1 424
- 15.15 Interleukin 6 424
- 15.16 Interleukin 8 425
- 15.17 Erythropoietin 426
- 15.18 Trastuzumab 430



- 15.19 Antifreeze Glycoprotein 432
- 15.20 Conclusion 434
- References 434
  
- 16 Chemical Synthesis of Membrane Proteins 437**  
*Alanca Schmid and Christian F.W. Becker*
- 16.1 Introduction 437
- 16.2 Solid Phase Synthesis of TM Peptides 438
- 16.3 Purification and Handling Strategies of TM Peptides 442
- 16.4 Solubility Tags 443
- 16.4.1 Terminal Tags 443
- 16.4.2 Side Chain Tags 445
- 16.5 Removable Solubilizing Backbone Tags 445
- 16.6 Chemical Synthesis of Membrane Proteins 449
- 16.6.1 Proteins With 1 TM Domain 449
- 16.6.2 Proteins with 2 TM Domains 450
- 16.6.3 Proteins with 3 and More TM Domains 454
- 16.7 Outlook 456
- References 457
  
- 17 Chemical Synthesis of Selenoproteins 463**  
*Rebecca N. Dardashti, Reem Ghadir, Hiba Ghareeb, Orit Weil-Ktorza, and Norman Metanis*
- 17.1 What are Selenoproteins? 463
- 17.2 Expression of Selenoproteins 466
- 17.3 Sec as a Reactive Handle 469
- 17.4 Synthesis and Semisynthesis of Natural Selenoproteins 473
- 17.5 Selenium as a Tool for Protein Folding 475
- 17.6 Conclusions 478
- References 478
  
- 18 Histone Synthesis 489**  
*Champak Chatterjee*
- 18.1 The Histones and Their Chemical Modifications 489
- 18.1.1 Histone Proteins 489
- 18.1.2 Histone Posttranslational Modifications 490
- 18.2 Chemical Ligation for Histone Synthesis 492
- 18.2.1 Native Chemical Ligation 492
- 18.2.2 Expanding the Scope of Native Chemical Ligation With Inteins 494
- 18.3 Histone Octamer and Nucleosome Core Particle Assembly 494
- 18.4 Studying the Histone Code With Synthetic Histones 496
- 18.4.1 Synthesis of Histones Modified by Smaller Functional Groups 497
- 18.4.1.1 Histone Phosphorylation 497
- 18.4.1.2 Histone Acetylation 499
- 18.4.1.3 Histone Methylation 502

- 18.4.2 Synthesis of Sumoylated Histones 505
- 18.5 Conclusions 506
- Acknowledgments 506
- References 506
- 19 Application of Chemical Synthesis to Engineer Protein Backbone Connectivity 515**  
*Chino C. Cabaltega and W. Seth Horne*
- 19.1 Introduction 515
- 19.2 Backbone Engineering to Facilitate Synthesis 516
- 19.3 Backbone Engineering to Explore the Consequences of Chirality 517
- 19.4 Backbone Engineering to Understand and Control Folding 520
- 19.5 Backbone Engineering to Create Protein Mimetics 522
- 19.6 Conclusions 525
- References 526
- 20 Beyond Phosphate Esters: Synthesis of Unusually Phosphorylated Peptides and Proteins for Proteomic Research 533**  
*Anett Hauser, Christian E. Stieger, and Christian P. R. Hackenberger*
- 20.1 Introduction 533
- 20.2 General Methods for the Incorporation of Hydroxy-phosphorylated Amino Acids into Peptides and Proteins 534
- 20.3 Incorporation of Other Phosphorylated Nucleophilic Amino Acids into Peptides and Proteins 537
- 20.3.1 Phosphoarginine (pArg) 537
- 20.3.2 Phosphohistidine (pHis) 538
- 20.3.3 Phospholysine (pLys) 539
- 20.3.4 Phosphocysteine (pCys) 539
- 20.3.5 Pyrophosphorylation of Serine and Threonine (ppSer, ppThr) 541
- 20.4 Development of Phospho-analogues as Mimics for Endogenous Phospho-Amino Acids 541
- 20.4.1 Analogues of Phosphoserine, Phosphothreonine, and Phosphotyrosine 541
- 20.4.2 Stable Analogues of Phosphoaspartate and Phosphoglutamate 543
- 20.4.3 Stable Analogues of Phosphoarginine 544
- 20.4.4 Stable Analogues of Phosphohistidine 545
- 20.4.5 Stable Analogues of Pyrophosphorylated Serine 547
- 20.5 Conclusion 547
- References 547
- 21 Cyclic Peptides via Ligation Methods 553**  
*Tristan J. Tyler and David J. Craik*
- 21.1 Introduction 553
- 21.2 Cyclic Peptide Synthesis 554

21.3	Orbitides	557
21.4	Paws-derived Peptides(PDPs)	559
21.5	Cyclic Conotoxins	561
21.6	$\theta$ -Defensins	563
21.7	Cyclotides	563
21.8	Outlook	568
	Acknowledgements	568
	Funding	568
	References	569
	<b>Index</b>	579

