

Contents

Preface *xv*

1 Membrane Emulsification Process: Principle and Model 1

- 1.1 Introduction *1*
- 1.2 Cross-Flow Membrane Emulsification *2*
 - 1.2.1 Mechanism of Droplet Formation *2*
 - 1.2.2 Force Balance Model *6*
 - 1.2.3 Torque Balance Model *8*
 - 1.2.3.1 Associating the Dispersed-Phase Parameters *9*
 - 1.2.3.2 Associating the Continuous Phase Parameters *10*
 - 1.2.3.3 Torque Balance Model Associating Operation Parameters *10*
 - 1.2.3.4 Evaluation of Controlling Factors on Droplets Uniformity by Torque Balance Model *11*
 - 1.2.4 Computational Fluid Dynamics *16*
 - 1.2.5 Models by Surface Evolver Tool *19*
 - 1.2.6 Models by Lattice Boltzmann Method *20*
- 1.3 Premix Membrane Emulsification *21*
- 1.4 Summary *23*
 - References *23*

2 Preparation of Hydrophobic Microspheres From O/W Emulsion 27

- 2.1 Introduction *27*
- 2.2 Preparation from Monomer System *28*
 - 2.2.1 PST-DVB Microspheres *28*
 - 2.2.2 PST-DMAEMA Microspheres *29*
 - 2.2.3 PGMA Microspheres *31*
 - 2.2.4 PST-HEMA Microspheres *32*
 - 2.2.5 PMMA Microspheres *34*
- 2.3 Preparation from Performed Polymer System *37*
 - 2.3.1 PST-PMMA Microspheres *37*
 - 2.3.2 Polyurethane Urea Microspheres *39*
 - 2.3.3 Polyimide Prepolymer (PIP) Microspheres *40*

2.3.4	Biodegradable Poly(Lactide) Microspheres	41
2.3.5	Microcapsules Containing Inorganic Materials	43
2.3.6	Pickering Emulsion	43
2.4	Morphology Control of Microspheres	45
2.4.1	Effect of Crosslinker on Morphology of Microspheres	45
2.4.2	Effect of Inert Diluents on Morphology of Microspheres	46
2.4.2.1	Nonsolvating Diluent Effects on Microsphere Morphology	47
2.4.2.2	Solvating Diluent Effects on Microsphere Morphology	49
2.4.3	Effect of Emulsifier/Stabilizer on Morphology of Microspheres	52
2.4.4	Effect of Cosurfactant on Morphology of Composite Microspheres	52
2.5	Summary	56
	References	57
3	Preparation of Hydrophilic Polymer Microspheres from W/O Emulsion	61
3.1	Introduction	61
3.2	Membrane Modification and Preparation	62
3.2.1	Hydrophobic Modification of the Membrane	62
3.2.2	Preparation of Hydrophobic Membrane	67
3.3	Preparation Microparticles from Monomer System	73
3.3.1	Preparation of Poly(<i>N</i> -isopropylacrylamide) (PNIPAM) Microspheres and Microcapsules	73
3.4	Preparation Microparticles from Preformed Polymer System	77
3.4.1	Chitosan Microspheres	77
3.4.2	Agarose Microspheres	83
3.4.3	Alginate Microspheres	89
3.4.4	Cellulose Microspheres	93
3.4.5	Glucomannan Microspheres	94
3.5	Other Hydrophilic Microspheres Prepared by Membrane Emulsification	95
3.5.1	PVA Microspheres	95
3.5.2	Protein Microspheres	98
3.6	Summary	99
	References	100
4	Preparation of Uniform Microcapsules and Microspheres from W/O/W Double Emulsion	105
4.1	Introduction	105
4.2	Preparation of Uniform Microcapsules	107
4.2.1	Oil-Soluble Emulsifier on the Size Distribution of Microcapsules	109
4.2.2	PVA Concentration in the Outer Aqueous Phase	110
4.2.3	Transmembrane Pressure on the Size Distribution of Microcapsules	110
4.2.4	The Membrane with Different Pore Size	112
4.2.5	Microcapsules for Drug Encapsulation	113

- 4.2.5.1 Composition of Polymers 113
- 4.2.5.2 The Inner Aqueous Phase Volume 114
- 4.2.5.3 NaCl Concentration in Outer Aqueous Phase 115
- 4.2.5.4 Drug-Loading Amount 116
- 4.2.5.5 pH Value in Outer Aqueous Phase 117
- 4.2.5.6 Microcapsules Size 117
- 4.2.6 Microcapsules with Controllable Structure 119
- 4.2.6.1 Polymer Concentrations in Oil Phase 119
- 4.2.6.2 Solidification Rate of the Droplets 119
- 4.2.6.3 Stabilizer Type 121
- 4.2.6.4 Volume Fraction of the Inner Aqueous Phase 121
- 4.3 Preparation of Composite Microspheres 121
- 4.3.1 Water-Soluble Inhibitor 123
- 4.3.2 Stabilizer in Outer Aqueous Phase 123
- 4.3.3 Cross-Linking Agent 124
- 4.4 Summary 126
- References 126

5 Rapid Membrane Emulsification Process for Preparation of Small Microspheres 129

- 5.1 Introduction 129
- 5.2 Preparation of Hydrophobic Microspheres from O/W Emulsion 130
- 5.2.1 Preparation of Polylactide-Based Particles from O/W Emulsion 130
- 5.2.2 Preparation of PST Particles from O/W Emulsion 132
- 5.2.3 Preparation of Drug-Loaded Particles from O/W Emulsion 132
- 5.2.3.1 Preparation of Drug-Loaded Particles via Adsorption 133
- 5.2.3.2 Preparation of Drug-Loaded Particles via Encapsulation 133
- 5.2.3.3 Preparation of Polydopamine Microcapsules 135
- 5.3 Preparation of Hydrophilic Microspheres from W/O Emulsion 136
- 5.3.1 Preparation of Chitosan Particles 136
- 5.3.1.1 Preparation of Chitosan Solid Particles 136
- 5.3.1.2 Preparation of Chitosan gel Particles 138
- 5.3.2 Preparation of Stimuli-Responsive PNIPAM Particles 139
- 5.3.3 Preparation of Agarose Particles 139
- 5.3.4 Preparation of Alginate Particles 141
- 5.3.5 Preparation of Konjac Glucomannan Particles 143
- 5.4 Preparation of Microcapsule from Double Emulsion 144
- 5.4.1 Preparation of Drug/Antigen-Loaded Microcapsules via W/O/W Emulsions 144
- 5.4.1.1 Preparation of Particles for Encapsulating Water-Soluble Antigen 144
- 5.4.1.2 Preparation of Particles for Encapsulating Water-Soluble Drugs 145
- 5.4.1.3 Preparation of Hollow Particles for Encapsulating Antigen/Drug 147
- 5.4.2 Preparation of Microspheres with Unique Structure via W/O/W Emulsion 147

- 5.4.2.1 Preparation of PLA/PLGA Microspheres with Single-Core Structure 147
- 5.4.2.2 Preparation of PMMA/PLGA Microspheres with Gigaporous Structures 149
- 5.4.2.3 Preparation of PLGA Microspheres with Nonspherical Structures 151
- 5.4.3 Preparation of Microspheres via O/W/O Emulsion 152
- 5.4.3.1 HTCC Chitosan Microspheres for Oral Administration via O/W/O 153
- 5.4.3.2 CMCC Chitosan Microspheres for Encapsulating Water-Insoluble Drugs 154
- 5.4.3.3 Chitosan Microspheres for Combined Drug Delivery and Specific Administration 155
- 5.4.3.4 Preparation of Biomimetic Chitosan Microsphere with Cell Membrane 157
- 5.5 Summary 158
- References 158

6 Applications of Uniform Particles in Sustained Release of Drugs 163

- 6.1 Introduction 163
- 6.2 Synthetic Polymer (PLA, PLGA, and PELA) 164
 - 6.2.1 PLA 164
 - 6.2.2 PLGA 166
 - 6.2.3 PELA 167
 - 6.2.4 Strategy to Improve Encapsulation Efficiency 168
 - 6.2.4.1 Effect of Additives on Encapsulation Efficiency 168
 - 6.2.4.2 Effect of pH in the External Phase 169
 - 6.2.4.3 Effect of Polymer 170
 - 6.2.4.4 Effect of Solidification Technique 171
 - 6.2.4.5 Using Post-loading Mode Instead of Pre-loading Mode 174
 - 6.2.5 Strategy to Maintain Bioactivity of Drugs 175
 - 6.2.5.1 Adding Additives to Prevent Proteins from Denaturation 175
 - 6.2.5.2 Designing Amphiphilic Block Polymer PELA Instead of PLA 178
 - 6.2.5.3 Effect of Preparation and Solidification Method 180
 - 6.3 Natural Polymer (Polysaccharide) Chitosan 181
 - 6.3.1 Strategies to Improve Encapsulation Efficiency 182
 - 6.3.1.1 Using Step-wise Crosslinking Method to Avoid Shrinkage Stage 183
 - 6.3.1.2 Using Chitosan Derivatives as Polymer to Adjust Microsphere Structure to Avoid Drug Crosslinking and Leakage 184
 - 6.3.1.3 Preparing Chitosan/Alginate Complex Microsphere by Two-step Solidification Method to Avoid Drug Leakage 185
 - 6.3.1.4 Controlling Morphologies of Microspheres to Increase Drug Loading 187
 - 6.3.2 Strategies to Maintain Bioactivity of Drugs 188
 - 6.3.2.1 Step-wise Crosslinking Method 189

- 6.3.2.2 Using Chitosan Derivatives as Polymer to Protect Protein from the Crosslinking Process 189
- 6.3.2.3 Self-solidification System Instead of Using Chemical Crosslinker 192
- 6.3.2.4 Preparing Chitosan/Alginate Complex Microsphere Instead of Chemical Crosslinking of Chitosan 193
- 6.4 Summary 194
- References 195

- 7 Applications of Uniform Particles for Targeted Delivery of Anticancer Drugs 201**
- 7.1 Introduction 201
- 7.2 Influence of Physical and Chemical Particle Properties on Antitumor Efficacy 202
 - 7.2.1 Size 203
 - 7.2.2 Surface Charge 203
 - 7.2.3 Surface Hydrophobicity 206
 - 7.2.4 Morphology 207
 - 7.2.5 Flexibility 210
- 7.3 Classical Strategies for Targeting Tumor Tissues 211
 - 7.3.1 Ligand/Receptor-Induced Targeting 211
 - 7.3.2 Tumor Microenvironment Sensitive Targeting 212
 - 7.3.2.1 pH- Sensitive Drug Delivery 213
 - 7.3.2.2 Enzyme Responsive Drug Delivery 215
 - 7.3.2.3 Hypoxia-Targeted Drug Delivery 215
 - 7.3.3 Externally Activated Targeting 217
 - 7.3.3.1 Magnetism-Based Tumor Targeting 217
 - 7.3.3.2 Photosensitive Tumor Targeting 219
 - 7.3.3.3 Thermal-Responsive Targeting 220
 - 7.3.3.4 Ultrasonic-Induced Targeting 221
- 7.4 Novel Biomimetic Delivery Strategies 222
- 7.5 Summary 224
- References 225

- 8 Applications of Uniform Particles in Vaccine Formulations 231**
- 8.1 Introduction 231
- 8.2 Adjuvant and Delivery System: Assembling the Vaccine Components 232
 - 8.2.1 Particulate Vaccine Platforms 233
 - 8.2.1.1 Polymeric Particles 233
 - 8.2.1.2 Polysaccharide Particles 234
 - 8.2.1.3 Inorganic Particles 235
 - 8.2.1.4 Liposome 236
 - 8.2.1.5 Lipid Nanoparticle 236

8.2.2	Modularizing Strategies for Vaccine Delivery System	237
8.2.2.1	Encapsulation	237
8.2.2.2	Adsorption	238
8.2.2.3	Conjugation	239
8.3	Physicochemical Traits for the Enhanced Vaccination	240
8.3.1	Size	240
8.3.2	Charge	241
8.3.3	Shape	243
8.3.4	Hydrophobicity	245
8.3.5	Softness	246
8.4	Connecting the Dots: Strengthening on the Multi-Scale Delivery of Vaccines	248
8.4.1	Distribution	249
8.4.2	Internalization	252
8.4.3	Presentation	254
8.5	Summary	257
	References	257
9	Applications of Uniform Microspheres and Super-porous Microspheres in Biochemical Engineering	267
9.1	Introductions	267
9.2	Uniform Microspheres for Chromatographic Media	268
9.2.1	Significance of Particle Size Uniformity in Chromatography	268
9.2.2	Agarose Microspheres	270
9.2.3	Konjac Glucomannan Microspheres	276
9.2.4	PST Microspheres	280
9.2.5	PGMA Microspheres	290
9.2.6	PHEMA Microspheres	292
9.2.7	Silica Microspheres	293
9.3	Super-Porous Microspheres for Vaccine Separation	297
9.3.1	Significance of Super-Porous Microspheres for Vaccine Separation	297
9.3.2	Preparation Methods for Super-Porous Microspheres	297
9.3.2.1	Super-Porous P(ST-DVB) Microspheres	299
9.3.2.2	Super-Porous P(GMA-DVB) Microspheres	299
9.3.2.3	Super-Porous Agarose Microspheres	300
9.3.2.4	Application of Membrane Emulsification Technology in the Preparation of Super-Porous Polymeric Microspheres	301
9.3.3	Surface Hydrophilization and Chemical Derivatization of Polymeric Microspheres	304
9.3.3.1	Physical Adsorption of Modified Agarose on Super-Porous P(ST-DVB) Microspheres	304
9.3.3.2	Chemical Modification with Poly(Vinyl Alcohol) of Super-Porous P(ST-DVB) Microspheres	304
9.3.3.3	Surface Hydrophilization of Super-Porous PGMA Microspheres	305
9.3.4	Applications in Biomolecules Separation	306

9.3.4.1	Excellent Flow Hydrodynamics	306
9.3.4.2	Application in Virus-Like Particles (VLPs) Separation	308
9.4	Uniform Microspheres for Cell Culture	312
9.5	Summary	316
	References	317
10	Membrane Emulsification Equipment and Industrialization	323
10.1	Introduction	323
10.2	Cross-flow Membrane Emulsification Equipment	324
10.3	Premix Membrane Emulsification Equipment	326
10.4	Rotary Membrane Emulsification Equipment	329
10.5	Industrialization – Case Report	331
10.6	Summary	333
	References	333
	Index	335

