

Index

a

- aberration-corrected TEM 100
- acetal reactions 88
- 2-acetamidoterephthalic acid 158
- acetophenone 327, 462
- acid catalysis 6, 365, 370–374
- acid-catalyzed reactions 363
- acidic SAPO-based molecular sieves 363
- active pharmaceutical ingredients (APIs) 398
- acyclic diene metathesis (ADMET) oligomerization 292
- adsorption properties 455–456
- advanced oxidation process (AOP)
 - definition 399
 - Fenton and Photo-Fenton process 402
 - Green sustainable heterogeneous 402
 - heterogeneous photocatalysis 402–403
 - OH radicals 399
 - oxidation potentials of 400
 - ozonation 401
 - UV irradiation (photolysis) 401–402
- 17 α -ethynyl estradiol (EE2) 397
- 17 α -hydroxysteroids 155
- albeit 276, 371, 385
- aldehyde catalysis, asymmetric cyanation of 206
- aldehyde cyanosilylation 326–328
- aldol addition reactions 158–161
- alkene epoxidation over mesoporous Nb-silicate 342–343
- alkylphosphoric acid 380
- ALPMOF 225
- aluminophosphates (AIPO) 334, 337–338, 363, 364
- 2-aminobenzene-1,4-dicarboxylate (ABDC) linkers 135
- amino-functionalized dicarboxylate ligand 88
- 2-(4-((3-amino-3-hydroxypropylthio)-methyl)thiazol-2-yl) guanidine 424, 428
- ammonia 227
 - decomposition 464–465
 - synthesis 464
 - urea SCR 374–377
- amorphous POPs 97
- androstenedione 158
- annular dark field (ADF) detector 101
- anodic alumina 459
- 9-anthracenemethanol 74, 75
- anti-inflammatory drug diclofenac 397
- arc-discharge synthesis 459–460
- aromatic dicarboxylic acids 144
- asymmetric aldol reactions 205, 209–210
- asymmetric catalysis reactions 295–298
- asymmetric Friedel–Crafts 201, 203
- asymmetric hydrogenation 192, 196–198
- asymmetric oxidation 194
- atomic absorption spectroscopy (AAS) 45, 78
- atomic force microscopy (AFM) 37, 98, 103–104
- atomic layer deposition (ALD) 14, 281
- atomic layer deposition (ALD) in MOFs (AIM) 14
- azidation 203, 205

b

- back-scattered electrons (BSE) 98, 101
- Baylis–Hillman reactions 88
- 3,5-benzenedicarboxylate linkers 161
- benzene-1,4-dicarboxylate (BDC) 135
- benzimidazoles 284, 295

- benzoquinone (BQ) 421
benzyl alcohol oxidation 137, 138, 246
2-benzylidenemalononitrile 84, 246, 329
Bingel reaction 169
biodiesel 371, 433–435
bioglycerol 434–437
bioinspired catalytic systems 151
bio-MOF-1 46, 47
bi- or multipodal rigid organic linkers 315
3-biphenylmethyl bromide (BPMB) 319
bipyridyl ligands 25
2,2'-bipyridine-4,4'-dicarboxylate (dcbpy) 88
Birdlife International 397
bis(5,6-dimethylbenzimidazole) 144
bisphosphine Pd complex 293
 β -nitroalkanol 159, 160
bottle-around-ship 48
Bp-4,4'-bipyridine BTC-1,3,5-benzene tricarboxylic acid 83
bromate formation 401
Brønsted acidity 5, 191, 371, 374, 379, 380, 382, 383, 387, 436, 438
Brønsted acids 12, 162, 203, 445
Bronsted based catalysis 4
Brunauer–Emmet–Teller (BET) 115
Buchner ring expansion 169
bulk heteropoly acid 438–439
- C**
- cage-directed mixed-linker MOFs 131, 132
cage-like repeating network structure 67
calcination process 82
Cambridge Crystallographic Data Center database (CCDC database) 104
capping ligands 9, 11
carbazolyl porphyrin-based conjugated microporous polymer (TCPP-CMP) 110
carbon dioxide (CO₂) 49, 116, 220, 224, 381
carbon nanotubes (CNT) 412
catalysts or catalyst supports
adsorption properties 455–456
electronic properties 455
mechanical and thermal properties 456
structural features 452–455
catalytic performances of
confining NPs inside CNTs 457–459
decomposition of hydrocarbons 466
dehydrogenation reactions 460–461
fuel cell electro catalyst 465–466
gas-phase reactions 464–465
heterogeneous catalysts 466–467
hydrogenation reactions 459–460
liquid-phase hydroformylation reactions 461–462
liquid-phase oxidation reactions 462–463
metal-containing species 457
sulfur catalysis 467
metal-free catalysts of 467
POM 352–353
types and dimensions 452
catalysis 316
definition 451
catalyst loading, effect 440
catalyst's active site 274
catalytic performance 28, 49, 104, 155, 164, 223, 227, 273
catalytic transfer hydrogenation (CTH) 82, 154
C–C bond formation 83, 88, 200
Ce/SAPO-34 catalyst 372
cetyltrimethyl ammonium bromide (CTAB) 75, 416
charge transfer resistance (R_{ct}) 419, 427, 428
charge transfer/separation efficiency 230, 232
chemical incorporation 9–10, 14, 18, 19
chemical oxygen demand (COD) 400
chemo- and diastereoselectivities 155
chiral metal-organic frameworks (CMOFs) 169, 181, 184
designing catalysts 193–194
direct synthesis 187–189
indirect synthesis 190–192
spontaneous resolution 185–187
type I 194–206
type II 206–210
chiral tube 453
chiral vector 452
4-chlorobenzyl bromide (CBB) 319
4-chlorophenol (4-CP) 418, 420, 428
click reactions 68, 78, 88
cinnamaldehyde (CAL) reaction 460
cinnamyl alcohol oxidation reaction 76
(+)-citronellal 164
cluster-based mixed-linker MOFs 132
CO₂ conversion 203–205
CO₂ hydrogenation 385–387

- Co-MOF-74 78, 232
 complete mineralization 424–425, 427, 428
 conduction band minimum (CBM) 409
 confined coordination complexes 277
 confined molecular complexes 275
 confinement effects
 ethylene oligomerization and
 polymerization reactions 291
 hydroformylation reaction 289–290
 hydrogenation reactions 288–289
 metathesis reactions 291–293
 oxidation reactions 290–291
 in zeolites 274
 CO₂ reduction reaction 224
 CO 225
 co-substituted aluminophosphates and O₂
 337–338
 Coulombic forces lacking directionality
 315
 covalent modification approach 68
 covalent organic frameworks (COFs) 97,
 189, 274, 282–283, 323
 4-CP degradation 420, 422, 423
 crystal field stabilization energy (CFSE) 77
 crystal phases of TiO₂ 404–406
 Cu₃[(BTC)₂] (HKUST-1) 169
 Cu-HKUST-1 175
 Cu-porphyrinic framework 78, 79
 CuRhBTC 325
 Cu/SAPO-34 374–376
 Cu₃(BTC)₂ structure 136
 cyanation reaction 198, 200
 cyanosilylation reaction 198–200
 cycloaddition reactions 320–323
 cycloalkenes 336
 1,3-cyclohexadiene 162
 cyclopropanation 168–175
- d**
 DABCO modification 76
 defects engineering 174
 dehydrobenzoannulene (DBA) 117
 dehydrogenation reactions 460–461, 468
 de novo synthesis method 70
 density functional theory (DFT) 5, 16, 97,
 118–121, 467
 3[2-(diaminomethyleneamino)-1,3-thiazol-
 4-yl]-methylthio-N²-sulfamoyl-
 propionamide 418
 diastereoselective reactions catalyzed by
 MOFs
 aldol addition reactions 158–161
 cyclopropanation 168–175
 Diels–Alder reaction 162–164
 isomerization reactions 164–168
 Meerwein–Ponndorf–Verley reduction of
 carbonyl compounds 154–158
 diastereoselectivity 153, 169, 170
 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU)
 293
 dibutyl bicyclo[2.2.2]oct-5-ene-2,3-
 dicarboxylate 162
 dicarboxylic acids 188
 di(11-hydroxyundecyl)dimethylammonium
 (DOHDA) 350
 Diels–Alder reaction 162–164
 dimethyl bicyclo[2.2.2]oct-5-ene-2,3-
 dicarboxylate 162
 dimethyl fumarate 162
 direct environment 273
 direct mixing 49
 direct synthesis 187–189
 direct Z-scheme 414
 3,5-di-tert-butylbenzyl bromide (TBBB)
 319
 2D Ni-based MOFs 224
 double-layer capacitance 419
 2D-quantum transport features 455
 drinking water 399
 DWCNT channels 465
 dye-sensitized solar cells (DSCs) 468
 dynamic porosity 153
 2D Zn-based MOF 158
- e**
e-h recombination rate 404, 425
 electrical double layer (EDL) 406
 electrocatalysis applications
 CO₂ reduction reaction 224–227
 hydrogen evolution reaction 221–223
 nitrogen reduction reaction 227–228
 oxidation of small molecules 228–229
 oxygen evolution reaction (OER) 223
 oxygen reduction reaction 224
 electrochemical CO₂ reduction reaction
 (CO₂RR) 224
 electrochemical data (EIS) 421
 electrochemical water splitting 221
 electron paramagnetic resonance (EPR)
 110–111
 endocrine-disrupting chemicals (EDCs)
 399

energy-dispersive X-ray spectroscopy 78, 113
 enzymatic catalysis 151, 274
 epoxide ring-opening 208–209
 ethylbenzene (EB) 462
 ethylene (C₂H₄) 225
 ethylene oligomerization and polymerization reactions 291
 evaporation induced self-assembly (EISA) process 418
 exchangeable coordination positions 315
 Extended X-Ray Absorption Fine Structure (EXAFS) 38

f

famotidine (FAM) 418, 422
 fathead minnow fishes 397
 fatty acid methyl esters (FAMES) 340
 Fenton process 402
 Fenton's reagent 400
 Fermi-level equilibration 407
 Fischer–Tropsch synthesis (FTS) 464
 flexible ligand method (FLM) 282
 formic acid 225
 2-(4-formylthiazol-2-yl) guanidine 424, 428
 four-electron reaction pathway 224
 free fatty acid (FFA) molecules 371
 Friedel–Crafts alkylation 319–320
 fructopyranose 373
 fuel cell electro catalyst 465
 furfural 372

g

gas adsorption measurements 323
 gas-phase reactions
 ammonia synthesis and ammonia decomposition 464–465
 epoxidation of propylene in DWCNTs 465
 syngas conversion 464
 Gibbs's free energy 413
 Glaser coupling reactions 246
 glycerol
 definition 434
 dehydration 436–437
 glycerol-yielding acrolein 435
 Gouy layer (III) 407
 Grand Canonical Monte Carlo (GCMC) 291
 graphite nanofibers (GNF) 460

green sustainable heterogeneous 402
 Grubbs–Hoveyda catalyst 291

h

HAADF-STEM images 102
 Heck coupling reactions 246
 Henry reaction 77, 160
 [4 + 2] hetero-Diels–Alder cycloaddition reaction 321
 heterogeneous catalysts 333
 heterogeneous photocatalysis 402–403
 heterometallic metal-organic frameworks 7
 heteropoly acid (HPA) 436–438, 443
 heterostructural mixed linker (HML)
 approach 129–130
 strategy 128
 H₂ evolution reactions (HER) 221
 hex-2-enes 336
 high-angle annular dark-field (HAADF) images 101
 high carrier density 428
 high resolution transmission electron microscopy (HRTEM) 11, 458
 HKUST-1 324
 5-HMF 372
 homometallic metal-organic frameworks 3
 5-(4H-1,2,4-triazol-4-yl)isophthalic acid 84
 hydrazine 229
 hydrocarbon 378
 hydroformylation reaction 289
 hydrogenation reactions 288–289, 325–326, 459
 hydrogen evolution reaction 221–223
 hydrogen peroxide 333
 hydroisomerization 379–383
 hydrophobic effect 151
 hydroprocessing 383–385
 hydroquinone (HQ) 421
 hydrothermally stable catalyst 339
 3-hydroxypropanal 436
 hydroxysteroid derivatives 158

i

imine ligands 25
 iminopyridine functionality 85
 incipient wetness impregnation 39–42
 InCrO_x-SAPO-34 catalyst 387
 indirect bandgap excitation process 410
 indirect synthesis 190–192

inductively coupled plasma (ICP) 112–114
 inductively coupled plasma optical emission spectroscopy (ICP-OES) 112
 inner Helmholtz plane (IHP) 406
 inorganic heterogeneous catalysts 166
 in-situ guest metal-organic framework encapsulations
 co-precipitation methodologies 49–51
 solvothermal encapsulation/one pot 47–49
 in situ metalation 32
 integrating multiple ligands 127
 International Union of Pure and Applied Chemistry (IUPAC) 116
 ionic liquid (IL) surface-modified Cu-BTC 89
 IRMOF-3 catalysts 141
 isomerization reactions 164, 168
 (–)-isopulegol 164
 isostructural mixed linker (IML) 128–129

j

Johnson–Corey–Chaykovsky reaction 169
 John–Teller effect 77

k

K-A oil 346
 Katsuki–Jacobsen epoxidation reaction 27
 Keggin-type (polyoxometalates) 436
 Keggin-type heteropolytungstate 350
 17-ketosteroids 155
 Knoevenagel condensation 328–329
 Knoevenagel condensation reactions 84, 88, 187, 246–247
 Kulinkovich reaction 169

l

Lewis acid-catalyzed 133
 Lewis acidity 4
 ligand accelerated catalysis (LAC) 28–31
 limit of detection (LOD) 399
 linker design 284
 liquid-phase hydroformylation reactions 461
 liquid-phase oxidation reactions 462
 oxidation of alcohols 240–241
 oxidation of furfural 241
 liquid-phase selective oxidation 333
 lithium polysulfides (LiPSs) 467

m

macro(mono)cyclization 292
 macroporous materials 38
 MCM-41 281
 Meerwein–Ponndorf–Verley reaction (MPV) 154
 (–)-Menthol 164
 Me₃SiCN 327
 mesoporous 38
 mesoporous silica 281, 293
 mesoporous Ti-silicates
 in oxidation of bulky phenols 340–342
 in oxidation of hydrocarbons 339–340
 metalated phthalocyanines 285
 metal-based catalysts, zeolites 293
 metal exchange 14
 metal-ion exchange 46–47
 metallic units 14–17
 metal-ligand 287
 metal nanoparticles (MNPs) 73
 metal node engineering
 intrinsically active metal nodes
 more than one metal in its cluster 6–8
 only one metal 3–6
 isolating the catalytic site
 metal exchange 14
 metallic units 14–17
 organometallic chemistry 18–21
 tune metal-node catalytic properties
 characterisation techniques 10–11
 chemical incorporation 9–10
 chemical reactivity 11–12
 metal organic chemical vapor deposition (MOCVD) 42–46
 metal-organic frameworks (MOFs) 294
 active sites
 metallic nodes 70
 near ligand centre in 70
 near pores in 69
 aldehyde cyanosilylation 326–328
 composites 219
 inorganic nodes of 220
 nanostructures of 221
 organic linkers of 220
 composites for CO₂ cycloaddition reactions 247
 composites for coupling reactions
 Glaser coupling reactions 246
 Heck coupling reactions 246
 Knoevenagel condensation reaction 246–247

- metal-organic frameworks (MOFs) (*contd.*)
 - three-component coupling reaction 247
 - composites for hydrogenation reactions
 - C=C and C≡C groups 241–242
 - reduction of C=O groups 244
 - reduction of -NO₂ group 242–244
 - composites for tandem reactions 248–250
 - cycloaddition reactions 320–323
 - engineering of active sites in
 - ligand centres 83–90
 - metal nodes 77–83
 - pore tunability 73–77
 - Friedel–Crafts alkylation 319–320
 - gas-phase oxidation reactions 239–241
 - hydrogenation reactions 325–326
 - Knoevenagel condensation 328–329
 - Lewis acid sites 317
 - ligand accelerated catalysis (LAC) 28–31
 - ligands as active metal sites
 - bipyridyl ligands 25
 - chemical reactivity 24–25
 - imine ligands 25–26
 - metal free organic ligands 27–28
 - porphyrin ligands 23–24
 - salen ligands 26–27
 - metal-based guest pore engineering
 - incipient wetness impregnation 39–42
 - metal-ion exchange 46–47
 - MOCVD 42–46
 - ship-in-a-bottle 42
 - metal node engineering 3
 - metals by direct synthesis
 - postgrafting metal complexes 33–34
 - premetalated linker 32–33
 - in situ metalation 32
 - metals by post synthetic modifications
 - post-synthetic metalation 36–38
 - SALE 34–36
 - molecular complexes into porous materials 283
 - oxidation of olefins 323–324
 - percentage of metal ions in 315
 - selective oxidations over Cr- and Fe-based MOFs 343–347
 - selective oxidations with H₂O₂ over Zr- and Ti-based MOFs 347–349
 - solid catalysts 315
 - supported transition metal catalysts 223
 - Suzuki–Miyaura coupling reactions 244–246
 - synthesis and characterization 70–72
 - zeolites 319
- Metal Organic Material enzyme (MOMzyme-1) 47
 - metal-oxygen clusters 132
 - metal/TiO₂ Schottky Junction 415
 - metathesis reactions 291
 - Metronidazole 402
 - Michael Initiated ring closure 169
 - microenvironment 275
 - microporosity of POM/SiO₂ composites 350
 - microporous materials 38
 - microscopy techniques
 - atomic force microscopy (AFM) 103–104
 - scanning electron microscopy (SEM) 98–100
 - transmission electron microscopy (TEM) 100–103
 - mixed linker metal organic frameworks (MIXMOFs) 133
 - mixed linker MOFs
 - advantages 127
 - catalysis 133
 - heterogeneous catalysts
 - similar size/directionality linkers 134–140
 - structurally independent linkers 140–147
 - HML frameworks 129–130
 - IML frameworks 128–129
 - TML frameworks 130–131
 - types of 131
 - cage-directed 132
 - cluster-based 132
 - pillared-layer 131
 - structure templated 132–133
 - mixed-metal organic frameworks 7
 - mixed-metal or heterometallic MOF 6
 - Mobil Oil Corporation researchers 338
 - MOF-5 43
 - MOF-808 154
 - molecular building block (MBB) method 192
 - molecular complexes
 - immobilized into porous materials
 - characterization of 285–287
 - confinement effects 287–298

- into porous materials
 - in carbon materials 285
 - COFs 282–283
 - mesoporous silica 279–281
 - in metal–organic frameworks 283
 - in zeolites 281–282
 - molecular oxygen (air) 333
 - molybdacyclobutane 292
 - Mott–Schottkyplot 426
 - multi-walled carbon nanotubes (MWCNTs) 452
- n**
- N₂ adsorption 115, 118
 - nano-assembly method 369
 - 1-naphthalenemethanol 74
 - N-butylamine-Zr-BDC-MOF 85
 - near-ambient-pressure X-ray photoelectron spectroscopy (NAP-XPS) 107
 - N-heterocyclic carbene (NHC) catalyst 292
 - Ni-MOF-74 78
 - Nitroaldol reaction 205–206
 - 4-Nitrobenzaldehyde 76
 - nitrogen reduction reaction (NRR) 227–228
 - (E)-1-nitroprop-1-ene 320
 - N-methylpyrrole 320
 - N,N-dimethyl-3,5-dimethylpiperidinium 377
 - noncovalent interactions 151, 152
 - non-crystalline/amorphous materials 97
 - N-phenyl-based maleimides 163
 - N₂-sorption analysis 73
 - n-type SC/electrolyte interface 408
 - nuclear magnetic resonance (NMR) 109–110
- o**
- open metal site 4, 133, 175, 220
 - ordered mesoporous materials 415
 - ordered mesoporous titania (OMT) 416, 417
 - complete mineralization studies 424–425
 - photocatalytic degradation studies 420–424
 - spent catalyst 425–427
 - synthesis and characterization 418–420
 - organometallic chemistry 18–21
 - oriental white-backed vulture (OWBV) 397
 - oxidation of furfural 241
 - oxidation of olefins 323–324
 - oxidation of small molecules 228–229
 - oxidation reactions 290–291
 - oxidative dehydrogenation reactions (ODH) 468
 - oxygen evolution reaction (OER) 109, 223, 295
 - oxygen reduction reaction 224
 - ozonation 401
 - ozonolysis 402
- p**
- PAF-76 323
 - Pair Distribution Function (PDF) 6, 16
 - para* xylene isomer 319
 - p*-benzoquinones (*p*-BQ) 340
 - PCN-222(Rh) 172
 - PCN-224(Rh) 172
 - PCN-625(Fe) 321
 - Pd/Ce-BTC-MOF 89
 - Pd-tridecylamine complex 288
 - Penicillin 402
 - personal care products 237
 - pharmaceutical pollution 397
 - 1-phenylethyl hydroperoxide (PEHP) 462
 - phonon 410
 - phosphomolybdic acid (H-PMo) 443
 - 5-phosphonobenzene-1,3-dicarboxylic acid (pbdc) 319
 - phosphotungstic acid (H-PW) 443
 - photocatalytic CO₂ reduction
 - CO₂ photoreduction to CH₃OH 233–234
 - CO₂ photoreduction to CO 232–233
 - CO₂ photoreduction to HCOO⁻/HCOOH 234–235
 - photocatalytic degradation of organic pollutants
 - degradation of wastewater 237–239
 - gas-phase organic compounds 239–240
 - photocatalytic efficiency 404
 - photocatalytic hydrogen production
 - active sites/co-catalysts 229–230
 - structural evolution and heterogeneous structure 230–232
 - photocatalytic organic reactions
 - hydrogenation 235
 - oxidation 235
 - Suzuki coupling reaction 236–237
 - Photo-Fenton process 402
 - photogenerated charge separation strategies
 - metal/TiO₂ Schottky Junction 415

- photogenerated charge separation strategies
(*contd.*)
 TiO₂/carbon heterojunction 412
 TiO₂/SC coupled heterojunction
 412–414
 TiO₂/TiO₂ phase junction 414–415
 pillared-layer MOFs 131
 PIZA-3 25
 polyoxometalates in confined environment
 carbon nanotubes 352–353
 MOF-incorporated 350–352
 silica-encapsulated 350
 pore size distribution (PSD) 115
 pore tunability 73–77
 porous coordination networks (PCNs) 97
 porous coordination polymers (PCPs) 67,
 97
 porous materials 101, 276
 porous organic polymers (POPs) 97, 101
 porphyrin ligands 23–24
 porphyrin metallic complex 172
 postgrafting metal complexes 33–34
 post-synthetic exchange 34
 post-synthetic metalation 36–38, 284
 post-synthetic modification (PSM) 67, 70,
 132, 174, 185
 Povarov synthesis of pyranoquinolines 165
 powder X-ray diffraction (PXRD) 104
 premetalated linker 32–33
 pristine CNTs (p-CNTs) 467
 pristine Cu-BTC MOF 76
 product selectivity 316
 Pt nanosheets 221
 PVP (polyvinylpyrrolidone) 48
 pyrano[3,2-*c*]quinoline 164
- q**
 quasi-MOF 82, 220
 quinolone 168
- r**
 radical/spin adduct 110
 reaction rate and selectivity 316
 redox reagent (J_{redox}) 409
 reductive transformations
 CO₂ hydrogenation 385–387
 hydroisomerization 379–383
 hydroprocessing 383–385
 selective catalytic reduction (SCR)
 ammonia/Urea 374–377
 hydrocarbon 378–379
 resonance 109
 reversible hydrogen electrode (RHE) 224
 Rh-monophosphorus catalyst 198
 Rh-porphyrin complex 172
 root growth or base growth 455
 Ru(II)-salen complex 170
- S**
 SAPO-11 374, 379–382
 SAPO-34 371
 SAPO-*n* zeolites 365
 SBA-15 280
 scanning electron microscopy (SEM)
 98–101
 Schiff base-ligands 26
 Schottky Junction/Barrier 415
 SDA molecules 364
 secondary electrons (SE) 98
 selective catalytic reduction (SCR) 374
 ammonia/urea 374–377
 hydrocarbon 378–379
 selective oxidations over Cr- and Fe-based
 MOFs 343–347
 selective oxidations with H₂O₂ over Zr- and
 Ti-based MOFs 347–349
 self-assembly techniques 457
 semiconductor/electrolyte interface 406
 semiconductor photocatalysis mechanism
 403
 sequential alcohol oxidation 206–207
 sequential alkene epoxidation 208, 209
 shape catalysis in MOF 319
 shape-selectivity in MOFs 316
 ship-in-a-bottle 42, 282
 ship in the bottle species 274
 silica-encapsulated POM 350
 silica-supported HPA
 acid sites effect 440–443
 catalyst loading effect 440
 heteropoly acid 443–444
 textural properties of support on product
 selectivity 439–440
 silicoaluminophosphate (SAPO)
 acidic 363
 general routes for 366
 hydrothermal synthesis 365
 organic transformations
 acid catalysis 370–374
 reductive transformations 374–387
 zeolites characterization 370
 silicotungstic acid 443, 445

- Simmons–Smith reaction 169
 single crystal x-ray diffraction (SCXRD) 74, 105
 single-walled carbon nanotubes (SWCNTs) 452
 Sn/SAPO-34 catalysts 371
 solid-electrolyte interface (SEI) 420
 solid-state NMR (SS-NMR) spectroscopy 109
 solvent-assisted linker exchange (SALE) 34–36
 solvothermal deposition in MOFs 14, 15
 solvothermal encapsulation or one pot 47–49
 space charge region (SCR) 407
 spectroscopy techniques
 electron paramagnetic resonance (EPR) 110–111
 inductively coupled plasma (ICP) 112–114
 nuclear magnetic resonance (NMR) 109–110
 UV-Vis DRS 111–112
 X-ray spectroscopy
 PXRD 104–105
 XAFS 107–109
 XPS 105–107
 spent catalyst 425–47
 stereoselectivity 169
 Strecker reaction 187, 200–203
 structural defects and missing linkers 315
 structure templated mixed-linker MOFs 132–133
 substrate/reactant selectivity 318
 2-sulfobenzic anhydride (SBA) 88
 Supported Homogeneous Catalysts (SHC) 273, 279
 supramolecular approach 275
 surface chemistry 276, 282, 463
 Surface Organometallic Chemistry (SOMC) 18, 279
 surface reaction 406–409
 Suzuki–Miyaura coupling reactions 139, 244–246
 Suzuki–Miyaura cross-coupling reaction 73, 85, 139, 140
 Suzuki–Miyaura reaction 283
 syngas conversion 464
- t**
 tandem oxidation 209–210
 tap water 398, 399
 temperature-programmed desorption (TPD) 370
 templating agents 365
tert-Butylation reaction 317
 tetraethyl orthosilicate (TEOS) 280, 350
 5,10,15,20-tetrakis-(4-bromophenyl)-porphyrin (TBPP) 323
 tetrakis[4-(4',4',5',5'-tetramethyl-1,3',2'-dioxaborolane-phenyl)]methane (TTBPM) 323
 tetramethyl orthosilicate (TMOS) 280
 2,2,6,6-tetramethylpiperidine-1-oxyl (TEMPO) 111
 tetramethylterephthalic acid 129
 thermal defect engineering (TDE) 174
 thermocatalytic applications
 MOF composites for CO₂ cycloaddition reactions 247–248
 MOF composites for coupling reactions 244–247
 MOF composites for hydrogenation reactions 241–244
 MOF composites for oxidation reactions
 gas-phase oxidation reactions 239–240
 liquid-phase oxidation reactions 240–241
 MOF composites for tandem reactions 248–250
 thermogravimetric analysis (TGA) 10, 71, 98, 114–115
 three-component coupling reaction 247
 TiO₂/carbon heterojunction 412
 TiOOH 335
 TiO₂ photocatalysis 404, 413
 TiO₂/SC coupled heterojunction 412–414
 TiO₂/TiO₂ phase junction 414–415
 tip-growth method 454
 Ti-substituted polyoxometalates (Ti-POM) 336
 Ti-substituted zeolites and H₂O₂ 334–337
 titanium dioxide (TiO₂) 403
 TMC-036 422, 428
 TMP-123 418–421, 424, 428
 transesterification of oil 371
trans-isomers in cyclopropanation 175

- transition-metal-substituted molecular sieves
- co-substituted aluminophosphates and O₂ 337–338
 - Ti-substituted zeolites and H₂O₂ 334–337
- transition state selectivity 155, 319
- trans*-metalation process 77, 78
- transmission electron microscopy (TEM) 100–103
- trans*-nitrovinylphenol 161
- trimethyl-*p*-benzoquinone (TMBQ) 342
- 2,3,6-trimethylphenol (TMP) 341
- truncated mixed linker (TML) 128, 130–131
- TS-1-based phenol hydroxylation process 335
- TS-1 epoxidation catalyst 336
- TS-1 hydrophobicity 334
- tuning the acidity 444
- type I
- asymmetric hydrogenation 196–198
 - azidation 203–205
 - CO₂ conversion 203–205
 - cyanation reaction 198–200
 - cyanosilylation reaction 198–200
 - Nitroaldol reaction 205–206
 - Strecker reaction 200–203
- type II
- asymmetric aldol reactions 209–210
 - asymmetric cyanation of aldehyde 206–207
 - epoxide ring-opening 208–209
 - sequential alcohol oxidation 206–207
 - sequential alkene oxidation 208–209
 - tandem oxidation 209–210
- U**
- UiO-66 10, 16, 35, 115, 164, 166, 200, 220, 229
- UiO-66 78
- UiO family 8
- UMCM-1 synthesis 130
- UV irradiation (photolysis) 401–402
- UV-Vis diffuse reflectance spectroscopy (DRS) 111–113
- V**
- valance band maximum (VBM) 409, 413
- van der Waals forces 44, 45, 151
- van der Waals interactions 274, 291
- Venturello complex 350, 353
- visible-light harvesting 409–411
- W**
- wastewater treatment plants (WWTPs) 397, 400
- wavelength dispersive spectroscopy (WDS) 99
- wet chemistry method 458–459
- X**
- X-ray absorption fine structure (XAFS) techniques 11, 38, 72, 107–109, 287
- X-Ray Absorption Near Edge Structure (XANES) 16, 38, 72
- X-ray photoelectron spectroscopy (XPS) 34, 71, 72, 98, 105
- X-ray spectroscopy
- PXRD 104–105
 - XAFS 107–109
 - XPS 105–107
- Z**
- zeolites 154, 155, 274, 281–282, 293, 330, 365–370, 379, 387, 436
- ZIF-67 synthesis 80
- zirconium-based metal-organic frameworks (Zr-MOFs) 82, 137, 204, 347, 349
- Zn-Bp-BTC MOF 83
- ZnCar compound 153
- [Zn₂(1)₂dabco] framework 129
- Zn(OAc)₂·2H₂O 319
- [Zn₃(pbdc)₂·2H₂O]_n 319
- [(Zn₃(pbdc)₂)₂·2H₂O]_n catalyst 319
- Zn-MOFs 159, 327
- [Zn₂(2-acetamidoterephthalate)₂(4,4'-bipyridine)₂(H₂O)(DMF)]_n 158
- Zr-BDC MOF 85–87
- Zr₆O₄(OH)₄(urea)_x(BPDC)_y 142