

Index

a

acetate/acetic acid 319, 321
 Ag-based electrocatalysts 66–68
 2-aminoethanethiol hydrochloride
 (A-QDs) 95
 apparent quantum efficiency (AQE)
 117, 144, 168, 241
 apparent quantum yield (AQY) 9, 13–14,
 96, 107, 161, 181
 applied bias photon-to-current efficiency
 (ABPE) 13
 atomic probe tomography (APT) 201
 attenuated-total-reflectance infrared
 absorption spectroscopy
 (ATR-IRAS) 204
 Au-based electrocatalysts 62–65
 Auger electron spectroscopy (AES) 218
 azine-linked COFs 147, 154

b

Bi-based electrocatalysts 76–78
 BIH, structure of 182
 binary metal oxide 222
 black phosphorus, composite
 photocatalysts 238–239
 BNAH 182, 183
 BN, composite photocatalysts 237–238

c

Calvin–Bassham–Benson cycle 309
 Calvin–Benson–Bassham cycle 309–310
 carbene pathway 22, 25
 carbonaceous materials 286–287

carbon-carbon composites 253
 in EC CO₂ conversion 261–262
 in PC CO₂ conversion 268–269
 carbon-carbon double bond-linked COFs
 145–147
 carbon dioxide photoreduction 221
 carbon monoxide (CO) 61, 66, 67, 184,
 215
 carbon nitride (C₃N₄)-supported
 molecular catalysts 95–97
 carbon-supported molecular catalysts
 98–102
 carbon thermal shock (CTS) 199
 carbonyl intermediate (*COOH) 61
 carbothermal shock synthesis 199
 C–C coupling reactions 23, 123
 C-coated In₂O₃ nanoparticles 79
 chemical vapor transport (CVT) method
 202
 chronocurrent method 15
 chronopotentiometry 15
 citric acid cycle 309
 CMPs, composite photocatalysts 240
 C₃N₄
 co-catalyst of 232–233
 constructing heterojunction 233
 doped elements and other structural
 units 231–232
 morphology and structure 230–231
 CO₂, as feedstock 302, 314
 cobalt phthalocyanine (CoPc) molecules
 100
 cobalt quaterpyridine (Co-qPyH) 105

- cobalt tetraphenylporphyrin (CoTPP) 104
- Cocktail effect 190, 194–195, 204
- CO₂ conversion 255–256
- CO₂ electro-conversion 25, 27, 157, 169–171
 electrochemical pathways of 26–32
 thermodynamics of 25–26
- composite polymer electrolyte (CPE) 290
- concerted proton-electron transfer (CPET) 27, 335
- concerted proton–electron transfer (CPET) 27, 335
- conduction band (CB) 9, 19, 94, 215, 264, 299, 301
- *COOH intermediate 27, 239
- CO₂ photo-conversion 165–169
 mechanism 18–25
 parameters for 7–15
- co-porphyrin ([{meso-tetra (4-sulfonatophenyl)porphyrinato} cobalt(III)] 95
- copper-based catalysts 149
- copper (Cu) catalysts 38
- CO producing metals
 Ag-based electrocatalysts 66–68
 Au-based electrocatalysts 62–65
 Pd-based electrocatalysts 68–70
 Zn-based electrocatalysts 70–72
- CO₂ reduction system
 in flow cell 5
 gas phase reaction system 2–3
 in H-cell 3–4
 liquid phase reaction system 2
 in MEA 5
- CO₂RR
 catalyst configuration 335–336
 evaluation parameters of 192–194
 mechanism 336–337
 reaction pathways of 191–192
- covalent organic frameworks (COFs)
 azine-linked and hydrazone-linked 147
- carbon-carbon double bond-linked 145–147
- composite photocatalysts 239
- dioxin-linked 147
- imine-linked 138–141
- ketoenamine 141–145
 for photocatalytic CO₂ reduction 138–147
- phthalocyanine-based 151–152
- porphyrin-based 148–151
- Cu-Ag 42–43
- Cu-Al 49
- Cu-Au 40–42
- Cu-Bi 46, 47
- Cu free-based materials 62
- Cu-In 46–48
- Cu-Pd 43–44
- current density 193
- current-time (I-t) mode 4
- Cu-Sn 44–46
- Cu-Zn 49–50
- cyclic voltammetry (CV) 4, 201
- cysteamine 28
- d**
- decoupled proton-electron transfer (DPET) 27
- decoupling biotic 298, 318–322
- defect engineering 69, 70, 72, 265
- dendritic zinc oxide (OD-Zn) 71
- 2,6-diaminoanthracene (DA) 144
- 2,6-diaminoanthraquinone (DQ) 144
- diffuse-reflectance UV-vis spectroscopy (DRS) 25
- dimethylsulfoxide (DMSO) 4, 290
- dioxin-linked COFs 147
- direct electron transfer (DET) 298, 307
- DMSPs 168
- down-top method 198–199
- dual-atomic-site catalysts (DASCs) 336
- dual-atom photocatalysts 160–162
- e**
- EC CO₂ conversion
 carbon-carbon composites in 261–264

- heteroatom-doped carbon in 257–259
 metal-modified carbon materials in 259–262
- electrocatalytic CO₂ conversion 119
- electrocatalytic CO₂ reduction
 apparent quantum yield (AQY) 13–14
 COFs for 148
 Cu-Ag 42–43
 Cu-Al 49
 Cu-Au 40–41
 Cu-based trimetallic materials for 50, 52
 Cu-Bi 46, 47
 Cu-In 46–48
 Cu materials for 39, 40
 Cu-Pd 43–44
 Cu-Sn 44–45
 Cu-Zn 49–51
 electrochemical active area (ECSA) 14
 electrochemical impedance (EIS) 14
 Faraday efficiency 13
 overpotential 12
 partial photocurrent density 12
 photocatalytic stability 14–15
 solar energy conversion efficiency 13
 Tafel slope 14
 total photocurrent density 12
- electrochemical active area (ECSA) 14, 263
- electrochemical CO₂ reduction
 to C₂₊ products 30–32
 to methane or methanol 29–30
 technology 61
- electrochemical CO₂RR
 carbon-supported molecular catalysts 98–102
 TiO₂-based hybrid materials 103–104
- electrochemical energy storage systems 283
- electrochemical impedance (EIS) 14
- electrochemical reduction of CO₂ 69
- electron backscatter diffraction (EBSD) 65
- electron paramagnetic resonance (EPR) spectroscopy 23
- electron spin resonance (ESR) 22
- electrospinning method 287
- extracellular electron transfer (EET) 306–308
- f**
- Faradaic efficiency 74
- Faraday constant 10
- Faraday efficiency 13, 192, 193
- fast-moving bed pyrolysis 198
- finite-difference time domain (FDTD) 25
- Fischer-Tropsch synthesis 61, 263, 297
- flame ionization detector (FID) 4
- flow cell 5
- fluorinated tin oxide (FTO) 270
- foot-of-the-wave (FOWA) analysis 179
- formate 62
- formate dehydrogenase (FDH) 145
- formyl radicals 23
- fossil fuels 297
- Fourier Transform Infrared Spectroscopy (FTIR) 21
- g**
- Ga₂O₃ 222
- gas chromatography (GC) 22
- gas diffusion electrodes (GDEs) 100, 314
- gas phase reaction system 2
- gel polymer electrolyte (GPE) 290
- germanate 223
- glyceraldehyde-3-P (G3P) 310
- Grain Boundary (GB) 65
- graphdiyne/graphene (GDY/G) heterostructure 102
- graphene oxide, composite photocatalysts 236–237
- h**
- H-cell 3, 4
- HCOOH-producing metals
 Bi-based electrocatalysts 76–78
 in-based electrocatalysts 78–80
 Sn-based electrocatalysts 72–76

- heteroatom-doped carbon 251–252
 - in EC CO₂ conversion 257–259
 - in PC CO₂ conversion 265–266
 - heteroatom-doping 162
 - high-entropy alloy (HEAs)
 - characteristics of 194–196
 - components for 190
 - configurational entropy for 191
 - configuration entropy of 190
 - for CO₂RR 199–204
 - synthesis of 196–199
 - high-entropy alloy particles (HEAPs) 203
 - high-entropy effect 195
 - high entropy metallic glasses (HEMGs) 198
 - high resolution scanning transmission electron microscope (HR-STEM) 201
 - homogeneous catalytic CO₂ electro-conversion
 - catalysts for 179–180
 - parameters of 178, 179
 - products 178
 - structure 177–178
 - homogeneous photocatalytic CO₂ reduction
 - catalysts 182, 186
 - mechanism of 180
 - parameters 181
 - photosensitizer 181, 182
 - sacrificial electron donors 181–182
 - H₂O, reducing agent 18
 - hybrid materials
 - for electrochemical CO₂RR 98
 - photocatalytic CO₂ reduction reaction (CO₂RR) 93
 - photoelectrochemical (PEC) CO₂RR 104
 - hydrazone-linked COFs 147
 - hydride-transfer mechanisms 335
 - hydrochloric acid dealloying method 67
 - hydrogen evolution reaction (HER) 38, 61
- i**
- imine-linked COFs 138, 142
 - in-based electrocatalysts 78, 80
 - industrial CO₂RR 337
 - interband transitions (IBTs) 197
- j**
- Janus nanocrystals (JNCs) 41
- k**
- ketoenamine COFs 141, 145
 - Krebs cycle 309
- l**
- lattice distortion effect 195
 - layered double hydroxides (LDHs) 226
 - Li-CO₂ batteries
 - charge mechanisms of 285–286
 - discharge mechanisms of 284–285
 - linear scanning voltammetry (LSV) 4
 - liquid phase reaction system 2
- m**
- mass spectrometry (MS) 22
 - mechanical alloying 196
 - mediated electron transfer (MET) 307
 - membrane-electrode assemblies (MEA) 3, 5
 - metal-based carbon composites 252–253
 - metal-based/carbon nanocomposites, PC CO₂ conversion 266–268
 - metal chalcogenides 227–228
 - metal-CO₂ batteries
 - carbonaceous materials 286–287
 - noble metal-based materials 287, 289
 - transition metal-based materials 287, 289
 - metallic aerogel 203
 - metallophthalocyanine 151
 - metal-modified carbon materials, EC CO₂ conversion 259–262
 - metal nitrides 228–229
 - metal-organic frameworks (MOFs)
 - with active sites at metal nodes 121–125

- with active sites at organic ligands 120–122
 - based hybrid system 125–127
 - derived composite photocatalysts 234–236
 - high porosity of 234
 - with photoactive metal nodes 116–117
 - with photoactive organic ligands 113–115
 - tunable frame structure 234
 - methane or methanol 29, 30
 - microbial electrosynthesis (MES) 299, 306
 - biocathode 312–313
 - culture 311–312
 - extracellular electron transfer (EET) 306–308
 - metabolic engineering 309–311
 - metabolic pathways 309
 - multicarbon products from 313–316
 - status quo 316–318
 - MOFs-based hybrid system 117–119
 - molecularly dispersed electrocatalysts (MDEs) 100
 - Mott–Schottky analysis 269
 - multiwall carbon nanotubes (MWCNTs) 261
- n**
- nanobipyramids (NBPs) 41
 - nanodroplet mediated electrodeposition 198
 - 1,4-naphthalenedicarboxylic acid 235
 - N-doped graphene quantum dots (NDGQDs) 260
 - N-doped porous carbon (NPC) 102, 124, 253, 261
 - N-doped Ta₂O₅ (N-Ta₂O₅) 93
 - nickel phthalocyanine (NiPc) 100
 - noble metal-based materials 287–289
 - noble metal catalysts 201
 - non-covalent interactions 96
 - normal hydrogen electrode (NHE) 62, 102, 177
 - NSCF 263
 - NSHCF 263
- o**
- overpotential, electrochemical CO₂RR 194
 - oxide perovskite 224
- p**
- partial photocurrent density 10, 12, 13
 - PC CO₂ conversion
 - carbon-carbon composites in 268–269
 - heteroatom-doped carbon in 265–266
 - metal-based/carbon nanocomposites in 266–268
 - Pd-based electrocatalysts 68–70
 - PEC CO₂ reduction 269–270
 - p-GaP semiconductor/pyridine complex 104
 - phase structure, HEAs 196
 - phosphorus-doped carbon nitride (PCN) 160
 - photoactive metal nodes 116–117
 - photoactive organic ligands 113–115
 - photobiochemical synthesis (PBS) 299
 - designing principles in 299–301
 - multicarbon compounds produced from 301–304
 - photocatalytic CO₂ reduction 94, 112
 - activity 8–10
 - basic device for 6–7
 - COFs for 138
 - other device for 7–8
 - reaction products 7
 - selectivity 10
 - stability 10
 - photocatalytic CO₂ reduction reaction (CO₂RR)
 - carbon nitride (C₃N₄)-supported molecular catalysts 95–97

- photocatalytic CO₂ reduction reaction (CO₂RR) (*contd.*)
 - polyoxometalates (POMs)-based catalysts 97–98
 - p-type semiconductor/molecule catalysts 93–95
- photocatalytic stability 14–15
- photocorrosion of semiconductors 10, 15
- photocurrent density 9–10, 12
- photoelectrocatalysis (PEC) CO₂ conversion 128
- photoelectrochemical (PEC) CO₂RR 104–106
- photoluminescence (PL) spectra 23
- photosensitizers 95, 181, 182
- phthalocyanine-based COFs 151, 152
- polyoxometalates (POMs) 97–98, 141
- pore construction 254–255
- pore engineering 262–264
- porphyrin 114
- porphyrin-based COFs 148, 151
- postsynthetic exchange (PSE) 112
- postsynthetic modification (PSM) 112
- product sampling method 3
- p-type semiconductor/molecule catalysts 93–95
- pure Li-CO₂ electrochemistry
 - nonaqueous aprotic liquid electrolytes for 290
 - solid-state electrolytes for 290–291
- purpurin, as photosensitizer 185
- pyrolysis-induced vaporization strategy 160
- r**
- rate determining step (RDS) 28, 165, 222, 239
- reduced blue titania (RBT) nano-catalyst 23
- Re-organic hybrid POMs 98
- resonant inelastic X-ray scattering (RIXS) 336
- reversible hydrogen electrode 42, 100, 257
- RuBLRu' 94
- S**
- sacrificial electron donors 180–182
- scanning electrochemical cell microscopy (SECCM) 64
- scanning transmission electron microscopy (STEM) 31, 162
- Schottky junction 25
- sequential proton–electron transfer (SPET) 52, 335
- SiC, composite photocatalysts 237, 238
- single-atom catalysts (SACs) 118, 336
- single-atom electro-catalysts 162–164
- single-atom photocatalysts 158–160
- single/dual-atom catalysts 158
- sluggish diffusion effect 194, 195, 204
- Sn-based electrocatalysts 72–76
- solar energy conversion efficiency 13
- solar-to-fuel energy conversion efficiency (STF) 8, 9
- sol-gel method 104, 219
- solvothermal method 224, 260, 287
- Sonogashira-Hagihara coupling methods 240
- surface doping 79
- Suzuki–Miyaura coupling methods 240
- t**
- Tafel slope 14, 28
- ternary metal oxide 222–224
- tetrathiafulvalene (TTF) 139, 149
- thermal conductivity detector (TCD) 4
- TiO₂-based hybrid materials 103–104
- TiO₂ composites
 - catalyst 220–222
 - metal-modified 218–219
 - mixed phase 217
 - non-metallic modified 219
 - organic photosensitizer modified 219–220
- top-down method 196, 198
- total photocurrent density 12
- transient absorption spectra (TAS) 23
- transition metal-based materials 287, 289
- transition metal hydroxides 224–225

triangular Ag nanoplate (Tri-Ag-NP)
 electrodes 66
tricarboxylic acid cycle 309, 312
tunable frame structure 234
turnover frequency (TOF) 9, 194
turnover number (TON) 194

U

ultrafast-cooling arc-discharged method
 196–198
ultrasonication-assisted wet chemistry
 method 198
ultraviolet photoelectron spectra (UPS)
 25

V

valence band (VB) 9, 19, 223, 228, 233,
 241, 264, 299

W

Wood–Ljungdahl pathway 311

X

X-Ray Absorption Fine Structure (XFAS)
 50, 79, 162, 253

X-ray absorption spectroscopy
 (XAFS) 31, 50, 100, 102, 165, 253,
 336

X-ray photoelectron spectroscopy (XPS)
 218, 252, 336

XRD patterns 201

Z

zero-gap electrolytic cell 5

Zn-based catalysts 70, 72

Zn-based electrocatalysts 70–72

Zn-CO₂ batteries 283, 284, 286

