

Subject Index

a

- action integral 31
- adiabatic compression heating 288
- adiabatic compression scaling 290
- adiabatic gas law 93, 94, 288
- adiabatic invariant 31
- advanced tokamak 514
- Alfven
 - shear Alfven wave 137
 - speed 138
 - toroidal Alfven (TAE) instabilities 299
 - transit time 95
 - wave 160, 164
- alpha particles
 - distribution 298
 - energy transfer 293
 - toroidal Alfven instabilities 299
- Ampere's law 17
- anisotropic pressure tensor model 96
- anomalous transport 267
- anomalous transport coefficients *see* turbulent transport coefficients
- atomic physics processes 319

b

- ballooning mode transformation 281
- ballooning modes 179, 496
- banana orbit 58
- banana regime 61
- β , beta 23, 104, 123
- β_p , beta poloidal 110, 122, 124
- beta limit 495
- beta normal 497
- Bickley function 440
- binding energy 1
- Boltzmann equation 66, 85
- Boltzmann neutral atom transport equation 413
- Boltzmann or Maxwell–Boltzmann distribution 6, 133, 315
- bootstrap current 242

bounce time or frequency for trapped particles

- 57, 61
- bremsstrahlung 470
- burning plasma dynamics 475

c

- canonical angular momentum 34
- characteristics, method of 143
- charge-exchange neutral “scattering” model 415
- Chew–Goldberger–Low theory 160
- Christoffel symbols 251
- classical transport
 - ambipolarity 214
 - central impurity peaking 215
 - fluid theory 212
 - friction force 210, 213
 - heat conductivities 229
 - heat fluxes and transport coefficients 207
 - momentum fluxes and transport coefficients 208
 - particle fluxes and transport coefficients 205
 - rate-of-strain tensor 226, 230
 - thermal conductivity 237
 - thermal force 210
 - transport parameters 228
 - viscosity coefficients 230
- collision regime 61
- collisional friction models
 - Ignitkhanov 344
 - Lorentz 213, 260
 - Rutherford 217
- compound nucleus 1
- conductivity tensor 137
- confinement scaling *see* energy confinement scaling, particle confinement
- conservation of angular momentum
 - constraint on particle motion 35
- constants of the motion 31, 34

- constraints on fusion reactor design
 - beta limit 503
 - blanket and shield 507
 - bootstrap current 506
 - confinement 502
 - density limit 503
 - fatigue limit 509
 - heat flux limits 507
 - inductive current drive 504
 - kink stability limit 504
 - noninductive current drive 505
 - radiation damage limits 510
 - stress limits 508
- Coulomb potential 6, 12
- Coulomb scattering
 - 90° deflection cross section 15
 - 90° deflection characteristic time 12
 - 90° deflection cross section 12
 - collisional friction 260
 - energy transfer characteristic time 14, 79, 80, 294
 - impact parameter 70
 - Krook scattering operators 82
 - Rutherford scattering cross section 11
- current density 14
- current drive
 - electron cyclotron 307
 - fast wave 306, 307
 - inductive 285
 - lower hybrid 305
 - neutral beam 292
- current induction in a tokamak 285
- curvature drift 28
- curvilinear coordinates 529
- cyclotron radiation 471

- d**
- Debye length 6
- Debye sphere 6
- density asymmetries 260
- density limits
 - confinement deterioration-electromagnetic instabilities 491
 - confinement deterioration-thermal instabilities 492
 - disruption 481, 485, 489
 - divertor collapse or detachment 495
 - empirical Greenwald limit 495
 - empirical Murakami/Hugill limit 487
 - Hugill diagram 482
 - MARFE 490
- diamagnetic current 38
- diamagnetic field 37
- diamagnetism 36, 109
- dielectric tensor 301
- diffusion coefficient
 - Kadomtsev mixing length 273
 - magnetic fluctuation 275
 - weak turbulence 273
- diffusion coefficients
 - Bohm 272, 335
 - classical 62
 - edge 402
 - electrostatic drift waves 272
 - gyro-Bohm 272
 - neoclassical 60
 - Pfirsch-Schlüter 61
- dispersion relation
 - Chew-Goldberger-Low theory 161
 - cold plasma 302
 - collisionless drift waves 195
 - dielectric tensor form 297
 - divertor MARFE thermal instability 347
 - drift-cone waves 200
 - electromagnetic waves 136
 - electrostatic drift waves 185
 - electrostatic waves 149, 193
 - guiding center hydrodynamic 164
 - ion acoustic wave 153, 269
 - ion cyclotron waves 151
 - ion temperature gradient 197, 270
 - kinetic instabilities 193
 - Langmuir waves 140
 - loss-cone waves 200
 - lower hybrid wave 150, 152
 - MARFE thermal instability 394
 - MHD hydrodynamic 160
 - mixed longitudinal and transverse 136
 - radiative collapse thermal instability 484
 - shear Alfvén waves 138
 - thermal instability with short k_r^{-1} 377
 - upper hybrid wave 150
 - Vlasov theory 146

- disruption
 - causes 481
 - current decay 480
 - current in vacuum vessel 481
 - current limit 481
 - density limit 481, 485, 489
 - forces in vacuum vessel 480
 - magnetic island 480
 - magnetic reconnection 480
 - mode locking 480
 - neutral density limit 489
 - physics 479
 - pressure on vacuum vessel 481
 - radiative collapse 481
 - radiative collapse thermal instability 483, 487
 - tearing mode 480
- distribution function
 - guiding center 67, 231
 - joint statistical 65
 - single-particle 65
- divertor
 - bundle 332
 - currents and drifts 351
 - detached regime 341, 358
 - divertor MARFE 346
 - double null 33
 - high recycling regime 341
 - impurity retention 343
 - parameter scaling 342
 - poloidal 332
 - private flux region 332
 - separatrix 331
 - sheath-limit regime 340
 - single null 332
 - target plate 331
 - toroidal 332
 - two-point model 338
 - X-point 331
- double-adiabatic model 98
- Dreicer velocity 14
- drift kinetic equation 66, 68, 69
- drift velocities
 - $E \times B$ 24, 199, 268
 - curvature 28, 32
 - diamagnetic 91, 184
 - divertor 351
- electron diamagnetic 194
- electron drift 269
- grad- B 25, 32, 38
- ion diamagnetic 92, 197
- polarization 27, 199, 268
- poloidal 69
- radial 69
- drift waves 185, 267, 276, 280

- e**
- $E \times B$ drift 24
- $E \times B$ shear stabilization of turbulence
 - comparison with experiment 374, 389
 - criterion for turbulence suppression 374
 - linear stabilization 372
 - nonlinear turbulence decorrelation 372, 374
 - physics 372
 - radial electric field shear 372
 - shearing rate for flute-like modes 372
- edge operation boundary 398
- edge pedestal or transport barrier
 - $s\alpha$ stability boundary 367
 - ballooning modes 365
 - ELMs 364
 - gradients 362
 - neutral penetration constraint on width 371
 - peeling modes 365
 - pressure constraint on width 369
 - pressure gradient constraint 368
 - short k_r^{-1} thermal instabilities 376
 - spontaneous edge transport barrier formation 384
 - spontaneous formation 376
 - threshold edge temperature gradient 379
- edge physics 331, 361
- elastic scattering (neutral) from Maxwellian ions 416
- elastic scattering (neutral) model 416
- electric field
 - radial 262, 403
 - toroidal 264
- electromagnetic energy density 18

- electromagnetic instabilities
 - axisymmetric, rigid body displacement 115
 - bad curvature 178
 - ballooning 179, 496
 - collisionless drift waves 193
 - drift cone 197
 - drift waves 183
 - electron temperature gradient 195
 - energy principle 165, 169
 - firehose 162, 164
 - flute interchange modes 44, 173
 - free energy sources & constraints 155
 - growth rates *see* growth rates, instabilities
 - interchange mode stability condition 175, 177
 - internal kink modes 173, 179, 498
 - ion temperature gradient 196
 - Kruskal–Shafranov surface kink criterion 173
 - loss cone 45, 157, 197
 - Mercier interchange mode stability condition 179
 - MHD instabilities *see* MHD instabilities
 - microinstabilities *see* microinstabilities
 - mirror 164
 - peeling modes 365
 - pinch 169
 - resistive tearing 186
 - sawtooth oscillations 201
 - surface kink modes 498
 - Suydam interchange mode stability condition 179
 - tearing mode 480
 - toroidal Alfvén eigenmode (TAE) 300
 - vertical displacement 114
- electromagnetic stress 18, 19
- electromagnetic theory 15
- electromagnetic wave heating and current drive
 - dispersion relation *see* dispersion relation
 - electron cyclotron resonance heating 310
 - evanescent region 302
 - fast wave electron cyclotron resonance current drive 313
 - fast wave ion cyclotron resonance current drive 312
 - ion cyclotron resonance heating 308
 - lower hybrid current drive 311
 - lower hybrid resonance heating 309
 - physics 304
 - refractive index 301
 - resonance frequencies 305
- energy confinement scaling
 - Alcator 287
 - definitions 463
 - Goldston 466
 - IOC ASDEX 466
 - ITER89-P 467
 - ITERH93-P 467
 - ITERPB93(ym2) 468
 - Ohmic 465
- energy principle 165
- energy transfer characteristic time 79, 80, 294
- equilibria
 - anisotropic pressure 128
 - axisymmetric toroidal plasma 105
 - cylindrical plasma 104
 - force balance 103
 - tokamak large aspect ratio plasma 111
- equipartition of energy 87
- evanescent region 302
- exponential integral function 421
- f*
 - Faraday’s law 16
 - finite gyroradius corrections 91
- fluid theory
 - anisotropic pressure tensor model 96
 - anisotropic shear 87
 - charge continuity equation 89
 - charge density 89
 - collisional friction 86, 260
 - continuity or particle balance equation 86
 - current density 89
 - double-adiabatic model 98
 - energy balance equation 86, 88
 - energy flow 86, 88
 - energy flux equation 86

- energy flux tensor 86
- equilibrium condition 100
- external source moment 86
- finite gyroradius corrections 91
- force balance 91
- heat conduction 88
- isotropic pressure 87
- mass continuity equation 89
- mass density 89
- mass source 89
- mass velocity 89
- MHD model 93
- moments equations 85
- momentum balance equation 86, 89, 103
- momentum stress tensor 86
- Ohm's law 91
- one-fluid model 89
- plasma resistivity 90
- pressure tensor 87, 96
- rate-of-strain tensor 251
- strong field, transport ordering 98
- temperature 88
- flux surface
 - average over 107
 - definition 35, 53, 105
 - evolution 125
 - Grad–Shafranov equation 108
- Fokker–Planck
 - equation 69, 72
 - Lorentz model 73, 77
 - Rosenbluth potentials 72
 - theory of collisions 69
 - velocity-space diffusion 74
- force-free current 103
- free energy sources 155
- further reading 539
- fusion
 - break-even condition 4
 - cross section 15
 - energy release 3
 - process 1
 - reaction rates 3
 - reactions 4
- g**
 - Gauss' law 15
 - Grad–Shafranov equation 108, 120
 - grad– \mathbf{B} drift 25
 - growth/damping rates, instabilities
 - collisionless drift waves 195
 - divertor MARFE 348
 - drift waves 185
 - guiding center 22
 - ion temperature gradient 196
 - MARFE 394
 - radiative collapse 484, 486, 489
 - resistive tearing modes 190
 - thermal instabilities with short 383, 385
 - thermal instabilities with short k_r^{-1} 378
 - gyrofluid model 282
 - gyrokinetic model 282, 283
 - gyromotion 21
 - finite gyroradius corrections or effects 90
 - guiding center 55
 - gyrofrequency 22
 - gyroperiod average 30
 - gyroradius or Larmor radius 22
- h**
 - hydromagnetic instabilities
 - Alfvén wave 160
 - Chew–Goldberger–Low theory 160
 - firehose 162
 - guiding center theory 162
 - ion sound waves 133
 - magnetosonic wave 161
 - MHD theory 159
 - mirror 164
- i**
 - ignorable coordinate 31, 34
 - impact parameter 10
 - impurity production 324
 - impurity radiation 326, 473
 - incompressibility 94
 - index of refraction 138
 - inertial confinement 4
 - instabilities
 - electromagnetic *see* electromagnetic instabilities
 - free energy sources 155

- hydromagnetic 158
- inhibiting constraints 155
- thermal 376
- international tokamak program 511
- isobaric surface 91, 103, 105
- ITER 513

k

- kinetic instabilities 192
- kink modes 170, 173, 498

l

- L–H mode transition
 - comparison with experiment 374, 389
 - power threshold 361, 388, 391
 - trigger mechanisms 374
- Landau damping of waves 139
- last closed flux surface LCFS 331
- Legendre polynomials 414, 420
- limiter 332
- Liouville’s equation 65
- lithium resources 5
- Lorentz force 65
- loss cone 43

m

- magnetic
 - diffusion time 95
 - field diffusion 95, 125
 - field index 114
 - flux conservation 126
 - flux requirements 285
 - flux, poloidal 105
 - flux, toroidal 110
 - island 190, 480
 - moment 23, 25, 31, 67
 - pressure 20
 - reconnection 201, 480
 - Reynolds number 95
 - viscosity 95
 - well 41, 44, 56
- magnetic confinement
 - closed field lines 49
 - goals 4
 - open field lines 41
 - principles 41
 - progress and status 5
- magnetization 38

- magnetization current 36
- magnetohydrodynamic (MHD) theory 93, 159, 165

MARFEs

- edge density limit 394, 396
- linear stability analysis 392
- radiative condensation 395

MHD ordering

- mass defect 1
- Maxwell’s equations 93, 103, 131
- Maxwellian distribution 3, 141, 142, 148, 163, 258, 289
- minimum-*B* stabilization 45, 156, 169
- mirror confinement
 - central solenoid of tandem mirror 48
 - confinement time 44
 - loss cone 43
 - loss cone instabilities 45
 - loss fraction 43
 - minimum-*B* 45
 - mirror ratio 43
 - simple mirror 41
 - tandem 46
- mode locking 480
- molecular processes 319
- momentum confinement time 264

n

- neoclassical transport
 - banana-plateau 237
 - bootstrap current 242
 - Chang–Hinton thermal conductivity 237
 - closure 224
 - drift-kinetic derivation 231
 - extended neoclassical theory 238
 - multifluid formalism 221
 - orbit distortion 244
 - orbit squeezing 246
 - parallel collisional friction 217
 - parallel viscous force 257
 - Pfirsch–Schlüter 215, 217, 219
 - poloidal rotation 260
 - potato orbits 245
 - radial electric field 262
 - rate-of-strain tensor 251

- toroidal rotation 262
- toroidal viscous force 253, 405
- viscosity 251
- viscosity coefficients 258
- ware pinch 244
- neutral beam heating and current drive
 - critical fast ion energy 296
 - cross sections 291
 - current drive 298
 - deposition in the plasma 290
 - energy transfer to plasma 293
 - fast ion distribution 296
 - fast ion energy loss 293
 - neutralization efficiency 293
 - penetration 293
 - production of neutral beams 292
- neutral particle streaming operators 430
- neutral particle transport methods
 - collision probability 442
 - discrete ordinates 453
 - extended diffusion theory 424
 - integral transport 432
 - interface current balance 445
 - Monte Carlo 456
 - Navier–Stokes 460
 - spherical harmonics P_N 421
- neutral particle transport modeling
 - charge-exchange 415
 - collision probabilities 442
 - elastic scattering 416
 - escape probability 437, 445, 450
 - first collision source 419
 - Marshak boundary conditions 425, 426
 - rational approximation for escape probability 451
 - reciprocity 442
 - recombination 419
 - transmission probability 437, 442, 445, 447
- neutral particle transport theory 428
- neutron source 515

- o***
- Ohm's law 15, 91, 350
- ohmic heating of the plasma 287
- orbit turning point 56

- p***
- paramagnetism 109
- particle confinement times
- simple mirror 44
- tandem mirror 48
- tokamak neoclassical 62
- particle transport in edge pedestal
 - density gradient scale length 402
 - diffusion coefficient 402
 - pinch velocity 402
 - pinch-diffusion relation 402
 - pressure gradient scale length 403
- physical constants 521
- pitch angle 42, 56
- plasma
 - definitions 1, 6
 - formulas 537
 - frequency 8, 132, 148
 - inductance 285
 - internal inductance 113, 122, 498
 - resistance 285
 - resistivity 14, 78, 90
- Poisson's equation 6, 17, 140, 149, 152, 315
- polarization drift 27
- polarization of waves 135, 305
- poloidal magnetic flux 105
- poloidal rotation 260, 406
- Poynting vector 19
- pressure 87
- pressure gradient, normalized parameter α 182
- pressure tensor 87, 96
- private flux region 332

- q***
- quasilinear transport analysis 270
- quasineutrality 90, 151, 268

- r***
- radiation
 - bremsstrahlung 470
 - cyclotron 471
 - impurity 326, 473
 - radiative mantle 397
 - radius of field line curvature 29

rate-of-strain tensor 251
 recycling
 – coefficient 319
 – energy reflection coefficient 318
 – hydrogen retention 319
 – particle reflection coefficient 318
 – re-emission 319
 resonance absorption wave heating
 – electron cyclotron 305
 resonance absorption wave heating
 – ion cyclotron 303
 – lower hybrid 303
 rotation
 – poloidal 260
 – toroidal 262
 rotational transform of magnetic field 52
 runaway electrons 14, 479

s

safety factor 110, 116
 sawtooth oscillations 201
 scrape-off layer SOL
 – definition 331
 – length 334
 – width 334
 second adiabatic invariant 32
 second stability regime 365, 498, 499
 separatrix 331
 Shafranov shift 120
 shear of the magnetic field 53
 shear parameter S 182
 sheath
 – potential 315
 – power transmission coefficient 317, 337
 solenoidal law 16
 Sonine polynomials 226
 sputtering 324
 stagnation (flow) point 334
 stellarator 50
 strong field, transport ordering 98

t

temperature 74
 thermal diffusivity
 – chaotic magnetic island overlap 277
 – dissipative trapped electron mode 276

– electron temperature gradient mode 277
 – ion temperature gradient mode 276
 – resistive ballooning mode 277
 – trapped ion mode 276
 thermal instabilities
 – confinement deterioration 491
 – divertor MARFE 346
 – MARFE 392
 – power threshold for L–H transition 388
 – radiative collapse 483
 – short radial wavelength 376
 – spontaneous edge transport barrier formation 384
 thermonuclear temperature 3
 tokamak 50
 toroidal coordinates 531
 toroidal magnetic flux 110
 toroidal rotation 240, 262
 transmutation of spent nuclear fuel 516
 transport in partially ionized gas 247
 transport ordering 98
 trapped particle bounce time 57
 trapped particles 42, 56
 Troyon beta limit 497
 turbulent transport coefficients
 – chaotic magnetic island overlap 277
 – electron temperature gradient modes 277
 – ion temperature gradient modes 276
 – resistive ballooning modes 277
 – trapped electron modes 276
 – trapped ion modes 276

u

units 523

v

vector calculus 527
 vector potential 16, 17
 viscosity
 – gyroviscosity 253
 – neoclassical viscosity 258, 260
 – parallel viscosity 253, 257
 – perpendicular viscosity 253
 – toroidal viscous force 253
 – viscous stress tensor 252
 Vlasov equation 66, 139

w

- Ware pinch 59
- waves in plasmas
 - Bernstein 301
 - circularly polarized 135
 - current drive *see above*
 - cut-off 302, 307, 309, 310
 - dielectric tensor 301
 - direct interaction approximation 279
 - drift waves *see* drift waves
 - electromagnetic 131, 134, 295
 - electron cyclotron 305
 - electrostatic 136, 148
 - evanescence region 302
 - group velocity of wave packet 303
 - Hasegawa–Mima equation 280
 - index of refraction 138, 295
 - ion acoustic 133, 162, 268
 - ion cyclotron 150, 305
 - Landau damping 139
 - Langmuir 139
 - lower hybrid 137, 150, 305

– mode coupling 278

- ordinary (O) and extraordinary (X)** 307
- penetration condition, parallel waves** 136
- phase velocity** 138
- polarization** 135, 305
- propagation** 302, 306
- ray tracing** 303
- reflection** 302
- resonance absorption wave heating** *see above*
- resonance frequencies** *see* electromagnetic wave heating
- shear Alfvén** 137, 188
- upper hybrid** 137, 150, 305
- Vlasov theory of** 142, 155
- wave packets** 303
- wave-particle collisionless dissipation** 307

x

- X-point 331