

## Subject Index\*

### a

- $A_1$  value 262–264, 268, 271–272, 276–278, 283, 617–619, 622  
 $A_2$  value 262–264, 268–269, 271–272, 278, 618–620, 622  
 Absorbed dose 24, 26, 27, 31, 32, 33, 35, 36, 37, 73, 117, 125, 136, 141, 143–144, 145–147, 149, 153, 157, 258, 355, 445, 550, 551–552, 564, 583, 710  
   – definition 24, 36, 37, 553–554  
   – industrial sterilization 18, 549  
 Absorbed fraction 146–149, 170, 586  
 Absorption  
   – blood 167–169  
   – respiratory tract 163  
 Ac-227 62, 267, 559, 694  
 Acceleration, instantaneous 467  
 Accelerator health physics 182, 190, 252, 344–345, 347, 457–485, 612, 634, 705  
 Accelerator radiation fields 104, 105, 245, 299, 347, 474, 477, 481–482  
 Accelerator types 457, 472  
   – electron *see* Electron accelerators  
   – heavy ion 457, 460–461, 472  
   – linear *see* Linear accelerators  
   – medical 316–318, 331, 347, 457, 460  
   – muon 192–194, 472–474;  
     *see also* Muon colliders  
   – particle 345, 347, 460  
   – proton *see* Proton accelerators  
   – pulsed 239, 609  
   – van de Graaff 458, 461  
 Accidents 189, 285, 288, 289, 291–293, 302, 626  
   – radiation-related 92, 570  
   – *see also* Power reactor accidents  
 Activation 14, 107–108, 113, 376, 407, 476, 720  
   – air 190, 460, 474, 475, 478, 664  
   – detector 107–108, 113  
   – gamma sources 107–108  
   – production equations 721  
   – products 107–108, 113, 129, 130, 193, 244, 254, 258, 259, 345–346, 348, 350, 361, 388, 397, 402, 409–411, 423, 438, 474, 608, 614, 642, 656, 664, 720  
   – soil 190, 460, 474, 475, 478, 664  
   – water 190, 460, 474, 475, 482, 667  
 Activity 14, 108, 127, 129, 130, 141, 155, 170, 182, 201, 232–233, 262, 263, 268, 342, 343, 408, 409–410, 411, 414, 538, 542, 687, 693, 704, 721  
 Acute exposure 72–74, 76, 83–84, 88–91, 142, 229, 237, 250, 297, 351, 363, 566, 568  
 Acute radiation syndrome 73, 76, 83, 86, 174, 565  
 Additive (absolute) risk model 79, 80, 90, 568  
 Adults 78, 175, 590  
 Ag-107 132  
 Ag-110m 695  
 Ag-111 695  
 Air infiltration 720  
 Air kerma 322  
   – shielded 324  
   – unshielded 323  
   – *see also* Kerma  
 Air monitor 240, 610  
 Air sampling 231–234, 238, 245, 251, 253–254, 437  
 Airborne effluents 51, 383, 390, 392, 445

\*) This index was developed by WILEY-VCH with limited author input.

*Basic Health Physics. Problems and Solutions. Second Ed.* Joseph John Bevelacqua  
 Copyright © 2010 WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim  
 ISBN: 978-3-527-40823-8

- Airborne radioactive material 724  
 Aircrew exposure 53, 558  
 Al-27 11, 113, 388, 647, 664  
 Al-28 11, 478, 540, 623, 647, 664  
 ALARA 45, 57, 181–199, 192–194, 198–199, 244, 246, 251, 252, 295, 346, 362, 592–594, 595, 612, 615  
 – decay (time) 181, 182, 248  
 – distance 181–184, 248  
 – shielding 181, 183–187, 248  
 Albedo dosimeter 239, 609  
 ALI (Annual limit on intake) 58, 150, 152, 170, 171, 172, 229, 372, 586, 588, 640–641  
 Alimentary tract 165–169  
 Alpha counting 100–102, 104, 119, 245, 246, 250, 253, 437, 572, 613, 633  
 Alpha decay 4, 6–7, 12, 41, 430, 435, 449, 451, 462, 532, 535, 536–537, 541, 544, 557  
 Alpha emitters 13, 46, 51, 52, 75, 87, 98, 100, 119, 143, 157, 238, 244, 258, 260, 266, 267, 269, 278, 291, 362, 364, 399, 576, 591, 617, 703  
 – range 13–14, 104, 141, 545, 611–613  
 Alpha particle 109, 161, 451, 484, 663, 669  
 – hadronic cascade 466  
 – surface contamination 254, 615  
 Alpha radiation 91, 569–570  
 Alveolar-interstitial (AI) region 176, 590  
 Am-241 18, 51, 104, 255, 290, 350, 361, 377, 451, 549, 555, 615, 617, 633, 634, 645, 663, 703  
 AMAD 151, 152, 169–170, 229, 230, 237, 586  
 American Board of Health Physics 333, 631  
 American Board of Medical Physics 333, 631  
 American Board of Radiology 333, 631  
 American National Standards Institute (ANSI) 489, 505  
 Ankylosing spondylitis patients 91, 92, 570  
 Annual eye dose equivalent limit 66, 563  
 Annual limit 295  
 – on intake *see* ALI  
 ANSI 15.16 649  
 ANSI/IEEE C.95.1 497–499  
 ANSI N13.11 119, 576  
 ANSI Z136.1 (2007) 506, 507, 512, 678  
 Antenna 490–495, 522, 675, 684  
 Antenna gain 491, 492, 522, 675  
 Anthracene detector 109  
 Antiproton 464–466, 691, 692  
 Ar-40 383, 649  
 Ar-41 367, 383, 388–391, 394, 396, 609, 644, 647, 649, 651, 701  
 Arm, contamination 255, 615  
 Arthritis 315, 632  
 As-72 694  
 As-74 694  
 As-76 694  
 Atmospheric dispersion 233, 416, 439–442  
 Atomic bomb survivors 74, 76, 564, 569  
 Atomic Energy Act 260  
 Attached fraction 431, 432, 665  
 Attenuation 524  
 Attenuation coefficient 128, 129, 135, 136, 137, 183–184, 368, 593, 678, 683  
 Au-196 113  
 Au-197 113, 132  
 Au-198 102, 315, 318, 334, 632, 694  
 Au-199 694  
 Auger electron 157  
 Aversion response time 513, 678
- b**
- B-10 6, 107–112, 114, 120, 413, 572, 574, 577, 605, 653, 657, 658  
 B-11 657  
 Ba-131 694  
 Ba-133 694  
 Ba-137 413  
 Ba-140 244, 694  
 Back, contamination 255, 615  
 Background count rate 205–210, 597–599  
 Background standard deviation 205–210, 597  
 Barrier transmission 326, 327, 333, 631  
 Barriers 324, 325–326  
 – fuel and containment 426, 659  
 – *see also* Fission product barriers;  
   Primary protective barrier;  
   Secondary protective barrier  
 Basal cell layer 74, 89, 412, 568  
 Be-7 42, 429, 460, 474, 475, 667, 694, 701  
 Be-9 533  
 Beam current 184, 462, 477, 480, 482, 665  
 Beam energy 458, 459, 462, 463, 470, 480  
 Beam line magnet 254, 483, 614, 668  
 Beam power 477  
 Beam trajectory 614  
 BEAR 75  
 BEIR 77–78  
 BEIR I 75, 77  
 BEIR III 75, 77, 80, 81  
 BEIR IV 90  
 BEIR V 71, 75, 77, 79, 80, 81, 85, 86, 90, 566, 568  
 BEIR VI 433  
 BEIR VII 79–81, 92–93, 570  
 Beta correction factor 106, 228, 234, 238, 253, 604, 608, 612

- Beta decay 5, 8, 9–11, 42, 244, 340, 430, 451, 542, 557, 634, 700–703
- Beta emitter 356, 639
- Beta-gamma emitters 267, 396, 651
- Beta-gamma radiation field 239
- Beta monitoring 99–101, 106, 111–112, 113, 227, 228, 245, 437, 571
- Beta particle 12, 15, 53, 98, 109, 143, 185–186, 194, 258, 266–269, 279, 280, 316, 341, 361, 362, 399, 412, 444, 566, 592, 610, 614, 663, 700–703
- counting 241
  - dose 132
  - energy spectrum 106, 134, 579–580
  - eye dose 106, 340
  - hadronic cascade 466
  - internal dose 87, 363
  - maximum energy 12, 106, 134, 186, 339, 340, 353, 536, 542, 579–580, 700–703
  - range 13, 14, 141, 185, 186, 544, 546, 611
  - skin dose 106, 292, 340, 412, 420–421, 655
  - surface contamination 254, 615
- Betatron 316, 461, 463, 470–471
- Bethe stopping power relationship 131
- $\text{BF}_3$  proportional counter 107, 120, 235, 377, 572, 577, 646, 666
- BGO detector *see* Bismuth germanate (BGO) detector
- Bi-209 132
- Bi-210 430
- Bi-212 119, 576
- Bi-214 367, 429, 430, 661, 703
- Binding energy 4, 5, 9, 13, 18, 474, 533, 544, 629, 665
- Bioassay 171, 227–230, 243, 244, 246, 353, 356, 478, 587, 612
- Bioassay program 356, 639
- Biokinetic model 166
- Biological effects 69–93
- ionizing radiation 69–93, 91, 307, 344, 569
  - neutron radiation 92
  - non-ionizing radiation 496, 503–504, 518, 519, 521, 672, 674
  - photon radiation 92
- Biological half-life 146, 159, 355, 585
- Biological removal rate 723
- Bismuth germanate (BGO) detector 105, 106, 110, 121, 578
- Blinking response time 513, 678
- Blood 73, 84, 91, 92, 142, 166, 167–169, 245, 312, 339, 569, 570, 620
- Body, contamination 255, 615
- Bohr atom 4, 5, 7, 532, 534, 536
- Boiling water reactor 425
- Bone 44, 150, 158, 171, 174, 258, 290, 308, 310, 312, 314, 416, 562, 587, 588
- Bonner sphere 241, 610
- Boric acid 425, 658
- Boron trifluoride proportional counter *see*  $\text{BF}_3$  proportional counter
- Br-82 383, 388, 391, 694
- Brachytherapy 313, 316, 318, 334, 632
- Bragg-Gray relationship 98, 99
- Bragg peak 357, 639
- Breath analysis 340, 633, 636
- Breathing rate 720
- Bremsstrahlung 135, 185–186, 307, 332, 340, 457, 467, 468–469, 470, 479, 580, 592, 630, 665
- Broad beam transmission function 324
- Bronchial region (BB) 176, 590
- Bronchiolar region (bb) 176, 590
- Bubble detector 111–112, 118, 396, 574
- Bubble dosimeter 239, 609, 650
- Buildup factor 128, 129, 134, 136, 137, 183–184, 194, 368, 416, 579, 582, 591–593, 682, 683, 697–699
- Buttocks, contamination 255, 615
- Bv-454 137, 583
- BWR 299, 399, 402, 405, 408, 410, 419, 424, 654, 657
- Byproduct material 260–261
- C**
- C-11 312, 313, 397, 460, 474, 475, 624, 651, 664, 667, 694, 701
- C-12 4, 132, 139, 357, 585, 632
- beam 639
- C-14 8–10, 42, 43, 101, 244, 260, 263, 340, 345, 354, 413, 437, 438, 444, 537, 538, 542, 555–556, 610, 636, 640, 701
- Ca-40 132
- Ca-47 694
- Ca-49 622
- Calibration 138, 357, 585
- constant 396, 650
- Canadian College of Physicists in Medicine 333, 631
- Cancer 27, 57, 71–82, 85, 86, 156, 158, 174, 310, 313, 445, 566, 632
- bone 74, 75, 315
  - breast 74, 75, 80
  - leukemia 72, 74, 80, 86, 315
  - lung 43, 80, 432–433, 659
  - radiation risk 71, 74, 88, 89–90, 156
  - skin 73–74, 89–90, 421, 504, 568, 655
  - thyroid 74, 314, 315, 447

- CANDU 405, 406, 424, 657  
 Carbon dating 8–9  
 Cataract 72–75, 88, 504, 566  
 Cd-115m 694  
 CdTe detector 105–106, 110, 121, 578  
 Ce-141 102, 244, 413, 694  
 Ce-144 244, 413, 694  
 CEDE *see* Committed effective dose equivalent  
 Central nervous system syndrome 73, 84, 565  
 Cf-252 4, 46, 341, 350, 353, 574, 632, 636, 703  
 Cf-254 4, 532  
 Characteristic radiation 307, 538, 630  
 Charged particle  
 – dose 130–132  
 – equilibrium 31, 568  
 Chauvenet's criteria 217, 219, 597, 600, 601, 215  
 Chauvenet's numbers 215  
 Chelation therapy 301, 625  
 Chemical dosimeter 97  
 Chemical effects 69, 97  
 Chemical toxicity 362, 363, 587, 641  
 Chernobyl accident 285, 291–293, 302, 626  
 Chi-square distribution 222  
 Chi-square statistic 213–214  
 Chi-square test 218, 219, 600, 601  
 Children, committed effective dose 175, 590  
 Chromosome aberrations 97  
 Chronic exposure 72, 142, 351, 363, 503  
 Cl-36 443  
 Cl-38 383, 622, 694  
 Cladding failure 386, 408, 410, 411, 608  
 Class D compounds 151–152, 229, 230, 640  
 Class numbers 282  
 Class W compounds 151–152, 640  
 Class Y compounds 151–152, 152, 373, 375, 640–643  
 Clearance half-times 152  
 Cm-242 4  
 Cm-244 4  
 Co-56 475, 694  
 Co-57 244, 414, 460, 475, 542, 694  
 Co-58 113, 244, 367, 414, 460, 475, 647, 664, 694, 701  
 Co-59 108, 113, 397, 414  
 Co-60 12, 18, 46, 102, 108, 120, 126, 133, 136, 138, 171, 197, 235, 244, 251, 263, 290, 313, 315, 330, 334, 340, 354, 355, 361, 367, 374, 377, 383, 388, 401, 414, 420, 429, 450, 460, 475, 542–543, 549, 557, 573, 582, 585, 587, 592, 605, 618, 629, 632, 636, 638, 643, 645, 647, 651, 656, 663, 694, 702  
 Co-62 7, 537  
 Collective effective dose 49  
 Collision stopping power 32  
 Committed dose equivalent 25, 34, 150, 152, 155, 172, 290, 297, 299, 351, 377, 434, 550, 588, 623, 645  
 Committed effective dose 159, 162, 175, 590  
 Committed effective dose equivalent (CEDE) 88, 171, 229, 236, 246, 286, 289, 435, 437, 443, 449, 561, 662  
 Committed equivalent dose 159  
 Compartment  
 – PIS subsystem 165  
 – PTS subsystem 165  
 Compartment fractions 152  
 Compton scattering 14–17, 416, 545, 547–548, 574, 591  
 Computed tomography 312, 313  
 Concentration per unit length 585  
 Confidence interval 203, 204–210, 220, 221, 603  
 Confidence level 213, 221  
 Confinement 192  
 Contact dose rate limitation 281, 621  
 Containment barrier 426, 659  
 Contamination 283, 378, 622, 646  
 Contamination control 62, 104, 245, 340, 346, 350, 411  
 Control rod 385, 402–405, 411, 419, 654  
 Controlled areas  
 – NCRP 49 320, 328, 626  
 – NCRP 147 322, 333, 631  
 – NCRP 151 325  
 Core 384–390, 399–408, 409, 411–415, 422, 476  
 Cornea 504, 520, 672  
 Cosmic radiation 42–44, 50, 53, 551, 555–556, 558  
 Cosmogenic radiation 42–44, 52, 556  
 Coulomb barrier 667–668  
 Counting efficiency 108, 217, 354, 600, 632, 636  
 Counting rate 205, 206, 212, 357, 639  
 Counting statistics 201–222  
 Counting time 108, 201, 203, 217, 220, 231, 596  
 – gross to background 206, 221, 603  
 CR-39 foil 108, 112, 239, 356, 609, 638  
 Cr-51 244, 314, 367, 647, 694  
 Critical energy 469  
 Critical level 207, 208  
 Critical mass 368–370, 372, 397, 641, 651  
 Critical organ 65, 173, 562

- Criticality 113, 114, 265, 272, 285, 297–298, 363, 368–370, 372, 374, 386, 391, 408, 417–418, 611, 623, 640, 641, 643, 647, 652  
 Criticality dosimeter 108, 113, 120, 577  
 Criticality safety index (CSI) 265, 272–273, 274, 282, 621  
 Cross-section 130, 410, 720  
 Cs-134 244, 259, 694  
 Cs-137 11, 12, 18, 46, 51, 119, 126, 173, 237, 244, 255, 259, 263, 290, 318, 334, 351, 361, 366, 374, 377, 383, 401, 413, 429, 444, 450, 540, 549, 555, 588, 615, 618, 632, 633, 640, 645, 660, 663, 664, 694, 702  
 Cs-138 647  
 CsI(Tl) detector 109–110  
 Cu-63 132  
 Cu-64 475, 694  
 Cumulated activity 146, 147, 155, 170, 586, 637, 687  
 Current limits, induced and contact 497, 499  
 Cyclotron 313, 457, 458, 460–463, 482, 484, 669–670
- d**
- D-D fusion 193, 356, 638  
 D-T fusion 193, 199, 349, 356, 638  
 DAC 150, 152, 170, 217, 233, 235, 237, 238, 390, 586, 605, 606, 608  
 Data characteristics 210–216  
 Data rejection 215–216  
 Daughter activity 704  
 DCF 233, 236–238, 371, 376, 412, 415–416, 419, 432–435, 449, 476–477, 645, 662  
 Dead time 100  
 Decay constant 130, 154, 232, 409, 435, 704  
 Deep dose equivalent 35, 113, 137, 240, 393, 394, 551–552, 561, 576, 584, 609  
 Demineralizer 396, 408, 409, 650, 720  
 Demineralizer activity 408, 409, 722  
 Density gauges 18, 549  
 Density thickness 186  
 Dental examinations 47  
 Department of Energy (DOE) 38, 58, 62–63, 257–259, 287, 433, 476, 554, 559–560  
 – surface-contamination values 267  
 Department of Transportation (DOT) 257, 261–264, 266, 270, 273, 278, 282, 617, 620, 621  
 Depleted uranium 258, 263, 269  
 Depletion layer 102, 103  
 Deposition 441, 720  
 Depth dose 316–317, 460  
 Derived air concentration *see* DAC  
 Detector efficiency 101–106, 421, 655  
 Detectors *see* specific types  
 Deterministic effects 57, 72, 73  
 Detriment 26, 27, 57, 156  
 Deuterium 11, 199, 282, 595, 621  
 Deuteron 466, 482–483, 668  
 – *see also* H-2  
 DEXA 47  
 Diagnostic nuclear medicine 47, 190, 197, 311–313, 345  
 Diagnostic radionuclides 47, 172, 341  
 Diagnostic X-ray 47, 53, 184, 307–311, 321, 332, 556  
 Diagnostic X-Ray Examinations 47  
 Direct effect 69, 85  
 Direct intrabeam viewing 506  
 Disintegration constant 136, 182, 201, 600, 687, 720  
 Disintegration rate 221, 603  
 Disk source 127, 128, 133, 182, 374, 396, 410, 651  
 – thick source 128, 135, 592  
 – thin source 127, 128, 135, 410, 578, 581, 582, 642, 643, 684  
 Dispersion from continuous source 439–442  
 Divergence 352, 508, 523, 634, 676, 677, 685  
 DNA 69, 70, 88, 157  
 Dose 25–27, 72, 76–79  
 – external  
 – – beta 157  
 – – gamma 125–129, 157  
 – – neutron 126, 157  
 – internal  
 – – alpha emitters 142–143, 157  
 – – beta emitters 142–143, 147, 157  
 – – gamma emitters 141, 147, 157  
 – – ICRP 2/10 141–146  
 – – ICRP 26/30 150–155, 229  
 – – ICRP 60/66 156, 171, 229  
 – – ICRP 103/66/100 142, 160–162  
 – – MIRL methodology 145–149  
 – – neutron 157, 161  
 – – positron emitters 147  
 – population 48–50  
 Dose and dose rate effectiveness factor 80  
 Dose calculations 169  
 Dose calibration relationship 396, 650  
 Dose conversion factor *see* DCF  
 Dose equivalent 25, 35, 42–45, 50, 58–59, 84, 125–128, 143–145, 155, 157, 169, 175, 233, 237, 265, 274, 278, 325, 354, 368, 395, 404, 476, 551, 555, 662, 710  
 Dose fractionation 72, 76, 307

- Dose limits 57, 67, 175, 589
    - 10 CFR20 58, 59, 418, 421, 424, 653, 655
    - 10 CFR50 61
    - 10 CFR835 58, 62–63
    - annual 58, 59, 60, 65, 67, 286, 295, 327, 333, 422, 560, 562, 563, 631
    - cumulative 59, 63, 560, 562, 563
    - eye 64, 66, 412, 422, 561–563
      - lens 58, 60, 65
    - guidelines 295
    - hands and feet 60
    - ICRP 26 58–59, 64–65, 169–170, 586
    - ICRP 60 58–59, 63, 286, 560, 586
    - ICRP 63 286
    - ICRP 103 *see* ICRP, ICRP 103
    - lifesaving 63, 285, 286, 559–560
    - NCRP 49 318, 320–322, 323, 325, 327, 328–329, 626–627
    - NCRP 116 57, 58–59, 63–64, 65, 560, 562
    - NCRP 130 64, 412–413, 422, 561, 578, 656
    - NCRP 147 322–324, 333, 631
    - NCRP 151 325–327, 333, 631
    - NCRP 155 327
    - occupational 59, 60, 64, 67, 162, 171, 175, 285–287, 417, 563, 587, 589
    - patient's family 333
    - planned special exposure 60
    - property protection 63, 285, 286, 560
    - public 58, 60, 295, 327
    - skin 60, 412
  - Dose rate effectiveness factor 80, 86, 566
  - Dose response relationship 75–79, 344
    - linear 78, 79–80, 681
    - linear-quadratic 78, 79–80
  - Dosimeters 239
    - albedo 609
    - bubble 112, 396, 574, 609, 650
    - chemical 97
    - CR-39 112, 356, 638
    - criticality 108, 113, 577
    - electronic 108–111, 113
    - film badge 111, 250, 611
    - Li-6F single chip 609
    - optically stimulated luminescence 577
    - *see also* Personnel dosimeter; Thermoluminescent dosimeter
  - Dosimetric quantities and units 23–39
  - Dosimetry 120, 355–356
  - Dosimetry calculations 166
  - Dosimetry system
    - 1986 (DS86) 78, 80
    - 2002 (DS02) 78–80
    - Tentative 1965 (T65D) 80
  - Doubling dose 75, 85, 566
  - DPTA 301
  - Duty cycle or duty factor 477, 482, 490, 491, 522–523, 667, 675–677
- e**
- Early phase 294–295
  - Earth shielding 50, 54, 194, 484, 555, 558, 669
  - EDTA 301, 625
  - Effective disintegration constant 142–146, 353, 439, 637
  - Effective dose 26, 27, 47, 48, 59, 60, 63, 64, 66, 157–159, 161, 371, 552, 560, 562, 590, 640
    - allowable 563
    - bounding neutrino 472–473
    - limit 58, 67, 175, 327, 333, 413, 560, 589, 631
  - Effective dose equivalent 25–27, 33, 41–44, 49, 51, 88, 149, 159, 286, 289, 300, 434, 550, 554, 555, 562, 625
  - Effective dose rate 137, 584
  - Effective half-life 89, 146, 159, 585
  - Effective irradiance 515
  - Effective removal constant 90, 170, 232, 605
  - Effective stack height 373, 440, 441, 451, 664
  - Efficiency 100–106, 115, 216, 217, 230, 231, 342, 343, 357, 409, 421, 572, 639
  - Elastic scattering 5, 463, 534, 566
  - Elbows, contamination 255, 615
  - Electret 450, 663
  - Electric field 115, 458, 463, 491, 492, 493, 495–498, 518–520, 671, 672, 673, 705, 707, 708, 715
  - Electric force 458, 707
  - Electromagnetic cascade 466, 468
  - Electromagnetic field 363, 491–498, 674, 706–707
  - Electromagnetic radiation, attenuation 524
  - Electron 97–104, 157, 161, 307, 308, 316, 341, 363, 457–460, 469, 470, 533, 691
    - acceleration 467
    - relativistic 468
  - Electron accelerators 316, 457–461, 466–471, 478–481
  - Electron beam current 321
  - Electron capture 9, 538
  - Electronic dosimeter 108–111, 113
  - Electronic equilibrium 98, 114, 136, 571, 582
  - Embryonic exposure *see* Fetal exposure
  - Emergency 198, 285–288, 595
  - Emergency action 295

- Emergency effective dose limit 67, 175, 563, 589
- Emergency phase 294
- Emergency planning zone 299, 394, 649
- Emergency response level 300, 625
- Energy absorbed 37
- Energy absorption coefficient 31, 134, 579, 695
- Energy Employees Occupational Illness Compensation Program Act (EEOICPA) 82
- Energy fluence 29, 30
- Energy fluence rate 29
- Energy imparted 24, 27, 28
- Energy Policy Act, EPA05 260–261
- Energy resolution 103–105, 119
- Energy transfer coefficient 30
- Engineering controls 191, 246, 340–342, 356, 512, 514
- Enrichment 258, 345, 361–364, 368–370, 373, 375, 379, 384, 391, 403, 642, 643, 645, 646
- Environmental health physics 345, 429–452
- Environmental monitoring 450–451, 663
- Environmental monitoring program 105, 435–437, 449, 662
- Environmental protection 445–446
- Environmental Protection Agency (EPA) 61, 77, 286, 300, 430, 433, 448, 616, 625, 660
- Epidemiology 75, 78, 81, 432
- Equilibrium concentration 233, 236, 605, 723
- Equilibrium factor 434
- Equivalent dose 27, 59, 60, 62, 63, 157, 159, 161–162, 552, 559, 586
- Error 203–206, 209–211, 221
- Error propagation 211
- Eu-152 383, 388, 694
- Eu-154 694
- Eu-155 694
- Evacuation 295
- Evaporation, nucleons 466
- Excepted articles 262
- Excepted packaging 262
- Exceptional case 158, 159
- Excess relative risk 75, 86, 566
- Exemption values 262
- Exposure 23, 24, 30, 33, 54, 72, 99, 118, 125, 127, 128, 133–136, 184, 243, 294, 308, 309, 320, 327, 347, 374, 376, 387, 392, 497, 498, 499, 507, 550, 558, 711
- pathways 296
- Exposure rate 125–128, 133–138, 580–582, 583–585
- Exposure time, laser 512, 524
- Extended source ocular exposure 507
- External beam therapy 313, 316
- External dose 41, 361, 362, 437, 438, 615
- External radiation hazard 255
- External radiation protection 10, 41, 125–139, 182, 227, 228, 244, 277, 318, 348, 377, 399, 408
- shielding 128, 129, 135, 136, 181–199
- Extracellular fluid 91, 569
- Extranuclear cascade 466
- Extrathoracic region 176, 590
- Eye 60, 412, 678
- Eye dose 59, 65, 105, 244, 286, 353
- Eye dose equivalent limit 66, 563
- Eye protection 191, 340, 515, 516, 525, 678
- annual eye dose equivalent limit 563
- f**
- F-18 55, 312–314, 397, 558, 651, 701
- $f_1$  value 154, 168
- $f_2$  value 142–145, 146
- $f_A$  value 168
- Fallout 47, 51, 555, 557
- Family member 327
- dose limits 333, 631
- Far field distance 493, 494, 520, 522–523, 674–676
- Far field power density 493, 494, 523, 676
- Fatal cancers 74, 76, 90
- Fe-54 414
- Fe-55 397, 460, 474, 647, 651, 701
- Fe-56 4, 113, 533
- Fe-58 414
- Fe-59 244, 367, 414, 475, 647, 694
- Federal regulations 58–59, 275, 436, 448, 505, 511–512
- 10CFR20 58–59, 64–65, 133, 233, 247, 251, 252, 274, 275, 393, 418, 424, 561, 612–613, 648, 654
- 10CFR50 444, 451, 663
- 10CFR61 261
- 10CFR71 261, 265, 272, 280, 618–619, 620
- 10CFR835 58–59, 62–63, 283, 560, 622
- 21CFR 511, 670
- 29CFR 511
- 29CFR1910 247, 251, 252, 612, 613
- 42CFR81 82
- 42CFR82 82
- 42CFR83 82
- 49CFR 261, 265–274, 278, 282, 616–620, 621
- FEL *see* Free electron laser
- FEMA 289, 297, 300, 623, 625

- Fetal exposure 59, 67, 83, 86, 87, 92, 352, 424, 563, 564, 566, 570
- Film badge 111, 112, 341, 611
- Filter 112, 189, 230, 231, 246, 249, 408, 415, 612, 720
- Fissile material 263, 266, 269, 270, 272, 280–281, 361, 364, 368–370, 372, 388, 399, 400, 407, 422, 572, 620, 623
- Fission 11, 16, 107, 116, 157, 186, 187, 361, 364, 367, 368, 388, 399, 403, 405–408, 410, 413, 416, 540, 573, 617, 623, 652, 654
- Fission gas 608
- Fission product barriers 364, 367, 388, 410, 426, 608, 659
- Fission products 13, 157, 161, 244, 254, 259, 291, 293, 345–346, 361, 364, 378, 385–388, 391, 396, 403, 409, 410–415, 438, 544, 573, 614, 642, 643–644, 646, 647, 650–651, 658, 660
- Fluence 29–31, 107, 386–389, 409–410, 583
- Fluence rate (flux density) 29, 128, 130, 693
- Fluoroscopy 309
- Flux to dose conversion factor 126, 368, 693, 696, 697
- Food category 295
- Foot monitors 396, 651
- Fractional absorption 168
- Fractional error 203–206
- Free air volume 719
- Free electron laser (FEL) 471, 511, 525, 678
- Free radicals 69, 71, 565
- Fuel assembly 384–387, 399, 403, 408, 415, 425–426, 658
- Fuel cycle 298, 361
- open and closed 365–366, 443–444
  - thorium 361, 365, 367
  - uranium 345, 361–366
- Fuel cycle health physics 345, 361–366, 640
- Fuel pellets 402, 425, 658
- Fuel repository 451, 663
- Fuel reprocessing 239, 261, 277, 293, 300, 361, 364, 365, 371, 374, 376, 377, 407, 447, 449, 620, 640, 642, 643, 645, 660
- Fusion *see* D-D fusion; D-T fusion; Inertial confinement; Magnetic confinement
- Fusion Reactors 191–193, 349–350
- g**
- Ga-67 312, 314, 694
- Ga-72 694
- Gamma camera 311–314
- Gamma-ray 42, 46, 75, 84, 113, 114, 134–135, 244, 266–269, 279, 280, 341, 361, 368, 399, 407, 411–415, 417, 444
- constant 33, 51, 125–128, 133–137, 243, 341, 376, 550, 576, 578, 581–583, 585, 593, 693–695
  - detection 46, 97–113, 110, 114–117, 121, 227, 228, 245, 347, 436, 437, 571, 572
- Gas amplification 98, 100
- Gas centrifuge 363, 371, 377, 639, 645
- Gas centrifuge enrichment facilities 645
- Gas-cooled fast reactor (GFR) 366, 400
- Gas filled detector 97–103, 106
- Gaseous diffusion 363, 645
- Gaseous effluent pathway 232–233, 367, 391, 439–441, 620
- Gastrointestinal syndrome 73, 84, 565
- Gastrointestinal tract 142, 153–155, 170, 328, 341, 413, 586, 627, 633
- Gaussian distribution 202, 204, 220, 600, 601, 603
- Ge(Li) detector 103, 105, 115, 117, 119, 120, 350, 357, 451, 475, 576, 639, 663
- Geiger–Mueller detector 97, 100, 104, 105, 109, 115, 117, 234, 237, 239, 254, 483, 571, 573, 604, 606, 609, 615, 622, 633, 655, 666, 668
- Generation I reactors 366, 399–401
- Generation II reactors 425
- Generation III reactors 425, 658
- Generation IV reactors 378, 646
- Genetic effects 57, 72, 174
- Genetically significant dose 45, 52, 556
- GI *see* Gastrointestinal tract
- Glandular dose 309
- Glandular tissue 309, 627
- Glove box 191, 232, 246, 249, 290, 341, 342, 372
- Glow curve 111, 572
- GM *see* Geiger–Mueller detector
- Gonads 44, 149, 158, 159, 561, 562
- Goodness-of-fit test (GFT) 214
- Gross to background count times 221, 603
- Ground deposition 441
- Ground deposition rate 720
- h**
- H-1 538, 647, 657, 691, 692
- *see also* Proton
- H-2 405, 472, 538, 647, 650, 657, 668
- *see also* Deuterium; Deuteron
- H-3 7, 42, 101, 193, 260, 263, 290, 339, 345, 353, 356, 361, 383, 389, 395, 397, 401, 405, 413, 429, 450, 460, 472, 475, 538, 556, 574, 610, 611–613, 634, 635, 638, 640, 647, 650, 651, 653, 662, 664, 667, 700
- *see also* Tritium



- Hadron collisions 466  
 Hadronic (nuclear) cascade 465–466  
 Half-life 7, 8, 9, 89, 130, 146, 159, 231, 233, 269, 312, 315, 340, 341, 355, 407, 430, 475, 538, 585, 618, 700–703, 719  
 Half-value layer (HVL) 183–184, 187, 198, 322, 325, 328, 330, 594  
 Hand 60  
 – contamination 255, 615  
 Hazardous intrabeam viewing distance 507–509  
 Hazardous materials 282  
 Hazardous materials regulations 273, 282  
 He-3 108, 348  
 – proportional counter 646  
 He-4 4, 6, 7, 132, 348, 472, 636, 653  
 Head, contamination 255, 615  
 Heavy ion 138, 161, 585  
 – ranges 132  
 – therapy applications 357, 639  
 Heavy ion accelerators 460, 463, 472  
 Hemopoietic syndrome 74, 84, 565  
 Hereditary effects 27, 74, 76, 156, 157  
 Hf-172 132  
 Hf-175 694  
 Hf-181 694  
 Hg-197 695  
 Hg-203 135, 695  
 High-purity germanium (HPGe) detector 105  
 High radiation area 651  
 High temperature gas-cooled reactor (HTGR) 399, 402, 407, 423, 656  
 Highway route controlled quantity 262, 264, 278, 619  
 Homeland Security Guidelines 301–302, 626  
 Hormesis 86, 566  
 Hot particle 133, 408–409, 411–412, 420–422, 655, 657  
 HPGe detector, calibration 138  
 Human alimentary tract model (HATM) 160, 165–169  
 Human respiratory tract model (HRTM) 160, 162–165
- i**
- I-123 312, 314  
 I-124 694  
 I-125 62, 172, 267, 318, 341, 345, 352, 353, 392, 559, 587, 618, 632, 634, 635, 648, 694, 702  
 I-126 9, 10, 113, 267, 538, 694  
 I-127 113  
 I-129 62, 267, 361, 367, 429, 443, 451, 559, 618, 663, 702  
 I-130 694  
 I-131 11, 33, 47, 172–173, 174, 217, 229, 230, 237, 243, 244, 259, 263, 267, 290, 299, 300, 312, 313–314, 315, 341, 345, 353, 355, 367, 383, 401, 413, 429, 447, 449, 540, 542, 550, 555, 609, 625, 640, 664, 694, 702  
 I-132 694  
 I-133 267  
 I-135 654  
 IAEA 257, 261, 383  
 ICRP 23, 57–60, 89, 141, 155–156, 159, 228, 285, 578, 607, 640  
 – emergency dose recommendations 287–288  
 – ICRP 2 58, 65, 142, 150, 152, 561–562  
 – ICRP 10 58, 142, 173, 588  
 – ICRP 23 163, 166  
 – ICRP 26 25–27, 34, 43, 58–59, 64–65, 77, 85, 142, 150–158, 166, 169–171, 174, 175, 195–196, 352, 434, 561, 566, 634  
 – ICRP 30 58, 82, 142, 150–157, 162–163, 164, 165–167, 170, 237, 244, 561, 586  
 – ICRP 32 43, 45, 51–52, 555–556  
 – ICRP 49 634  
 – ICRP 56 82  
 – ICRP 60 26, 35, 58–59, 66, 76–77, 142, 155–160, 175, 176, 286, 287–288, 372, 393, 552, 562, 563, 587, 590, 594, 648  
 – ICRP 63 286, 287–288  
 – ICRP 66 82, 160–163, 164, 165, 175, 176, 589, 590  
 – ICRP 67 82  
 – ICRP 68 82  
 – ICRP 89 162, 165–166  
 – ICRP 91 446  
 – ICRP 96 287–288  
 – ICRP 100 160–162, 165–167, 168  
 – ICRP 103 60, 67, 77–78, 160–162, 166, 168, 175, 176, 287–288, 445–446, 563, 589, 590  
 ICRU 23, 36, 37  
 IEEE standard, C95.1-2005 497, 498, 524–525, 678  
 Image contrast 308–311, 329, 332, 627  
 Improvised Nuclear Device (IND) 294, 301, 626  
 In-111 312, 314  
 In-114m 694  
 In-115 113  
 Indirect effect 69, 70, 85  
 Induced activity 466  
 Industrial packaging 270, 271

- Industrial sterilization 18  
 Inelastic scattering 5, 463, 567  
 Inertial confinement 191–192, 348  
 Inertial confinement fusion 192  
 Ingestion 43, 82, 141, 142, 153–155, 229, 243, 244, 311, 344, 362, 438, 587  
 Inhalation 43, 141, 142, 150–152, 171, 173, 229–230, 237, 243, 244, 290, 311, 339, 344, 362, 372, 438, 445, 587, 640, 720  
 Injection 141, 142, 311  
 Inorganic scintillation detector 109–110  
 Instrumentation 97–121, 109, 436, 437  
 Intake 142, 143–145, 146–147, 150, 155, 158, 159, 168, 171–172, 174, 175, 221, 229–230, 233, 237, 244, 290, 345, 351, 354, 355, 439, 587, 595, 604, 637, 723  
 Intake retention function 228–230, 237  
 Intentional dispersal 294–296  
 Intermediate field distance 493, 494  
 Intermediate field power density 493, 494  
 Intermediate phase 294  
 Internal dose 10, 41–44, 141–176, 244, 245, 255, 346, 355, 362, 392, 399, 408, 588, 595, 615  
 – continuous uptake, single compartment model 144–145, 146  
 – single uptake, single compartment model 141–144  
 Internal dose assessments 64, 82, 141, 175, 589  
 Internal dosimetry 141–176  
 International Commission on Radiation Units and Measurements *see* ICRU  
 International Commission on Radiological Protection *see* ICRP  
 International Linear Collider (ILC) 471  
 International Thermonuclear Experimental Reactor (ITER) 349, 350  
 Intranuclear cascade 466  
 Iodine 295, 425, 658  
 Ionization 15, 69, 91, 97–100, 470, 666  
 Ionization chamber 97–100, 102, 105–111, 109, 112–113, 114, 115, 118–119, 120, 227, 228, 234–236, 238, 254, 417, 436, 450, 477, 571–575, 577, 604, 611, 614, 615, 660, 663, 668  
 Ir-192 46, 318, 334, 632, 694  
 Ir-194 694  
 Irradiance 500, 503–516, 521, 674
- j**  
 Job planning 188  
 Joule heating 495
- k**  
 K-40 41, 43, 259, 538, 555, 588, 701  
 K-42 695  
 K-43 695  
 Kaons 465, 466, 481, 691, 692  
 Kerma 26, 30, 31, 35, 37, 198, 552, 554, 594  
 Klystron 469, 483, 490, 668  
 Knees, contamination 255, 615  
 Kr-85 259, 260, 361, 367, 371, 383, 401, 413, 426, 429, 542, 609, 622, 640, 658, 694, 702  
 Kr-87 367, 413  
 Kr-88 236, 383, 401, 413, 647  
 Kr-89 367
- l**  
 La-140 244, 694  
 Labeling requirements 268, 270–273, 277, 511–512, 514, 517, 617, 671  
 Large Hadron Collider (LHC) 463  
 Laser 344–345, 362, 363–364, 469, 489, 499–515, 521–525, 642, 671, 674–675, 684, 685  
 Laser radiation biological effects 503–504  
 Laser regulations and standards 489, 499, 505–516, 671, 672  
 Laser safety, calculations 512–513  
 Laser types  
 – carbon dioxide laser 502, 675  
 – continuous wave (CW) 512–513, 524, 678  
 – free electron laser (FEL) 511, 525, 678  
 – HeNe laser 502  
 – hydrogen fluoride laser 502, 675  
 – ND:YAG 502, 524, 675, 677  
 – pulsed 513  
 – rhodamine 6G 502, 675  
 – ruby 502, 675  
 Late phase 294  
 Latency 72, 75, 80, 88–89, 91  
 Law of Bergonie and Tribondeau 71, 88  
 Lead-bismuth cooled fast reactor (LFR) 366, 400  
 Leakage radiation 184, 261, 318–321, 327, 347, 476, 720  
 Lethal dose 73, 84, 85, 88–89, 565, 623  
 Leukemia 79, 80, 334, 632  
 Li-6 108, 112, 413, 574, 651  
 Li-7 6, 107, 112, 472, 572, 577, 605  
 Li-8 657  
 LiF dosimeter 111, 239, 609  
 Life span shortening 74, 75  
 Light sources 471  
 LiI(Eu) detector 110  
 Limited quantity 262, 263, 266, 268  
 Limiting aperture, laser 512, 524, 678

- Line source 127, 135, 138, 182, 410, 581, 584, 643, 644, 685–686
- Lineal energy 28, 37, 550, 553
- Linear absorption coefficient 128, 695
- Linear accelerator 313, 316, 460, 461, 463, 469, 478
- Linear attenuation coefficient 196, 251, 682, 693
- Linear energy transfer (LET) 28, 32–33, 32, 37, 72, 89–90, 93, 100, 551–553, 566, 570, 629
- Linear-no-threshold (LNT) model 76, 81, 160
- Liquid effluents 61, 367, 374, 391, 413, 438, 439, 444, 445, 451, 559
- Liquid metal fast breeder reactor (LMFBR) 399, 402, 407, 423, 424, 657
- Liquid releases 395, 450, 650, 662
- Liquid scintillation counting 101, 106, 240–241, 246, 339, 340, 610, 611, 614, 636
- Lorentz factor 468
- Low specific activity (LSA) 264, 269–271, 278, 281, 617, 620
- Low toxicity alpha emitter 266, 269, 279
- Lower limit of detection 208, 209, 218, 220, 598, 600, 602
- Lu-177 694
- Lung 42–44, 54, 69, 150, 158, 164, 171, 176, 244, 310, 312, 314, 316, 339, 351, 352, 435, 448, 449, 555, 559, 586, 588, 633, 634, 643, 661, 662
- Lung model 141, 151–152, 170, 244, 561, 562
- Luxel dosimeter 121, 221, 577
- Lymph 151–153, 339
- m**
- Magnetic confinement 349, 356, 638
- Magnetic confinement fusion 192
- Magnetic field 458, 462, 470, 491, 493, 496, 497, 518, 519, 520, 672, 674, 705, 708
- Magnetic force 458, 462, 614, 667, 707
- Magnetic induction 458, 462, 482, 484, 670, 705, 715
- Mammogram 47
- Mammography 309, 310, 329, 627
- Management, therapeutic nuclear medicine 327, 639
- Mass attenuation coefficient 14, 128, 129, 693
- Mass energy absorption coefficient 126, 693, 695, 696
- Mass stopping power 16, 31–32, 37, 98, 130, 554
- Maximum exposed individual 51, 444, 445
- Maximum permissible exposure (MPE) 320, 328, 496–499, 498, 505–516, 507, 512–513, 523, 624
- Maxwell-Boltzmann distribution 16, 114, 547, 570
- MDA *see* Minimum detectable activity
- Mean 201, 202, 218, 221, 599, 603
- Mean dose per unit cumulated activity 147, 149, 355
- Mean excitation energy 131
- Mean residence time 152
- Medical health physics 190, 307–334
- Metabolic models 146, 151, 228
- Mg-24 113
- Mg-27 113, 647
- Mg-28 694
- Mg-52 694
- Mg-54 694
- Mg-56 694
- Microdosimetry 28, 35, 37, 551–553
- Microwave 469, 489–497, 521, 670
- Microwave exposure 497–499
- Minimum detectable activity (MDA) 208, 209, 216, 221, 597, 603
- Mining and milling 258, 367, 569–570
- MIRD theory 142, 145–149, 155, 170
- Mixed radiation fields 227, 228, 239, 399, 609
- Mixed waste 259, 277, 617, 642
- Mn-54 11, 244, 414, 460, 475, 540, 647
- Mn-56 113, 137, 475
- Mo-92 132
- Mo-99 538, 695
- Moderator 368–370, 386, 388, 402, 405, 407, 424, 623, 654
- Modifying factors 25
- Moisture gauges 18, 102, 549
- Molten salt epithermal reactor (MSR) 366, 400–401
- Monitoring and interpretation 227–241
- Multiplicative risk model 568
- Muon 161, 483, 668–669, 691
- accelerator radiation field 474
- colliders 192, 194, 199, 465, 472–473
- production 466
- Mutation 75
- n**
- N-13 13, 312, 313, 460, 474, 475, 622, 664, 667, 701
- N-14 413, 648
- N-16 18, 138, 193, 238, 383, 388, 389, 395, 397, 401, 409, 437, 438, 460, 472, 549, 585, 608, 644, 650, 651, 656, 658, 701

- Na-22 41, 379, 429, 460, 475, 646, 664, 695, 701
- Na-23 378, 379, 407, 646, 656
- Na-24 51, 102, 113, 126, 135, 138, 378, 383, 388, 407, 475, 555, 581, 582, 585, 622, 646, 647, 656, 664, 695, 701
- NaI detector 102–105, 115, 120, 311, 397, 571, 572, 576, 632, 633, 651
- calibration 138
- NaI(Tl) detector 110
- Nasopharyngeal region 151–153, 163, 170, 586
- National Council on Radiation Protection *see* NCRP
- National Institute for Occupational Safety and Health (NIOSH) 247
- Na(Tl) detector 451, 663
- Natural and human-made sources of radiation exposure 41–55, 332, 430–434, 446–447, 558
- Natural background radiation 41–44, 76, 430, 489, 490, 496
- Nb-91 657
- Nb-92 657
- Nb-95 244, 286, 695
- NCRP 23, 57–60, 77, 285, 566, 578
- NCRP 45 557
  - NCRP 49 184, 320–321, 327, 328, 329, 627
  - NCRP 64 86
  - NCRP 71 81
  - NCRP 93 41, 44–45, 49, 50, 52, 54, 555, 558
  - NCRP 111 289, 297, 299
  - NCRP 116 57–60, 63–64, 66, 76, 327, 560, 563, 594
  - NCRP 130 412–413, 422, 578, 656
  - NCRP 136 81
  - NCRP 138 295, 296
  - NCRP 147 323, 324, 333, 631
  - NCRP 151 325–327, 333, 631
  - NCRP 155 327, 333–334, 631–632
  - NCRP 160 49, 50
- Nd-142 132
- Nd-147 695
- Ne-20 132
- Near field distance 494, 522, 675
- Near field power density 494, 522, 675
- Net count rate 206, 357, 597, 602, 639
- Net count rate standard deviation 206, 597, 597–598, 602
- Neutrino 595, 691
- effective dose 472–473
  - effective dose profile 199
- Neutron 8, 16, 17, 42, 46, 75, 84, 92, 113–115, 157, 161, 186, 187, 297, 341, 348, 373, 386–389, 392, 399, 402, 407, 409, 417–418, 424–425, 457, 463–465, 464–466, 483, 548, 570–571, 577, 636, 651, 652, 658, 665, 668, 691, 692
- absorption 112, 368, 370, 641, 642
  - accelerator radiation field 474
  - activation 107–108, 113, 114, 386, 409–414, 461, 480
  - capture 8, 107–108, 114, 370, 383, 393, 407, 413, 591, 648, 649, 657
  - dosimetry 87, 108–113, 120, 566, 574, 609, 648, 657
  - half-value layer 135, 187, 581
  - monitoring 46, 107–113, 110, 116–118, 235, 245, 417, 480, 605, 620, 623, 653
  - poison 364, 368, 370, 373, 402–405, 641, 657
  - production 350, 362, 368, 386, 387, 409
  - radiation 91, 92, 569, 570
  - removal cross section 196–197, 480, 592
  - scattering 8, 107–108, 370, 534, 537, 566
  - sources 4, 16, 46, 107–108, 362, 368, 463, 476, 479, 480, 532, 642, 666
  - spectrum 120, 241, 610
- Ni-58 113
- Ni-63 647
- Ni-65 695
- Noble gas 243, 244, 259, 291–293, 302, 388, 393–394, 409, 413, 415, 425, 437, 438, 444, 622, 626, 647, 658
- Nominal hazard zone (NHZ) 510
- Nominal ocular hazard distance (NOHD) 507–509
- Nonfatal cancers 76
- Non-ionizing radiation 489–525, 705
- Nonpower reactors *see* Research reactors
- Nonstochastic effect 65, 72–74, 150, 155, 169, 172, 289, 561, 586–589, 622
- Normal distribution *see* Gaussian distribution
- Normal form 261–263, 264, 268, 619
- Np-236 132
- Np-237 443, 451, 663
- NRC *see* Nuclear Regulatory Commission
- Nuclear emergencies 285–302
- Nuclear material, special 259–260
- Nuclear medicine 45, 47, 48, 49, 197, 307, 312–315, 333, 345, 383, 556, 558, 631
- isotopes 55, 312–315
  - *see also* Diagnostic nuclear medicine; Therapeutic nuclear medicine
- Nuclear reactor *see* Power reactors

- Nuclear Regulatory Commission (NRC)  
58, 61–62, 66, 67, 76–77, 234, 257, 260,  
261, 264, 271, 272, 275, 286, 418, 444, 445,  
451, 554, 559–560, 563, 616–619, 626
- Nucleons  
– binding energy 474–475, 533, 544, 549,  
629, 665  
– evaporation 466
- o**
- O-13 644  
O-15 241, 312, 313, 460, 474, 475, 538, 610,  
664, 667, 701  
O-16 4, 5, 132, 331, 388, 472, 534, 608, 651,  
657  
Occupancy factor 185, 319, 320, 329, 434,  
444, 449, 628, 661  
– NCRP 49 319  
– NCRP 151 333, 631  
Occupational dose 162  
Occupational internal dose assessment  
175, 589  
Ocular exposure, extended source 507  
Operational health physics 243–255  
Optical density (OD) 515, 516, 523, 525,  
676, 678  
Optical thickness 196, 592, 682, 697  
Optically stimulated luminescence (OSL)  
dosimeter 112, 121, 577  
Optimum counting time 206, 207, 216, 596  
Organ doses 142  
Organic scintillation detector (anthracene)  
109  
Os-184 132  
Os-191 695  
Oxygen effect 70  
Ozone production 524, 678
- p**
- P-32 7, 12, 113, 263, 277, 290, 315, 334,  
340, 345, 352, 353, 355, 429, 538, 542–544,  
617, 632, 634, 635, 638, 701  
Pa-231 62, 267, 559  
Pa-234 367  
Pa-234m 361, 430  
Package label 281, 621  
Package limits 262  
Pair production 6, 15–17, 546, 547–548  
Particle fluence 130  
Particle size 176, 590  
– correction 152, 237, 607  
– default 164, 175, 589  
– respiratory tract 164  
Particles in initial state (PIS) 165  
Particles in transformed state (PTS) 165  
Pasquill–Gifford dispersion model 451  
Pasquill–Gifford equation 440, 441  
Pasquill stability class 441, 446, 660  
Pb-206 6, 7, 52, 53, 430, 535, 537, 557  
Pb-207 451, 663  
Pb-208 4, 485, 670  
Pb-210 258, 367, 430, 555  
Pb-212 43, 119, 576  
Pb-214 429, 430, 661, 702  
Pd-103 632  
Pd-109 695  
Pebble Bed Modular Reactor 400  
Personal dose equivalent 162  
Personnel dosimeter 108–113, 119, 134,  
236, 340, 341, 352, 576, 605  
pH, extracellular fluid 91, 569  
Photochemical reaction 503–504, 519  
Photoelectric effect 8, 14, 16, 101, 308, 309,  
329, 537, 547–548, 572, 574, 627, 630  
Photomultiplier tube 101, 311, 437, 477  
Photon 8, 14–17, 30, 42, 46, 92, 98, 105,  
120, 121, 136–137, 138, 157, 161, 308, 316,  
364, 425, 466, 469, 475, 576, 614, 658,  
700–702, 703  
– shield material 138, 183, 184, 585  
Photopeak 104, 119  
Physical half-life 146  
Pions 7, 17, 161, 176, 331, 347, 459, 463,  
466, 470, 478, 483, 535, 548, 590, 628, 664,  
667, 668–669, 691, 692  
– production threshold 484, 664  
PIS compartment 165  
Placarding 273  
Planned special exposure (PSE) 60, 65, 562  
Plastic bag 254, 378, 615, 646  
Pm-147 361, 401  
Pm-149 654  
Po-210 7, 43, 430, 536–537, 555  
Po-212 43  
Po-214 43, 367, 429, 430, 542, 661, 703  
Po-218 43, 367, 429, 430, 661, 703  
Point source 125, 126, 133, 136, 137, 182,  
243, 244, 320, 410, 412, 418, 476, 583–584,  
693  
– unshielded 125, 126, 136, 196, 550, 576,  
578, 582, 636, 653, 654, 693  
– with attenuation 128, 129, 368, 592, 593,  
683, 693  
Poisson distribution 203, 214  
Pool reactor 385, 388–390, 393, 395, 648, 649  
Population doses 48–50  
Portable survey instruments 227, 228, 246,  
611

- Portal monitor 396, 651
    - alarm 240, 610
  - Positron 9, 312, 469, 475, 538, 691
  - Positron emission 9
  - Positron emission tomography (PET) 312–314, 457
  - Posting 282, 355, 621, 638
  - Potassium iodide 174, 588, 623
  - Power reactor accidents 414–415, 419–422, 654–657
    - fuel handling accident 414–415
    - loss of coolant accident 292, 299, 404, 406, 414–415, 608, 624, 656
    - steam generator tube rupture 414–415, 654
    - waste gas decay tank rupture 414–415, 609
  - Power reactor health physics 182, 190, 399–426
  - Power reactors 46, 62, 115, 118, 235–236, 239, 258, 259, 289, 291, 361, 364–368, 376, 383, 384, 390, 401–408, 425–426, 476, 608, 609, 642, 653–659, 658, 720
    - component activation 402, 408–411
    - control and protection system 370, 402, 404, 406
    - effluents 51, 61, 297, 404, 413, 423, 429, 437, 438, 444, 445, 555–557, 620, 657
    - fusion 191–193, 199, 349–350, 356, 638
    - hazards 189, 245, 249, 408–417
    - worker exposure 189, 195, 405
  - Poynting vector 520, 673, 705, 707
  - Pregnant workers 175, 589
  - Pressurized water reactor *see* PWR
  - PRF *see* Pulse repetition frequency
  - Primary beam 318–320, 347
  - Primary coolant 361, 399–408, 410, 411, 414, 424, 426, 608, 659
  - Primary protective barrier 185, 320, 322, 325–326, 330, 333, 624, 631
  - Probability 213
    - of causation 81–82, 83, 85, 86, 564, 566
  - Production equations 130, 409, 410, 718–724
  - Production term 719–720
  - Proportional counter 97, 99–100, 104, 107, 109, 116, 377, 477, 572, 646
  - Protection factor 238, 246, 247, 250–252, 608, 612
  - Protective action guidelines 289, 290, 296, 297, 299, 300, 623, 624, 625
  - Protective clothing 255, 615
  - Proton 42, 112, 157, 161, 299, 317, 347, 397, 460, 462, 463, 478, 485, 651, 664, 667, 670, 691, 692
    - accelerator radiation field 474
    - reactions 464
  - Proton accelerators 299, 457, 460–463, 474–477, 480–482, 483, 666–667
  - PSE *see* Planned special exposure
  - Pt-197 695
  - PTS compartment 165
  - Pu-238 4, 236, 263, 374, 620
  - Pu-239 107, 173, 174, 186, 244, 253, 255, 263, 290, 351, 361, 364, 369, 374, 375, 377, 383, 397, 399, 407, 429, 443, 451, 555, 588, 589, 612, 615, 618, 620, 640, 643, 645, 656, 663, 703
  - Pu-240 364, 374
  - Pu-241 263, 364, 374, 407, 620, 634
  - Pu-242 364, 443, 451, 663
  - Pulmonary lung 45, 151–153, 170, 310, 586
  - Pulmonary region 163, 176, 590
  - Pulse energy 523, 677
  - Pulse rate 483, 668
  - Pulse repetition frequency (PRF) 491, 513, 522, 675
  - Pulse width 491, 522, 523, 675, 677
  - Pulsed accelerator 239, 609
  - Pulsed power 384, 387, 395
  - Pulsed radiation fields 105–107, 245, 477, 490
  - PWR 51, 239, 240, 299, 361, 376–377, 384, 401–405, 408–409, 410–415, 419–422, 424, 425, 450, 591, 657, 658
- q**
- Q-value 6, 7, 9, 12, 534–537
  - Quadrupole magnet 483, 668
  - Qualified expert, NCRP 147 333, 631
  - Quality factor 25, 26, 35, 155, 157, 393, 434, 435, 449, 551, 565, 648, 662
- r**
- Ra-223 267
  - Ra-224 75, 267
  - Ra-226 7, 11, 61, 62, 75, 138, 258, 260–261, 263, 267, 367, 429–432, 450, 540, 555, 559, 569, 585, 662, 695, 703
  - Ra-228 62, 258, 267, 559, 695
  - Rabbit system 386, 387, 390, 392, 647
  - Radiant exposure 500, 506, 517, 671
  - Radiation effects 160–161
  - Radiation fields *see* Accelerator radiation fields; Mixed radiation fields; Pulsed radiation fields
  - Radiation levels 558
    - above Earth's surface 54

- Radiation type 26, 72, 146, 149, 155, 157, 161, 240
- Radiation weighting factor 26, 27, 160–161, 551
- Radiation work permit (RWP) 198, 595
- Radiative stopping power 32
- Radioactive decay 9, 12
- Radioactive fluid 720
- Radioactive material 57, 248–249, 257–281, 294, 556, 617
- classification 282, 621
  - release 724
- Radioactive plume 439–442, 720
- Radioactive shipping label 617
- Radioactive sources 18
- Radioactive waste 52, 255, 257–260, 260, 277, 345, 367, 371, 374, 409, 411
- storage tank 377, 645
- Radiofrequency and microwave radiation 489–500
- Radiographers 199, 595
- Radiography 46, 308–311, 332, 462, 471
- Radioiodine 243, 244, 291, 293, 302, 341, 388, 404, 415, 437, 438, 444, 445, 608, 626, 658, 660, 694, 702
- Radiological characteristics 349–350, 700–703
- Radiological dispersal device (RDD) 294, 295, 296, 301, 626
- Radiological hazards 248, 249, 349
- Radionuclide therapy patients 327–328
- Radiopharmaceutical 48, 146, 148, 190, 311
- Radioprotective chemical 72, 85, 289, 565
- Radiotherapy 313–315, 471
- heavy ion 317–318, 357
- Radium 258, 307
- Radium dial painters 91, 569–570
- Radon 42–43, 240, 258, 345, 429–435, 437, 448, 449, 556, 588, 608, 610, 659, 703
- Radon daughters 35, 42–43, 258, 429–435, 448, 660, 661, 702, 703
- Radon risk assessments 433
- Range 477, 630, 664
- *see also* Alpha emitters; Beta particle
- Rb-86 695
- Rb-87 41, 43
- Rb-88 244, 401, 647, 660
- RDD *see* Radiological dispersal device
- Re-186 315, 695
- Re-188 315
- Reactions 6, 187, 657, 700–703
- ( $\alpha$ , n) 6, 187, 664, 701
  - ( $\gamma$ , n) 187, 467, 474, 532, 646, 647, 700, 701
  - (d, 2n) 664
  - (e,  $\gamma$ ) 666
  - (e, e') 666
  - (e, e) 666
  - (e, n) 666
  - ( $^3\text{He}$ , p) 701
  - (n,  $\alpha$ ) 107, 113, 114, 388, 572, 574, 577, 605, 647, 653, 657, 658, 721
  - (n, 2 $\alpha$ ) 413
  - (n,  $\gamma$ ) 6, 107, 392, 405, 407, 414, 538, 591, 609, 646, 647, 649, 657, 700–702, 721
  - (n, d) 653
  - (n, n') 113
  - (n, 2n) 113, 641, 646
  - (n, p) 110, 113, 388, 392, 413, 608, 648, 657, 721
  - (p,  $\alpha$ ) 700
  - (p,  $\gamma$ ) 700, 701
  - (p, Li-6) 651
  - (p, n) 664, 721
  - (p, 3n) 702
- Reactor *see* Fusion reactors; Power reactors; Research Reactors
- Reactor coolant system 403, 408, 410–414, 419–422, 424, 591, 608, 657, 658
- Recovery time 100
- Recycling, single-pass 365
- Reference female 161–162
- Reference male 161–162
- Reference man 150, 154, 228, 587, 589
- Regional deposition 152
- Relative (multiplicative) risk 75, 88, 565
- Relative biological effectiveness 34, 71, 551
- Relative excess 82
- Relative probable error 220, 602
- Relative velocity 131
- Relativistic electron 468
- Relativistic mass 484, 669–670, 709
- Relaxation length 128
- Release height 373, 440, 451, 664
- Release rate 720
- Relocation 295
- Remainder 65, 150, 158–160, 162, 176, 590
- Remainder tissue/organ 162, 176, 590
- Removal efficiency 720
- Removal half-time 151–152
- Rescue 198, 288, 595
- Research reactors 46, 258, 345–346, 383–397, 395–396, 647–650
- Resolving time 100, 117, 574
- Respiratory protection 190, 238, 247–248, 250, 297, 592, 612
- programs 198, 595
- Respiratory tract 82, 142, 151–153, 162–165, 413, 431, 434, 590

- Retention function 633
- Retention time 633
- Retina 504, 519, 521, 672, 674
- RF exposure 497–499
- Rh-103 413
- Rh-106 374, 413
- Rheumatoid arthritis 315, 632
- Risk 71–83, 76–77, 79, 145, 155–156, 352, 433, 566
- Risk coefficient 74, 76–79, 77–78, 155–156
- Risk models 79, 80–81, 85
  - absolute 79, 80, 90, 565, 568
  - relative 79, 80, 90, 568
- Rn-220 52, 54, 556, 558, 703
- Rn-222 43, 51, 54, 173, 367, 429–432, 435, 448, 450, 556, 558, 588, 660, 662, 703, 720
- Rotameter 240, 610
- Ru-103 244, 413
- Ru-106 244, 413, 695
  
- s**
- S-32 7, 12, 113, 472, 544
- S-35 101, 169, 235, 356, 605, 610, 639, 701
- S dose factor 147, 155, 637
- Sample count rate 206–210, 216–217, 219, 596–598
- Sample counting 201–222, 343
- Sample standard deviation 206–210, 220, 597–598
- Saturation activity 14, 130, 397, 546, 651, 721
- Sb-122 694
- Sb-124 694
- Sb-125 374, 694
- Sc-46 102, 383, 388, 695
- Sc-47 695
- Scatter fraction 326
- Scatter grid 309
- Scattered radiation 185, 309, 318, 320, 321, 326, 330, 347, 628
- Scintillation detector 101, 102, 104–107, 115, 116, 397, 477, 572
- Se-65 695
- Se-79 443, 695
- Secondary protective barrier 185, 321–322, 326, 330
- Secular equilibrium 9
- SEE *see* Specific effective energy
- Self-shielding 633
- Semi-infinite cloud model 390, 415–416, 444, 445, 659
- Semiconductor detector 15, 102–103, 109, 113, 117, 573
- Serial decay relationships 539, 704
- Sex-averaging 161–162
- SFR *see* Sodium-cooled fast reactor
- Shallow dose equivalent 66, 113, 563, 576
- Sheltering 295, 296
- Shielding 181–199, 249, 258, 325, 327–328, 330, 386, 389, 614, 631, 650, 669, 683
  - accelerator 463, 470, 476, 665
  - beta 14, 183–184, 185, 186, 196, 340, 470, 546, 592
  - calculations 324
  - gamma 128, 129, 470, 629
  - muons 331, 463, 484, 629
  - NCRP 49 184, 318, 320–322, 323, 325, 328, 329
  - NCRP 147 333
  - NCRP 151 318, 325, 333, 631
  - neutron 183–184, 187, 191–194, 195, 463, 470, 629
  - photon 138, 183–185, 187, 191–194, 463
  - X-ray 183–186, 319–322, 330, 627, 629
- Shielding material 14, 128–129, 134, 185–187, 194, 321, 323, 476, 579, 585, 679
- Shipping papers 273, 274
- Shower, electromagnetic cascade 468
- Si(Li) detector 105, 115
- Skin 59, 60, 64, 72–74, 89, 106, 133, 158, 174, 243, 244, 250, 285–290, 293, 307, 316, 339, 353, 412, 503–504, 510, 519, 562, 568, 578, 653, 672
- Skin absorption 243, 244, 339, 344, 438, 587
- Slab source 197, 410, 592
- Sm-149 419, 654
- Sm-153 315
- Sn-113 374, 695
- Sodium-cooled fast reactor (SFR) 366, 400
- Solar flares 54, 558
- Solid state detector 115
- Somatic effect 72, 83, 564
- Source material 259–260
- Source organ 145, 147, 148, 149, 155
- Spallation products 466, 700
- Special form 261–263, 264, 268, 278, 617, 619
- Special nuclear material (SNM) 259–260
- Specific absorbed fraction 147, 149
- Specific absorption rate 516, 517, 670–671, 672
- Specific activity 8, 11, 261, 269, 411, 537, 540, 617
- Specific effective energy (SEE) 155, 170, 586
- Specific energy imparted 28, 36, 551, 552
- Specific gamma-ray emission *see* Gamma-ray constant
- Specific ionization 32, 98



- SPECT 312–314  
 Spectral effectiveness 515  
 Spent fuel 259, 272, 277, 279, 293, 364,  
 365, 374, 376, 409, 414, 426, 449, 620, 640  
 Spontaneous fission 4, 187, 341, 532, 703  
 Sr-85 695  
 Sr-88 244  
 Sr-89 244, 259, 290, 555  
 Sr-90 11, 75, 120, 173, 244, 259, 267, 290,  
 361, 366, 374, 377, 383, 401, 413, 421, 429,  
 444, 555, 577, 588, 618, 640, 645, 655, 702  
 Sr/Y-90 240, 255, 609, 615  
 Stable iodine, administer 295  
 Stack flow rate 720  
 Standard deviation 202–203, 204, 218, 221,  
 599, 600, 603  
 Standards and regulations 57–67  
 Statistical tests 210–216  
 Steam generator 238, 291, 399–404,  
 406–408, 411, 419–422, 591, 608, 654, 655  
 Sterilization and preservation 46  
 – of insects 346, 355, 638  
 Stimulated emission 501, 502  
 Stochastic effects 25, 27, 57, 65, 72–74, 83,  
 150, 156, 169, 562, 564, 586, 589  
 Stopping power 16, 131, 138, 547, 554,  
 583, 585  
 Student's *t*-test 212–213, 222  
 Submersion 438, 444  
 Sum of fractions 233–234, 235, 605  
 Supercritical water-cooled reactor (SWCR)  
 366, 400  
 Surface barrier detector 103, 104, 107,  
 108–110, 451, 663  
 Surface contaminated object 269–271, 278,  
 280–281  
 Surface contamination 283, 438, 439, 615,  
 622  
 Surface deposition 720, 722  
 Sweat analysis 356, 639  
 Synchrotron radiation 467, 468  
 Syringe shield 190, 244, 249  
 Systemic blood 153
- t**  
*t*-test 212–213, 217, 219, 598, 599, 601  
 Ta-182 695  
 Tank-in-pool reactor 385, 390, 649  
 Target atoms 129, 410, 720  
 Target organ 145, 147, 148, 149, 155, 562  
 Tc-99 443, 451, 663  
 Tc-99m 55, 312–314, 558, 702, 712  
 Te-121 695  
 Te-126 9, 10  
 Te-132 695  
 TEDE *see* Total effective dose equivalent  
 Teletector 650  
 Tentative 1965 dosimetry system (T65D) 80  
 Tenth-value layer (TVL) 183–184, 187, 321,  
 325, 333, 631, 665  
 Teratogenic effect 87, 566  
 Th-228 62, 267, 269, 559  
 Th-230 62, 267, 269, 367, 430, 559  
 Th-232 244, 267, 269, 361, 399, 407, 429,  
 558, 656, 703  
 Th-232 series 41  
 Th-234 367, 430  
 Therapeutic nuclear medicine 47, 145, 313,  
 321–322, 331, 345  
 – patients 327–328  
 Therapeutic radionuclides 47, 313,  
 327–328, 334, 341  
 Therapy beams 316–318, 334  
 Therapy facility 325, 333, 631  
 Thermal effect 496, 503–504, 519, 673  
 Thermal neutron 110, 112, 114, 120, 570,  
 577  
 Thermoluminescent dosimeter (TLD)  
 111–112, 115, 117–118, 137, 240, 254, 292,  
 340, 356, 436, 450, 477, 572, 573, 584, 609,  
 611, 614, 638, 663  
 Thoron 430  
 Three Mile Island accident 285, 291, 292,  
 298, 302, 339, 623, 626, 660  
 Threshold energy 7, 113, 114, 330  
 Thyroid 150, 158, 172–173, 174, 229, 230,  
 237, 243, 259, 290, 292, 293, 297, 310, 312,  
 341, 353, 355, 416, 562, 588, 589, 623, 625,  
 635, 637  
 Thyroid counting 237, 341, 353  
 TI *see* Transportation index  
 Tinea capitis patients 91, 92, 570  
 Tissue 161  
 Tissue equivalent material 98  
 Tissue weighting factor 158, 160, 176  
 Tissue-weighting factor 590  
 Tl-201 55, 312, 314, 558, 702  
 TLD *see* Thermoluminescent dosimeter  
 Tm-170 695  
 Tokamak 349  
 Total effective dose equivalent (TEDE) 59,  
 61, 67, 286, 301, 418, 559, 561, 563, 595,  
 626, 653  
 Total instantaneous power 467  
 Total removal rate 719  
 Tracheobronchial region 43, 45, 151–153,  
 163, 170, 434, 435, 586  
 Transfer coefficient 168

- Transfer rate constant 154
  - Transient equilibrium 9, 119, 538
  - Transmission factor 129, 137, 196, 320, 334, 592, 627, 631
  - Transportation and waste 257–283
  - Transportation index (TI) 265, 266, 270, 271, 274, 276, 281, 615–618, 621
  - Transuranic element 62, 250, 258, 260, 559
  - Transuranic material 283, 622
  - Transuranic waste 260
  - TRIGA<sup>®</sup> reactor 384, 389, 649
  - Tritium 11, 87, 243–246, 250, 267, 268, 269, 291, 348, 349, 352, 355, 388, 391, 395, 409, 417, 424, 437, 438, 444, 480, 637, 638, 640, 650, 657
    - *see also* H-3
  - Tritium sampling 250, 253–254, 437
  - True count 203, 220
  - TVL *see* Tenth-value layer
  - Two-source rule 325
  - Type A package 262, 264, 270–272, 280, 617
  - Type A quantity 262, 264, 279, 619
  - Type B package 262, 264, 272, 279, 280, 616, 619
  - Type B quantity 262, 264, 619
  - Type C quantity 282, 621
  - Type F absorption 163
  - Type I error 209–210
  - Type II error 209–210
  - Type M absorption 163
  - Type S absorption 163, 164
- u**
- U-232 267
  - U-233 107, 186, 187, 260, 364–365, 369, 397, 399, 407, 443, 620, 651, 656
  - U-234 362, 377, 379, 430, 641, 645, 646, 661, 695
  - U-235 107, 108, 186, 187, 258, 260, 263, 267, 269, 362–364, 369, 372, 375, 377, 379, 391, 397, 399, 401, 417, 443, 451, 482–483, 611, 620, 641, 645, 646, 647, 652, 656, 661, 663, 667–668
  - U-235 series 41
  - U-236 364
  - U-238 6, 11, 13, 52, 53, 132, 172, 173, 244, 258, 263, 267, 269, 361–365, 383, 399, 400, 401, 407, 429, 430, 443, 450, 535, 557, 558, 587, 641, 656, 661, 703
  - U-238 series 6, 41, 430, 535, 557
  - Ultraviolet (UV) radiation 499, 503–505, 515, 524, 678
  - Unattached fraction 431, 432, 449, 661
  - Uncertainty 204, 205, 211, 221, 604
  - Uncontrolled areas
    - NCRP 49 320
    - NCRP 147 322, 333, 631
    - NCRP 151 325
  - University health physics 191, 245, 316, 339–357
  - Uptake 142–146, 147, 150, 168, 174, 290–294, 311–314, 339–341, 344, 348, 351, 355, 633, 635, 637
  - Uranium 138, 361, 399, 400, 425, 585
  - Uranium dioxide 361, 399, 400, 425, 658
  - Uranium miners 91, 432–433, 445, 569–570
  - USDOE *see* Department of Energy
  - Use factor 185, 319, 320, 326, 327, 330
  - USNRC 38, 554
    - *see also* Nuclear Regulatory Commission
- v**
- V-48 695
  - van de Graaff accelerator 458, 461
  - Vehicles 264–265, 266, 273, 277
    - closed transport 264–265, 266, 275
    - exclusive use 264–265, 266, 269, 271, 275, 279, 280, 616, 617
    - mixed lading 264–265, 266, 271, 274, 279
    - open transport 264–265, 266, 281, 621
    - sole use 264–265
  - Ventilation 232–233, 236, 246, 249, 340, 342, 387, 389, 390
  - Ventilation flow rate 719
  - Very high temperature, helium-cooled, graphite moderated thermal reactor (VHTR) 366, 400
- w**
- W-185 695
  - W-187 695
  - Waste *see* Mixed waste; Radioactive waste
  - Water
    - heavy ion ranges 132
    - moderator 369, 370, 378, 388, 646
  - Wave guide 469, 490, 492
  - Wavelength 4, 489, 491–493, 499, 502–505, 506, 510, 516–520, 522, 531, 671
  - Weighting factor 25–27, 38, 162, 176, 554, 590
    - radiation 26, 35, 43, 45, 157, 393, 560, 648
    - tissue 25–27, 65, 77, 90, 150, 157–158, 171, 174, 352, 435, 449, 566, 568, 586, 589, 634, 662
  - Whole body counter 171, 244, 246, 340, 588, 611, 633
  - Whole body dose 28, 42, 59, 62–63, 65, 73, 78, 150, 157, 169, 244, 290–293, 297, 588

- Whole body tissue 38, 554  
Working level (WL) 431–434, 448, 449, 661, 662, 712  
Working level month (WLM) 35, 432–433, 434, 449, 552, 662, 712  
Workload 185, 319, 320, 323, 325–326  
World Health organization (WHO) 18, 549
- x**  
X-ray 10, 36, 47, 105, 109, 184–185, 198, 307–311, 316–322, 332, 341, 347, 355, 462, 469, 470, 538, 566, 632, 637, 668, 703  
X-ray tube 184–185, 308, 318, 320, 321, 323, 329–330, 364  
Xe-124 648  
Xe-126 9, 10  
Xe-127 314  
Xe-133 312, 314, 367, 383, 401, 413, 429, 609, 695, 702  
Xe-135 367, 383, 401, 413, 419, 429, 609, 654  
Xe-137 413  
Xe-138 367, 647
- y**  
Y-88 695  
Y-90 7, 10, 315, 361, 383, 401, 413, 429, 542, 577, 702  
Y-91 695  
Yb-175 695  
Yield 408, 417
- z**  
Zn-63 664  
Zn-65 235, 244, 429, 460, 474, 605, 695, 702  
ZnS detector 102, 104, 107, 109, 437, 572, 613, 633  
Zr-89 113  
Zr-90 10, 113  
Zr-94 414  
Zr-95 102, 244, 414, 695