

Index

a

ACF relative variance 93
 AC-power 45
 active localisation 773, 774
 additive sampling 208
 additive white Gaussian noise 147
 admittance parameters 136
 ambiguity function 65
 amplifier 670
 amplitude probability 45
 amplitude response 108
 analog signal 34
 analytic signal 36, 281
 antenna aperture 415
 antenna array 536
 antenna canonical position 425
 antenna directivity 413
 antenna gain 387, 415
 antenna height 385
 antenna plane 570
 antenna receive mode 380
 antenna transmit mode 380
 aperture 387
 arithmetic mean 168
 artificial neural network 690
 associated Legendre function 429
 auto-correlation function 50
 auto-spectrum 56
 available power 147
 avalanche transistor pulser 204
 average active power 38
 averaging gain 152, 154

b

background removal 740, 749
 background signal 259
 background subtraction 780
 balanced mode 137
 balun 681

band-pass pulse 59
 bandwidth 59
 baseband pulse 59
 Bayes-criterion 452
 beamwidth 414
 BiCMOS 664
 binary pseudo random code 79
 biological tissue 14
 bi-static radar 388, 563
 1-bit receiver 268
 black box model 113
 blind range 511
 blind source separation 722
 boresight direction 413, 424
 Born approximation 553, 564, 645
 boundary conditions 592
 boundary scattering transform 567, 728
 boxcar function 72
 boxcar integrator 150, 224
 breast cancer 726
 breast surface reconstruction 728
 breathing detection 748
 Brewster angle 616

c

calibration 181, 708, 709
 – standards 181
 cancerous tissue 656
 canonical minimum-scattering antenna 409
 canonical position 425
 cardiac motion 660, 715
 Cauchy principal value 37
 Cauchy-Schwarz inequality 39, 54
 causality 100, 110, 371, 373, 510, 639
 centre frequency 8
 centre of radiation 381, 420
 centre transformation 421
 CFAR detector 498
 chain parameters 136

channel 672
 characteristic impedance 368
 chest motion detection 763
 chip bonding pad 669
 chirp 86
 circuit symmetry 676
 circulant matrix 126, 255
 circular convolution 126
 circular correlation 126
 clock feedthrough 682
 clock unit 669
 clutter free dynamic range 193
 clutter removal 259, 706, 740
 cm-wave 670
 coherence function 59
 coherence length 377
 coherence time 50, 69, 377
 Cole-Cole relation 599
 common midpoint method 527
 common mode 137
 complementary Golay-sequences 84, 244
 complex envelope 281
 complex impulse response 281
 complex spectrum 56
 compression gain 154
 compression point 1 dB 191
 condition number 144, 182
 conductivity 19, 590
 conical waveguide 443
 constitutive relations 570
 continuity equation 587
 continuous wave signal 5
 – UWB signal 49
 contrast function 645
 conversion efficiency 214, 218
 conversion gain 214
 convolution 5, 98
 co-polarisation 403
 correlation function 221
 correlation receiver 331
 correlation 5
 correlator 152
 cost function 116
 covariance function 50
 Cramér-Rao lower bound 477, 486
 crest factor 40, 42, 155
 cross-polarisation 403
 cross-spectrum 58
 crosstalk reduction technique 677
 crosstalk 675
 cumulative phase noise 313
 curvature error 373
 cut-off frequency 664
 cycle jitter 170, 175

d

Davidson-Cole relation 599
 DC-value 45
 dead zone 764
 Debye relaxation 599
 decay rate 104
 decimation factor 272
 de-convolution 349, 514
 decoupling capacitor 678
 delay and sum beam forming 546
 delta function 98
 delta-modulator 236
 design flow 666
 detect before track 499
 detection range 449, 491
 deterministic jitter 264
 device clutter 178, 510, 702
 dielectric spectroscopy 22, 596, 689
 differential amplifier 674, 681
 differential circuit description 136
 differential mode 137
 differential open-loop approach 682
 diffuse reflection 390
 digital signal 34
 digital ultra-wideband correlation 251
 dipole moment 619
 dipole relaxation 597, 689
 dipole 618
 Dirac-comb 124
 Dirac-function 98
 direct digital synthesiser 299
 direction vector 366
 directional coupler 351
 directive gain 425
 disaggregation 703, 707
 dispersion relation 604
 dithering 163
 Doppler cell 291
 Doppler-effect 21, 66
 Doppler scaling 65, 290
 DORT 557
 double sided bandwidth 60
 double sided spectrum 57
 doublet 602
 dual-ramp-approach 223
 dyadic Green's function 638
 dynamic range 191

e

ECL-circuit 203, 674
 edge sample tracking 476
 effective aperture 415
 effective bandwidth 61
 effective isotropic radiated power 413

effective number of bits 161, 256
 effective pulse width 42, 61
 efficiency 253, 266, 308, 323 327, 333, 334
 Eigen-frequency 10
 Eigenmode 113, 118
 – decomposition 427
 eight-term error model 187
 emitter degeneration 685
 energy detector 494
 energy flux 593
 energy-signal 33
 envelope 36, 37, 281
 equivalent antenna 424
 equivalent noise bandwidth 150
 equivalent rectangular bandwidth 60
 equivalent sampling frequency 223
 equivalent sampling rate 220
 equivalent time 208
 – oversampling 220
 ergodic signal 48, 52
 error correction 178
 error network 179
 Euclidian norm 38
 Euler notation 55
 evaluation board 686
 evanescent wave 616, 627
 even mode 137
 expected value 47

f

far field region 375
 fast Hadamard-transform 256
 feature value 106
 feedback receiver 269
 feedback sampling 219, 269
 feedback tap 678
 feedforward capacitor 684
 fidelity 53
 – factor 719
 – pattern 425
 figure of merit 267
 flicker noise 299
 flip-chip 670
 floor plan 676
 FMCW-radar 297, 317, 654
 foodstuffs 689
 form-factor 40
 forward problem 19
 Fourier-transformation 4, 55
 fractional bandwidth 7
 frequency aliasing 125
 frequency domain 5
 – description 54
 frequency response function 107

frequency shift keying 306
 Fresnel's equations 616
 Friis formula 644
 – transmission formula 387
 front-end 670
 full duration at half maximum 37, 687
 full width at half maximum 37, 687
 function moments 44
 fundamental matrix 120, 301
 FWHM 37, 687

g

Gaussian pulse 75
 Gaussian step function 79
 Gaussian-PDF 47
 geometric mean 168
 – array 552
 Golay-sequence 84, 244
 Gold-code 276
 gray box model 113
 Green's approach 201
 Green's function 97, 103, 372, 636
 Green's tensor 638
 ground penetrating radar 702
 guard ring 677

h

Hölder's inequality 39
 Hadamard matrix 256
 Hadamard product 127
 Hadamard-transform 256
 Hankel matrix 126
 harmonic mixing 229, 291, 301
 head wave 627
 heart beat detection 763
 heart motion 716
 Heaviside function 202
 Hertz vector 602
 Hertzian dipole 386, 618, 741
 heterodyne receiver 297, 299
 high performance HBT 664
 Hilbert transform 36, 110
 histogram 43
 hold capacitor 210
 homodyne receiver 297
 Hough transform 501, 546
 human being detection 762
 human thorax phantom 718
 human torso model 716

i

I/O buffer 680
 I/Q imbalance 299
 III-V group semiconductor 663

- ill-conditioned 4, 656
 - problem 349
 - ill-posed 656
 - problems 19, 722
 - image antenna 389
 - impedance parameters 136
 - impedance spectroscopy 22, 596
 - impulse compression 247
 - impulse principle 201
 - impulse radar 654
 - impulse response function 9, 97, 380, 636, 687
 - indoor location 772
 - inequality 39
 - in-phase component 108, 281
 - instantaneous frequency 37
 - instantaneous phase 37, 281
 - interaction time 20, 259
 - intercept point 191
 - interfacial dipole 625
 - interleaved sampling 229, 232
 - internal clutter 178, 510
 - internal noise 157
 - inter-period correlation processing 499
 - intrinsic impedance 368, 522, 591, 610
 - response 266, 325
 - inverse boundary scattering transform 567, 728
 - inverse problem 4, 19, 641, 656
 - inverse synthetic aperture radar 563
 - IQ-demodulator 281, 336
 - IRF settling 105
 - isolation 674
 - isotropic wave 368, 371
- j**
- jitter 170
 - joint probability density function 52
- k**
- Kirchhoff migration 547
 - Kramers-Kronig relation 37, 110, 591
- l**
- Laplace transform 4, 114
 - large object 368
 - lateral wave 627
 - lattice diagram 523
 - law of superposition 96
 - layer peeling 526
 - layout 666
 - least squares normal equation 778
 - line object 366
 - linear regression 694
 - linear system 96
 - linear time invariant 9
 - L_{int} -norm 39
 - L_2 -norm 39
 - Lorentz condition 603
 - loss tangent 605
 - lossless devices 139
 - low-pass pulse 59
 - L_p -norm 38
 - detection 496
- m**
- magnetic resonance imaging 714
 - Mahalanobis distance 107
 - Mason-graph 113, 139
 - Mason-rule 522
 - matched filter 101, 152
 - matching pursuit 10
 - maximum oscillation
 - frequency 667
 - maximum-a-posterior-criterion 452
 - Maxwell's equations 587
 - mean value 45
 - measurement bed 94
 - microwave breast imaging 727
 - microwave imaging 530, 658
 - Mie-scattering 397
 - migration stacking 546
 - MiMo 672, 686
 - MiMo-array 539
 - MiMo-radar 388, 563
 - MiMo-system 101, 275
 - minimum-scattering antenna 409
 - Minkowski inequality 39
 - mixed-mode parameters 138
 - mixed-mode S-parameters 141
 - mixer 670
 - mixing rules 601
 - mm-wave 670
 - modal parameters 138
 - moisture measurement 600
 - moisture profile 658
 - moisture sensing 656
 - monolithic integration 666, 672
 - mono-static radar 388, 563
 - motion detection 475, 658
 - movement detection 762
 - MR-compatible antenna 718
 - MSCW principle 278
 - M-sequence 79
 - approach 666
 - radar 702, 748
 - multi-chip approach 668
 - multilateration 777
 - multiple human tracking 763

- multiple moving target tracking 764
- multiplicative sampling 212
- multi-sine 88, 323
- multi-static data matrix 554
- multi-static radar 388, 563
- multivariate calibration 694
- MUSIC 562

- n**
- N over K detector 493
- narrowband interference 168
- narrowband condition 69
- narrowband radar 446
- natural mode 118
- network analyser 301, 306, 654
- neural network 690
- Neyman-Pearson-criterion 452
- noise aggressor 675
- noise factor 157
- noise figure 157
- noise temperature 157
- noise victim 674
- non-destructive testing 702
- non-linear distortions 189
- non-linear transmission line 206
- non-stationary clutter 756
- non-well resolved scatterers 561
- normal distribution 47
- normalised antenna height 385
- normalised dipole wave 623
- normalised plane wave 611
- normalised scattering length 392
- normalised wave 134, 369, 611
- Nyquist rate 125
- Nyquist sampling 42

- o**
- object function 540, 645
- observation point 368, 382
- observation time 21, 259, 499
- odd mode 137
- one-port error correction 181, 184
- one-sided spectrum 55
- on-wafer measurement 686
- open ended coaxial line 690
- optical scattering 397
- optimum dynamic range 193
- orientational polarisability 597, 689
- output buffer 681

- p**
- packaging 671
- parameter estimation 115
- parametric system description 112
- Parseval's theorem 56
- passive localisation 773, 774, 779, 780
- PDF-moments 47
- peak-to-average power ratio 40
- perfect electric conductor 617
- permeability 19, 590
- permittivity 19, 590, 591, 689
- phase noise 173
- phase response 108
- phase-locked loop 231
- phasor 55
- physical array 562
- planar object 366
- plane wave 368, 369, 604
- PN-code 243
- PN-generator 669
- PN-radar 655
- PN-signal 243
- point object 366
- point scatterer 396
- point spread function 535, 540, 558
- polarimetry 402
- polarisation vector 603
- polarisation 402, 609
- polarity receiver 268
- polarity-coincidence correlator 338
- position vector 366, 368
- power density spectrum 58
- power flux, guided waves 134
- power signal 33
- power spectrum 56
- Poynting vector 369, 593
- pre-amplifier 681
- principal component analysis
 - 690, 694, 746
- principal component regression 694
- probability density function 43
- processing gain 154
- product detector 221, 248
- propagation delay 675
- propagation direction 368
- propagation loss 508
- propagation matrix 554
- propagation speed 591
- propagation time 259
- prototype 685
- pseudo noise codes 79
- pseudo random signal 329
- pseudo-noise 324
- pseudo-range 776
- pulse centre of gravity 41
- pulse energetic centre 41
- pulse position Cramér-Rao lower
 - bound 477

pulse sources 203
 pulse time position 41

q

QFN 671
 quadrature component 108, 281
 quantisation noise 158
 quasi spherical wave 382
 quasi wavefront 566

r

radar array 388
 radar cross section 394
 radar equation 393, 394, 633, 645
 radar measurement 388
 radargram 258, 498
 radiation regulation 10
 Radon-transform 501
 random noise 91, 330
 – network analyser 339
 random process 33, 45
 random sampling 233
 range accuracy 449, 475
 range coverage 449, 491
 range precision 449
 range resolution 260, 319, 447, 455
 range-Doppler coupling 70, 309
 rational function 115
 Rayleigh-scattering 395
 receiver 672, 681
 – efficiency 154
 reciprocity 139, 386, 388, 393, 555, 594,
 625, 640
 recording time 21, 96, 127, 155, 290
 rectangular pulse width 42
 rectangular pulse 72
 reflection coefficient 139
 reflection law 390, 614
 refraction index 522, 615
 region of interest 373
 regularisation 518
 relaxation frequency 597, 689
 relaxation time 597
 relay correlator 337
 residue form 117
 resonant scattering 397
 respiration motion 661
 respiratory detecting 748
 respiratory motion 715
 – detection 763
 reverberation time 104
 R2-filter 320
 rise time 64
 rise-time-jitter ratio 464

rms-value 38, 45
 ROC-curve 452
 roundtrip time of arrival 776

s

SAGE 10
 – algorithm 457
 salt mine 707
 sample & hold mode 213
 sampling circuit 669
 sampling efficiency 235, 266
 sampling gate 681, 682
 sampling rate 124
 sampling theorem 124
 scalar potential 602
 scalar radar equation 393
 scattering directive pattern 399
 scattering length 392
 scattering parameters 139
 Schröder backward integration 104
 Schur product 127
 search & rescue 745
 self-reciprocity 386, 625
 sensor array 672
 sensor network 765
 sequential sampling 223, 230
 sewer pipe 703
 SFCW-radar 297, 306
 shape factor 40
 short dipole 435, 741
 short time integrator 150, 250
 side lobe suppression 104, 537
 SiGe 664
 signal droop 682
 signal energy 38
 signal feedthrough 682
 signal flow graph 139
 signal-to-noise ratio 47, 148, 194, 257
 sinc-pulse 73
 single sided bandwidth 60
 single sided spectrum 57
 single-chip sensor 672
 singular value decomposition 758
 SiSo-system 101
 slew-rate 40
 sliding average 149
 sliding correlator 248
 slope-amplitude coherence function 41
 small object 367
 Snell's law 614
 SNR-value 312, 316
 space invariant 639
 space-time convolution 638
 S-parameters 406

- sparse scene 553
 - spatial frequency 370, 604
 - spatial resolution 534
 - spectrum 56
 - specular reflection 397
 - speed measurement 290
 - spherical deformation pattern 425, 461
 - spherical harmonics 429
 - spherical mode expansion 429
 - spherical wave 368, 371
 - spiral antennas 749
 - spurious free dynamic range 193
 - stability 100, 639
 - stacking 151
 - standard deviation 47
 - state space model 118
 - state vector 118, 120
 - stationary process 52
 - steering filter 536
 - step function 202
 - step recovery diode 206
 - step response 202
 - stepped frequency continuous wave 306
 - radar 297
 - stepped frequency radar 654
 - stimulus generator 678
 - storage capacitor 682
 - stroboscopic sampling 207
 - structural efficiency 417, 426
 - structural reflection 410
 - sub-sampling 207
 - surface penetrating radar 23
 - switching noise 674
 - synchronization unit 679
 - synchronous averaging 151
 - synthetic aperture radar 562, 643
 - system in package 665
 - system matrix 120
 - system performance 195
 - systematic error 178, 702
- t**
- target displacement 476
 - target identification 10
 - target shadowing 763, 764
 - TDR 23
 - TDT 23
 - thermal noise 146
 - power 147
 - through rubble detection 745
 - through wall detection 762
 - through wall radar 23
 - time 20
 - time aliasing 105, 125, 442
 - time difference of arrival 294
 - time domain 5
 - network analyser 347, 709
 - reflectometer 79, 690
 - transmission 23
 - time drift 483
 - time gating 241
 - time invariant system 96, 98, 639
 - time on target 290, 499
 - time reversal operator 558
 - time variable gain 241
 - time-bandwidth product 61, 64, 226
 - time-reversal 330
 - technique 157
 - toggle frequency 679
 - total reflection 616, 727
 - T-parameters 185
 - trace estimation 763
 - track & hold mode 217
 - track before detect 499
 - track-and-hold 681
 - track-to-hold-step 682
 - transfer function 115
 - transition frequency 667
 - transmission coefficient 139
 - transmission matrix 554
 - transmission parameters 139
 - transmitter 672
 - trapped people detection 762
 - trapped victims 745
 - triangular pulse 72
 - triangulation 778
 - trigger jitter 170
 - trilateration 777
 - tunnel diode switch 204
 - two sided bandwidth 60
 - two-sided spectrum 55
- u**
- ultra-wideband sensing 655
 - ultra-wideband signals 674
 - ultra-wideband 7
 - unambiguous range 69, 261, 449
 - unbalanced mode 137
 - uncertainty relation 64
 - unconscious victims 745
 - UWB-radio pulse 62
 - UWB-regulation 11
 - UWB-signal 9, 32
- v**
- variance 47
 - vector potential 602
 - vermin detection 658

video filter 494
virtual family 716
virtual point source 382
voltage- and time-histogram 48
voxel 534

w

Walsh-Hadamard transform 256
water molecule 597, 689
wave impedance 134
wave number 370, 502, 604
wave vector 370
wavefront detection 731
wavefront migration 546
wavelength 370, 604

Welch's method 339
well resolved scatterer 556, 558
white box model 113
wideband ambiguity function 66
wideband modulator 679
wideband processing 69
Wiener-de-convolution 518
Wiggle plot 258, 498
window function 515

y

Young's inequality 39

z

zero-pole-gain form 117